

1490
ED

C₄F₁₂Sn

Tetrakis(trifluoromethyl)tin

r_a	\AA^a	θ_a	deg a
C–F	1.338(2)	F–C–F	108.2(2)
Sn–C	2.201(5)		

The CF₃ groups were assumed to be staggered with respect to the Sn–C bonds.

The nozzle temperature was 10 °C.

^a) Three times the estimated standard errors.

Eujen, R., Bürger, H., Oberhammer, H.: J. Mol. Struct. **71** (1981) 109.

