

Nb-O-Ti-Yb
Nb-O-Tl
Nb-O-Tl-W
Nb-O-Tm
Nb-O-U
Nb-O-V
Nb-O-W
Nb-O-Y
Nb-O-Y-Yb
Nb-O-Yb
Nb-O-Zn
Nb-O-Zr
Nb-P
Nb-P-S
Nb-P-S-Se
Nb-P-S-Ta
Nb-P-Se
Nb-S
Nd-Ni-O
Nd-Ni-O-Si-Ti
Nd-Np-O
Nd-O
Nd-O-P
Nd-O-P-Pr
Nd-O-P-Sm
Nd-O-P-Sr
Nd-O-P-Y
Nd-O-Pa
Nd-O-Pb
Nd-O-Pb-Si
Nd-O-Pb-Ta
Nd-O-Pr
Nd-O-Pr-Ta
Nd-O-Pt
Nd-O-Rb-W
Nd-O-Re
Nd-O-Rh
Nd-O-Ru
Nd-O-S
Nd-O-Sb
Nd-O-Sb-Sr
Nd-O-Sc
Nd-O-Se
Nd-O-Si
Nd-O-Si-Sr
Nd-O-Si-Zn
Nd-O-Sm
Nd-O-Sn
Nd-O-Sn-Ti
Nd-O-Sr
Nd-O-Sr-Ta
Nd-O-Sr-U
Nd-O-Ta
Nd-O-Ta-Ti
Nd-O-Ta-Ti-Y
Nd-O-Te
Nd-O-Th
Nd-O-Th-U
Nd-O-Ti
Nd-O-Ti-W
Nd-O-Ti-Yb
Nd-O-Ti-Zr
Nd-O-Tl

Nd-O-U
Nd-O-V
Nd-O-W
Nd-O-W-Yb
Nd-O-Y
Nd-O-Yb
Nd-O-Zr
Nd-P
Nd-P-S
Nd-S
Ni-O
Ni-O-P
Ni-O-P-Pb-S
Ni-O-Pb-Si
Ni-O-Pb-Sn-Ta
Ni-O-Pb-Sn-W
Ni-O-Pb-Ta
Ni-O-Pb-Ti-W
Ni-O-Pb-W
Ni-O-Pr
Ni-O-Pr-Si-Ti
Ni-O-Rb
Ni-O-Rb-S
Ni-O-Rb-Ti
Ni-O-Re-Sr
Ni-O-Rh
Ni-O-S
Ni-O-Sb
Ni-O-Sb-Sr
Ni-O-Sb-Ta
Ni-O-Sb-Ti
Ni-O-Sb-Zn
Ni-O-Se
Ni-O-Si
Ni-O-Si-Sm-Ti
Ni-O-Si-Sr
Ni-O-Si-Y
Ni-O-Sm
Ni-O-Sn-Zn
Ni-O-Sr-Ta
Ni-O-Sr-Te
Ni-O-Sr-U
Ni-O-Sr-W
Ni-O-Ta
Ni-O-Ta-U
Ni-O-Ta-Zn
Ni-O-Tc-Zn
Ni-O-Te
Ni-O-Te-Zn
Ni-O-Ti
Ni-O-Ti-Zn
Ni-O-Tl
Ni-O-Tm
Ni-O-U
Ni-O-V
Ni-O-W
Ni-O-Y
Ni-O-Yb
Ni-O-Zn
Ni-O-Zr
Ni-P
Ni-P-S
Ni-P-Se

Ni-P-Ta
Np-O
Np-O-P
Np-O-Pr
Np-O-Rb
Np-O-S
Np-O-Si
Np-O-Sm
Np-O-Sr
Np-O-Ta
Np-O-Tb
Np-O-Th
Np-O-Ti
Np-O-Tm
Np-O-U
Np-O-V
Np-O-W
Np-O-Y
Np-O-Yb
O-Os
O-Os-Pb
O-Os-Sc-Sr
O-Os-Si III/6
O-Os-Sr
O-Os-Tl
O-P
O-P-Pb
O-P-Pb-Rb
O-P-Pb-S
O-P-Pb-S-Sr
O-P-Pb-S-Zn
O-P-Pb-Si
O-P-Pb-Si-V
O-P-Pb-Th
O-P-Pb-Ti
O-P-Pb-Tl
O-P-Pb-U
O-P-Pb-Zr
O-P-Pm
O-P-Pr
O-P-Pu
O-P-R-Si-Th-Zr
O-P-Rb
O-P-Rb-Sr
O-P-Rb-Th
O-P-Rb-Ti
O-P-Rb-Zn
O-P-Rb-Zr
O-P-S
O-P-S-Sr
O-P-Sb
O-P-Sc
O-P-Sc-Sr
O-P-Si
O-P-Si-Sr
O-P-Si-Y-Zr
O-P-Sm
O-P-Sn
O-P-Sr
O-P-Sr-Th
O-P-Sr-Tl
O-P-Sr-Y
O-P-Sr-Zn

O-P-Sr-Zr
O-P-Ta
O-P-Tb
O-P-Th
O-P-Th-U
O-P-Ti
O-P-Ti-Tl
O-P-Tl
O-P-Tl-Zn
O-P-Tm
O-P-Tm-Yb
O-P-U
O-P-V
O-P-V-Y
O-P-V-Zn
O-P-W
O-P-Y
O-P-Yb
O-P-Zn
O-P-Zr
O-Pa
O-Pa-Pm
O-Pa-Pr
O-Pa-Pu
O-Pa-Rb
O-Pa-S
O-Pa-Sc
O-Pa-Si
O-Pa-Sm
O-Pa-Ta
O-Pa-Tb
O-Pa-Th
O-Pa-Tm
O-Pa-Y
O-Pa-Yb
O-Pb
O-Pb-Pr
O-Pb-Pr-Si
O-Pb-Pr-Ta
O-Pb-Pt
O-Pb-R-Th-U
O-Pb-Rb
O-Pb-Rb-S
O-Pb-Rb-Se
O-Pb-Rb-Si
O-Pb-Re
O-Pb-Rh
O-Pb-Rh-Sr
O-Pb-Ru
O-Pb-Ru-Sr
O-Pb-S
O-Pb-S-Se
O-Pb-S-Sr
O-Pb-S-Tl
O-Pb-Sb
O-Pb-Sb-Sn
O-Pb-Sb-Sr
O-Pb-Sb-Ta
O-Pb-Sc-Si
O-Pb-Sc-Ta
O-Pb-Sc-W
O-Pb-Se
O-Pb-Se-Tl

O-Pb-Si
O-Pb-Si-Sm
O-Pb-Si-Sr
O-Pb-Si-Sr-Zn
O-Pb-Si-V
O-Pb-Si-Y
O-Pb-Si-Zn
O-Pb-Sm
O-Pb-Sm-Ta
O-Pb-Sn
O-Pb-Sn-Sr-Ti
O-Pb-Sn-Ta-Zn
O-Pb-Sn-Te
O-Pb-Sn-Ti
O-Pb-Sn-Ti-Zr
O-Pb-Sn-W
O-Pb-Sn-Zr
O-Pb-Sr
O-Pb-Sr-Ti
O-Pb-Sr-Ti-Zr
O-Pb-Sr-Zr
O-Pb-Ta
O-Pb-Ta-Ti
O-Pb-Ta-V
O-Pb-Ta-W
O-Pb-Ta-Y
O-Pb-Ta-Yb
O-Pb-Tb
O-Pb-Tc
O-Pb-Te
O-Pb-Te-Ti
O-Pb-Te-U
O-Pb-Th
O-Pb-Th-U
O-Pb-Th-V
O-Pb-Ti
O-Pb-Ti-Tl-W-Zr
O-Pb-Ti-W
O-Pb-Ti-W-Yb
O-Pb-Ti-Zr
O-Pb-Tl
O-Pb-Tl-V
O-Pb-U
O-Pb-V
O-Pb-W
O-Pb-W-Zn
O-Pb-W-Zr
O-Pb-Y
O-Pb-Zn
O-Pb-Zr
O-Pd
O-Pd-Rh
O-Pd-Sc
O-Pd-Sr
O-Pd-Ti
O-Pd-Y
O-Pd-Yb
O-Pd-Zr
O-Pm
O-Pm-Sc
O-Pm-Sm
O-Pm-Ta
O-Pm-V

O-Pm-W
O-Po
O-Pr
O-Pr-Pt
O-Pr-Rb-W
O-Pr-Re
O-Pr-Rh
O-Pr-Ru
O-Pr-S
O-Pr-Sb-Sr
O-Pr-Sc
O-Pr-Sc-W
O-Pr-Se
O-Pr-Si
O-Pr-Si-Sr
O-Pr-Sm
O-Pr-Sn
O-Pr-Sr
O-Pr-Sr-Ta
O-Pr-Sr-U
O-Pr-Ta
O-Pr-Tb
O-Pr-Te
O-Pr-Th
O-Pr-Ti
O-Pr-U
O-Pr-V
O-Pr-W
O-Pr-Y
O-Pr-Zr
O-Pt
O-Pt-Sc
O-Pt-Sm
O-Pt-Sr
O-Pt-Tb
O-Pt-Ti
O-Pt-Tl
O-Pt-Tm
O-Pt-V
O-Pt-Y
O-Pt-Yb
O-Pt-Zn
O-Pt-Zr
O-Pu
O-Pu-Rb
O-Pu-S
O-Pu-S-U
O-Pu-Se
O-Pu-Si
O-Pu-Sr
O-Pu-Ta
O-Pu-Te
O-Pu-Th
O-Pu-Tm
O-Pu-U
O-Pu-V
O-Pu-Zr
O-R
O-R-Th-Ti-U-Zr
O-Ra-S
O-Ra-Se
O-Ra-W
O-Rb

O-Rb-Re
O-Rb-Re-S
O-Rb-S
O-Rb-S-Sc
O-Rb-S-Se
O-Rb-S-Sr
O-Rb-S-Tl
O-Rb-S-V
O-Rb-Sb
O-Rb-Sc
O-Rb-Sc-Ti
O-Rb-Sc-W
O-Rb-Se
O-Rb-Se-Sr
O-Rb-Si
O-Rb-Si-Sn
O-Rb-Si-Ti
O-Rb-Sm-W
O-Rb-Sn
O-Rb-Ta
O-Rb-Ta-Te
O-Rb-Ta-W
O-Rb-Tb
O-Rb-Tc
O-Rb-Te
O-Rb-Te-V
O-Rb-Th
O-Rb-Ti
O-Rb-Ti-W
O-Rb-Ti-Zn
O-Rb-Tl
O-Rb-Tm
O-Rb-Tm-W
O-Rb-U
O-Rb-U-V
O-Rb-V
O-Rb-V-W
O-Rb-W
O-Rb-W-Y
O-Rb-W-Yb
O-Rb-W-Zn
O-Rb-Y
O-Rb-Yb
O-Rb-Zr
O-Re
O-Re-S-Tl
O-Re-Sc
O-Re-Sc-Sr
O-Re-Sm
O-Re-Sr
O-Re-Sr-Tb
O-Re-Sr-Tm
O-Re-Sr-Y
O-Re-Sr-Yb
O-Re-Sr-Zn
O-Re-Tb
O-Re-Ti
O-Re-Tl
O-Re-Tm
O-Re-V
O-Re-W
O-Re-Y
O-Re-Yb

O-Re-Zr
O-Rh
O-Rh-Sb
O-Rh-Sb-Sr
O-Rh-Si III/6
O-Rh-Sm
O-Rh-Sr
O-Rh-Ta
O-Rh-Ta-Te
O-Rh-Tb
O-Rh-Ti
O-Rh-Tl
O-Rh-Tm
O-Rh-V
O-Rh-Zn
O-Rh-Zr
O-Ru
O-Ru-Sm
O-Ru-Sr
O-Ru-Tb
O-Ru-Tl
O-Ru-Tm
O-Ru-Y
O-Ru-Yb
O-S
O-S-Sb
O-S-Sc
O-S-Se
O-S-Se-Zn
O-S-Sm
O-S-Sn
O-S-Sn-Tl
O-S-Sr
O-S-Sr-Tl
O-S-Tb
O-S-Te
O-S-Th
O-S-Ti
O-S-Tl
O-S-Tl-V

2 Alphabetisches Formelverzeichnis

YTiNbO ₆ (II)	e 2516	NazW, ₁ O ₆₃	f 1832
Y ₅ Ti ₄ Nb ₆ O _{30,5}	e 3519	Nb ₁₄ W ₃ O ₄₄	f 1827
Nb - O - Ti - Yb		Nb ₁₆ W ₅ O ₅₅	f 1829
YbTiNbO ₆ (I)	e 2551	Nb ₁₈ W ₈ O ₆₉	f 1830
YbTiNbO ₆ (II)	e 2552	Nb ₁₈ W ₁₆ O ₉₃	f 1832
Nb - o - Ti		Nb ₁₈ W ₁₇ O ₉₆	f 1833
TiNbO ₃	e 2244	Nb ₂₆ WO ₆₈	f 1823
Ti ₂ Nb ₂ O ₇ (I)	e 2245	Nb ₂₆ W ₄ O ₇₇	f 1826
Nb - O - I - I - w		Nb ₃₀ WO ₇₈	f 1822
Ti _x Nb _x W _{1-x} O ₃ (I)	f 1859	Nb ₄₀ WO ₁₀₃	f 1821
Ti _x Nb _x W _{1-x} O ₃ (II)	f 1860	Nb ₆₈ WO ₁₇₃	f 1820
Nb - O - Tm		α-(W,Nb)O _x	b 1263
TmNbO ₄ (I)	e 2379	Nb - O - Y	
TmNbO ₄ (II)	e 2380	YNbO ₄ (I)	e 2253
Nb - O - U		YNbO ₄ (II)	e 2254
Nb _{2-x} ^{IV} Nb _x ^V O _{7(12-2x)/5} U _x ^{VI} O ₁₀	e 2406	YNbO ₄ (III)	e 2255
U _{0,667} Nb ₂ O ₇	e 2407	Y ₃ NbO ₇	e 2252
U(NbO ₃) ₄	e 2405	Nb - o - Y - Yb	
UNbO ₅	e 2404	(Y _x Yb _{1-x})NbO ₄ (I)	e 2392
UNb ₃ O ₁₀	e 2406	Nb - O - Yb	
UNb ₃ O _{10,67}	e 2409	YbNbO ₄ (I)	e 2386
UNb ₃ O _{10+x}	e 2409	YbNbO ₄ (II)	e 2387
U _{2+x} NbO _{8+y}	e 2408	YbNbO ₄ (III)	e 2388
Nb - o - v		Yb ₃ NbO ₇	e 2385
(NbVO ₄) _{-x} (VO ₂) _z	b 1102	Nb - O - Zn	
NbVO ₅	b 1103	Nb ₃ Zn ₃ O _{0,4}	b 1087
NbVO _{5-x}	e 2709	Zn _{0,667} Nb _{11,333} O ₂₉ (I)	e 2204
(Nb _x V _{1-x})O ₂ (I)	b 1102	Zn _{0,667} Nb _{11,333} O ₂₉ (II)	e 2205
(Nb _x V _{1-x})O ₂ (II)	b 1103	ZnNb ₂ O ₆	e 2203
(Nb _{1-y} V _y)O (I)	b 1100	Zn _{2,333} Nb _{0,667} O ₄	e 2202
(Nb _{1-y} V _y)O (II)	b 1101	Nb - O - Zr	
VNbO ₄	b 1103	(Nb _{1-x} Zr _x)O _y (I)	b 1093
VNbO ₅	e 2709	(Nb _{1-x} Zr _x)O _y (II)	b 1094
VNb ₉ O ₂₅	e 2711	ZrNb ₁₀ O ₂₇	e 2601
V ₂ Nb ₂₃ O ₆₂	e 2707	ZrNb ₁₂ O ₃₂	e 2602
V ₃ NbO ₁₀	e 2708	ZrNb ₁₄ O ₃₇	e 2602
V ₃ NbO _{10-x}	e 2708	ZrNb ₂₄ O ₆₂ (I)	e 2603
V ₃ Nb ₁₇ O ₅₀	e 2710	ZrNb ₂₄ O ₆₂ (II)	e 2604
(V _x Nb _{10-x})O ₂₅	e 2711	ZrNb ₂₄ O ₆₂ (III)	e 2605
(V _x Nb _{1-x}) ₂ O ₅	e 2711	ZrNb ₂₄ O ₆₂ (IV)	e 2606
	e 2712	Zr ₆ Nb ₂ O ₁₇	e 2600
Nb - O - W		(Zr _{1-x} Nb _x)O	b 1095
Nb _{0,4} W _{0,6} O _{2,8}	f 1834	Zr _{1-x} Nb _x O _{2+0,5x}	e 2600
2Nb ₂ O ₅ · 98WO ₃	b 1244	Nb - P	
Nb ₂ O ₅ · xWO ₃	f 1837	NbP	c 1295
Nb ₂ WO ₈	f 1831	NbP ₂	c 1296
Nb ₂ W ₃ O ₁₄	f 1835	NbP _{1-x}	c 1295
Nb ₄ WO ₁₃	f 1828	Nb ₃ P	c 1292
Nb ₄ W ₇ O ₃₁	f 1836	Nb ₅ P ₃	c 1294
Nb ₆ W ₈ O ₃₉	f 1835	Nb ₇ P ₄	c 1293
Nb ₈ WO ₂₃	f 1825	Nb - P - S	
Nb ₈ W ₉ O ₄₇	f 1834	NbPS	b 2874
Nb ₁₂ WO ₃₃	f 1824		c 1443

2 Alphabetical formula index

Nb - P - S - Se			
NbPS _{1-x} Se _x	c	1468	
Nb - P - S - Ta			
Nb _x Ta _{1-x} PS	c	1445	
Ta _x - _x Nb _x PS	b	2876	
Nb - P - Se			
NbPSe	c	1467	
Nh - s			
NbS ₂	b	2910	
Nd - Ni - O			
NdNiO ₃	f	3798	
Nd _x Ni _y Ni _z ^{III} O _{3.84}	e	150	
Ni ^{III} Nd ₂ O ₄	e	150	
Nd - Ni - O - Si - Ti			
Nd ₄ Ni ₂ Ti ₃ Si ₄ O ₂₂	d	1162	
Nd - Np - O			
NdNpO ₄	b	591	
(Nd,Np) ₇ O ₁₂	e	630	
Nd ₆ NpO ₁₂	e	630	
Nd - O			
NdO	b	274	
NdO ₂	b	281	
Nd ₂ O ₃ (I)	b	275	
Nd ₂ O ₃ (II)	b	276	
Nd ₂ O ₃ (III)	b	277	
Nd ₂ O ₃ (IV)	b	278	
Nd ₂ O ₃ (V)	b	279	
Nd ₆ O ₁₁	b	280	
Nd - O - P			
NdPO ₄ (I)	c	1795	
NdPO ₄ (II)	c	1796	
NdP ₅ O ₁₄	c	1797	
Nd - O - P - Pr			
Pr _x Nd _{1-x} PO ₄	c	1801	
Nd - O - P - Sm			
Sm _x - _x Nd _x PO ₄	c	1807	
Nd - O - P - Sr			
Sr ₃ Nd(PO ₄) ₃	c	1798	
Nd - O - P - Y			
Y _{1-x} Nd _x PO ₄	c	1800	
Nd - O - Pa			
Nd _{0.25} Pa _{0.75} O _{2.25}	b	482	
Nd _{0.5} Pa _{0.5} O ₂	b	481	
(Nd _{0.5} Pa _{0.5} O ₂) _{1-x} (NdO _{1.5}) _x	b	483	
NdPaO ₄	b	481	
NdPa ₃ O ₉	b	482	
Nd - O - Pb			
Nd ₂ Pb ₂ O ₇	d	3335	
Nd - O - Pb - Si			
Nd ₈ Pb ₂ [(SiO ₄) ₆ O ₂]	d	764	
Nd - O - Pb - Ta			
Pb ₂ NdTaO ₆	e	3225	
Nd - O - Pr			
(PrO ₂) _{1-x} (NdO _{1.5}) _x	b	288	
Nd - O - Pr - Ta			
Pr _{0.9} Nd _{0.1} TaO ₄	e	3120	
Nd - O - Pt			
Nd ₂ Pt ₂ O ₇	f	4063	
Nd - O - Rb - W			
RbNd(WO ₄) ₂ (I)	f	1523	
RbNd(WO ₄) ₂ (II)	f	1524	
Nd - O - Re			
Nd(ReO ₄) ₃	f	2835	
Nd ₂ ReO ₅	f	2833	
Nd ₂ ReO _{5.25}	f	2834	
Nd ₄ Re ₂ O ₁₁	f	2834	
Nd - O - Rh			
NdRhO ₃	f	3897	
Nd - O - Ru			
Nd ₂ Ru ₂ O ₇	f	3839	
	f	3857	
Nd - O - S			
Nd ₂ O ₂ S	b	3065	
Nd ₂ O ₂ SO ₄	b	3750	
Nd ₂ O ₂ S ₂	b	3066	
Nd ₂ (SO ₄) ₃	b	3304	
Nd ₁₀ OS ₁₄	b	3067	
Nd ₁₀ O _x S _{15-x}	b	3068	
Nd - O - Sb			
Nd ₂ O ₃ · 0.4Sb ₂ O ₄	c	3058	
2Nd ₂ O ₃ · 3Sb ₂ O ₃	c	3057	
Nd ₃ SbO ₇	c	3058	
Nd ₄ Sb ₆ O ₁₅	c	3057	
Nd - O - Sb - Sr			
Sr ₂ NdSbO ₆	c	3060	
Nd - O - Sc			
NdScO ₃	e	68	
Sc _x - _x Nd _x O ₃	b	284	
Nd - O - Se			
Nd ₂ O ₂ Se	b	4200	
Nd ₄ O ₄ Se ₃	b	4201	
Nd - O - Si			
Nd ₂ SiO ₅	d	565	
Nd ₂ Si ₂ O ₇ (I)	d	567	
Nd ₂ Si ₂ O ₇ (II)	d	568	
Nd ₄ Si ₃ O ₁₂	d	567	
Nd _{9.333} [(SiO ₄) ₆ O ₂]	d	566	
Si ₃ Nd ₅ O _x	III/6		
Nd - O - Si - Sr			
(Nd ₂ SiO ₅) _{1-x} (SrSiO ₃) _x	d	582	
Sr ₂ Nd ₈ [(SiO ₄) ₆ O ₂]	d	580	
Sr ₆ Nd ₄ (SiO ₄) ₆	d	581	
Nd - O - Si - Zn			
Zn ₂ Nd ₈ [(SiO ₄) ₆ O ₂]	d	584	

2 Alphabetisches Formelverzeichnis

Nd - 0 - Sm		Nd - O - U	
$(\text{Nd}_{1-x}\text{Sm}_x)_2\text{O}_3$ (I)	b 312	NdUO_4	b 552
$(\text{Nd}_{1-x}\text{Sm}_x)_2\text{O}_3$ (II)	b 313	$\text{Nd}_6\text{UO}_{12}$	e 433
$(\text{Nd}_{1-x}\text{Sm}_x)_2\text{O}_3$ (III)	b 314	$(\text{UO}_{2,67})_{1-y}(\text{NdO}_{1,5})_y$	b 552
Nd - 0 - Sn		$(\text{UO}_{2+x})_{1-y}(\text{NdO}_{1,5})_y$	e 433
$\text{Nd}_2\text{Sn}_2\text{O}_7$	d 3192	$(\text{U}_{1-y}\text{Nd}_y)\text{O}_{2\pm x}$	b 552
Nd - 0 - Sn - Ti		Nd - O - V	
$\text{Nd}_2\text{SnTiO}_7$	e 978	NdVO_3	e 1728
Nd - 0 - Sr		NdVO_4 (I)	e 1729
$(\text{Nd}_2\text{O}_3)_{1-x}(\text{SrO})_x$ (I)	b 282	NdVO_4 (II)	e 1730
$(\text{Nd}_2\text{O}_3)_{1-x}(\text{SrO})_x$ (II)	b 283	Nd - O - W	
SrNd_2O_4	e 146	$\text{Nd}_{0,1}\text{WO}_3$	f 1504
$\text{SrNd}_6\text{O}_{10}$	e 147	$\text{Nd}_2(\text{WO}_4)_3$ (I)	f 1509
Nd - 0 - Sr - Ta		$\text{Nd}_2(\text{WO}_4)_3$ (II)	f 1510
$\text{Sr}_2\text{NdTaO}_6$	e 3118	Nd_2WO_6	f 1506
Nd - 0 - Sr - U		$\text{Nd}_2\text{W}_2\text{O}_9$	f 1508
Sr_2NdUO_6	e 434	$\text{Nd}_4\text{W}_3\text{O}_{15}$	f 1507
$\text{Sr}_3\text{Nd}_2\text{UO}_9$	e 435	$\text{Nd}_6\text{WO}_{12}$	f 1505
Nd - 0 - Ta		Nd - 0 - W - Y b	
NdTaO , (I)	e 3111	$\text{NdYb}(\text{WO}_4)_3$ (II)	f 1656
NdTaO , (II)	e 3112	Nd - O - Y	
NdTaO , (III)	e 3113	NdYO_3	b 285
NdTa_3O_9	e 3114	$(\text{Nd}_{1-x}\text{Y}_x)_2\text{O}_3$	b 285
$\text{NdTa}_7\text{O}_{19}$	e 3115	Nd - 0 - Y b	
Nd_3TaO_7	e 3110	$(\text{Yb}_{1-x}\text{Nd}_x)_2\text{O}_3$ (I)	b 409
Nd - 0 - Ta - Ti		$(\text{Yb}_{1-x}\text{Nd}_x)_2\text{O}_3$ (II)	b 410
NdTiTaO_6	e 3251	Nd - 0 - Zr	
Nd - 0 - Ta - Ti - Y		$\text{Nd}_{0,8}\text{Zr}_{0,2}\text{O}_{1,6}$	b 824
$\text{Nd}_x\text{Y}_{1-x}\text{TiTaO}_6$	e 3252	$(\text{Nd}_2\text{O}_3)_x(\text{ZrO}_2)_{1-x}$ (I)	b 820
Nd - 0 - Te		$(\text{Nd}_2\text{O}_3)_x(\text{ZrO}_2)_{1-x}$ (II)	b 821
$\text{Nd}_2\text{O}_2\text{Te}$	b 4483	$(\text{Nd}_2\text{O}_3)_x(\text{ZrO}_2)_{1-x}$ (III)	b 822
Nd_2TeO_6	b 4699	$(\text{Nd}_2\text{O}_3)_x(\text{ZrO}_2)_{1-x}$ (IV)	e 1344
$\text{Nd}_2\text{Te}_4\text{O}_{11}$	b 4522	$(\text{Nd}_2\text{O}_3)_x(\text{ZrO}_2)_{1-x}$ (V)	b 823
$\text{Nd}_6\text{TeO}_{12}$	b 4698	$(\text{Nd}_2\text{O}_3)_x(\text{ZrO}_2)_{1-x}$ (VI)	b 824
Nd - 0 - Tb		$\text{Nd}_2\text{Zr}_2\text{O}_7$	b 820
$(\text{ThO}_2)_{1-x}(\text{NdO}_{1,5})_x$ (I)	b 444		e 1344
$(\text{ThO}_2)_{1-x}(\text{NdO}_{1,5})_x$ (II)	b 445	$\text{Nd}_x\text{Zr}_{1-x}\text{O}_{2-y}$	b 820
Nd - 0 - Th - U		Nd - P	
$(\text{Nd}_{0,5(1-x)}\text{U}_{0,5(1-x)}\text{Th}_x)\text{O}_2$	b 577	NdP	c 1200
Nd - 0 - Ti		Nd - P - S	
NdTiO_3	e 898	NdPS	b 2851
$(\text{Nd}_2\text{O}_3)_x(\text{TiO}_2)_{1-x}$	b 755	Nd - S	
$\text{Nd}_2\text{Ti}_2\text{O}_7$	e 899	$\beta\text{-Nd}_2\text{S}_3$	b 3067
Nd - 0 - Ti - W		Nd_5S_7	b 3067
$\text{NdTi}_{0,5}\text{W}_{0,5}\text{O}_4$	f 1750	Ni - 0	
Nd - 0 - Ti - Yb		NiO (I)	b 1467
$\text{YbNdTi}_2\text{O}_7$	e 943	NiO (II)	b 1468
Nd - 0 - Ti - Zr		NiO_2	b 1474
$\text{Nd}_{0,5}\text{Ti}_{0,25}\text{Zr}_{0,25}\text{O}_{1,75}$	b 892	NiO_x	b 1466
Nd - O - Ti		Ni_2O_3 (I)	b 1472
NdTiO_3 (I)	d 8381	Ni_2O_3 (II)	b 1473
NdTiO_3 (II)	d 8382	Ni_3O	b 1466

2 Alphabetical formula index

Ni_3O_4	b 1471	Ni-0-Sb-Ta	
$\text{Ni}_{15}\text{O}_{16}$	b 1469	NiSbTaO_6	e 3458
$\text{Ni}_{28}\text{O}_{32}$	b 1470	Ni-0-Sb-Ti	
M - O - P		$\text{Ni}_{x/3}\text{Ti}_{1-x}\text{Sb}_{2x/3}\text{O}_2$	c 3219
$\text{Ni}_2\text{P}_2\text{O}_7$ (I)	c 2046	Ni-0-Sb-Zn	
$\text{Ni}_2\text{P}_2\text{O}_7$ (II)	c 2047	$\text{Zn}_3\text{Ni}_4\text{Sb}_2\text{O}_{12}$	c 3212
$\text{Ni}_2\text{P}_2\text{O}_7$ (III)	c 2048	$\text{Zn}_x\text{Ni}_{1-x}\text{Sb}_2\text{O}_6$	c 3213
$\text{Ni}_2\text{P}_4\text{O}_{12}$	c 2049	Ni-O-Se	
$\text{Ni}_3(\text{PO}_4)_2$	c 2045	NiSeO_3	b 4250
Ni-0-P-Pb-S		NiSeO_4	b 4330
$\text{NiPb}_3(\text{PO}_4)_2\text{SO}_4$	c 2398	Ni-0-Si	
Ni-0-Pb-Si		Ni_2SiO_4 (I)	d 1140
$\text{Pb}_8\text{Ni}[\text{Si}_2\text{O}_7]_3$	d 1157	Ni_2SiO_4 (II)	d 1141
Ni-0-Pb-Sn-Ta		$\text{Ni}_2[\text{Si}_2\text{O}_6]$ (I)	d 1142
$\text{Pb}_2(\text{Sn}_{0.5}\text{Ni}_{0.5}\text{Ta})\text{O}_6$	e 3456	$\text{Ni}_2[\text{Si}_2\text{O}_6]$ (II)	d 1143
Ni-0-Pb-Sn-W		Ni-0-Si-Sm-Ti	
$\text{Pb}_2\text{SnNi}_{0.5}\text{W}_{0.5}\text{O}_6$	f 2110	$\text{Sm}_4\text{Ni}_2\text{Ti}_3\text{Si}_4\text{O}_{22}$	d 1164
Ni-0-Pb-Ta		Ni-0-Si-Sr	
$\text{PbNi}_{0.333}\text{Ta}_{0.667}\text{O}_3$	e 3454	$\text{SrNi}[\text{Si}_4\text{O}_{10}]$	d 1149
$\text{Pb}_2\text{NiTaO}_6$	e 3453	Ni-0-Si-Y	
Ni-0-Pb-Ti-W		$\text{Y}_3\text{Ni}_{2.5}\text{Si}_{2.5}\text{O}_{12}$	d 1155
$\text{PbTi}_{0.5}\text{Ni}_{0.25}\text{W}_{0.25}\text{O}_3$	f 2111	Ni-0-Sm	
Ni-0-Pb-W		SmNiO_3	f 3799
Pb_2NiWO_6 (I)	f 2108	Ni-0-Sn-Zn	
Pb_2NiWO_6 (II)	f 2109	ZnNiSnO_4	d 3253
Ni-O-Pr		$\text{Zn}_{2-x}\text{Ni}_x\text{SnO}_4$	d 3252
$\text{Ni}^{\text{II}}\text{Pr}_2\text{O}_4$	e 140	Ni-0-Sr-Ta	
Ni-O-Pr-Si-Ti		$\text{Sr}_3\text{NiTa}_2\text{O}_9$	e 3448
$\text{Pr}_4\text{Ni}_2\text{Ti}_3\text{Si}_4\text{O}_{22}$ (I)	d 1159	Ni-0-Sr-Te	
$\text{Pr}_4\text{Ni}_2\text{Ti}_3\text{Si}_4\text{O}_{22}$ (II)	d 1160	$\text{Sr}_2\text{NiTeO}_6$ (I)	b 4590
Ni-0-Rb		$\text{Sr}_2\text{NiTeO}_6$ (II)	b 4803
$\text{RbNiO}_{2.5}$	f 3779	$\text{Sr}_2\text{NiTeO}_6$ (III)	b 4590
Rb_xNiO_2	f 3778	Ni-0-Sr-U	
Ni-0-Rb-S		Sr_2NiUO_6	e 527
$\text{Rb}_2\text{Ni}_2(\text{SO}_4)_3$	b 3413	Ni-0-Sr-W	
Ni-0-Rb-Ti		Sr_2NiWO_6 (I)	f 2102
$\text{Rb}_2\text{NiTi}_7\text{O}_{16}$	e 1231	Sr_2NiWO_6 (II)	f 2103
Ni-0-Re-Sr		Ni-0-Ta	
$\text{Sr}_2\text{NiReO}_6$	f 2899	NiTa_2O_6	e 3444
$\text{Sr}_4\text{NiRe}_2\text{O}_{12}$	f 2900	$\text{Ni}_2\text{Ta}_4\text{O}$	b 1501
Ni-0-Rb		Ni-0-Ta-U	
NiRh_2O_4	f 3923	$\text{Ni}(\text{U,Ta})_2\text{O}_6$	e 3452
NiRh_2O_4 (I)	f 3924	Ni-0-Ta-Zn	
NiRh_2O_4 (II)	f 3925	$\text{Ni}_x\text{Zn}_{1-x}\text{Ta}_2\text{O}_6$	e 3450
Ni-O-S		Ni-0-Tc-Zn	
NiSO_4 (I')	b 3408	NiZnTcO_4	f 2743
NiSO_4 (II)	b 3409	Ni-0-Te	
Ni-0-Sb		NiTeO_3	b 4587
NiSb_2O_4	c 3203	NiTe_2O_5	b 4589
NiSb_2O_6	c 3204	$\text{Ni}_2\text{Te}_3\text{O}_8$	b 4588
Ni-0-Sb-Sr		Ni_3TeO_6	b 4801
$\text{Sr}_2\text{NiSbO}_6$	c 3208		
$\text{Sr}_3\text{NiSb}_2\text{O}_9$	c 3209		

2 Alphabetisches Formelverzeichnis

Ni - O - Te - Zn		Ni - P - S	
$\text{Ni}_{2-x}\text{Zn}_x\text{Te}_3\text{O}_8$	b 4597	NiPS	b 2887
$\text{Zn}_3\text{Ni}_2\text{TeO}_8$	b 4808		c 1449
$\text{Zn}_4\text{NiTeO}_8$	b 4809	$\text{Ni}_2\text{P}_2\text{S}_6$	b 2888
Ni - O - Ti			c 2455
NiTiO_3	e 1227	$\text{Ni}_3(\text{PS}_4)_2$	c 2456
$(\text{Ni},\text{Ti})\text{O}_{2-y}$	b 1491	Ni - P - Se	
$\text{Ni}_2\text{Ti}_4\text{O}$	b 1492	$\text{Ni}_2\text{P}_2\text{Se}_6$	c 2463
$\text{Ni}_3\text{Ti}_3\text{O}$	b 1493	Ni - P - Ta	
$\text{Ni}_x\text{Ti}_{1-x}\text{O}$	b 1490	TaNiP	c 1385
Ni - O - Ti - Zn		Np - O	
$\text{Zn}, -_x\text{Ni}_x\text{TiO}_4$ (I)	e 1235	NpO	b 582
$\text{Zn}, -_x\text{Ni}_x\text{TiO}_4$ (II)	e 1236	NpO_2	b 583
Ni - O - Tl		$^{237}\text{NpO}_{2\pm x}$	b 583
TlNiO_3 (I)	f 3792	Np_2O_5	b 584
TlNiO_3 (II)	f 3793	Np_3O_8	b 585
Ni - O - Tm		Np - O - P	
TmNiO_3	f 3805	NpP_2O_7	c 1872
Ni - O - U		Np - O - Pr	
NiUO_4 (I)	e 524	PrNpO_4	b 590
NiUO_4 (II)	e 525	$(\text{Pr},\text{Np})_7\text{O}_{12}$	e 629
NiU_2O_6	e 523	$\text{Pr}_6\text{NpO}_{12}$	e 629
$\text{NiU}_3\text{O}_{10}$	e 526	Np - O - Rb	
Ni - O - V		Rb_2NpO_4	e 614
NiVO_3	e 1902	Np - O - S	
$\text{Ni}_3(\text{VO}_4)_2$	e 1904	NpOS	b 3093
$\text{Ni}_{1+y}(\text{V}_3\text{O}_8)_2$ (II)	e 1903	$\text{Np}_2\text{O}_2\text{S}$	b 3092
Ni - O - W		Np - O - Si	
NiWO_4	f 2099	NpSiO_4	d 715
$\text{Ni}_3\text{W}_3\text{O}$	b 1509	Np - O - Sm	
Ni - O - Y		SmNpO_4	b 592
YNiO_3	f 3794	$(\text{Sm},\text{Np})_7\text{O}_{12}$	e 631
Ni - O - Yb		$\text{Sm}_6\text{NpO}_{12}$	e 631
YbNiO_3	f 3806	Np - O - Sr	
Ni - O - Zn		SrNpO_4	e 617
$\text{Ni}, -_x\text{Zn}_x\text{O}$ (I)	b 1485	Np - O - Ta	
$\text{Ni}, -_x\text{Zn}_x\text{O}$ (II)	b 1486	$\text{Np}(\text{TaO}_3)_4$	e 3193
Ni - O - Zr		Np - O - Tb	
$(\text{NiO})_x(\text{ZrO}_2)_{1-x}$	b 1495	TbNpO_4	b 597
Ni - P		$(\text{Tb},\text{Np})_7\text{O}_{12}$	e 634
NiP	c 1378	$\text{Tb}_6\text{NpO}_{12}$	e 634
NiP_2 (I)	c 1379	Np - O - Th	
NiP_2 (II)	c 1380	$\text{Np}_x\text{Th}_{1-x}\text{O}_2$	b 616
NiP_3	c 1381	Np - O - Ti	
Ni_2P	c 1376	NpTi_2O_6	e 959
Ni_3P	c 1373	Np - O - Tm	
Ni_5P_2	c 1374	$(\text{NpO}_{2+x})_{1-y}(\text{TmO}_{1.5})_y$ (I)	b 606
Ni_5P_4	c 1377	$(\text{NpO}_{2+x})_{1-y}(\text{TmO}_{1.5})_y$ (II)	b 607
Ni_7P_3	c 1375	$(\text{NpO}_{2+x})_{1-y}(\text{TmO}_{1.5})_y$ (III)	e 638
Ni_{12}P_5	c 1375	TmNpO_4	b 605
$\text{Ni}, -_x\text{P}_2$	c 1380	$\text{Tm}_6\text{NpO}_{12}$	e 638
		Np - O - U	
		$(\text{NpO}_2)_y(\text{UO}_{2+x})_{1-y}$	b 617

2 Alphabetical formula index

N p - O - V			
$\text{Np}(\text{VO}_3)_4$	e	1794	
N p - O - W			
$\text{Np}(\text{WO}_4)_2$	f	1682	
N p - O - Y			
$(\text{Y}_{0.5}\text{Np}_{0.5})\text{O}_2$	b	586	
YNpO_4	b	586	
$(\text{Y,Np})_7\text{O}_{12}$	e	627	
$(\text{YO}_{1.5})_x(\text{NpO}_2)_{1-x}$	b	587	
$\text{Y}_6\text{NpO}_{12}$	e	627	
N p - O - Y b			
$(\text{NpO}_{2+x})_{1-y}(\text{YbO}_{1.5})_y$ (I)	b	609	
$(\text{NpO}_{2+x})_{1-y}(\text{YbO}_{1.5})_y$ (II)	b	610	
$(\text{NpO}_{2+x})_{1-y}(\text{YbO}_{1.5})_y$ (III)	e	639	
YbNpO_4	b	608	
$\text{Yb}_6\text{NpO}_{12}$	e	639	
N p - P			
Np_3P_4	c	1222	
O - Os			
OsO_2 (I)	b	1537	
oso, (II)	b	1538	
oso,	b	1539	
O - O s - P h			
$\text{Pb}_2\text{Os}_2\text{O}_7$	f	3969	
O - O s - S c - S r			
$\text{Sr}_2\text{ScOsO}_6$	f	3967	
O - O s - S i			
OsSiO_x	III/6		
OsSi_2O_x	III/6		
O - O S - S r			
Sr_3OsO_6	f	3950	
O - Os - Tl			
$\text{Tl}_2\text{Os}_2\text{O}_7$	f	3966	
O - P			
P_2O_5 (I)	b	947	
P_2O_5 (II)	b	948	
P_2O_5 (III)	b	949	
P_2O_5 (IV)	b	950	
P_4O_x	b	945	
P_4O_{8+x}	b	946	
O - P - P b			
$[\text{Pb}(\text{PO}_3)_3]_n$	c	1894	
PbP_2O_7	c	1896	
$\text{Pb}_2\text{P}_2\text{O}_7$	c	1895	
$\text{Pb}_3(\text{PO}_4)_2$ (I)	c	1892	
$\text{Pb}_3(\text{PO}_4)_2$ (II)	c	1893	
$\text{Pb}_4\text{P}_2\text{O}_9$	c	1895	
$\text{Pb}_5\text{P}_4\text{O}_{15}$	c	1895	
$\text{Pb}_8\text{P}_2\text{O}_{13}$	c	1895	
$\text{Pb}_9^{\text{III}}\text{Pb}^{\text{IV}}[\text{O}_2(\text{PO}_4)_6]$	c	1895	
$\text{Pb}_{10}\text{O}(\text{PO}_4)_6$	c	1895	
O - P - P b - R b			
$\text{Rb}_2\text{Pb}_8(\text{PO}_4)_6$	c	1905	
O - P - P b - s			
$\text{Pb}_4(\text{PO}_4)_2\text{SO}_4$	c	2387	
O - P - P b - S - S r			
$\text{SrPb}_3(\text{PO}_4)_2\text{SO}_4$	c	2393	
O - P - P b - S - Z n			
$\text{ZnPb}_3(\text{PO}_4)_2\text{SO}_4$	c	2394	
O - P - P b - S i			
$\text{Pb}_8^{\text{II}}\text{Pb}_2^{\text{IV}}[(\text{SiO}_4)_2(\text{PO}_4)_4\text{O}_2]$	d	2159	
$\text{Pb}_{10}(\text{SiO}_4)_2(\text{PO}_4)_4$	d	2158	
O - P - P b - S i - V			
$\text{Pb}_{10}(\text{SiO}_4)_2(\text{PO}_4)_2(\text{VO}_4)_2$	d	2210	
O - P - P b - T h			
$\text{ThPb}(\text{PO}_4)_2$	c	1909	
O - P - P b - T i			
$\text{Pb}_2\text{TiP}_2\text{O}_9$	c	1927	
O - P - P b - T l			
$\text{Tl}_2\text{Pb}_8(\text{PO}_4)_6$	c	1908	
O - P - P b - U			
$\text{Pb}_2(\text{UO}_2)(\text{PO}_4)_2$	c	1910	
O - P - P b - Z r			
$\text{Pb}_2\text{ZrP}_2\text{O}_9$	c	1941	
O - P - P m			
PmPO_4 (I)	c	1802	
PmPO_4 (II)	c	1803	
O - P - P r			
PrPO_4	c	1792	
$\text{PrP}_5\text{O}_{14}$	c	1793	
$\text{Pr}_{18}\text{P}_2\text{O}_{38}$	c	1791	
O - P - P u			
$\text{Pu}(\text{PO}_3)_4$	c	1873	
PuPO_4 (I)	c	1874	
PuPO_4 (II)	c	1875	
PuP_2O_7	c	1876	
O - P - R - S i - T h - Z r			
$(\text{Zr,R,Th})[(\text{Si,P})\text{O}_4]$	d	2162	
O - P - R b			
$(\text{RbPO}_3)_x$	c	1572	
O - P - R b - S r			
$\text{Rb}_2\text{Sr}(\text{PO}_3)_4$	c	1660	
O - P - R b - T h			
$\text{RbTh}_2(\text{PO}_4)_3$	c	1855	
O - P - R b - T i			
$\text{RbTiO}(\text{PO}_4)$	c	1919	
$\text{RbTi}_2(\text{PO}_4)_3$	c	1920	
O - P - R b - Z n			
RbZnPO_4	c	1694	
O - P - R b - Z r			
$\text{RbZr}_2(\text{PO}_4)_3$	c	1936	
O - P - S			
$\text{P}_4\text{O}_6\text{S}_4$	b	3106	
O - P - S - S r			
$\text{Sr}_4(\text{PO}_4)_2\text{SO}_4$	c	2383	

0 - P - S b			o - P - T b	
(Sb,P)O ₂	c 1948		TbPO ₄	c 1818
SbPO ₄	c 1948		TbP ₅ O ₁₄ (I)	c 1819
0 - P - S C			TbP ₅ O ₁₄ (II)	c 1820
ScPO ₄	c 1765		o - P - T b	
Sc ₄ (P ₂ O ₇) ₃	c 1766		Th(PO ₃) ₄ (I)	c 1851
0 - P - S C - S r			ThP ₂ O ₇ (I)	c 1849
Sr ₃ Sc(PO ₄) ₃	c 1767		ThP ₂ O ₇ (II)	c 1850
0 - P - S i			Th ₃ (PO ₄) ₄	c 1848
SiP ₂ O ₇ (I)	c 1882		o - P - T b - u	
SiP ₂ O ₇ (II)	c 1883		U _x Th _{1-x} P ₂ O ₇ (I)	c 1871
SiP ₂ O ₇ (III)	c 1884		0 - P - T i	
SiP ₂ O ₇ (IV)	c 1885		Ti(PO ₃) ₃	c 1911
SiP ₂ O ₇ (V)	c 1886		TiP ₂ O ₇	c 1913
Si ₂ P ₂ O ₉	c 1881		Ti ₃ O ₂ P	c 1486
Si ₃ P ₄ O ₁₆	c 1881		Ti ₄ (P ₄ O ₁₂) ₃	c 1912
Si ₅ O[PO ₄] ₆	c 1881		0 - P - T i - T i	
Si _{1+5x} P _{4(7-x)} O ₇₂	c 1881		TiTiO(PO ₄)	c 1925
0 - P - S i - S r			TiTi ₂ (PO ₄) ₃	c 1926
Sr ₁₀ (SiO ₄) ₂ (PO ₄) ₄	d 2140		0 - P - T l	
0 - P - S i - Y - Z r			TIPO ₄	c 1753
(ZrSiO ₄) _{1-x} (YPO ₄) _x	d 2162		Tl ₃ PO ₄	c 1751
0 - P - S m			Tl ₄ P ₄ O ₁₂	c 1752
SmPO ₄ (I)	c 1804		0 - P - T l - Z n	
SmPO ₄ (II)	c 1805		ZnTIPO ₄	c 1762
SmP ₅ O ₁₄	c 1806		0 - P - T m	
0 - P - S n			TmPO ₄	c 1835
SnP ₂ O ₇	c 1890		TmP ₅ O ₁₄	c 1836
0 - P - S r			0 - P - T m - Y b	
Sr ₂ P ₂ O ₇ (I)	c 1651		Tm _x Yb _{1-x} PO ₄	c 1840
Sr ₂ P ₂ O ₇ (II)	c 1652		0 - P - U	
Sr ₃ (PO ₄) ₂ (I)	c 1649		U(PO ₃) ₄ (I)	c 1865
Sr ₃ (PO ₄) ₂ (II)	c 1650		U(PO ₃) ₄ (II)	c 1866
Sr ₄ P ₂ O ₉	c 1648		UP ₂ O ₇ (I)	c 1863
Sr ₁₀ (PO ₄) ₆ O	c 1647		UP ₂ O ₇ (II)	c 1864
0 - P - S r - T b			U ₃ (PO ₄) ₄	c 1862
SrTh(PO ₄) ₂	c 1859		0 - P - V	
0 - P - S r - T l			PVO ₅	e 1817
SrTl ₂ (PO ₃) ₄	c 1761		0 - P - V - Y	
0 - P - S r - Y			Y(PO ₄) _x (VO ₄) _{1-x}	e 1991
Sr ₃ Y(PO ₄) ₃	c 1774		0 - P - V - Z n	
0 - P - S r - Z n			Zn ₃ (P _{0,8} V _{0,2} O ₄) ₂	e 1818
SrZn ₂ (PO ₄) ₂	c 1699		0 - P - W	
(Zn _x Sr _{1-x}) ₃ (PO ₄) ₂	c 1699		(WO) ₂ P ₂ O ₇	c 1976
0 - P - S r - Z r			WO ₃ P _x	b 1254
Sr ₂ ZrP ₂ O ₉	c 1939		W ₂ O ₃ (PO ₄) ₂	c 1977
0 - P - T a			0 - P - Y	
PTaO ₅ (I)	e 3274		YPO ₄	c 1769
PTaO ₅ (II)	e 3275		YP ₅ O ₁₄ (I)	c 1771
PTa ₉ O ₂₅	e 3276		YP ₅ O ₁₄ (II)	c 1772
			Y ₄ (P ₂ O ₇) ₃	c 1770

2 Alphabetical formula index

0 - P - Yb		
YbPO ₄	c 1838	
YbP ₅ O ₁₄	c 1839	
0 - P - Zn		
Zn ₂ P ₂ O ₇ (I)	c 1680	
Zn ₂ P ₂ O ₇ (II)	c 1681	
Zn ₂ P ₄ O ₁₂ (I)	c 1682	
Zn ₂ P ₄ O ₁₂ (II)	c 1683	
Zn ₃ (PO ₄) ₂ (I)	c 1677	
Zn ₃ (PO ₄) ₂ (II)	c 1678	
Zn ₃ (PO ₄) ₂ (III)	c 1679	
0 - P - Zr		
(ZrO) ₂ P ₂ O ₇	c 1932	
ZrP ₂ O ₇ (I)	c 1929	
ZrP ₂ O ₇ (II)	c 1930	
ZrP ₂ O ₇ (III)	c 1931	
Zr ₃ O ₂ P	c 1487	
Zr ₃ (PO ₄) ₄	c 1928	
Zr _x P _y O _z	c 1932	
0 - Pa		
PaO	b 460	
PaO ₂	b 461	
PaO _x (I)	b 462	
PaO _x (II)	b 463	
PaO _x (III)	b 464	
PaO _x (IV)	b 465	
Pa ₂ O ₅ (I)	b 466	
Pa ₂ O ₅ (II)	b 467	
Pa ₂ O ₅ (III)	b 468	
Pa ₂ O ₅ (IV)	b 469	
Pa ₂ O ₅ (V)	b 470	
Pa ₃ O ₇	b 463	
Pa ₄ O ₉	b 467	
0 - Pa - Pm		
Pm _{0,5} Pa _{0,5} O ₂	b 484	
PmPaO ₄	b 484	
0 - Pa - Pr		
Pr _{0,5} Pa _{0,5} O ₂	b 480	
PrPaO ₄	b 480	
0 - Pa - Pu		
PaPuO _{4+δ}	b 637	
(Pu _{0,5} Pa _{0,5})O ₂ + y	b 637	
PuPaO _{4+δ}	b 637	
0 - Pa - Rb		
RbPaO ₃	e 271	
0 - Pa - S		
PaOS	b 3087	
0 - Pa - Sc		
Sc _{0,5} Pa _{0,5} O ₂	b 474	
ScPaO ₄	b 474	
0 - Pa - Si		
PaSiO ₄ (I)	d 710	
PaSiO ₄ (II)	d 711	
0 - Pa - Sm		
Sm _{0,25} Pa _{0,75} O _{2,25}	b 487	
Sm _{0,5} Pa _{0,5} O ₂	b 485	
SmPaO ₄	b 485	
SmPa ₃ O ₉	b 487	
Sm _x Pa _{1-x} O _{2,5-x}	b 486	
0 - Pa - Ta		
PaTa ₃ O ₁₀	e 3188	
PaTa ₄ O ₁₂	e 3187	
0 - Pa - Tb		
Tb _{0,5} Pa _{0,5} O ₂	b 491	
TbPaO ₄	b 491	
0 - Pa - Th		
(Th,Pa)O _{2+x}	b 504	
ThPa ₂ O ₇	b 504	
0 - Pa - Tm		
Tm _{0,5} Pa _{0,5} O ₂	b 498	
TmPaO ₄	b 498	
0 - Pa - Y		
Y _{0,25} Pa _{0,75} O _{2,25}	b 476	
Y _{0,5} Pa _{0,5} O ₂	b 475	
YPaO ₄	b 475	
YPa ₃ O ₉	b 476	
0 - Pa - Yb		
Yb _{0,25} Pa _{0,75} O _{2,25}	b 500	
Yb _{0,5} Pa _{0,5} O ₂	b 499	
YbPaO ₄	b 499	
YbPa ₃ O ₉	b 500	
Yb _x Pa _{1-x} O _{2,5-x}	b 501	
0 - Pb		
PbO (I)	b 699	
PbO (II)	b 700	
PbO _{1,98}	b 706	
PbO ₂ (I)	b 706	
PbO ₂ (II)	b 707	
PbO ₂ (III)	b 708	
PbO _x (I)	b 702	
PbO _x (II)	b 703	
PbO _x (III)	b 704	
PbO _x (IV)	b 705	
Pb ₂ O	b 698	
Pb ₂ O ₃	b 704	
Pb ₃ O ₄	b 701	
Pb ₅ O ₈	b 703	
Pb ₁₂ O ₁₇	b 702	
0 - Pb - Pr		
Pr ₂ Pb ₂ O ₇	d 3334	
0 - Pb - Pr - Si		
Pr ₆ Pb ₃ [SiO ₄] ₆	d 763	
0 - Pb - Pr - Ta		
Pb ₂ PrTaO ₆	e 3224	
0 - Pb - Pt		
Pb ₂ Pt ₂ O _{6,7}	f 4074	

2 Alphabetisches Formelverzeichnis

0 - P b - R - T h - U		0 - P b - S b - S r	
$(\text{Th}_{0,711}\text{Pb}_{0,037}\text{U}_{0,243}(\text{R})_{0,008})$		$\text{Sr}_3\text{PbSb}_2\text{O}_9$	c 3114
$0_{2,10}$	b 417	0 - P b - S b - T a	
$(\text{Th}_{0,899}\text{U}_{0,066}(\text{R})_{0,008}\text{Pb}_{0,027}) \cdot$		$\text{Pb}_2\text{SbTaO}_6$	e 3282
$0_{1,99}$	b 417	0 - P b - S c - S i	
$\text{Th}_{1-x}\text{U}_{1-y}(\text{R},\text{Pb})_{1-x-y}\text{O}_{2+z}$	b 572	$\text{Sc}_2\text{Pb}_2\text{Si}_2\text{O}_9$	d 757
0 - P b - R b		0 - P b - S c - T a	
Rb_2PbO_2	d 3302	$\text{Pb}_2\text{ScTaO}_6$	e 3222
Rb_2PbO_3	d 3303	0 - P b - S c - W	
0 - P b - R b - S		$\text{PbSc}_{0,667}\text{W}_{0,333}\text{O}_3$	f 1714
$\text{Rb}_2\text{Pb}(\text{SO}_4)_2$	b 3333	0 - P b - S e	
0 - P b - R b - S e		PbSeO ,	b 4244
$\text{Rb}_2\text{Pb}(\text{SeO}_4)_2$	b 4317	$\text{PbSeO} \cdot 2\text{PbO}$	b 4266
0 - P b - R b - S i		$\text{PbSeO} \cdot 4\text{PbO}$	b 4267
$\text{Rb}_2\text{Pb}_2\text{Si}_2\text{O}_7$	d 729	PbSeO , (I)	b 4313
0 - P b - R e		PbSeO , (II)	b 4314
$\text{Pb}_2\text{Re}_2\text{O}_6$	f 2872	$\text{PbSeO} \cdot \text{PbO}$	b 4407
0 - P b - R h		$\text{PbSeO} \cdot 4\text{PbO}$	b 4408
$\text{Pb}_2\text{Rh}_2\text{O}_7$	f 3907	0 - P b - S e - T l	
0 - P b - R h - S r		$\text{Tl}_2\text{Pb}(\text{SeO}_4)_2$	b 4318
$(\text{Pb},\text{Sr})_4\text{RhO}_6$	f 3883	0 - P b - S i	
	f 3884	PbSiO_3	d 725
0 - P b - R u		$\text{PbSi}_{50}\text{O}_{101}$	d 726
PbRuO_3	f 3850	$(\text{Pb}^{\text{II}},\text{Si})\text{O}_{2-\delta}$	b 711
	f 3852	Pb_2SiO_4 (I)	d 723
$\text{Pb}_2\text{Ru}_2\text{O}_{7-x}$	f 3851	$\text{Pb}_3\text{Si}_2\text{O}_7$	d 724
0 - P b - R u - S r		0 - P b - S i - S m	
$\text{Sr}_x\text{Pb}_x\text{RuO}_3$	f 3852	$\text{Sm}_8\text{Pb}_2[(\text{SiO}_4)_6\text{O}_2]$	d 765
0 - P b - S		0 - P b - S i - S r	
PbSO_3	b 3125	$\text{SrPb}_8[\text{Si}_2\text{O}_7]_3$	d 737
PbSO_4	b 3330	0 - P b - S i - S r - Z n	
$(\text{PbSO}_4)_y(\text{PbO})_x$	b 3774	$\text{Zn}(\text{Sr}_{1-x}\text{Pb}_x)_2\text{Si}_2\text{O}_7$	d 745
$\text{Pb}_2\text{O}(\text{SO}_4)$	b 3773	0 - P b - S i - V	
$\text{Pb}_3\text{O}_2(\text{SO}_4)$ (II)	b 3772	$\text{Pb}_{10}(\text{SiO}_4)_2(\text{VO}_4)_4$	d 2209
$\text{Pb}_5\text{O}_4\text{SO}_4$ (I)	b 3769	0 - P b - S i - Y	
$\text{Pb}_5\text{O}_4\text{SO}_4$ (II)	b 3770	$\text{Y}_2\text{Pb}_8^{\text{II,IV}}[(\text{SiO}_4)_6\text{O}_2]$	d 761
$\text{Pb}_5\text{O}_4\text{SO}_4$ (III)	b 3771	$\text{Y}_4\text{Pb}_6^{\text{II,IV}}[(\text{SiO}_4)_6\text{O}_2]$	d 760
0 - P b - S - S e		$\text{Y}_6\text{Pb}_4^{\text{II,IV}}[(\text{SiO}_4)_6\text{O}_2]$	d 759
$2\text{PbScO}_3 \cdot 3\text{PbS}$	b 4268	$\text{Y}_8\text{Pb}_2[(\text{SiO}_4)_6\text{O}_2]$	d 758
$\text{Pb}_2(\text{SO}_4)(\text{Sc}_{0,80}\text{S}_{0,12}\text{O}_{3,76})$	b 4414	$\text{Y}_{2+2x}\text{Pb}_{5-x}^{\text{II}}\text{Pb}_{3-x}^{\text{IV}}\text{Si}_6\text{O}_{26}$	d 759
$\text{Pb}_2(\text{SeO}_4)(\text{SO}_4)$	b 4414	0 - P b - S i - Z n	
0 - P b - S - S r		$\text{ZnPb}[\text{SiO}_4]$	d 740
$\text{Sr}_x\text{Pb}_{1-x}\text{SO}_4$	b 3334	$\text{ZnPb}_2\text{Si}_2\text{O}_7$	d 741
0 - P b - S - T l		$\text{ZnPb}_8[\text{Si}_2\text{O}_7]_3$	d 742
$\text{Tl}_2\text{Pb}(\text{SO}_4)_2$	b 3337	0 - P b - S m	
0 - P b - S b		$\text{Sm}_2\text{Pb}_2\text{O}_7$	d 3336
PbSb_2O_6	c 3113	0 - P b - S m - T a	
$\text{Pb}_2\text{Sb}_2\text{O}_7$	c 3112	$\text{Pb}_2\text{SmTaO}_6$	e 3226
$\text{Pb}_6\text{Sb}_4\text{O}_{17}$	c 3111	0 - P b - S n	
$\text{Sb}_{1,5}\text{Pb}_{2,5}\text{O}_{6,75}$	d 3344	PbSnO_3 (I)	d 3206
0 - P b - S b - S n		PbSnO_3 (II)	d 3207
$(\text{Sn},\text{Pb})_2\text{Sb}_2\text{O}_7$	c 3115	Pb_2SnO_4	d 3205

2 Alphabetical formula index

$\text{Pb}_{1-x}\text{Sn}_x\text{O}$	b 712	0 - P b - T a - T i	
$\text{Pb}_{1-x}\text{Sn}_x\text{O}_2$	b 713	$(\text{PbTiO}_3)_{1-x}(\text{Pb}_{0.5}\text{TaO}_3)_x$	e 3261
0 - P b - S n - S r - T i		$\text{Pb}_{1.75}\text{TiTaO}_{6.25}$	e 3265
$(\text{Sr}_{1-x}\text{Pb}_x)(\text{Sn}_{1-x}\text{Ti}_x)\text{O}_3$	e 1005	$\text{Pb}_2\text{Ti}_{0.667}\text{Ta}_{1.333}\text{O}_{6.667}$	e 3264
0 - P b - S n - T a - Z n		$\text{Pb}_2\text{TiTaO}_{6.5}$	e 3262
$\text{Pb}_2(\text{Zn}_{0.5}\text{Sn}_{0.5}\text{Ta})\text{O}_6$	e 3233	$\text{Pb}_{1.5+x}\text{Ta}_{2-2x}\text{Ti}_{2x}\text{O}_{6.5}$	e 3263
0 - P b - S n - T e		$\text{Pb}_{1+0.5x}(\text{Ti}_x\text{Ta}_{2-x})\text{O}_6$	e 3266
$\text{Pb}_2\text{Sn}_{1.5}\text{Te}_{0.5}\text{O}_{6.5}$	b 4735	0 - P b - T a - V	
0 - P b - S n - T i		Pb_2VTaO_6	e 3312
$\text{PbSn}_x\text{Ti}_{1-x}\text{O}_3$ (I)	e 999	0 - P b - T a - W	
$\text{PbSn}_x\text{Ti}_{1-x}\text{O}_3$ (II)	e 1000	$\text{Pb}_x(\text{Ta}^{\text{V}}\text{W}^{\text{VI}})_{1+y}\text{O}_{3+y}$	f 1935
$\text{PbSn}_x\text{Ti}_{1-x}\text{O}_3$ (III)	e 1001	$\text{Pb}_x\text{Ta}_{2x}\text{W}_{1-2x}\text{O}_3$	f 1934
0 - P b - S n - T i - Z r		0 - P b - T a - Y	
$\text{PbSn}_y\text{Ti}_{1-x-y}\text{Zr}_x\text{O}_3$	e 1424	$\text{Pb}_2\text{YT aO}_6$	e 3223
0 - P b - S n - W		0 - P b - T a - Y b	
$\text{Pb}_2\text{Sn}_{1.5}\text{W}_{0.5}\text{O}_{6.5}$	f 1737	$\text{Pb}_2\text{YbTaO}_6$ (I)	e 3227
0 - P b - S n - Z r		$\text{Pb}_2\text{YbTaO}_6$ (II)	e 3228
$\text{Pb}(\text{Sn}_x\text{Zr}_{1-x})\text{O}_3$ (I)	e 1380	$\text{Pb}_2\text{YbTaO}_6$ (III)	e 3229
$\text{Pb}(\text{Sn}_x\text{Zr}_{1-x})\text{O}_3$ (II)	e 1381	0 - P b - T b	
$\text{Pb}(\text{Sn}_x\text{Zr}_{1-x})\text{O}_3$ (III)	e 1382	$(\text{PbO}_2)_{1-x}(\text{Tb}_2\text{O}_3)_x$	d 3339
0 - P b - S r		$\text{Tb}_2\text{Pb}_2\text{O}_7$	d 3339
SrPbO_3 (I)	d 3316	0 - P b - T c	
SrPbO_3 (II)	d 3317	PbTcO_3	f 2739
Sr_2PbO_4	d 3315	0 - P b - T e	
0 - P b - S r - T i		PbTeO_3	b 4536
$\text{Pb}_{1-x}\text{Sr}_x(\text{Ti}_{1-x}\text{Sr}_x)\text{O}_3$	e 1411	PbTeO_3 (X)	b 4537
$(\text{Sr}_{1-x}\text{Pb}_x)\text{TiO}_3$ (I)	e 989	$\text{Pb}_2\text{Te}_3\text{O}_8$	b 4538
$(\text{Sr}_{1-x}\text{Pb}_x)\text{TiO}_3$ (II)	e 990	0 - P b - T e - T i	
0 - P b - S r - T i - Z r		$\text{Pb}_2\text{Ti}_{1.5}\text{Te}_{0.5}\text{O}_{6.5}$	b 4736
$\text{Pb}_{1-x}\text{Sr}_x\text{Ti}_{1-y}\text{Zr}_y\text{O}_3$ (I)	e 1410	0 - P b - T e - U	
$\text{Pb}_{1-x}\text{Sr}_x\text{Ti}_{1-y}\text{Zr}_y\text{O}_3$ (II)	e 1411	$\text{Pb}[(\text{UO}_2)(\text{TeO}_3)_2]$	b 4539
$\text{Pb}_{1-x}\text{Sr}_x\text{Ti}_{1-y}\text{Zr}_y\text{O}_3$ (III)	e 1412	0 - P b - T b	
$\text{Pb}_{1-x}\text{Sr}_x\text{Ti}_{1-y}\text{Zr}_y\text{O}_3$ (IV)	e 1413	PbThO_3	e 263
$\text{Pb}_{1-x}\text{Sr}_x\text{Ti}_{1-y}\text{Zr}_y\text{O}_3$ (V)	e 1414	0 - P b - T b - U	
0 - P b - S r - Z r		$(\text{Pb,U,Th})\text{O}_{2-x}$	b 572
$\text{Sr}_x\text{Pb}_{1-x}\text{ZrO}_3$ (I)	e 1374	0 - P b - T b - V	
$\text{Sr}_x\text{Pb}_{1-x}\text{ZrO}_3$ (II)	e 1375	$\text{Th}_{0.5}\text{Pb}_{0.5}\text{VO}_4$ (II)	e 1811
$\text{Sr}_x\text{Pb}_{1-x}\text{ZrO}_3$ (III)	e 1376	0 - P b - T i	
0 - P b - T a		$(\text{PbO})_{1-x}(\text{PbTiO}_3)_x$	b 764
$\text{Pb}(\text{TaO}_3)_2$	e 3212		e 985
PbTa_2O_6 (I)	e 3213	$(\text{Pb,Ti})\text{O}$	b 765
PbTa_2O_6 (II)	e 3214	$(\text{Pb,Ti})\text{O}_2$	b 742
PbTa_2O_6 (III)	e 3215		b 766
PbTa_2O_6 (IV)	e 3216	PbTiO , (I)	e 981
$\text{PbTa}_4\text{O}_{11}$	e 3217	PbTiO , (II)	e 982
$\text{Pb}_2\text{Ta}_2\text{O}_7$	e 3210	PbTiO , (III)	e 983
$\text{Pb}_3\text{Ta}_2\text{O}_8$	e 3209	PbTiO , (IV)	e 984
$\text{Pb}_3\text{Ta}_4\text{O}_{13}$ (I)	e 3211	PbTi_3O_7	e 987
$\text{Pb}_3\text{Ta}_4\text{O}_{13}$ (II)	e 3212	$\text{Pb}_x\text{TiO}_{2+x}$	e 986
$\text{Pb}_5\text{Ta}_4\text{O}_{15}$	e 3210	0 - P b - T i - T l - W - Z r	
$\text{Pb}_5\text{Ta}_{10}\text{O}_{30}$	e 3213	$(\text{PbTiO}_3)_x(\text{TlZr}_{0.5}\text{W}_{0.5}\text{O}_3)_{1-x}$	f 1775
$\text{Pb}_{19.20}\text{Ta}_{12.80}\text{O}_{51.20}$	e 3209		
$\text{Pb}_{(1-3z)/2}\text{Ta}_{1+z}\text{O}_{3+z}$	e 3208		

2 Alphabetisches Formelverzeichnis

0 - P b - T i - W			
Pb ₂ TiWO ₇	f 1765		
Pb ₂ Ti _{1,5} W _{0,5} O _{6,5}	f 1764		
0 - P b - T i - W - Y b			
PbYb _{0,5} Ti _{0,25} W _{0,25} O ₃	f 1768		
0 - P b - T i - Z r			
Pb(Ti _x Zr _{1-x})O ₃ (I)	e 1401		
Pb(Ti _x Zr _{1-x})O ₃ (I')	e 1402		
Pb(Ti _x Zr _{1-x})O ₃ (I'')	e 1403		
Pb(Ti _x Zr _{1-x})O ₃ (II)	e 1404		
Pb(Ti _x Zr _{1-x})O ₃ (II')	e 1405		
Pb(Ti _x Zr _{1-x})O ₃ (III)	e 1406		
(Pb ₂ ,Ti,Zr)O ₂	e 1404		
	e 1406		
0 - P b - T l			
Tl ₂ PbO ₂	d 3329		
Tl ₆ Pb ₂ O ₅	d 3328		
o - P b - T l - v			
Tl ₂ Pb ₈ (VO ₄) ₆	e 1810		
0 - P b - U			
(Pb _{0,5} U _{0,5})O ₂	e 475		
PbUO ₄ (I)	e 475		
PbUO ₄ (II)	e 476		
PbUO _{4-x}	e 475		
Pb ₂ U ₂ O ₇	e 473		
Pb ₃ UO ₆	e 474		
Pb ₅ U ₄ O ₁₅	e 473		
Pb _{3+x} U ₄ O _{13+x}	e 473		
0 - P b - V			
Pb ₂ V ₂ O ₇	e 1805		
Pb ₃ (VO ₄) ₂ (I)	e 1803		
Pb ₃ (VO ₄) ₂ (II)	e 1804		
Pb ₄ V ₂ O ₉	e 1802		
Pb ₆ V ₂ O ₁₁	e 1802		
Pb ₈ V ₂ O ₁₃ (I)	e 1801		
Pb ₈ V ₂ O ₁₃ (II)	e 1802		
Pb _x V ₂ O ₅ (I)	e 1799		
Pb _x V ₂ O ₅ (II)	e 1800		
0 - P b - W			
PbWO ₄ (I)	f 1698		
PbWO ₄ (II)	f 1699		
Pb ₂ WO ₅	f 1697		
Pb _x WO ₃	f 1696		
0 - P b - W - Z n			
Pb ₂ ZnWO ₆	f 1706		
0 - P b - W - Z r			
Pb ₂ Zr _{1,5} W _{0,5} O _{6,5}	f 1773		
0 - P b - Y			
(Y ₂ O ₃) _{1-x} (PbQ ₂) _x	d 3332		
Y ₂ Pb ₂ O ₇	d 3332		
0 - P b - Z n			
(Pb _{1-x} Zn _x)O	b 709		
Zn ₂ PbO ₄	d 3321		
0 - P b - Z r			
PbZrO ₃ (I)	e 1372		
PbZrO ₃ (II)	e 1373		
0 - P d			
PdO	b 1532		
PdO _x	b 1531		
0 - P d - R h			
PdRhO ₂	f 3930		
0 - P d - S c			
Sc ₂ Pd ₂ O ₇	f 3938		
0 - P d - S r			
SrPd ₃ O ₄	f 3936		
Sr ₂ PdO ₃	f 3935		
0 - P d - T i			
Pd ₂ Ti ₄ O	b 1534		
0 - W - Y			
Y ₂ Pd ₂ O ₇	f 3939		
0 - P d - Y b			
Yb ₂ Pd ₂ O ₇	f 3943		
0 - P d - Z r			
Pd ₂ Zr ₄ O _x	b 1535		
Zr _{0,573} Pd _{0,287} O _{0,14}	b 1535		
0 - P m			
Pm ₂ O ₃ (III)	b 292		
Pm ₂ O ₃ (IV)	b 293		
Pm ₂ O ₃ (V)	b 294		
0 - P m - s e			
PmScO ₃	e 69		
0 - P m - S m			
(Pm _x Sm _{1-x}) ₂ O ₃ (IV)	b 319		
0 - P m - T a			
PmTaO ₄	e 3121		
0 - P m - V			
PmVO ₄	e 1734		
o - P m - w			
Pm ₂ (WO ₄) ₃	f 1526		
0 - P o			
PoO ₂ (I)	b 1150		
PoO ₂ (II)	b 1151		
o - P r			
PrO _{1.714}	b 260		
PrO _{1.778}	b 261		
PrO _{1.802}	b 262		
PrO _{1.818}	b 263		
PrO _{1.833}	b 264		
PrO ₂	b 265		
PrO _{2,007}	b 265		
PrO _x	b 254...b 265		
PrO _x (a,-Phase)	b 259		
PrO _{2-d}	b 265		
Pr ₂ O ₃ (I)	b 254		
Pr ₂ O ₃ (II)	b 255		
Pr ₂ O ₃ (III)	b 256		

2 Alphabetical formula index

Pr_2O_3 (IV)	b 257	O - Pr - Sr - Ta	
Pr_2O_3 (V)	b 258	$\text{Sr}_2\text{PrTaO}_6$	e 3108
$\text{Pr}_2\text{O}_{3+x}$	b 258	O - Pr - Sr - U	
Pr_6O_{11}	b 264	$\text{Sr}_3\text{Pr}_2\text{UO}_9$	e 431
	b 271	O - Pr - Ta	
Pr_7O_{12}	b 260	PrTaO_4	e 3103
Pr_9O_{16}	b 261	PrTa_3O_9	e 3104
$\text{Pr}_{10}\text{O}_{18}$	b 262	$\text{PrTa}_7\text{O}_{19}$	e 3105
$\text{Pr}_{11}\text{O}_{20}$	b 263	O - Pr - Tb	
O - Pr - Pt		$(\text{Pr}_{1-x}\text{Tb}_x)\text{O}_{1.714}$	b 358
$\text{Pr}_2\text{Pt}_2\text{O}_7$	f 4062	$(\text{Pr}_{1-x}\text{Tb}_x)\text{O}_{1.81}$	b 359
O - Pr - Rb - W		$(\text{Pr}_{1-x}\text{Tb}_x)\text{O}_{1.83}$	b 360
$\text{RbPr}(\text{WO}_4)_2$ (I)	f 1500	$(\text{Pr}_{1-x}\text{Tb}_x)_2\text{O}_3$ (I)	b 354
$\text{RbPr}(\text{WO}_4)_2$ (II)	f 1501	$(\text{Pr}_{1-x}\text{Tb}_x)_2\text{O}_3$ (II)	b 355
$\text{RbPr}(\text{WO}_4)_2$ (III)	f 1502	$(\text{Pr}_{1-x}\text{Tb}_x)_2\text{O}_3$ (III)	b 356
O - Pr - Re		$(\text{Pr}_{1-x}\text{Tb}_x)\text{O}_y$	b 357
$\text{Pr}(\text{ReO}_4)_3$	f 2832	$(\text{Pr}_{1-x}\text{Tb}_x)\text{O}_{2-d}$	b 361
O - Pr - Rb		O - Pr - Te	
PrRhO_3	f 3896	$\text{Pr}_2\text{O}_2\text{Te}$	b 4482
O - Pr - Ru		Pr_2TeO_6	b 4696
$\text{Pr}_2\text{Ru}_2\text{O}_7$	f 3838	O - Pr - Tb	
O - Pr - s		$(\text{ThO}_2)_{1-x}(\text{PrO}_{1.5})_x$ (I)	b 440
$\text{Pr}_2\text{O}_2\text{S}$	b 3060	$(\text{ThO}_2)_{1-x}(\text{PrO}_{1.5})_x$ (II)	b 441
	b 3064	$(\text{ThO}_2)_{1-x}(\text{PrO}_2)_x$	b 443
$\text{Pr}_2\text{O}_2\text{SO}_4$	b 3749	$(\text{ThO}_2)_{1-y}(\text{PrO}_x)_y$	b 442
$\text{Pr}_2\text{O}_2\text{S}_2$	b 3061	O - Pr - Ti	
$\text{Pr}_{10}\text{OS}_{14}$	b 3062	PrTiO_3	e 896
$\text{Pr}_{10}\text{O}_x\text{S}_{15-x}$	b 3063	$\text{Pr}_2\text{Ti}_2\text{O}_7$	e 897
O - Pr - Sb - Sr		O - Pr - u	
$\text{Sr}_2\text{PrSbO}_6$	c 3055	$\text{Pr}_6\text{UO}_{12}$	e 430
O - Pr - se		$(\text{UO}_{2.67})_x(\text{PrO}_{1.83})_{1-x}$	b 551
PrScO_3	e 67	$(\text{UO}_{2+x'})_{1-y}(\text{PrO}_{1.5})_y$	e 430
O - Pr - Sc - W		O - Pr - V	
$\text{PrSc}(\text{WO}_4)_3$	f 1503	PrVO_3	e 1724
O - Pr - se		PrVO_4 (I)	e 1725
$\text{Pr}_2\text{O}_2\text{Se}$	b 4197	PrVO_4 (II)	e 1726
$\text{Pr}_4\text{O}_4\text{Se}_3$	b 4198	O - Pr - w	
$\text{Pr}_{10}\text{OSe}_{14}$	b 4199	$\text{Pr}_{0.1}\text{WO}_3$	f 1487
O - Pr - Si		$\text{Pr}_2(\text{WO}_4)_3$ (II)	f 1492
Pr_2SiO_5	d 554	Pr_2WO_6	f 1489
$\text{Pr}_2\text{Si}_2\text{O}_7$ (I)	d 556	$\text{Pr}_2\text{W}_2\text{O}_9$	f 1491
$\text{Pr}_2\text{Si}_2\text{O}_7$ (II)	d 557	$\text{Pr}_4\text{W}_3\text{O}_{15}$	f 1490
$(\text{Pr}_8\Box_2)[(\text{SiO}_4)_6\Box_2]$	d 555	$\text{Pr}_6\text{WO}_{12}$	f 1488
$\text{Pr}_{9,333}[(\text{SiO}_4)_6\text{O}_2]$	d 555	O - Pr - Y	
O - Pr - Si - Sr		$(\text{Pr}_{1-x}\text{Y}_x)_2\text{O}_3$	b 268
$\text{Sr}_3\text{Pr}_6[(\text{SiO}_4)_6]$	d 563	$(\text{YO}_{1.5})_x(\text{Pr}^{\text{III,IV}}\text{O}_{2-y})_{1-x}$	b 269
O - Pr - Sm		$(\text{YO}_{1.5})_x(\text{Pr}^{\text{IV}}\text{O}_2)_{1-x}$	b 270
$(\text{PrO}_2)_x(\text{Sm}_2\text{O}_3)_{1-x}$	b 308	O - Pr - Zr	
O - Pr - Sn		$(\text{Pr}_2\text{O}_3)_x(\text{ZrO}_2)_{1-x}$	e 1343
$\text{Pr}_2\text{Sn}_2\text{O}_7$	d 3191	$\text{Pr}_2\text{Zr}_2\text{O}_7$	b 818
O - Pr - Sr			e 1343
$(\text{Pr}_2\text{O}_3)_{1-x}(\text{SrO})_x$	b 267	$(\text{ZrO}_2)_{1-x}(\text{PrO}_{1.83})_x$	b 818
		$\text{Zr}, -x\text{Pr}_x\text{O}_{2-y}$	b 819

O – Pt			
PtO	b 1545	O – Pu – S – U	
PtO ₂ (I)	b 1548	U ₂ Pu ₂ O ₄ S ₃	b 3098
PtO ₂ (II)	b 1549	(U _{1-x} Pu _x)OS	b 3099
Pt ₃ (O ₂) ₄	b 1547	O – Pu – Se	
Pt ₃ O ₄ (I)	b 1546	PuOSc	b 4219
Pt ₃ O ₄ (II)	b 1547	Pu ₂ O ₂ Se	b 4218
O – Pt – S C		0 – Pu – Si	
Sc ₂ Pt ₂ O ₇	f 4060	PuSiO ₄	d 716
0 – Pt – S m		0 – Pu – S r	
Sm ₂ Pt ₂ O ₇	f 4064	SrPuO ₃	e 656
0 – Pt – S r		SrPuO ₄	e 657
Sr ₃ Pt ₂ O ₇	f 4052	0 – Pu – Ta	
Sr ₄ PtO ₆	f 4051	Pu(TaO ₃) ₄	e 3194
o – Pt – T h		0 – Pu – T e	
Tb ₂ Pt ₂ O ₇	f 4067	Pu ₂ O ₂ Te	b 4496
0 – Pt – T i		O – Pu – Th	
Pt ₂ Ti ₄ O _x	b 1551	(Pu _{1-x} Th _x)O ₂	b 636
Ti _{0,573} Pt _{0,287} O _{0,14}	b 1551	0 – Pu – T m	
O – Pt – Tl		(PuO ₂) _{1-y} (TmO _{1,5}) _y (I)	b 629
Tl ₂ Pt ₂ O ₇	f 4059	(PuO ₂) _{1-y} (TmO _{1,5}) _y (II)	b 630
0 – Pt – T m		(PuO ₂) _{1-y} (TmO _{1,5}) _y (III)	b 631
Tm ₂ Pt ₂ O ₇	f 4071	o – P u – u	
o – P t – v		(Pu,U _{1-y})O _{2+x}	b 639
PtV ₃ O _x	III/6	(Pu,U _{1-y}) ₄ O ₉	b 640
o – P t – Y		(Pu,U _{1-y}) ₂ O _{3+x}	b 638
Y ₂ Pt ₂ O ₇	f 4061	(Pu,U _{1-y}) ₃ O _{8-x}	b 642
0 – P t – Y b		Pu _{1-z} U ₂ O _{2+0,36z}	b 641
Yb ₂ Pt ₂ O ₇	f 4072	(U,Pu)O _{2+x}	b 642
0 – P t – Z n		(U,Pu) ₃ O _{8-x}	b 642
Zn ₂ PtO ₄	f 4056	o – P u – v	
0 – P t – Z r		PuVO ₃	e 1795
Pt _{0,25} Zr _{0,615} O _{0,135}	b 1552	0 – Pu – Z r	
Pt _{1,6} Zr _{4,4} O _{1,0}	b 1552	(PuO _{1,6}) _{1-x} (ZrO _{2-δ}) _x	b 870
Pt ₂ Zr ₄ O _x	b 1552	Pu ₂ Zr ₂ O _{7+z}	e 1368
Zr _{0,62} Pt _{0,25} O _{0,13}	b 1552	Pu _{1-x} Zr _x O ₂ (I)	b 867
o – P u		Pu _{1-x} Zr _x O ₂ (II)	b 868
PuO	b 618	Pu _{1-x} Zr _x O ₂ (III)	b 869
PuO ₂	b 620	O – R	
	b 622	R ₂ O ₃	b 213
PuO _{1,61+x}	b 621	0 – R – T h – T i – U – Z r	
PuO _{2-x}	b 622	(R)(Ti,Zr,U,Th) ₃ O ₇	e 1387
Pu ₂ O ₃ (I)	b 619	0 – R a – S	
Pu ₂ O ₃ (II)	b 620	RaSO ₄	b 3244
C-Pu ₂ O ₃	b 620	0 – R a – S e	
C'-Pu ₂ O ₃	b 621	RaSeO ₄	b 4296
0 – P u – R b		0 – R a – W	
Rb ₂ PuO ₄	e 654	RaWO ₄	f 1370
O – P u – s		O – R b	
PuOS (I)	b 3096	RbO ₂	b 61
PuOS (II)	b 3097	Rb ₂ O (I)	b 55
Pu ₂ O ₂ S	b 3094	Rb ₂ O (II)	b 56
Pu ₄ O ₄ S ₃	b 3095	Rb ₂ O (III)	b 57
		Rb ₂ O ₂ (I)	b 58

2 Alphabetical formula index

Rb_2O_2 (II)	b 59	0 - R b - S n	
Rb_4O_6	b 60	Rb_2SnO_3	d 3151
Rb_6O	b 53	0 - R b - T a	
Rb_9O_2	b 54	RbTaO_3	e 2993
0 - R b - R e		RbTa_3O_8	e 2994
RbReO_4	f 2766	Rb_3TaO_8	e 2995
Rb_3ReO_5	b 2744	0 - R b - T a - T e	
0 - R b - R e - S		RbTaTeO_6	b 4755
RbReO_3S	f 2950	0 - R b - T a - W	
0 - R b - S		$\text{Rb}_{0,3}\text{Ta}_{0,3}\text{W}_{0,7}\text{O}_3$	f 1909
Rb_2SO_4 (I)	b 3194	RbTaWO_6	f 1907
Rb_2SO_4 (II)	b 3195	RbTaW_2O_9	f 1908
$\text{Rb}_2\text{S}_2\text{O}_6$	b 3977	0 - R b - T b	
$\text{Rb}_2\text{S}_4\text{O}_6$	b 3998	RbTbO_2	e 192
0 - R b - S - S C		$\text{Rb}_2\text{Tb}^{\text{IV}}\text{O}_3$	e 193
$\text{RbSc}(\text{SO}_4)_2$	b 3296	0 - R b - T c	
0 - R b - S - S e		RbTcO_4	f 2709
$\text{Rb}_2\text{Se}(\text{SO}_3)_2$	b 4436	0 - R b - T e	
0 - R b - S - S r		Rb_2TeO_3	b 4503
$\text{Rb}_2\text{Sr}(\text{SO}_4)_2$	b 3238	Rb_2TeO_4	b 4636
0 - R b - S - T l		0 - R b - T e - V	
$\text{RbTl}(\text{SO}_4)_2$	b 3286	RbVTeO_5 (I)	b 4555
0 - R b - S - V		RbVTeO_5 (II)	b 4556
$\text{RbV}(\text{SO}_4)_2$	b 3348	0 - R b - T h	
0 - R b - S b		Rb_2ThO_3	e 258
$\text{RbSb}_{21}\text{O}_{48}$	c 2960	0 - R b - T i	
$\text{Rb}_3\text{Sb}_5\text{O}_{14}$	c 2959	Rb_2TiO_3	e 724
$\text{Rb}_6\text{Sb}_{10}\text{O}_{27}$	c 2959	Rb_2TiO_4	e 726
0 - R b - S c		$\text{Rb}_2(\text{Ti}^{\text{III}}\text{Ti}^{\text{IV}})_6\text{O}_{16}$	e 723
RbScO_2 (I)	e 49	$\text{Rb}_2\text{Ti}_6\text{O}_{13}$	e 725
RbScO_2 (II)	e 50	Rb_xTiO_2	e 723
0 - R b - S c - T i		0 - R b - T i - W	
$\text{Rb}_x\text{Sc}_x\text{Ti}_{2-x}\text{O}_4$	e 848	$\text{RbTi}_{0,5}\text{W}_{1,5}\text{O}_6$	f 1741
0 - R b - S C - W		0 - R b - T i - Z n	
$\text{RbSc}(\text{WO}_4)_2$	f 1437	$\text{Rb}_2\text{ZnTi}_7\text{O}_{16}$	e 801
0 - R b - S e		0 - R b - T l	
Rb_2SeO_4 (II)	b 4282	RbTlO	d 8368
0 - R b - S e - S r		RbTlO_2	d 8369
$\text{Rb}_2\text{Sr}(\text{SeO}_4)_2$	b 4294	RbTl_3O_5	d 8370
0 - R b - S i		0 - R b - T m	
Rb_2SiO_3	d 30	RbTmO_2	e 230
$\text{Rb}_2\text{Si}_2\text{O}_5$	d 30	0 - R b - T m - W	
$\text{Rb}_2\text{Si}_4\text{O}_9$	d 30	$\text{RbTm}(\text{WO}_4)_2$ (I)	f 1638
$\text{Rb}_6\text{Si}_2\text{O}_7$	d 29	$\text{RbTm}(\text{WO}_4)_2$ (III)	f 1639
$\text{Rb}_6\text{Si}_{10}\text{O}_{23}$ (I)	d 31	0 - R b - U	
$\text{Rb}_6\text{Si}_{10}\text{O}_{23}$ (II)	d 32	RbUO_3	e 329
0 - R b - S i - S n		Rb_2UO_4	e 331
$\text{Rb}_2\text{Sn}[\text{Si}_3\text{O}_9]$	d 720	$\text{Rb}_2\text{U}_2\text{O}_7$	e 332
0 - R b - S i - T i		Rb_4UO_5	e 330
$\text{Rb}_2\text{Ti}[\text{Si}_3\text{O}_9]$	d 778	0 - R b - U - V	
0 - R b - S m - W		$\text{Rb}_2(\text{UO}_2)_2(\text{VO}_4)_2$	e 1791
$\text{RbSm}(\text{WO}_4)_2$ (I)	f 1538		
$\text{RbSm}(\text{WO}_4)_2$ (II)	f 1539		

0 - R b - V		0 - R e - S r - T b	
RbVO₃	e 1576	Sr₂TbReO₆	f 2850
RbV₃O₈	e 1575	0 - R e - S r - T m	
Rb₂V₃O₈	e 1574	Sr₂TmReO₆	f 2864
0 - R b - V - W		0 - R e - S r - Y	
Rb_xV_xW_{1-x}O₃	f 1816	Sr₂YReO₆	f 2823
0 - R b - W		0 - R e - S r - Y b	
Rb₂WO₄ (I)	f 1300	Sr₂YbReO₆	f 2868
Rb₂WO₄ (II)	f 1301	0 - R e - S r - Z n	
Rb₂WO₄ (III)	f 1302	ZnSr₂ReO₆	f 2799
Rb₂WO₄ (IV)	f 1303	ZnSr₄Re₂O₁₂	f 2800
Rb_xWO₃	f 1299	0 - R e - T b	
Rb_{1+x}W₂O_{6.5+0.5x}	f 1304	Tb(ReO₄)₃ (I)	f 2849
0 - R b - W - Y		0 - R e - T i	
RbY(WO₄)₂ (I)	f 1455	(Re,Ti)O_x	b 1342
RbY(WO₄)₂ (II)	f 1456	O - Re - Ti	
0 - R b - W - Y b		TiReO₄ (I)	f 2813
RbYb(WO₄)₂ (I)	f 1650	TiReO₄ (II)	f 2814
RbYb(WO₄)₂ (III)	f 1651	0 - R e - T m	
0 - R b - W - Z n		Tm(ReO₄)₃ (I)	f 2863
RbZn_{0.25}W_{1.75}O₆	f 1373	0 - R e - V	
0 - R b - Y		(Re,V)O_x	b 1344
RbYO₂	e 82	(Re_xV_{1-x})O₂	b 1345
0 - R b - Y b		V₂Re₂O₁₁	f 2873
RbYbO₂	e 237	0 - R e - W	
0 - R b - Z r		(Re_xW_{1-x})O₃	b 1348
Rb₂ZrO₃	e 1307	0 - R e - Y	
Rb₂Zr₂O₅	e 1308	Y(ReO₄)₃ (I)	f 2822
0 - R e		Y₂ReO₅	f 2820
ReO₂ (I)	b 1333	Y₄ReO₈	f 2819
ReO₂ (II)	b 1334	Y_{2+x}ReO_{5+y}	f 2821
ReO₃	b 1338	0 - R e - Y b	
ReO_{3-x}	b 1337	Yb(ReO₄)₃ (I)	f 2867
ReO_{3-y}	b 1336	Yb₂ReO₅	f 2866
Re₂O₅	b 1335	0 - R e - Z r	
Re₂O₇	b 1339	Re₂Zr₄O_x	b 1343
0 - R e - S - T l		o - R b	
TlReO₃S (I)	f 2952	RhO₂	b 1523
TlReO₃S (II)	f 2953	Rh₂O₃ (I)	b 1520
O - Re - Sc		Rh₂O₃ (II)	b 1521
Sc(ReO₄)₃	f 2815	Rh₂O₃ (III)	b 1522
0 - R e - S c - S r		0 - R h - S b	
Sr₂ScReO₆	f 2817	RhSbO₄	c 3225
0 - R e - S m		0 - R h - S b - S r	
Sm(ReO₄)₃	f 2839	Sr₂RhSbO₆	c 3227
Sm₂ReO₅	f 2837	0 - R h - S i	
Sm₂ReO_{5.25}	f 2838	RhSiO_x	III/6
Sm₄Re₂O₁₁	f 2838	0 - R h - S m	
0 - R e - S r		SmRhO₃	f 3898
Sr(ReO₄)₂	f 2779	0 - R h - S r	
Sr₃ReO₆	f 2777	Sr₂RhO₄	f 3885
Sr₅Re₂O₁₂	f 2778	Sr₄RhO₆ (I)	f 3882

2 Alphabetical formula index

Sr_4RhO_6 (II)	f 3883	Sb_2OS_2	b 3107A
Sr_4RhO_6 (III)	f 3884	$\text{Sb}_2(\text{SO}_4)_3$	b 3344
0 - R h - T a		$\text{Sb}_4\text{O}_5(\text{SO}_4)$ (I)	b 3776
$\text{Rh}_{0,5}\text{Ta}_{0,5}\text{O}_2$	b 1529	$\text{Sb}_4\text{O}_5(\text{SO}_4)$ (II)	b 3777
RhTaO_4	b 1529	$\text{Sb}_6\text{O}_7(\text{SO}_4)_2$	b 3778
0 - R h - T a - T e		O - S - S C	
$\text{Rh}_{0,5}\text{Ta}_{0,5}\text{Te}_3\text{O}_8$	b 4600	$\text{Sc}_2\text{O}_2\text{S}$	b 3045
0 - R h - T b		$\text{Sc}_2(\text{SO}_4)_3$	b 3292
TbRhO_3	f 3901	O - S - S e	
0 - R h - T i		$\text{Se}_x\text{S}_{1-x}\text{O}_3$	b 1145
RhTi_2O_x	b 1524	0 - S - S e - Z n	
o - R b - T l		$\text{Zn}(\text{SeO}_4)_x(\text{SO}_4)_{1-x}$	b 4413
$\text{Tl}_2\text{Rh}_2\text{O}_7$	f 3893	0 - S - S m	
0 - R b - T m		SmSO_4	b 3309
TmRhO_3	f 3905	$\text{Sm}_2\text{O}_2\text{S}$	b 3069
O - Rh - V		$\text{Sm}_2\text{O}_2\text{SO}_4$	b 3751
$\text{Rh}_{0,5}\text{V}_{0,5}\text{O}_2$	b 1527	$\text{Sm}_{10}\text{OS}_{14}$	b 3070
RhVO_4	b 1527	$\text{Sm}_{10}\text{O}_x\text{S}_{15-x}$	b 3071
0 - R b - Z n		0 - S - S n	
ZnRh_2O_4	f 3886	SnSO_4	b 3326
0 - R b - Z r		Sn_2OSO_4	b 3768
RhZr_2O_x	b 1525	$\text{Sn}_3\text{O}_2(\text{SO}_4)$	b 3767
$\text{Zr}_{4,2}\text{Rh}_{1,8}\text{O}_x$	b 1525	0 - S - S n - T l	
0 - R u		$\text{Tl}_2\text{Sn}(\text{SO}_4)_2$	b 3329
RuO_2	b 1517	0 - S - S r	
RuO_4	b 1518	SrSO_4 (I)	b 3234
0 - R u - S m		SrSO_4 (II)	b 3235
$\text{Sm}_2\text{Ru}_2\text{O}_7$	f 3840	0 - S - S r - T i	
0 - R u - S r		$\text{SrTl}_2(\text{SO}_4)_2$	b 3288
SrRuO_3	f 3826	o - s - T b	
	f 3852	$\text{Tb}_2\text{O}_2\text{S}$	b 3079
SrRuO_{3-x}	f 3826	$\text{Tb}_2\text{O}_2\text{SO}_4$	b 3754
Sr_2RuO_4	f 3825	$\text{Tb}_2(\text{SO}_4)_3$	b 3317
0 - R u - T b		0 - S - T e	
$\text{Tb}_2\text{Ru}_2\text{O}_7$	f 3843	$\text{Te}_2\text{O}_3(\text{SO}_4)$	b 3789
0 - R u - T l		o - s - T b	
$\text{Tl}_2\text{Ru}_2\text{O}_7$	f 3834	ThOS	b 3088
0 - R u - T m		ThO_xS	III/6
$\text{Tm}_2\text{Ru}_2\text{O}_7$	f 3847	$\text{Th}_2\text{O}_x\text{S}_3$	III/6
0 - R u - Y		$\text{Th}_7\text{O}_x\text{S}_{12}$	III/6
$\text{Y}_2\text{Ru}_2\text{O}_7$	f 3835	0 - S - T i	
0 - R u - Y b		$\text{Ti}_2(\text{SO}_4)_3$	b 3338
$\text{Yb}_2\text{Ru}_2\text{O}_7$	f 3848	o - s - T l	
o - s		Ti_2SO_2 (I)	b 3970
SO_2	b 1140	Ti_2SO_2 (II)	b 3970
$\beta\text{-SO}_3$	b 1141	Ti_2SO_3	b 3122
$\gamma\text{-SO}_3$	b 1142	Ti_2SO_4 (I)	b 3282
0 - S - S b		Ti_2SO_4 (II)	b 3283
$[(\text{SbO})_2\text{SO}_4]_2$	b 3779	$\text{Ti}_2\text{S}_2\text{O}_3$	b 4049
$[(\text{SbO})_2\text{SO}_4]_6$	b 3780	$\text{Ti}_2[\text{S}_3\text{O}_6]$	b 4001
$(\text{SbO})_2\text{SO}_4$ (I)	b 3779	o - s - T l - v	
$(\text{SbO})_2\text{SO}_4$ (II)	b 3780	$\text{TlV}(\text{SO}_4)_2$	b 3350
$\text{Sb}_2\text{O}(\text{SO}_4)_2$	b 3781		

<http://www.springer.com/978-3-540-16316-9>

Comprehensive Index: Chemical Formulae and Mineral
Names / Gesamtregister: Chemische Formeln und
Mineralnamen

Pies, W.; Weiss, A.

1987, IV, 504 p., Hardcover

ISBN: 978-3-540-16316-9