

	Introductory material	
1	Magnetic properties of pnictides and chalcogenides	1
1.1	Pnictides and chalcogenides based on 3d transition elements (K. ADACHI, S. OGAWA)	1
1.1.1	Introduction	1
1.1.1.1	General remarks	1
1.1.1.2	List of frequently used symbols and abbreviations	1
1.1.2	Compounds with pyrite, marcasite and arsenopyrite structures	7
1.1.2.1	MX_2 compounds with pyrite (FeS_2) type structure	8
1.1.2.1.1	MnX_2 ($\text{X} = \text{S, Se, Te}$)	15
1.1.2.1.2	FeX_2 ($\text{X} = \text{S, Se, Te}$)	18
1.1.2.1.3	CoX_2 ($\text{X} = \text{S, Se, Te}$)	20
1.1.2.1.4	NiX_2 ($\text{X} = \text{S, Se, Te}$)	28
1.1.2.1.5	CuX_2 ($\text{X} = \text{S, Se, Te}$)	33
1.1.2.1.6	ZnX_2 ($\text{X} = \text{S, Se}$)	36
1.1.2.2	$\text{M}_x\text{M}'_{1-x}\text{X}_2$ mixed systems with pyrite (C2) type structure	37
1.1.2.2.1	$\text{Cr}_x\text{Co}_{1-x}\text{S}_2$	37
1.1.2.2.2	$\text{Mn}_x\text{M}'_{1-x}\text{X}_2$ ($\text{M}' = \text{Fe, Mg, Cu, Zn}$; $\text{X} = \text{S, Se, Te}$)	37
1.1.2.2.3	$\text{Fe}_{1-x}\text{M}'_x\text{S}_2$ ($\text{M}' = \text{Co, Ni}$)	41
1.1.2.2.4	$\text{Co}_{1-x}\text{Ni}_x\text{S}_2$	45
1.1.2.2.5	$\text{Ni}_{1-x}\text{Cu}_x\text{S}_2$	46
1.1.2.3	$\text{MS}_{2-x}\text{Se}_x$ mixed systems with pyrite (C2) type structure	47
1.1.2.3.1	$\text{CoS}_{2-x}\text{Se}_x$	47
1.1.2.3.2	$\text{NiS}_{2-x}\text{Se}_x$	52
1.1.2.4	$\text{MY}_x\text{X}_{2-x}$ and $\text{M}_{1-x}\text{M}'_x\text{YX}$ mixed systems with cobaltite or pyrite (C2) type structure	54
1.1.2.4.1	$\text{CoP}_x\text{S}_{2-x}$	55
1.1.2.4.2	$\text{CoAs}_x\text{S}_{2-x}$	56
1.1.2.4.3	NiPS	57
1.1.2.4.4	$\text{NiAs}_x\text{S}_{2-x}$	58
1.1.2.4.5	$\text{Co}_{1-x}\text{Ni}_x\text{AsS}$	58
1.1.2.5	MX_2 , MY_2 , $\text{M}_x\text{M}'_{1-x}\text{Y}_2$ and $\text{MY}_{2-x}\text{X}_x$ compounds with marcasite (C18) type structure	59
1.1.2.5.1	CrSb_2	60
1.1.2.5.2	FeP_2	61
1.1.2.5.3	FeAs_2	61
1.1.2.5.4	FeSb_2	61
1.1.2.5.5	CoSb_2	62
1.1.2.5.6	CoTe_2	63
1.1.2.5.7	NiAs_2 (beta- NiAs_2)	63
1.1.2.5.8	NiSb_2	63
1.1.2.5.9	$\text{M}_{1-x}\text{M}'_x\text{Y}_2$ ($\text{M, M}' = \text{Cr, Fe, Ni}$; $\text{Y} = \text{As, Sb}$)	64
1.1.2.5.10	$\text{FeAs}_{2-x}\text{Se}_x$	64

1.1.2.6	MY_xX_{2-x} and MY_2 compounds with arsenopyrite ($E0_7$) type structure	64
1.1.2.6.1	$FeSb_xTe_{2-x}$	64
1.1.2.6.2	CoP_2	64
1.1.2.6.3	$CoAs_2$	65
1.1.2.6.4	$CoSb_2$	65
1.1.2.7	References for 1.1.2	65
1.1.3	Compounds with NiAs and MnP structures	70
1.1.3.1	$M_{1-x}X$ chalcogenides with NiAs type structure and their mixed systems	70
1.1.3.1.1	$Ti_{1-x}X$ ($X = S, Se, Te$)	81
1.1.3.1.2	$V_{1-x}X$ ($X = S, Se, Te$)	81
1.1.3.1.3	$Cr_{1-x}X$ ($X = S, Se, Te$)	83
1.1.3.1.4	MnX ($X = S, Se, Te$)	88
1.1.3.1.5	$Fe_{1-x}X$ ($X = S, Se, Te$)	89
1.1.3.1.6	$Co_{1-x}X$ ($X = S, Se, Te$)	92
1.1.3.1.7	$Ni_{1-x}X$ ($X = S, Se, Te$)	93
1.1.3.1.8	References for 1.1.3.1	140
1.1.3.2	MY pnictides with MnP and NiAs type structures and their mixed systems	148
1.1.3.2.1	MP ($M = V, Cr, Mn, Fe$)	159
1.1.3.2.2	MAs ($M = Ti, V, Cr, Mn, Fe, Co, Ni$)	163
1.1.3.2.3	MSb ($M = Ti, V, Cr, Mn, Fe, Co, Ni$)	170
1.1.3.2.4	MBi ($M = Mn, Ni$)	180
1.1.3.2.5	$Mn_{1-x}M_xP$ ($M = V, Cr, Fe, Co$)	182
1.1.3.2.6	$MnP_{1-x}As_x$	190
1.1.3.2.7	$Mn_{1-x}M_xAs$ ($M = Ti, V, Cr, Fe, Co, Ni$)	197
1.1.3.2.8	$MnAs_{1-x}Sb_x$	206
1.1.3.2.9	$Mn_{1-x}M_xSb$ ($M = Ti, V, Cr, Fe, Co, Ni$)	208
1.1.3.2.10	$MnSb_{1-x}Sn_x$	213
1.1.3.2.11	Arsenides containing Cr	214
1.1.3.2.12	Antimonides containing Cr	221
1.1.3.2.13	Other mixed pnictides containing Fe	224
1.1.3.2.14	References for 1.1.3.2	227
1.1.4	Compounds and mixed systems with Fe_2P and Cu_2Sb structures	232
1.1.4.1	M_2P compounds with Fe_2P type structure and their mixed systems	232
1.1.4.1.1	M_2P ($M = Mn, Fe, Co, Ni$)	236
1.1.4.1.2	Mixed system (M, M') $_2P$ ($M, M' = Co, Mn, Fe, Ni$)	248
1.1.4.1.3	$Fe_2As_xP_{1-x}$ and related systems containing As	261
1.1.4.1.4	Other mixed systems containing P	263
1.1.4.1.5	References for 1.1.4.1	264
1.1.4.2	M_2Y compounds with Cu_2Sb type structure and their mixed systems	265
1.1.4.2.1	M_2As ($M = Cr, Mn, Fe$)	269
1.1.4.2.2	M_2Sb ($M = Mn, Cu$)	270
1.1.4.2.3	$MnMGe$ ($M = Al, Ga$)	273
1.1.4.2.4	$(M, M')_2Y$ and $M_2(Y, Y')$ compounds ($M, M' = 3d$ metals; $Y, Y' = Sb, As$)	275
1.1.4.2.5	$Mn_{1-x}M_x(Al, Ga)Ge$ ($M = 3d$ metals)	284
1.1.4.2.6	References for 1.1.4.2	286
1.1.5	Chalcogenide spinels and their mixed systems	288
	References for 1.1.5	373
1.1.6	Other pnictides and chalcogenide	383
1.1.6.1	Chalcopyrite, $CuFeS_2$, and its Fe-substituted systems	383

1.1.6.2	Anti- CaF_2 type antimonides, $\text{M}'\text{MSb}$, and their mixed systems	385
1.1.6.3	Heusler type antimonides, $\text{M}'_2\text{MSb}$, and their mixed systems	400
1.1.6.4	References for 1.1.6	423

Pnictides and Chalcogenides I / Pnictide und Chalkogenide I

Adachi, K.; Ogawa, S.

1988, IX, 425 p. 1076 illus., Hardcover

ISBN: 978-3-540-18751-6