

LB-Comprehensive Index 1996

Editors: O. Madelung and W. Martienssen

Partially updated electronic version 2006/11

Bold words are “the main topical keywords” describing the content of a (sub)volume or a large chapter.

For navigation to the two index parts use the links [A-L](#) [M N O P Q](#)
[R S T U V W X Y Z](#) _____

or use the bookmarks in this file.

Blue links in the Comprehensive Index lead to the respective (sub)volumes
on www.springerlink.com

You can search there directly in the titles and abstracts of the respective
LB-documents.

Please start your search with the term “landolt” to focus on LB-online.

M

Madelung constant

- ionic crystals: 6th Ed.I/4 534 . . 545

magnesium

- band structure and Fermi surfaces: III/13c 211 . . 217
- crystal structure: III/6 15
- electron states and Fermi surfaces of homogeneously strained elements: III/13b 129 . . 133
- electronic structure of surfaces: III/24b: 104 . . 107
- material properties: 6th Ed.IV/2c 280 . . 321
- nuclear quadrupole resonance data: III/20a 368 . . 369, III/31a 226 . . 227
- phonon dispersion and frequency spectra: III/13a 82 . . 86
- photoemission spectra and related data: III/23a 288 . . 291
- properties of atomic defects: III/25 274 . . 278
- superconducting properties: III/21a 378
- thermal conductivity: III/15c 31, 82
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

magnesium compounds and alloys

- superconducting properties: III/21a 379 . . 381, 526 . . 527
- thermal conductivity of binary alloys: III/15c 232 . . 235
- thermal conductivity of ternary alloys: III/15c 298 . . 302
- for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

magnetic alloys for technical applications

Topic of volumes III/19i1 and i2.

For contents of the volumes, data presented and arrangement of the data see the Index of Topical Keywords

magnetic anisotropy

- amorphous oxides: III/27f3 239 . . 319 (d)
- binary oxides of d transition elements: III/27g 1 . . 86 (d)
- boron containing oxides: III/27h 1 . . 285 (d)
- halides: III/27j1 1 . . 233 (d), III/27j2 1 . . 359 (d)
- hard magnetic alloys: dispersed data in III/19i2
- hexagonal ferrites: III/27g 124 . . 236 (d)
- liquid quenched and sputtered magnetic alloys: dispersed data in III/19h
- non-iron garnets: III/27e 149 . . 150
- oxides with ilmenite and corundum structure: III/27f3 173 . . 238 (d)
- perovskite-type oxides: III/27f3 1 . . 172 (d)
- thin films: dispersed data in III/19g

magnetic birefringence

- see "birefringence, magnetic"

magnetic circular dichroism

- iron garnets: III/12a 203 . . 206, 218, III/27e 93 . . 99
- photoinduced change: III/12a 223, 224

magnetic coercitive field, coercivity

- see "coercitivity, coercitive field, magnetic"

magnetic compensation temperature

- see "compensation temperature, magnetic"

magnetic constants

- asymmetric top molecules: II/6 2-423 . . 2-448, II/14a 772 . . 785, II/14b 311, II/19c 284 . . 295
- diatomic molecules: II/6 2-383 . . 2-401, II/14a 745 . . 785, II/14b 306 . . 308, II/19c 256 . . 262
- linear and symmetric top molecules: II/6 402 . . 422, II/14a 755 . . 771, II/14b 308 . . 310, II/19c 263 . . 283

magnetic domains

- chromites (Cr spinels): III/4b 394 . . 421, 621 . . 645 (d), III/12b 285 . . 613 (d)
- cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)
- iron garnets
- III/27e 53 . . 59, also

- dynamical properties: III/12a 147 . . 154
- static properties: III/12a 140 . . 143
- wall energy and material length: III/12a 143 . . 147
- perovskites and perovskite related compounds: III/4a 214 . . 254, 269 . . 274 (d), III/12a 429 . . 479 (d)

magnetic exchange interaction

- exchange Hamiltonian: III/4a 207, 208
- microscopic models: III/4a 208 . . 212
- perovskites and perovskite related compounds: III/4a 207 . . 254

magnetic field

- of the earth
- magnetic field on the surface and in the interior: V/2b 74 . . 183
- sources: V/2b 31 . . 71
- of the moon: V/2a 407

magnetic field strength

- definition, measurement, realization: 0/a 2-268 . . 2-301

magnetic fields and remanent magnetization

- of terrestrial planets and their satellites: V/2a 407, 408

magnetic flux density

- definition, sensors: 0/a 2-268 . . 2-288

magnetic flux quantum

- experimental determination: 0/b 3-83 . . 3-94

magnetic heat capacity

- see "heat capacity, magnetic"

magnetic hyperfine field on surfaces

- see "hyperfine field, magnetic, on surfaces"

magnetic hyperfine structure constant

- see "hyperfine structure constant, magnetic"

magnetic hysteresis

- see "hysteresis, magnetic"

magnetic industrial materials

(Section 44 5 in volume IV/3 of the 6th Edition)

Contents: hard and soft magnetic alloys, non-magnetic materials from iron and nickel containing alloys

magnetic moment

- actinide compounds: III/4a 110 . . 124 (d), III/12c 406 . . 484 (d)
- amorphous oxides: III/27f3 239 . . 319 (d)
- atoms and ions: 6th Ed.I/1 389 . . 393
- binary oxides of d transition elements: III/27g 1 . . 86 (d)
- binary oxides of d transition elements: III/27g 87 . . 123 (d)
- boron containing oxides: III/27h 1 . . 285 (d)
- chromites (Cr spinels): III/4b 394 . . 421, 619 . . 646 (d), III/12b 285 . . 613 (d)
- coordination and organometallic transition metal compounds: dispersed data in II/2,8,10,11,12a
- cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)
- from nuclear quadrupole resonance spectroscopy: III/20a 80 . . 677, III/20b 8 . . 717, III/20c 8 . . 799, III/31a 79 . . 437, III/31b 8 . . 198 (d)
- halides: III/27j1 1 . . 233 (d), III/27j2 1 . . 359 (d)
- hard magnetic alloys: dispersed data in III/19i2
- hexagonal ferrites: III/4b 547 . . 618 (d), III/12c 1 . . 46 (d), III/27g 124 . . 236 (d)
- inorganic molecules, organic radicals and complex ions: 6th Ed.I/3 518 . . 531, 722 . . 723
- iron garnets: III/4a 319 . . 322, III/12a 58 . . 74, III/27e 4 . . 20
- iron oxides and iron-metal oxides: III/4a 1 . . 40 (d), III/12b 1 . . 53 (d)
- liquid quenched and sputtered magnetic alloys: dispersed data in III/19h
- metallic elements, alloys and compounds: dispersed data in III/19a . . f, III/32a
- non-iron garnets: III/12a 276 . . 282, III/27e 148 . . 152
- oxides with ilmenite and corundum structure: III/27f3 173 . . 238 (d)
- oxy-spinels: III/27d 1 . . 501 (d)
- perovskite-type oxides: III/27f3 1 . . 172 (d)

- perovskites and perovskite related compounds: III/4a 214 . . 254, 269 . . 274 (d), III/12a 429 . . 479 (d)
- pnictides and chalcogenides based on transition metal elements: III/27a 1 . . 425 (d)
- rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)
- semiconductors: sections on magnetic semiconductors in III/17 (see also the supplemented and revised electronic edition of III/41) g,h
- soft magnetic alloys: dispersed data in III/19i1
- spinels other than chromites and cubic ferrites: III/4b 422 . . 546 (d), III/12b 614 . . 743 (d)
- stable nuclei: 6th Ed.I/5 70 . . 181

magnetic moment, nuclear

- see "nuclear magnetic moment"

magnetic moments of molecules

(Section 14 208 in volume I/3 of the 6th Edition)

- data for inorganic molecules, organic radicals, complex ions: 6th Ed.I/3 518 . . 531

magnetic moments of atoms and ions

(Section 13 25 in volume I/1 of the 6th Edition)

- data for atoms and their ions: 6th Ed.I/1 389 . . 393

magnetic neutron scattering

- perovskite-type oxides based on 3d elements: III/ III/27f1 α 1 . . 345, III/27 β 1 . . 307 (d)
- perovskite layered cuprates: III/27f2 102 . . 156 (d)
- non-iron garnets: III/12a 287, 288, III/27e 156

magnetic order

- actinide compounds: III/4a 110 . . 124 (d), III/12c 406 . . 484 (d)
- chromites (Cr spinels): III/4b 394 . . 421, 619 . . 646 (d), III/12b 285 . . 613 (d)
- cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)
- halides: III/27j1 1 . . 233 (d), III/27j2 1 . . 359 (d)
- hexagonal ferrites: III/4b 547 . . 618 (d), III/12c 1 . . 46 (d)
- iron garnets: III/4a 315 . . 367 (d), III/12a 53 . . 264 (d)
- iron oxides and iron-metal oxides: III/4a 1 . . 40 (d), III/12b 1 . . 53 (d)
- metallic elements, alloys and compounds: dispersed data in III/19a . . f, III/32a
- near surfaces and in thin films: III/19g 15 . . 24
- non-iron garnets: III/4b 1 . . 49 (d), III/12a 265 . . 367 (d)
- oxides with ilmenite and corundum structure: III/27f3 173 . . 238 (d)
- perovskite-type oxides: III/27f3 1 . . 172 (d)
- perovskites and perovskite related compounds
 - localized electrons: III/4a 207 . . 254, III/12a 429 . . 474
 - localized vs. collective electrons: III/4a 255 . . 262
- rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)
- single crystal surfaces: III/24b 474 . . 505 (d)

magnetic ordering temperature

- chromites (Cr spinels): III/4b 394 . . 421, 619 . . 646 (d), III/12b 285 . . 613 (d)
- cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)
- rare earth compounds: III/4a 44 . . 09 (d), III/12c 59 . . 405 (d)

magnetic phase diagram and transition temperature

- actinide compounds: III/4a 110 . . 124 (d), III/12c 406 . . 484 (d)
- chromites (Cr spinels): III/4b 394 . . 421 (d), III/12b 285 . . 613 (d)
- halides: III/27j1 1 . . 233 (d), III/27j2 1 . . 359 (d)
- iron garnets: III/27e 21 . . 24
- iron oxides and iron-metal oxides: III/4a 1 . . 40 (d), III/12b 1 . . 53 (d)
- metallic elements, alloys and compounds: dispersed data in III/19a . . f, III/32a
- non-iron garnets: III/4b 11, 38, III/12a 283 . . 285, III/27e 157 . . 159
- oxides with ilmenite and corundum structure: III/27f3 173 . . 238 (d)
- perovskites and perovskite related compounds: III/4a 214 . . 254, 269 . . 274 (d), III/12a 429 . . 479 (d)
- perovskite-type oxides based on 3d elements: III/ III/27f1 α 1 . . 345, III/27 β 1 . . 307 (d)
- perovskite layered cuprates: III/27f2 8 . . 101 (d)
- rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)

magnetic phase transitions, critical exponents

- see "critical exponents of magnetic phase transitions"

magnetic properties

– see the enumeration of keywords to "magnetical properties" in the Guide of Keywords

magnetic properties

- actinide compounds: 6th Ed.II/9 3-236 . . 3-270
- alloys: 6th Ed.II/9 1-26 . . 1-111
- crystals and glasses with defects: 6th Ed.II/9 4-1 . . 4-42
- earth: V/2b 31 . . 242
- ferro- and antiferroelectrics: subsections 12 in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)
- ferros spinels: 6th Ed.II/9 2-1 . . 2-149
- garnets: 6th Ed.II/9 2-150 . . 2-186
- hexagonal ferrites: 6th Ed.II/9 2-222 . . 2-236
- inorganic compounds: dispersed data in III/7a . . f
- inorganic compounds with one ion or several ions with partly filled shells: 6th Ed.II/9 3-1 . . 3-273
- lunar rocks: V/1b 548 . . 557
- magnetic compounds with definite structures: 6th Ed.II/9 2-1 . . 2-236
- matter under high pressure: IV/4 262 . . 283
- metallic elements: 6th Ed.II/9 1 . . 25
- minerals: V/1b 308 . . 365
- oxides and related compounds
 - Fe oxides and Fe-Me-O compounds: III/4a 1 . . 40 (d), III/12b 1 . . 53 (d)
 - compounds with lanthanide and actinide elements of some special structure types III/4a 41 . . 125 (d), III/12c 59 . . 405 (d), III/12c 47 . . 484
 - crystallographic and magnetic properties of perovskite and perovskite-related compounds: III/4a 126 . . 314, III/12a 368 . . 520
 - yttrium and rare earth iron garnets: III/4a 315 . . 367
 - non-iron garnets: III/4b 1 . . 49, III/12a 265 . . 367
 - spinels: III/4b 50 . . 546, III/12b 54 . . 758
 - hexagonal ferrites: III/4b 547 . . 646, III/12c 1 . . 46
 - crystallographic and structural data of garnets: III/12a 1 . . 52
 - iron garnets: III/12a 53 . . 264
 - perovskites: 6th Ed.II/9 2-187 . . 2-221
 - pure iron, cast iron and various steels: 6th Ed.IV/2a: 243 . . 294
 - rare earth compounds: 6th Ed.II/9 3-155 . . 3-235
 - rocks: V/1b 366 . . 432
- semiconductors
 - magnetic susceptibility: see subsections on further properties in the subvolumes of III/17 (see also the supplemented and revised electronic edition of III/41)
 - semimagnetic semiconductors: III/17 (see also the supplemented and revised electronic edition of III/41) b 302 . . 318, 528 . . 543
 - semiconducting transition metal compounds: III/17 (see also the supplemented and revised electronic edition of III/41) g 63 . . 316, 381 . . 620, III/17 (see also the supplemented and revised electronic edition of III/41) h: 157 . . 225, 382 . . 493
 - see also 6th Ed.II/9 5-1 . . 5-25
- single crystal surfaces: III/24b 506 . . 519
- transition elements: 6th Ed.II/9 3-1 . . 3-154

magnetic properties of free radicals

Topic of volumes II/1, II/9, II/17.

For contents of the volumes, data presented and arrangement of the data see the Index of Topical Keywords

magnetic properties of compounds with definite structure

(Section 29 2 in volume II/9 of the 6th Edition)

- magnetic properties of ferros spinels, garnets, perovskites and hexagonal ferrites: 6th Ed.II/9 2-1 . . 2-236

magnetic properties of metallic elements and alloys

(Section 29 1 in volume II/9 of the 6th Edition)

- dia- and paramagnetic susceptibility, spontaneous magnetization, Curie temperature, exchange energy, bloch wall thickness, magnetostriction, magnetocaloric effect, thin films, Hall effect, Faraday effect, magneto-optical Kerr effect, gyromagnetic effect, ferromagnetic and paramagnetic resonances and relaxation, thermomagnetic and galvanomagnetic transverse effects: 6th Ed.II/9 1-1 . . 1-214

magnetic properties of non-metallic compounds

Topic of volumes III/4, III/12, III/27.

For contents of the volumes, data presented and arrangement of the data see the Index of Topical Keywords

magnetic properties of semiconductors

(Section 29 5 in volume II/9 of the 6th Edition)

– susceptibility, cyclotron resonance, magnetoabsorption, de Haas-Shubnikov, Hall and Faraday effects: 6th Ed.II/9 5-1 . . 5-29

magnetic properties of transition elements, rare earth compounds and actinide compounds

(Section 29 3 in volume II/9 of the 6th Edition): 6th Ed.II/9 1 . . 273

magnetic radii of nuclei

– I/2 47 . . 51

magnetic relaxation, nuclear

– see "nuclear magnetic relaxation"

magnetic resonance

– amorphous oxides: III/27f3 239 . . 319 (d)

– ferro- and antiferroelectrics: subsections 13a in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)

magnetic resonance data, nuclear

– see "nuclear magnetic resonance data"

magnetic rotatory power

– atoms and ions: 6th Ed.I/1 405 . . 435

– inorganic and organic molecules: 6th Ed.I/1 405 . . 435

magnetic sensors

– see "sensors, magnetic"

magnetic shielding constants

– asymmetric top molecules: II/6 2-423 . . 2-448, II/14a 772 . . 785, II/14b 311, II/19c 284 . . 295

– diatomic molecules: II/6 2-383 . . 2-401, II/14a 745 . . 754, II/14b 306 . . 308, II/19c 256 . . 262

– linear and symmetric top molecules: II/6 2-402 . . 2-422, II/14a 755 . . 771, II/14b 308 . . 310, II/19c 263 . . 283

magnetic structure

– boron containing oxides: III/27h 1 . . 285 (d)

– ferro- and antiferroelectrics: subsections 12 in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)

– metallic elements, alloys and compounds: dispersed data in III/19a . . f, III/32a

– non-iron garnets: III/27e 148 . . 168

– perovskite-type oxides based on 3d elements: III/ III/27f1 α 1 . . 345, III/27 β 1 . . 307 (d)

– perovskite layered cuprates: III/27f2 102 . . 140 (d)

magnetic surface anisotropy

– see "surface anisotropy, magnetic"

magnetic susceptibility of coordination and organometallic transition metal compounds

Chapter in volumes II/2, II/8, II/10, II/11, II/12a.

For contents of the chapters, data presented and arrangement of the data see the Index of Topical Keywords

magnetic susceptibility

– actinide compounds: III/4a 110 . . 124 (d), III/12c 406 . . 484 (d)

– amorphous oxides: III/27f3 239 . . 319 (d)

– binary oxides of d transition elements: III/27g 1 . . 123 (d)

– boron containing oxides: III/27h 1 . . 285 (d)

– chromites (Cr spinels): III/4b 394 . . 421, 619 . . 646 (d), III/12b 285 . . 613 (d)

– cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)

– ferro- and antiferroelectrics: subsections 12 in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)

– halides: III/27j1 1 . . 233 (d), III/27j2 1 . . 359 (d)

– hard magnetic alloys: dispersed data in III/19i2

– hexagonal ferrites: III/4b 547 . . 618 (d), III/12c 1 . . 46 (d), III/27g 124 . . 236 (d)

– iron garnets: III/4a 315 . . 367 (d), III/12a 53 . . 264 (d)

– iron oxides and iron-metal oxides: III/4a 1 . . 40 (d), III/12b 1 . . 53 (d)

– Kondo systems: III/15a 294 . . 333 (d)

– liquid quenched and sputtered magnetic alloys: dispersed data in III/19h

– lunar rocks: V/1b 554 . . 556 (d)

– metallic elements, alloys and compounds: dispersed data in III/19a . . f, III/32a

- minerals: V/1b 310 . . 365
- molecules
 - asymmetric top molecules: II/6 2-423 . . 2-448, II/14a 772 . . 785, II/14b 311, II/19c 284 . . 295
 - diatomic molecules: II/6 2-383 . . 2-401, II/14a 745 . . 754, II/14b 306 . . 308, II/19c 256 . . 262
 - linear and symmetric top molecules: II/6 2-402 . . 2-422, II/14a 755 . . 771, II/14b 308 . . 310, II/19c 262 . . 283
- non-iron garnets: III/4b 1 . . 49 (d), III/12a 265 . . 367 (d), III/27e 140 . . 147
- organic substances: 6th Ed.II/10 168 . . 173
- oxides with ilmenite and corundum structure: III/27f3 173 . . 238 (d)
- oxy-spinels: III/27d 1 . . 501 (d)
- perovskites and perovskite related compounds: III/4a 214 . . 254, 269 . . 274 (d), III/12a 429 . . 479 (d)
- perovskite-type oxides based on 3d elements: III/ III/27f1 α 1 . . 345, III/27 β 1 . . 307 (d)
- perovskite layered cuprates: III/27f2 8 . . 74 (d)
- perovskite-type oxides: III/27f3 1 . . 172 (d)
- pnictides and chalcogenides based on transition elements: III/27a 1 . . 425 (d)
- rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)
- rocks: V/1b 368 . . 414
- semiconductors: see subsections on further properties in the subvolumes of III/17 (see also the supplemented and revised electronic edition of III/41)
- semiconductors: also 6th Ed.II/9 5-1 . . 5-12
- soft magnetic alloys: dispersed data in III/19i1
- spinels other than chromites and cubic ferrites: III/4b 422 . . 546 (d), III/12b 614 . . 743 (d)

magnetic transition temperature

- binary oxides of d transition elements: III/27g 1 . . 86 (d)

magnetic viscosity coefficient

- cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)
- rocks: V/1b 382 . . 409 (d)

magnetization (spontaneous, saturation, remanent etc.)

- actinide compounds: III/4a 110 . . 124 (d), III/12c 406 . . 484 (d)
- binary oxides of d transition elements: III/27g 1 . . 86 (d)
- binary oxides of d transition elements: III/27g 87 . . 123 (d)
- boron containing oxides: III/27h 1 . . 285 (d)
- chromites (Cr spinels): III/4b 394 . . 421, 618 . . 646 (d), III/12b 285 . . 613 (d)
- cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)
- ferro- and antiferroelectrics: subsections 12 in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)
- halides: III/27j1 1 . . 233 (d), III/27j2 1 . . 359 (d)
- hard magnetic alloys: dispersed data in III/19i2
- hexagonal ferrites: III/4b 547 . . 618 (d), III/12c 1 . . 46 (d), III/27g 124 . . 236 (d)
- iron garnets: III/4a 319 . . 322, III/12a 58 . . 74
- iron oxides and iron-metal oxides: III/4a 1 . . 40 (d), III/12b 1 . . 53 (d)
- liquid quenched and sputtered magnetic alloys: dispersed data in III/19h
- lunar rocks: V/1b 548 . . 557
- metallic elements, alloys and compounds: dispersed data in III/19a . . f, III/32a
- metallic elements and alloys: 6th Ed.II/9 1-1 . . 1-111
- minerals: V/1b 320 . . 365
- non-iron garnets: III/4b 8 . . 11, III/12a 288, III/27e 148 . . 168
- oxides with ilmenite and corundum structure: III/27f3 173 . . 238 (d)
- oxy-spinels: III/27d 1 . . 501 (d)
- perovskite-type oxides based on 3d elements: III/ III/27f1 α 1 . . 345, III/27 β 1 . . 307 (d)
- perovskite layered cuprates: III/27f2 75 . . 101 (d)
- perovskite-type oxides: III/27f3 1 . . 172 (d)
- pnictides and chalcogenides based on transition elements: III/27a 1 . . 425 (d)
- rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)
- rocks: V/1b 366 . . 432 (d)
- soft magnetic alloys: dispersed data in III/19i1
- spinels other than chromites and cubic ferrites: III/4b 422 . . 546 (d), III/12b 614 . . 743 (d)
- thin films: dispersed data in III/19g

magnetization, surface

- see "surface magnetization"

magneto-acoustic properties

– non-iron garnets: III/4b 42, 43

magnetoabsorption

– semiconductors: 6th Ed.II/9 5-13 . . 5-22

magnetocaloric effect in paramagnetic salts

(Section 24 4 in volume II/4 of the 6th Edition)

– magnetocaloric data for paramagnetic salts at low temperatures, adiabatic demagnetization: 6th Ed.II/4 774 . . 806

magnetocaloric effect

– chromites (Cr spinels): III/4b 394 . . 421, 619 . . 646 (d), III/12b 285 . . 613 (d)

– hexagonal ferrites: III/4b 547 . . 618 (d), III/12c 1 . . 46 (d)

– iron garnets: III/12a 227 . . 230

– metallic elements and alloys: 6th Ed.II/9 1-136 . . 1-140

– see also 6th Ed.II/9 1-137 . . 1-140

magnetocrystalline anisotropy

– chromites (Cr spinels): III/4b 394 . . 421, 619 . . 646 (d), III/12b 285 . . 613 (d)

– cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)

– halides: III/27j1 1 . . 233 (d), III/27j2 1 . . 359 (d)

– hard magnetic alloys: dispersed data in III/19i2

– hexagonal ferrites: III/4b 547 . . 646 (d), III/12c 1 . . 46 (d)

– iron garnets: III/4a 331 . . 335, III/12a 81 . . 104, III/27e 25 . . 38

– iron oxides and iron-metal oxides: III/4a 1 . . 40 (d), III/12b 1 . . 53 (d)

– metallic elements, alloys and compounds: dispersed data in III/19a . . f, III/32a

– non-iron garnets: III/4b 1 . . 49 (d), III/12a 265 . . 367 (d)

– perovskite-type oxides: III/27f3 1 . . 172 (d)

– rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)

– soft magnetic alloys: dispersed data in III/19i1

magnetoelastic properties

– boron containing oxides: III/27h 1 . . 285 (d)

– iron garnets: III/4a 346 . . 348, III/12a 155 . . 164 III/27e 60 . . 62

– non-iron garnets: III/4b 42

– perovskites and perovskite related compounds: III/4a 214 . . 254, 269 . . 274 (d), III/12a 429 . . 479 (d)

– rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)

magnetoelectric coefficient

– boron containing oxides: III/27h 1 . . 285 (d)

– ferro- and antiferroelectrics: subsections 12 in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)

– perovskites and perovskite related compounds: III/4a 214 . . 254, 269 . . 274 (d), III/12a 429 . . 479 (d)

magnetomechanical coupling coefficient

– cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)

magneton, Bohr and nuclear

– definition, determination, sources of uncertainties: 0/b 3-117 . . 125

magneto-optical data

– boron containing oxides: III/27h 1 . . 285 (d)

– chromites (Cr spinels): III/4b 394 . . 421, 619 . . 646 (d), III/12b 285 . . 613 (d)

– iron garnets: III/12a 188, III/27e 77 . . 103

– liquid crystals: 6th Ed.II/8 560

– non-iron garnets, basic formulae: III/4b 38 . . 40, III/12a 323 . . 325, III/27e 197 . . 201

– rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)

– thin films: III/19g 248 . . 263

magneto-optical Kerr effect

– see "Kerr effect, magneto-optical"

magnetoresistance

– actinide compounds: III/4a 110 . . 124 (d), III/12c 406 . . 484 (d)

– chromites (Cr spinels): III/4b 394 . . 421, 619 . . 646 (d), III/12b 285 . . 613 (d)

– cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)

– hexagonal ferrites: III/4b 547 . . 618 (d), III/12c 1 . . 46 (d)

- iron garnets: III/27e 110
- liquid quenched and sputtered magnetic alloys: dispersed data in III/19h
- metallic elements, alloys and compounds: dispersed data in III/19g,h
- metals: 6th Ed.II/6 46 . . 68
- perovskite-type oxides based on 3d elements: III/ III/27f1 α 1 . . 345, III/27 β 1 . . 307 (d)
- perovskite layered cuprates: III/27f2 255 . . 258 (d)
- pnictides and chalcogenides based on transition elements: III/27a 1 . . 425 (d)
- rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)
- semiconductors: see subsections on transport properties in the subvolumes of III/17 (see also the supplemented and revised electronic edition of III/41)
- thin films: III/19g 264 . . 167

magnetostatic modes

- iron garnets: III/4a 353, 354, III/12a 120 . . 122, III/27e 45 . . 48

magnetostriction

- actinide compounds: III/4a 110 . . 124 (d), III/12c 406 . . 484 (d)
- binary oxides of d transition elements: III/27g 1 . . 86 (d)
- boron containing oxides: III/27h 1 . . 285 (d)
- chromites (Cr spinels): III/4b 394 . . 421, 619 . . 646 (d), III/12b 285 . . 613 (d)
- cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)
- hexagonal ferrites: III/4b 547 . . 618 (d), III/12c 1 . . 46 (d), III/27g 124 . . 236 (d)
- iron garnets: III/4a 347, 348, III/12a 357, 358, III/27e 60 . . 62
- iron oxides and iron-metal oxides: III/4a 1 . . 40 (d), III/12b 1 . . 53 (d)
- metallic elements and alloys: 6th Ed.II/9 1-123 . . 1-135
- metallic elements, alloys and compounds: dispersed data in III/19a . . f, III/32a
- minerals: V/1b 320 . . 365 (d)
- non-iron garnets: III/4b 1 . . 49 (d), III/12a 265 . . 367 (d), III/27e 232 . . 236
- oxy-spinels: III/27d 1 . . 501 (d)
- perovskite-type oxides based on 3d elements: III/ III/27f1 α 1 . . 345, III/27 β 1 . . 307 (d)
- perovskite layered cuprates: III/27f2 244 . . 254 (d)
- perovskite-type oxides: III/27f3 1 . . 172 (d)
- perovskites and perovskite related compounds: III/4a 214 . . 254, 269 . . 274 (d), III/12a 429 . . 479 (d)
- pnictides and chalcogenides based on transition elements: III/27a 1 . . 425 (d)
- rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)
- soft magnetic alloys: dispersed data in III/19i1
- thin films: III/19g 222 . . 227

magnon energy

- perovskite-type oxides: III/27f3 1 . . 172 (d)

manganese

- band structure and Fermi surfaces: III/13c 217 . . 219
- crystal structure: III/6 15, III/14a 22, 23
- magnetic and related properties: III/19a 17 . . 21, III/32a 22 . . 27
- material properties: 6th Ed.IV/2b 568 . . 575
- nuclear quadrupole resonance data: III/20b 450 . . 463, III/31a 419
- superconducting properties: III/21a 381
- thermal conductivity: III/15c 32, 83
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

manganese compounds and alloys

- compounds with 3d elements, magnetic and related properties: III/19a 282 . . 490, III/32a 116 . . 224
- crystal structure of manganese oxo- compounds: III/7f 438 . . 499
- epitaxy data: III/8 98
- superconducting properties: III/21a 382, 527 . . 528
- thermal conductivity of ternary alloys: III/15c 303
- for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

mass excess of nuclides

- I/5a 3, 634 . . 666

mass flow

- definition, measurement, dissemination, maintenance, uncertainties: 0/a 2-185 . . 2-191

mass

- of the hydrogen atom: 6th Ed.I/1 30
- of the neutron: 6th Ed.I/1 33
- of the proton: 6th Ed.I/1 30 . . 32
- atomic: see "atomic mass"
- effective: see "effective mass"
- equivalent: see "equivalent mass"
- isotope: see "isotope masses"mass

mass generation, Higgs-Kibble mechanism

- see "Higgs-Kibble mechanism for mass generation"

mass spectroscopic data for nuclei

- 6th Ed. I/5 182 . . 185

mass stopping power of electrons

- I/11 225, 226

material testing

- non-destructive testing methods: 6th Ed.IV/2a 73 . . 120
- testing methods for mechanical properties: 6th Ed.IV/2a 20 . . 73

material values of non-metallic solids

(Section 41 in volume IV/1 of the 6th Edition)

- physical and technical properties of industrial materials: natural and artificial building materials: natural stones for brickwork, artificial stones bricks, tiles, unburned stones, binding agents (clay, gypsum, chalk, cement), mortar and concrete, bituminous materials (bitumen, asphalt, tar, bitumen board and tar board), organic natural material: wood, paper (paperboard materials, cellulose, cardboard), fiber materials, ceramics, glasses, plastics (thermoplasts, crosslinked thermosetted plastics): 6th Ed.IV/1 129 . . 562

Matthiessen's rule

- III/15a 258 . . 2781

mechanical properties

- see the enumeration of keywords to "mechanical and acoustical properties" in the Guide to the Keywords

mechanical units

- 0/a 2-119 . . 2-224, 6th Ed.I/1 14 . . 21

MEED (medium-energy electron diffraction)

- data for solid surfaces: III/24c 29 . . 112 (d)

melt diffusion coefficients

- semiconductor technology: data in the chapters on semiconducting materials in III/17 (see also the supplemented and revised electronic edition of III/41) c,d

melting enthalpy

- see "enthalpy of melting"

melting entropy

- see "entropy of melting"

melting equilibria

- inorganic – organic systems: 6th Ed.II/3 395 . . 403
- inorganic systems: 6th Ed.II/3 98 . . 270
- metallic alloys: 6th Ed.II/3 1 . . 97
- organic systems: 6th Ed.II/3 350 . . 394
- silicate systems: 6th Ed.II/3 271 . . 349

melting heat

- see "heat of melting"

melting point (melting temperature)

- binary oxides of d transition elements: III/27g 1 . . 86 (d)
- boron containing oxides: III/27h 1 . . 285 (d)
- crystalline liquids: 6th Ed.II/2a 266 . . 335
- cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)
- elements: dispersed data in volumes IV/5a . . g
- elements (table): 0/b 3-343 . . 3-347

– ferro- and antiferroelectrics: subsections 1b in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)

– gases: 6th Ed.IV/172 . . 416

– hard magnetic alloys: dispersed data in III/19i2

– hexagonal ferrites: III/27g 124 . . 236 (d)

– inorganic compounds: 6th Ed.II/4 179 . . 260

– inorganic compounds: dispersed data in III/7a . . f

– iron oxides and iron-metal oxides: III/4a 1 . . 40 (d), III/12b 1 . . 53 (d)

– liquids: 6th Ed.IV/544 . . 571

– organic compounds: 6th Ed.II/4 261 . . 393

– organic compounds: III/5a,b,10a,b

– perovskite-type oxides: III/27f3 1 . . 172 (d)

– polynucleotide complexes: VII/1c 25 . . 59

– pressure dependence in solids: IV/4 2 . . 68

– pure substances: 6th Ed.II/2a 1 . . 184

– rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)

– rocks: V/1a 345 . . 351

– semiconductors: see subsections on further properties in the subvolumes of III/17 (see also the supplemented and revised electronic edition of III/41) and the subsections on lattice properties in the respective sections of III/22a

melts and allotropic transformations under pressure

(Section 22 13 in volume II/2a of the 6th Edition)

– pT-diagrams, melting and transition temperatures: 6th Ed.II/2a 216 . . 265

mercury

– band structure and Fermi surfaces: III/13c 179 . . 183

– crystal structure: III/6 12, 13, III/14a 18

– density: 6th Ed.II/1 37

– electron states and Fermi surfaces of homogeneously strained elements: III/13b 113

– nuclear quadrupole resonance data: III/20c 228 . . 229

– phonon dispersion and frequency spectra: III/13a 63

– properties of atomic defects: III/25 307

– superconducting properties: III/21a 304 . . 306

– thermal conductivity: III/15c 26, 76

– for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

mercury compounds and alloys

– binary phase diagrams and related data: IV/5g 1 . . 62

– compounds with 3d elements, magnetic and related properties: III/19b 184 . . 198

– crystal structure of mercury oxo-compounds: III/7e 7

– superconducting properties: III/21a 306 . . 310, 518

– for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

mesons, pseudoscalar

– see "pseudoscalar mesons"

metal gumming

– technological aspects: 6th Ed.IV/2c 923 . . 934

metal ion – nucleotide complexes

– crystal structure: VII/1b 171 . . 246

metallic materials, technological properties

– adhering of metals: 6th Ed.IV/2c 923 . . 934

– bearing metals: 6th Ed.IV/2c 797 . . 829

– corrosion behaviour of materials: 6th Ed.IV/2c 935 . . 976

– enamel: 6th Ed.IV/2c 830 . . 840

– ferro- and desoxidation alloys: 6th Ed.IV/2a 881 . . 888

– foundation and concepts: 6th Ed.IV/2a 1 . . 4

– hard soldering: 6th Ed.IV/2c 841 . . 851

– iron, steel: 6th Ed.IV/2a 121 . . 880

– melding, shearing, and spaying of metals: 6th Ed.IV/2c 852 . . 922

– metallic materials, technological properties: 6th Ed.IV/2b 145 . . 1000, 6th Ed.IV/2c 1 . . 697

– phase diagrams, general properties: 6th Ed.IV/2a 4 . . 19

- powder metallurgy and sintered materials: 6th Ed.IV/2b 1 . . 144
- semiconductors, technological properties: 6th Ed.IV/2c 698 . . 796
- testing of metallic materials, methods
- – non-destructive testing: 6th Ed.IV/2a 73 . . 120
- – testing of mechanical properties: 6th Ed.IV/2a 20 . . 72

metallization

- semiconductor technology: data in the chapters on semiconducting materials in III/17 (see also the supplemented and revised electronic edition of III/41) c,d

metallurgy, basic concepts and testing methods

(Sections 43 1 and 43 2 in volume IV/2a of the 6th Edition)

- basic concepts of metallurgy as working and recrystallization, phase diagrams, importance of crystallization, concentration changes and heat treatment for technological processes; testing methods investigation of mechanical stability by static and dynamical influences, testing of hardness, non-destructive testing methods by X-rays and gamma-rays, magnetic and inductive techniques and ultrasonics

metals: elements, compounds and alloys

- activation energy of defects: III/25 88 . . 379 (d)
- Arrhenius plot: III/25 88 . . 379 (d)
- Auger spectra: dispersed figures in III/13a 196 . . 440
- band structure
- – metallic compounds: III/13a 196 . . 440
- – metallic elements: III/13c 26 . . 407, III/13b 16 . . 247
- – homogeneously strained metallic elements: III/13b 16 . . 247
- Bloch wall thickness: 6th Ed.II/9 1-112 . . 1-124
- Bravais lattices, unit cells, reciprocal lattices, and first Brillouin zones: III/13a 447 . . 457, III/13c 451 . . 462
- bulk modulus: dispersed data in III/19a . . f, III/32a
- capture cross sections for neutrons: III/25 1 . . 87 (d)
- cascade yield: III/25 1 . . 87 (d)
- coercivity, ferromagnetic: dispersed data in III/19a . . f, III/32a
- compressibility: II/5 236, 237
- core-level emission spectra: dispersed figures in III/13a 196 . . 440
- crystal structure of metallic elements: III/13a 7 . . 179, III/13b 16 . . 247, III/13c 26 . . 407
- Curie temperature, ferro- and ferrimagnetic: dispersed data in III/19a . . f, III/32a
- Curie temperature, paramagnetic: dispersed data in III/19a . . f, III/32a
- Curie temperature: 6th Ed.II/9 1 . . 25
- damage rates: III/25 1 . . 87 (d)
- de Haas – van Alphen data
- – homogeneously strained metallic elements: dispersed data III/13b 16 . . 247
- – metallic compounds: dispersed data in III/13a 196 . . 440
- – metallic elements: dispersed data in III/13c 26 . . 407
- Debye temperature: dispersed data in III/19a . . f, III/32a
- defect saturation: III/25 1 . . 87 (d)
- density of states in energy bands: dispersed data in III/19a . . f, III/32a
- diamagnetic susceptibility: 6th Ed.II/9 1 . . 25
- dielectric function: III/15b 222 . . 371
- diffusion: topic of volume III/26, also 6th Ed.II/5b 1 . . 38
- displacement energies of defects: III/25 1 . . 87 (d)
- Drude parameters: III/15b 212 . . 222
- effective mass: III/15b 212 . . 222
- elastic constants: dispersed data in III/19a . . f, III/32a
- elastoresistance: 6th Ed.II/6 94 . . 97
- electrical conductivity: dispersed data in III/19a . . f, III/32a, also 6th Ed.II/6 1 . . 250
- electrical resistivity
- – remarks: III/15a 1, 21
- – data for resistivity and its temperature coefficient at 273.2 K: III/15a 5 . . 131
- – pressure dependence: III/15b 13 . . 461
- – temperature dependence from about 10 K to 273.2 K: III/15a 13 . . 921
- – data at low temperature: III/15a 99 . . 1361
- – size effects: III/15a 140 . . 1621
- electron states and Fermi surfaces of homogeneously strained elements: III/13b 1 . . 258
- electron states: III/13a 197 . . 377
- electronic structure at surfaces: III/24b 29 . . 351

- electronic transport phenomena
- electrical resistivity of pure metals and dilute alloys: III/15a 1 . . 288, III/15b 1 . . 471
- optical properties of pure metals and dilute alloys: III/15b 210 . . 490
- Kondo and spin fluctuation systems, spin glasses: III/15a 289 . . 384
- thermoelectric power of pure metals and dilute alloys: III/15a 385 . . 396, III/15b 48 . . 209
- thermal conductivity of pure metals and alloys: III/15c 1 . . 460
- ESCA spectra: dispersed figures in III/13a 197 . . 440
- Ettingshausen coefficient: 6th Ed.II/6 161 . . 222
- exchange energy: dispersed data in III/19a . . f, III/32a, 6th Ed.II/9 1-112 . . 1-124
- extinction coefficient: 6th Ed.II/8 1 . . 25
- Faraday effect: 6th Ed.II/9 1-180 . . 1-183
- Fermi surfaces: III/13a 196 . . 440, III/13c 1 . . 450, dispersed data in III/19a . . f, III/32a
- ferromagnetic resonance: dispersed data in III/19a . . f, III/32a, 6th Ed.II/9 1-203 . . 1-211
- first Brillouin zones of metals and alloys: III/13a 447 . . 457, III/13c 451 . . 462
- Frenkel defects: III/25 88 . . 379 (d)
- g-factor: dispersed data in III/19a . . f, III/32a
- galvanomagnetic coefficients: 6th Ed.II/6 161 . . 222
- gyromagnetic effect: 6th Ed.II/9 1-200 . . 1-214
- Hall effect: dispersed data in III/19a . . f, III/32a, 6th Ed.II/9 1-176 . . 1-179
- heat capacity: dispersed data in III/19a . . f, III/32a, also 6th Ed.IV/4a 882 . . 903
- helium in metals: III/25 380 . . 437
- Hugoniot data for Al, Fe, Cu, U: V/1a 129 . . 131
- hyperfine field: dispersed data in III/19a . . f, III/32a
- inelastic scattering of electrons at surfaces: III/24c 126 . . 149
- isomer shift: dispersed data in III/19a . . f, III/32a
- Kerr effect, magneto-optical: dispersed data in III/19a . . f, III/32a
- Knight shift: dispersed data in III/19a . . f, III/32a
- lattice parameters: dispersed data in III/13a 7 . . 179, III/19a . . f, III/32a
- magnetic moment: dispersed data in III/19a . . f, III/32a
- magnetic order: dispersed data in III/19a . . f, III/32a
- magnetic phase diagram and transition temperature: dispersed data in III/19a . . f, III/32a
- magnetic structure: dispersed data in III/19a . . f, III/32a
- magnetic susceptibility: dispersed data in III/19a . . f, III/32a
- magnetization: dispersed data in III/19a . . f, III/32a
- magneto-optical Kerr effect: 6th Ed.II/9 1-184 . . 1-199
- magnetocaloric effect: 6th Ed.II/9 1-136 . . 1-140
- magnetocrystalline anisotropy: dispersed data in III/19a . . f, III/32a
- magnetoresistance: dispersed data in III/19g,h, also 6th Ed.II/6 46 . . 68
- magnetostriction: dispersed data in III/19a . . f, III/32a, also 6th Ed.II/9 1-123 . . 1-135
- melting equilibria: 6th Ed.II/3 1 . . 97
- Mössbauer data: dispersed data in III/19a . . f, III/32a
- Néel temperature: dispersed data in III/19a . . f, III/32a
- Nernst – Ettingshausen effect: 6th Ed.II/6 161 . . 223
- neutron diffraction results: dispersed data in III/19a . . f, III/32a
- nuclear magnetic resonance: dispersed data in III/19a . . f, III/32a
- onset temperature for vacancy migration: III/25 88 . . 379 (d)
- optical properties and spectra: III/15b 212 . . 488, 6th Ed.II/8 1 . . 42
- paramagnetic resonances and relaxation: 6th Ed.II/9 1-212 . . 1-214
- paramagnetic susceptibility: 6th Ed.II/9 1 . . 25
- Peltier coefficient: 6th Ed.II/6 983, 984
- phase diagrams: dispersed data in III/19a . . f, III/32a, also 6th Ed.II/3 1 . . 97
- phonon dispersion curves and frequencies
- metallic elements: III/13a 7 . . 179
- metallic compounds and disordered alloys: III/13b 281 . . 395
- photoelectron energy distribution: dispersed figures in III/13a 196 . . 440
- photoemission spectra and related data for sp-metals: III/23a 279 . . 313
- plasma frequency: III/15b 212 . . 222
- point defects: III/25 1 . . 434 (d)
- Poisson's ratio: II/5 236, 237
- production of atomic defects: III/25 1 . . 87
- properties and interactions of atomic defects: III/25 88 . . 379
- pseudopotential form factors: dispersed data in III/13b 16 . . 247

- recovery spectra: III/25 88 . . 379 (d)
- reflectivity: 6th Ed.II/8 1 . . 42
- refractive index: III/15b 222 . . 371, 6th Ed.II/8 1 . . 42
- relaxation time: III/15b 212 . . 222
- residual resistivity: III/15a 99 . . 1361, 6th Ed.II/6 1 . . 108
- resistivity recovery: III/25 88 . . 379 (d)
- Righi – Leduc coefficient: 6th Ed.II/6 161 . . 222
- Seebeck coefficient: dispersed data in III/19a . . f, III/32a
- self-diffusion: III/25 88 . . 379 (d)
- self-interstitial atoms: III/25 1 . . 434 (d)
- Shubnikov – de Haas data: dispersed data in III/13b 16 . . 247
- sound absorption and attenuation: II/5 239 . . 242
- sound velocity: II/5 236 . . 244
- spin lattice relaxation time: dispersed data in III/19a . . f, III/32a
- spin waves: dispersed data in III/19a . . f, III/32a
- spontaneous magnetization: 6th Ed.II/9 1- 1 . . 1-111
- structural defects at surfaces: III/24a 233 . . 277
- structural reconstruction and relaxation at surfaces: III/24a 131 . . 170
- superconducting transition temperatures: dispersed data in III/19a . . f, III/32a
- susceptibility, magnetic: dispersed data in III/19a . . f, III/32a
- thermal conductivity: III/15c 6 . . 125, 6th Ed.II/5b 102 . . 203, 6th Ed.IV/4a 517 . . 560

metals: elements, compounds, alloys (cont.)

- thermal expansion: dispersed data in III/19a . . f, III/32a
- thermodynamic properties: dispersed data in III/19a . . f, III/32a
- thermoelectric power: dispersed data in III/19a . . f, III/32a, also 6th Ed.II/6 929 . . 982
- thermomagnetic effects: 6th Ed.II/6 161 . . 222
- thin films: 6th Ed.II/9 1-141 . . 1-175
- Thomson coefficient: 6th Ed.II/6 984, 985
- transition temperatures, superconducting: dispersed data in III/19a . . f, III/32a
- transport properties: dispersed data in III/19a . . f, III/32a
- vacancies: III/25 1 . . 434 (d)
- vacancy concentrations and damage rates: III/25 1 . . 87 (d)
- vacancy formation and migration enthalpy: III/25 88 . . 379 (d)
- vibrational states of impurities: III/13b 272
- volume coefficient of resistivity: III/15a 140 . . 1621
- Wiedemann – Franz – Lorenz number: 6th Ed.II/6 97 . . 104
- work function: III/24b 56 . . 68
- X-ray and XPS spectra: dispersed figures in III/13a 196 . . 440
- Youngs modulus: II/5 236,237

metals, liquid

- properties: 6th Ed.IV/2c 350 . . 359

metamorphic rocks

- chemical composition: V/1a 32 . . 34
- mineral composition: V/1a 29 . . 31
- nomenclature: V/1a 26 . . 29
- origin and genesis: V/1a 37 . . 44
- texture and structure: V/1a 34 . . 37

meteorites

- abundances of elements: VI/1 84 . . 88, VI/2a 257 . . 264, VI/3a 196 . . 221
- chemical composition: VI/2a 191 . . 195, VI/3a 139 . . 140
- origin: VI/2a 197, VI/3a 140

meteorological optics

- V/4b 187 . . 348

meteorology

Topic of volume V/4.

For contents of the volume, data presented and arrangement of the data see the Index of Topical Keywords

meteorology, further data

- 6th Ed. III 564 . . 717

meteors and meteorites

- classification: VI/1 196
- designation: VI/1 197
- distribution according to apparent magnitude: VI/1 205
- diurnal and annual variation: VI/1 204
- heights of meteors: VI/1 205
- list of streams: VI/1 197 . . 200
- mass and total number of meteors: VI/1 206
- meteor streams: VI/1 197
- meteorite falls: VI/1 209
- origin of meteors and their position in the cosmos: VI/1 202 . . 203
- spectra: VI/1 207
- telescopic meteors and micrometeorites: VI/1 208
- velocity of stream meteors: VI/1 201
- see also VI/1 195 . . 213, VI/2a 187 . . 202, VI/3a 139 . . 140, 6th Ed. III 100 . . 108

metre

- definition and realization: 0/a 2-34 . . 2-40
- dissemination and maintenance: 0/a 2-40 . . 2-43

mica as insulating material

- technological aspects: 6th Ed.IV/3 435 . . 478

microwave spectroscopy

- cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)
- data for molecular structure: dispersed data in II/7,15,21
- molecules: 6th Ed.I/2 552 . . 569

minerals

- anisotropy, diamagnetic: V/1b 308 . . 365 (d)
- antiferromagnetism: V/1b 320 . . 365
- atomic weight: V/1b 34, 35, 102 . . 106
- bulk modulus: V/1b 1 . . 140 (d)
- coercitive field, magnetic: V/1b 308 . . 365 (d)
- Curie constant: V/1b 320 . . 365
- Curie temperature, ferro- and ferrimagnetic: V/1b 308 . . 365 (d)
- density: V/1a 66 . . 113, 6th Ed.III 313 . . 323
- density, thermal expansion, compressibility: 6th Ed.II/1 792 . . 799
- diamagnetism: V/1b 310 . . 312
- dielectric constant, also complex: V/1b 254 . . 257
- diffusion coefficient: V/1b 213 . . 232 (d)
- elastic constants: V/1b 22 . . 32
- elastic properties: 6th Ed.III 326 . . 330
- electrical conductivity: V/1b 239 . . 253
- electrical properties: V/1b 239 . . 307
- ferrimagnetism: V/1b 320 . . 365
- ferromagnetism: V/1b 320 . . 365
- flow: V/1b 141 . . 204
- fracture: V/1b 141 . . 204
- geophysical properties: 6th Ed. III 284 . . 368
- heat capacity: V/1a 305 . . 430, 6th Ed.IV/4a 903 . . 908
- Hugoniot data: V/1a 124 . . 181 (d)
- lattice parameters: V/1b 322 . . 336 (d)
- magnetic properties: V/1b 308 . . 365, 6th Ed.III 331 . . 339
- magnetic susceptibility: V/1b 310 . . 365
- magnetization (spontaneous, saturation, remanent etc.): V/1b 320 . . 365
- magnetostriction: V/1b 320 . . 365 (d)
- Neel temperature: V/1b 320 . . 365 (d)
- paramagnetism: V/1b 312 . . 319
- semiconducting: see index of minerals and common names in III/17 (see also the supplemented and revised electronic edition of III/41) i 335
- shock wave velocity: V/1a 129 . . 181
- sound velocity: V/1a 129 . . 181 (d)
- thermal conductivity: V/1a 305 . . 430

– thermal expansion: 6th Ed.IV/4a 818 . . 820

– thermal properties: V/1a 305 . . 371

misfits of orientation

– in epitaxy of inorganic and organic compounds: dispersed data in III/8

mixing enthalpy

– see "enthalpy of mixing"

mixing entropy

– see "entropy of mixing"

mixtures

– activity coefficient, thermodynamical: 6th Ed.II/2a 336 . . 767

– azeotropic point: 6th Ed.II/2a 336 . . 767

– boiling temperature: 6th Ed.II/2a 336 . . 767, 6th Ed.IV/4b 1 . . 120

– critical temperatures and pressures in phase equilibria: IV/3 27 . . 275 (d)

– dew point curves: IV/3 27 . . 343

– diamagnetic susceptibility: II/16 386 . . 398

– fugacity, relative: 6th Ed.II/2a 336 . . 767

– melts and allotropic transformations under pressure: 6th Ed.II/2a 257 . . 262

– refractive index: III/38a 141 . . 392

– thermal diffusion: 6th Ed.II/5b 219 . . 246

– thermodynamical equilibria

– – binary mixtures: IV/3 27 . . 275

– – ternary and quaternary mixtures: IV/3 276 . . 343

– thermodynamical parameters and properties: 6th Ed.IV/4b 1 . . 224

– vapour pressure of binary and ternary mixtures: 6th Ed.II/2a 336 . . 767

– volatility, relative: IV/3 27 . . 275 (d)

mixtures, azeotropic

– see "azeotropic mixtures"

mobilities

– aqueous and non-aqueous solutions: 6th Ed.II/7 27 . . 281

mobilities, electrophoretic

– see "electrophoretic mobilities"

mobilities, ionic

– see "ionic mobilities"

mobility of charge carriers

– chromites (Cr spinels): III/4b 394 . . 421, 619 . . 646 (d), III/12b 285 . . 613 (d)

– cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)

– iron garnets: III/4a 315 . . 367 (d), III/12a 53 . . 264 (d)

– pnictides and chalcogenides based on transition elements: III/27a 1 . . 425 (d)

– rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)

– semiconductors

– – drift and Hall mobilities, scattering mechanisms etc.: see subsections on transport properties in III/17 III/17 (see also the supplemented and revised electronic edition of III/41) ,e.i,22a

– spinels other than chromites and cubic ferrites: III/4b 422 . . 546 (d), III/12b 614 . . 743 (d)

mode Grüneisen parameters

– semiconductors: see subsections on lattice properties in the subvolumes of III/17 (see also the supplemented and revised electronic edition of III/41) and in III/22a

modes of decay

– of nuclear energy levels: data in all chapters of I/1

molar gas constant

– see "gas constant, molar"

molar heat, entropy and enthalpy of matter

(Section 24 14 in volume II/4 of the 6th Edition)

– data for molar heat, entropy, enthalpy of formation and free enthalpy of formation in the normal state and of enthalpy of transformation for solid and liquid inorganic and organic substances, temperature dependence of thermodynamic functions in the liquid and gas phases: 6th Ed.II/4 394 . . 473

mole

- definition, measuring methods, dissemination and maintenance: 0/a 2-105 . . 2-106
- see also 6th Ed.II/1 5

molecular acoustics

Topic of volume II/5.

For contents of the volume, data presented and arrangement of the data see the Index of Topical Keywords

molecular constants (mostly from microwave, molecular beam and related measurements)

Topic of chapters of volumes II/4,6,14,19.

For contents of the chapters, data presented and arrangement of the data see the Index of Topical Keywords

molecular constants (mostly from infrared spectroscopy)

Topic of volume II/20.

For contents of the chapters, data presented and arrangement of the data see the Index of Topical Keywords

molecular constants of radicals

Chapters in volumes II/6,14: "Molecular constants from microwave, molecular beam, and sub-Doppler laser spectroscopy".

For contents of the chapters, data presented and arrangement of the data see the Index of Topical Keywords

molecular field constants

- iron garnets: III/27e 18 . . 19

molecular ions

- see "ions, molecular"

molecular refraction

- atoms, atomic and molecule ions: 6th Ed. I/1 399 . . 404
- see also "diamagnetic and electrical polarizability and molecular refractions of atoms and ions"

molecular solids

- photoelectron spectra and related data: III/23a 162 . . 278
- for further properties of individual substances see the Substance-Property Indexes, Links are provided on the LB-homepage

molecular spectra, vibrational and rotational

- eigenfrequencies, moments of inertia, force constants and nuclear distances from Raman and infrared spectra: 6th Ed. I/2 227 . . 327, 6th Ed. I/3 621 . . 634
- hindered internal rotation: 6th Ed. I/2 570, 571
- infrared rotational and vibrational spectra: 6th Ed. I/2 328 . . 349, 6th Ed. I/3 635, 636
- infrared spectra of selected molecules: 6th Ed. I/2 350 . . 478, 6th Ed. I/3 637
- microwave spectra: 6th Ed. I/2 552 . . 569, 6th Ed. I/3 576 . . 690
- molecular symmetry and eigenfrequencies: 6th Ed. I/2 213 . . 225, 6th Ed. I/3 620
- Raman spectra of selected molecules: 6th Ed. I/2 479 . . 551, 6th Ed. I/3 637 . . 675

molecular structure

- experimental data
 - diatomic molecules: II/21 459 . . 460 II/23 405
 - free polyatomic molecules
 - inorganic molecules: II/7 15 . . 107, II/15 17 . . 136, II/21 21 . . 108, II/23 25 . . 98
 - organic molecules: II/7 108 . . 392, II/15 137 . . 608, II/21 109 . . 458, II/23 99 . . 404
- structure determined by electron diffraction
 - elements: 6th Ed. I/2 3
 - inorganic molecules: 6th Ed. I/2 4 . . 9, 6th Ed. I/3 551
 - organic molecules: 6th Ed. I/2 10 . . 20
- from molecular spectra: 6th Ed. I/2 39 . . 571
- theoretical structures of molecules
 - molecules with multiple bonds: II/22a 31 . . 180
 - small ring molecules: II/22b 35 . . 152

molecular vibration frequencies

- in molecules: 6th Ed. I/2 212 . . 353, 6th Ed. I/3 1 . . 77, 557 . . 711

molecules

- see the enumeration of keywords to "molecules" in the Guide to the Keywords

molecules

- absorption of solutions in the ultraviolet and visible range: 6th Ed. I/3 78 . . 358
- band spectra: 6th Ed. I/3 1 . . 77, 691 . . 711

- biological
- see "nucleic acids"
- bond energies: 6th Ed. I/2 23 . . 25
- diamagnetic anisotropy
- inorganic molecules and organometallic molecules: II/16 445 . . 453
- organic molecules: II/16 403 . . 439
- diamagnetic polarizability: 6th Ed. I/3 532 . . 538
- dissociation energies: 6th Ed. I/2 26 . . 38
- electrical and optical polarizability: 6th Ed. I/3 509 . . 517
- electrical moments: 6th Ed. I/3 386 . . 508
- ionization energies: 6th Ed. I/3 359 . . 368
- magnetic moments: 6th Ed. I/3 518 . . 531
- molecular spectra, vibrational and rotational: 6th Ed. I/2 39 . . 571
- molecular structure: 6th Ed. I/2 1 . . 22
- quantum yield of photochemical reactions: 6th Ed. I/3 539 . . 542
- rotary power, optical: 6th Ed. I/3 369 . . 385
- structure and electron configuration of molecules forming molecular solids: dispersed data in III/23a 162 . . 278
- wavenumbers of vibrational modes: dispersed data in II/7,15,21

molecules with multiple bonds

- molecular structure: topic of subvolume II/22a

molecules, condensed

- photoemission data: III/23a 162 . . 278

molybdenum

- band structure and Fermi surfaces: III/13c 220 . . 231
- crystal structure: III/6 16, III/14a 24
- electron states and Fermi surfaces of homogeneously strained elements: III/13b 134 . . 146
- electronic structure of surfaces: III/24b: 264 . . 276
- material properties: 6th Ed.IV/2b 181 . . 211
- nuclear quadrupole resonance data: III/20c 10 . . 23, III/31b 68 . . 73
- phonon dispersion and frequency spectra: III/13a 86 . . 92
- properties of atomic defects: III/25 140 . . 146
- structural defects at surfaces: III/24a 249 . . 251
- superconducting properties: III/21a 383 . . 390, 529
- thermal conductivity: III/15c 32 . . 33, 84
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

molybdenum compounds and alloys

- compounds with 3d elements, magnetic and related properties: III/19a 519 . . 565, III/32a 286 . . 331
- crystal structure of molybdenum oxo- compounds: III/7f 74 . . 225
- epitaxy data: III/8 97
- magnetic properties: III/19c 276 . . 280
- photoelectron spectra: III/23b 131 . . 141
- superconducting properties: III/21a 390 . . 418, 530 . . 537
- thermal conductivity of binary alloys: III/15c 236 . . 237
- for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

Mollier diagrams

- air: 6th Ed.IV/4a 155 . . 156

molten salts

- electrical conductivity: 6th Ed.II/7 1 . . 14
- electromotive force: 6th Ed.II/7 747 . . 838
- freezing point depressions: 6th Ed.II/2a 902 . . 916
- irreversible potentials: 6th Ed.II/7 833 . . 838
- reversible potentials of galvanic elements: 6th Ed.II/7 819 . . 832

moment of inertia of molecules

- 6th Ed. I/2 227 . . 327

momentum transport

- in the earth's atmosphere: V/4a 153 . . 156, 163, 164, 222 . . 239, 277 . . 289, 346 . . 396, 438 . . 453

moon

- age determination: V/2a 385, 387
- age of rocks: V/1b 585
- basic geophysical data: V/2a 381 . . 383
- distance, size, mechanical data: VI/1 161 . . 163, VI/2a 143 . . 146, 159 . . 162, 178
- gravity: V/2a 394 . . 396
- magnetic field: V/2a 407
- orbital motion: VI/1 161 . . 163
- seismicity, moonquakes: V/2a 400 . . 407
- topography: V/2a 390, 391, 399 . . 407
- see also 6th Ed. III 50, 52, 76 . . 89

moonquakes

- V/2a 400 . . 407

Morin temperature

- oxides with ilmenite and corundum structure: III/27f3 173 . . 238 (d)
- perovskite-type oxides: III/27f3 1 . . 172 (d)

mortar

- material values: 6th Ed.IV/1 144 . . 145

Mössbauer spectroscopy

- actinide compounds: III/4a 110 . . 124 (d), III/12c 406 . . 484 (d)
- amorphous oxides: III/27f3 239 . . 319 (d)
- binary oxides of d transition elements: III/27g 1 . . 86 (d)
- boron containing oxides: III/27h 1 . . 285 (d)
- chromites (Cr spinels): III/4b 394 . . 421, 619 . . 646 (d), III/12b 285 . . 613 (d)
- cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)
- ferro- and antiferroelectrics: subsections 13 in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)
- hexagonal ferrites: III/4b 547 . . 618 (d), III/12c 1 . . 46 (d), III/27g 124 . . 236 (d)
- iron garnets: III/12a 132 . . 140, III/27e 51 . . 52
- iron oxides and iron-metal oxides: III/4a 1 . . 40 (d), III/12b 1 . . 53 (d)
- metallic elements, alloys and compounds: dispersed data in III/19a . . f, III/32a
- non-iron garnets: III/12a 325 . . 327, III/27e 202 . . 204
- oxides with ilmenite and corundum structure: III/27f3 173 . . 238 (d)
- oxy-spinels: III/27d 1 . . 501 (d)
- perovskite-type oxides based on 3d elements: III/ III/27f1 α 1 . . 345, III/27 β 1 . . 307 (d)
- perovskite layered cuprates: III/27f2 200 . . 214 (d)
- perovskites and perovskite related compounds: III/4a 214 . . 254, 269 . . 274 (d), III/12a 429 . . 479 (d)
- pnictides and chalcogenides based on transition elements: III/27a 1 . . 425 (d)
- pressure dependence in solids: IV/4 284 . . 316
- rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)
- spinels other than chromites and cubic ferrites: III/4b 422 . . 546 (d), III/12b 614 . . 743 (d)
- thin films: III/19g 143 . . 149

motion

- of the earth: V/2a 9 . . 46
- of stars: VI/1 267 . . 276

mu-mesic atoms

- energy levels for spherical nuclei
- isotope shifts: I/2 15, 17
- tables on transition energies and vacuum polarization: I/2 10 . . 14

multi-meson states

- tables of properties: I/6 29

muon

- properties and description in electroweak theory: I/10 37 . . 39
- transport in radiation shielding
- interaction with matter: I/11 358 . . 367
- muon slowing down: I/11 368 . . 384
- multiple scattering: I/11 384 . . 393
- muons from proton-induced cascades: I/11 394 . . 402

- sources of muons: I/11 350 . . 358
- specification of muon shielding: I/11 402 . . 407

muon transport

- I/11 350 . . 410

musical instruments, tuning

- see "tuning of musical instruments"

N

NaCl-type crystals

- surface structure: III/24a 55 . . 64
- for further properties of individual substances see the Substance-Property Indexes, Links are provided on the LB-homepage

naturally occurring isotopes

- table: 6th Ed.II/1 52 . . 57

naturally occurring nuclides

- tables: 0/b 3-236 . . 3-342

naturally radioactive atoms

- 6th Ed.I/5 238 . . 269

nebulae

- extragalactic: see "extragalactic nebulae"
- planetary: see "planetary nebulae"

Néel temperature

- actinide compounds: III/4a 110 . . 124 (d), III/12c 406 . . 484 (d)
- amorphous oxides: III/27f3 239 . . 319 (d)
- binary oxides of d transition elements: III/27g 1 . . 86 (d)
- binary oxides of d transition elements: III/27g 87 . . 123 (d)
- boron containing oxides: III/27h 1 . . 285 (d)
- chromites (Cr spinels): III/4b 394 . . 421, 619 . . 646 (d), III/12b 285 . . 613 (d)
- halides: III/27j1 1 . . 233 (d), III/27j2 1 . . 359 (d)
- hard magnetic alloys: dispersed data in III/19i2
- hexagonal ferrites: III/27g 124 . . 236 (d)
- inorganic compounds: dispersed data in III/7a . . f
- iron garnets: III/4a 315 . . 367 (d), III/12a 53 . . 264 (d)
- iron oxides and iron-metal oxides: III/4a 1 . . 40 (d), III/12b 1 . . 53 (d)
- magnetic semiconductors: sections on semimagnetic and magnetic semiconductors in III/17 (see also the supplemented and revised electronic edition of III/41) b,g,h
- metallic elements, alloys and compounds: dispersed data in III/19a . . f, III/32a
- minerals: V/1b 320 . . 365 (d)
- non-iron garnets: III/4b 1 . . 49 (d), III/12a 265 . . 367 (d)
- oxides with ilmenite and corundum structure: III/27f3 173 . . 238 (d)
- oxy-spinels: III/27d 1 . . 501 (d)
- perovskite-type oxides: III/27f3 1 . . 172 (d)
- perovskites and perovskite related compounds: III/4a 214 . . 254, 269 . . 274 (d), III/12a 429 . . 479 (d)
- pnictides and chalcogenides based on transition elements: III/27a 1 . . 425 (d)
- pressure dependence in solids: IV/4 262 . . 281
- rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)
- simple, coordination and organometallic transition metal compounds: II/2 2-1 . . 2-379 (d), II/8 46 . . 858 (d), II/10 29 . . 668 (d), II/11 46 . . 657 (d), III/12a 46 . . 572 (d)
- soft magnetic alloys: dispersed data in III/19i1
- spinels other than chromites and cubic ferrites: III/4b 422 . . 546 (d), III/12b 614 . . 743 (d)
- superconductors: dispersed data in III/21a,b1,b2

neighbouring nuclides

- energy levels: I/2 15 . . 17

neodymium

- band structure and Fermi surfaces: III/13c 245
- crystal structure: III/6 16, 17, III/14a 26
- photoemission spectra and related data: III/23a 358 . . 361
- superconducting properties: III/21b2 244
- thermal conductivity: III/15c 35, 86
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

neon

- crystal structure: III/6 17, III/14a 26

- superconducting properties: III/21b2 244
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

neptunium

- electron states and Fermi surfaces of homogeneously strained elements: III/13b 156
- superconducting properties: III/21b2 251
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

neptunium compounds and alloys

- photoemission spectra and related data: III/23b 281 . . 290

neptunium compounds and alloys (cont.)

- superconducting properties: III/21b2 251 . . 252
- for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

Nernst – Ettingshausen effect

- metals, alloys and semimetals: 6th Ed.II/6 161 . . 223

Nernst coefficient

- semiconductors: see subsections on transport properties in the subvolumes of III/17 (see also the supplemented and revised electronic edition of III/41) and in III/22a

neutralization heat

- see "heat of neutralization"

neutrino

- massive neutrinos, neutrino oscillations: I/10 252 . . 256
- properties and description in electroweak theory: I/10 37 . . 39
- solar neutrino puzzle: I/10 265 . . 266

neutrino induced reactions

- total cross sections: I/12b 401 . . 409

neutrino/antineutrino induced high energy reactions

- I/12b 401 . . 409

neutron attenuation in labyrinths, ducts and penetrations

- I/11 417 . . 422

neutron diffraction data

- actinide compounds: III/4a 110 . . 124 (d), III/12c 406 . . 484 (d)
- chromites (Cr spinels): III/4b 394 . . 421, 621 . . 645 (d), III/12b 285 . . 613 (d)
- cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)
- ferro- and antiferroelectrics: subsections 14 in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)
- hexagonal ferrites: III/4b 547 . . 618 (d), III/12c 1 . . 46 (d)
- metallic elements, alloys and compounds: dispersed data in III/19a . . f, III/32a
- non-iron garnets: III/4b 43 . . 45
- rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)
- spinels other than chromites and cubic ferrites: III/4b 422 . . 546 (d), III/12b 614 . . 743 (d)
- structure data of inorganic compounds: dispersed data in III/7a . . f
- structure of elements and intermetallic solids: dispersed data in III/6,14

neutron scattering by phonons, inelastic

- see "inelastic neutron scattering by phonons"

neutron scattering, magnetic

- see "magnetic neutron scattering"

neutron scattering on nuclei

- total cross sections: I/7 13, 14, 17 . . 21, I/9a 70 . . 73

neutron skyshine

- I/11 411 . . 416

neutron stars

- VI/2c 1 . . 10

neutron-deuteron scattering

- total cross sections: I/7 16

neutron-neutron scattering

- total cross sections: I/9a 739, 740

neutron-proton (and proton-neutron) scattering

- differential cross sections: I/9a 420 . . 425
- charge exchange cross sections: I/7 95 . . 109
- charge exchange cross sections at high energies: I/9a 624 . . 643
- elastic cross sections: I/7 82 . . 92
- elastic cross sections at high energies: I/9a 601 . . 623
- elastic and charge exchange cross sections at low energies: I/9a 426 . . 567
- phase shift analyses for elastic scattering: I/9a 624 . . 643
- polarization parameters in elastic scattering: I/9a 644 . . 673
- special channels: I/9a 74 . . 81

nickel

- band structure and Fermi surfaces: III/13c 246 . . 270
- crystal structure: III/6 17, III/14a 26
- electron states and Fermi surfaces of homogeneously strained elements: III/13b 152 . . 156
- electronic structure of surfaces: III/24b: 231 . . 258
- magnetic and related properties: III/19a 24 . . 133, III/32a 31 . . 76
- material properties: 6th Ed.IV/2b 307 . . 567
- phonon dispersion and frequency spectra: III/13a 104 . . 107
- properties of atomic defects: III/25 242 . . 250
- structural defects at surfaces: III/24a 252 . . 254
- superconducting properties: III/21b2 244
- thermal conductivity: III/15c 36 . . 37, 86
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

nickel compounds and alloys

- compounds with 3d elements, magnetic and related properties: III/19a 142 . . 281, 311 . . 490, III/32a 116 . . 224
- crystal structure of nickel oxo-compounds: III/7f 732 . . 741
- superconducting properties: III/21b2 244 . . 250
- thermal conductivity of binary alloys: III/15c 154 . . 157, 240 . . 242
- thermal conductivity of ternary alloys: III/15c 306 . . 320
- for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

niobium

- band structure and Fermi surfaces: III/13c 235 . . 245
- crystal structure: III/6 16, III/14a 26
- electron states and Fermi surfaces of homogeneously strained elements: III/13b 148 . . 151
- electronic structure of surfaces: III/24b: 260 . . 264
- material properties: 6th Ed.IV/2b 212 . . 243
- nuclear quadrupole resonance data: III/20c 10 . . 23, III/31b 68 . . 73
- phonon dispersion and frequency spectra: III/13a 96 . . 103
- properties of atomic defects: III/25 149 . . 160
- superconducting properties: III/21b1 1 . . 84
- thermal conductivity: III/15c 34 . . 35, 85
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

niobium compounds and alloys

- compounds with 3d elements, magnetic and related properties: III/19a 519 . . 565, III/32a 286 . . 331
- crystal structure of niobium oxo-compounds: III/7e 432 . . 630
- magnetic properties: III/19c 266 . . 275
- photoelectron spectra: III/23b 117 . . 119
- superconducting properties: III/21b1 85 . . 214, III/21b2 1 . . 243
- thermal conductivity of binary alloys: III/15c 238 . . 239
- thermal conductivity of ternary alloys: III/15c 304 . . 305
- for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

nitrogen

- crystal structure: III/6 16, III/14a 24, 25
- nuclear quadrupole resonance data: III/20a 158 . . 335, III/31a 136 . . 213
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

nitrogen centered radicals

- magnetic properties: II/1 45 . . 53, II/9c1 5 . . 191, II/17c 387 . . 642
- aminoxyl and related radicals, reaction rates in liquids: II/13c 6 . . 165
- reaction rates in liquids: II/18c 1 . . 250

nitrogen compounds and alloys

- crystals structure of ammonia and derivatives, azides, nitrogen oxo- compounds: III/7c1 1 . . 252
- epitaxy data: III/8 70 . . 72, 117
- superconducting properties: III/21a 419 . . 452, 537 . . 541
- for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

nitroxide radicals

- magnetic properties: II/1 54 . . 57, II/9c1 192 . . 1066, II/17d1 5 . . 401, II/17d2 5 . . 439

noble metals (group IB)

- material properties: 6th Ed.IV/2b 576 . . 638
- electronic surface structure: III/24b 111 . . 183

noble metal compounds and alloys

- phonon dispersion and frequency spectra: III/13a 398 . . 413
- for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

noise

- measurement: 0/a 2-345 . . 2-347

non-aqueous solutions

- see "aqueous and non-aqueous solutions"

non-conjugated carbon radicals

- magnetic properties: II/1 20 . . 39, II/9b 5 . . 341, II/17b 5 . . 530

non-destructive testing methods by X-rays and gamma-rays

- technological aspects: 6th Ed.IV/2a 73 . . 86

non-iron garnets

- magnetic and related properties: III/4b 1 . . 49, III/12a 1 . . 52, 265 . . 367

nonelectronic transport

- see the enumeration of keywords to "electronic and nonelectronic transport, diffusion" in the Guide to the Keywords

nonlinear dielectric properties

- ferro- and antiferroelectrics: subsections 5b in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)
- piezoelectric substances: III/11 693 . . 737 (d), III/18 465 . . 487, 499 . . 505 (d)

nonlinear dielectric susceptibility

- boron containing oxides: III/27h 1 . . 285 (d)

nonlinear elastic properties

- ferro- and antiferroelectrics: subsections 8b in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)

nonlinear electromechanical properties

- ferro- and antiferroelectrics: subsections 7c in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)

nonlinear optical properties

- ferro- and antiferroelectrics: subsections 9e in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)

non-magnetic materials from iron and nickel containing alloys

- technological aspects: 6th Ed.IV/3 738 . . 810

non-metallic inorganic compounds based on transition elements, magnetic properties

- halides: III/27j1 1 . . 233
- hexagonal ferrites: III/27g 124 . . 236 (d)
- iron garnets: III/27e 1 . . 135
- non-iron garnets: III/27e 136 . . 263
- oxides
 - perovskite-type: III/27f3 1 . . 172
 - with corundum and ilmenite structure: III/27f3 173 . . 238
 - amorphous oxides: III/27f3 239 . . 319
 - binary, of d-transition elements: III/27g 1 . . 86 (d)
 - with trirutile and pyrochlore structure III/27g 87 . . 123 (d)
 - boron containing oxides: III/27h 1 . . 285
- oxy-spinels: III/27d 1 . . 501
- perovskite-type oxides based on 3d elements: III/ III/27f1 α 1 . . 345, III/27 β 1 . . 307 (d)
- perovskites, layered cuprates: III/27f2 1 . . 280 (d)
- pnictides based on transition elements: III/27a 1 . . 425

non-metals, technological properties

- flow, flotation: 6th Ed.IV/1 662 . . 808
- friction: 6th Ed.IV/1 563 . . 584
- introduction, units, conversion tables: 6th Ed.IV/1 1 . . 128
- non-metallic solids, technological properties
 - building materials: 6th Ed.IV/1 129 . . 157
 - ceramics: 6th Ed.IV/1 421 . . 455
 - fiber materials: 6th Ed.IV/1 322 . . 420
 - organic natural substances: 6th Ed.IV/1 158 . . 321
 - plastics: 6th Ed.IV/1 456 . . 548
 - rubber: 6th Ed.IV/1 549 . . 562
- technical acoustics: 6th Ed.IV/1 809 . . 881
- viscosity: 6th Ed.IV/1 585 . . 661

novae and novae like stars

- VI/1 544 . . 551, VI/2b 240 . . 253, VI/3b 169 . . 182, 6th Ed. III 205 . . 209

nuclear charge density functions and form: factors

- I/2 27 . . 29

nuclear charge distribution

- derived from sources other than electron scattering: I/2 1 . . 20

nuclear charge form factors

- I/2 27 . . 29

nuclear fission

- 6th Ed. I/5 311 . . 323

nuclear magnetic moment

- 6th Ed. I/5 70 . . 181

nuclear magnetic relaxation

(Section 29 7 in volume II/9 of the 6th Edition)

- data for gases, liquids, metallic, inorganic and organic solids, high polymers: 6th Ed.II/9 7-1 . . 7-78

nuclear magnetic resonance data

Topic of volume III/35

For contents of the volume, data presented and arrangement of the data see the Index of Topical Keywords

nuclear magnetic resonance data

- actinide compounds: III/4a 110 . . 124 (d), III/12c 406 . . 484 (d)
- boron containing oxides: III/27h 1 . . 285 (d)
- chromites (Cr spinels): III/4b 394 . . 421, 619 . . 646 (d), III/12b 285 . . 613 (d)
- cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)
- data for molecular structure: dispersed data in II/7,15,21
- ferro- and antiferroelectrics: subsections 13a in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)
- halides: III/27j1 1 . . 233 (d), III/27j2 1 . . 359 (d)
- hexagonal ferrites: III/4b 547 . . 646 (d), III/12c 1 . . 46 (d)

- iron garnets: III/4a 315 . . 367 (d), III/12a 53 . . 264 (d), III/27e 49 . . 50
- iron oxides and iron-metal oxides: III/4a 1 . . 40 (d), III/12b 1 . . 53 (d)
- metallic elements, alloys and compounds: dispersed data in III/19a . . f, III/32a
- non-iron garnets: III/4b 1 . . 49 (d), III/12a 265 . . 367 (d), III/27e 167
- oligonucleotides: VII/1c 88 . . 190
- perovskite-type oxides based on 3d elements: III/ III/27f1 α 1 . . 345, III/27 β 1 . . 307 (d)
- perovskite layered cuprates: III/27f2 157 . . 169 (d)
- perovskite-type oxides: III/27f3 1 . . 172 (d)
- perovskites and perovskite related compounds: III/4a 214 . . 254, 269 . . 274 (d), III/12a 429 . . 479 (d)
- rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)
- structure data of inorganic compounds: dispersed data in III/7a . . f
- see also 6th Ed. I/4 942 . . 980

nuclear magneton

- definition, determination, sources of uncertainties: 0/b 3-117 . . 3-124

nuclear quadrupole moment

- 6th Ed. I/4 942 . . 980, 6th Ed. I/5 70 . . 181
- from microwave spectra of molecules: 6th Ed. I/2 568, 569

nuclear quadrupole resonance spectroscopy

Topic of volumes III/20, III/31.

For contents of the volumes, data presented and arrangement of the data see the Index of Topical Keywords

nuclear quadrupole resonance spectroscopy, further data

- diamagnetic crystals: 6th Ed. I/4 942 . . 980
- inorganic compounds: dispersed data in III/7a . . f

nuclear radii

Topic of volume I/2.

For contents of the volume, data presented and arrangement of the data see the Index of Topical Keywords

nuclear reactions

- excitation functions
- tables
 - ordered according to target nuclides: I/5b 7 . . 28
 - ordered according to product nuclides: I/5b 29 . . 49
 - ordered according to reaction types: I/5b 50 . . 160
- estimation of unknown excitation functions for p-, d-, ³He- and α -reactions: I/5c 1 . . 257
- procedures to obtain excitation functions and thick target yields: I/5c 11 . . 13
- tables of characteristic parameters in excitation functions
 - parameter k: I/5c 17 . . 47
 - threshold energy: I/5c 48 . . 80
 - further parameters and relations: I/5c 81 . . 97
- reference excitation functions for p-, d-, ³He- and α -reactions: I/5c 99 . . 177

nuclear term schemata of radioactive decay

- 6th Ed. I/5 205 . . 397

nuclear transformation yields

- 6th Ed. I/5 303 . . 313

nuclear transmutation doping

- semiconductor technology data in the chapters on semiconducting materials in III/17 (see also the supplemented and revised electronic edition of III/41) c,d

nuclei

- see the enumeration of keywords to "nuclei" in the Guide to the Keywords

nuclei, properties

(Section 16 2 in volume I/5 of the 6th Edition)

- table of nuclear properties as Z, A, N, abundance of isotopes, spin, decay schemes of instable nuclei, magnetic moment of stable nuclei etc., production schemes; isotope weights, reaction energies of nuclear processes, radioactive nuclei, line spectra, families, decay schemes, energy spectra of light nuclei, beta-spectra, naturally radioactive atoms, half time, decay constants, decay schemes, energy of decay radiation, line spectra etc.: 6th Ed. I/5 70 . . 268

nucleic acid bases

- crystal structure: VII/1a 35 . . 133

nucleic acids

Topic of volume VII/1.

For contents of the volume, data presented and arrangement of the data see the Index of Topical Keywords

nucleon-nucleon scattering

– units and constants: I/7 4, I/9a 6

– see keywords as "antiproton-deuteron scattering", "proton-proton scattering" etc.

nucleosides

– conformational angles: VII/1a 211 . . 220

– crystal structure: VII/1a 134 . . 182

– hydrogen bonding: VII/1b 298 . . 317

nucleotides

– conformational angles: VII/1a 221 . . 230

– crystal structure: VII/1a 183 . . 210

– hydrogen bonding: VII/1b 298 . . 317

nuclides

– atomic masses and weights, isotope composition: 0/b 3-140 . . 3-182

– table of naturally occurring nuclides: 0/b 3-336 . . 3-342

nutration

– of the earth: V/2a 20 . . 25

O

observatories

- coordinates of astronomical observatories: 6th Ed. III 35, VI/1 62 . . 66
- coordinates of magnetic observatories: 6th Ed. III 397 . . 405, V/2b 132 . . 136

ocean circulation

- chemical tracers in the ocean: V/3b 59 . . 122
- equations for oceanic motions: V/3b 1 . . 14
- general circulation dynamics: V/3b 123 . . 150
- temperature – salinity characteristics of world ocean waters: V/3b 15 . . 58

ocean floor

- bathymetry: V/3a 26 . . 47
- chronology of the sea floor topography: V/3a 121 . . 123
- features and pattern of the ocean floor: V/3a 48 . . 103
- global geological structure: V/3a 114 . . 120
- hypsography: V/3a 14 . . 25
- sedimentation of the ocean bottom: V/3a 104 . . 113
- topography: V/3a 1 . . 13

oceanography

Topic of volume V/3.

For contents of the volume, data presented and arrangement of the data see the Index of Topical Keywords

oceanography, further data

- 6th Ed. III 426 . . 541

ocean turbulence

- basic features and classification: V/3b 151 . . 210
- benthic boundary layer: V/3b 345 . . 398
- surface mixed layer: V/3b 259 . . 344
- synoptic-scale variability: V/3b 211 . . 258

ocean waves

- astronomical tides: 504 . . 533, V/3c 83 . . 134, 6th Ed. III 271 . . 283
- internal gravity waves: V/3c 37 . . 82
- wind waves and swell: V/3c 17 . . 36

Of stars

- VI/2b 272 . . 278

oligonucleotides

- crystal structure: VII/1a 255 . . 360
- helical parameters: VII/1a 264 . . 265
- hydration: VII/1a 265 . . 266
- local parameters: VII/1a 267 . . 319
- nuclear magnetic resonance data: VII/1c 88 . . 190
- thermodynamical parameters: VII/1c 204 . . 227

one-electron spin-orbit coupling constants

- coordination and organometallic transition metal compounds: dispersed data in II/2,8,10,11,12a

onset temperature for vacancy migration

- metals and alloys: III/25 88 . . 379 (d)

optical absorption coefficient

- see "absorption coefficient, optical"

optical activity

- ferro- and antiferroelectrics: subsections 9d in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)
- molecules: 6th Ed.I/3 369 . . 385

optical and magneto-optical properties of liquid crystals

(Section 28 4 in volume II/8 of the 6th Edition)

- 6th Ed.II/8 553 . . 560

optical birefringence
– see "birefringence, optical"

optical conductivity
– see "conductivity, optical"

optical constants

Topic of volume III/38

For contents of the volume, data presented and arrangement of the data see the Index of Topical Keywords

optical constants of gases and vapours

(Section 28 6 in volume II/8 of the 6th Edition)

– refraction and dispersion in air, in isotropic compounds, degrees of depolarization by molecular light scattering, Faraday effect, Cotton-Mouton effect, Kerr effect: 6th Ed.II/8 6-871 . . 6-901

optical constants of inorganic and organic glasses

(Section 28 3 in volume II/8 of the 6th Edition)

– refractive index, birefringence, Faraday and Kerr effect in inorganic and organic glasses: 6th Ed.II/8 3-465 . . 3-552

optical constants of liquids

(Section 28 5 in volume II/8 of the 6th Edition)

– refractive index of pure liquids, optical rotatory power of liquids and solutions, depolarization by light scattering, Faraday effect, Cotton-Mouton effect, flow induced birefringence, Kerr effect: 6th Ed.II/8 5-561 . . 5-870

optical constants of metals and alloys

(Section 28 1 in volume II/8 of the 6th Edition)

– refractive index, extinction coefficient and reflectance of metals and alloys, of thin

metallic films as function of film thickness: 6th Ed.II/8 1-1 . . 1-42

optical constants of nonmetallic solids

(Section 28 2 in volume II/8 of the 6th Edition)

– refractive index, birefringence, dispersion curves, rotatory power, piezooptic and electrooptic coefficients: 6th Ed.II/8 2-43 . . 2-464

optical dichroism

– see "dichroism, optical"

optical polarizability of molecules

– see "electrical and optical polarizability of molecules"

optical properties

– see the enumeration of keywords to "optical properties" in the Guide to the Keywords

optical properties

– actinide compounds: III/4a 110 . . 124 (d), III/12c 406 . . 484 (d)

– boron containing oxides: III/27h 1 . . 285 (d)

– chromites (Cr spinels): III/4b 394 . . 421, 619 . . 646 (d), III/12b 285 . . 613 (d)

– cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)

– ferro- and antiferroelectrics: subsections 9 in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)

– gases and vapours: 6th Ed.II/8 871 . . 901

– glasses: 6th Ed.II/8 465 . . 552

– hexagonal ferrites: III/4b 547 . . 618 (d), III/12c 1 . . 46 (d)

– ice: V/1b 493 . . 496

– impurities and defects in group IV and III-V semiconductors: dispersed data in III/22b

– iron garnets: III/4a 342, 343, III/12a 298 . . 325, III/27e 64 . . 76

– liquid crystals: 6th Ed.II/8 553 . . 560

– liquids: 6th Ed.II/8 561 . . 870

– non-iron garnets: III/12a 298 . . 325, III/27e 169 . . 201

– non-metallic solids: 6th Ed.II/8 43 . . 464

– perovskites and perovskite related compounds: III/4a 214 . . 254, 269 . . 274 (d), III/12a 429 . . 479 (d)

– pressure dependence in liquids and liquid systems: IV/4 317 . . 339

– pressure dependence in solids: IV/4 284 . . 316

– pure iron, cast iron and various steels: 6th Ed.IV/2a 295 . . 297

– rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)

– sea water: V/3a 383 . . 462

– semiconductors: respective see subsections in III/17 III/17 (see also the supplemented and revised electronic edition of

III/41) ,e.i, III/22a
– surfaces: III/24d 29 . . 69

optical properties of pure metals and binary alloys

Chapter in volume III/15, subvolume b.

For contents of the chapter, data presented and arrangement of the data see the Index of Topical Keywords

optical properties, nonlinear
– see "nonlinear optical properties"

optical rotatory power of molecules
(Section 14 205 in volume I/3 of the 6th Edition)
– organic molecules: 6th Ed.I/3 369 . . 385
– see also "rotatory power, optical"

optical rotatory power of liquids and solutions
– 6th Ed.II/8 676 . . 814

optical theorem
– in elementary particle scattering: I/7 3, I/9a 5

optical transmission
– see "transmission, optical"

orbital motion
– of the earth: V/2a 15

organic liquids
– see "aqueous and non-aqueous systems", "pure liquids and liquid systems", "liquids, organic"

organic natural material
– material values: 6th Ed.IV/1 158 . . 321

organic radicals
– magnetic properties: II/1 20 . . 128, II/9b 5 . . 782, II/9c1 5 . . 1066, II/9c2 5 . . 301, II/9d1 5 . . 360, II/9d2 5 . . 312, II/17b 5 . . 530, II/17c 5 . . 642, II/17d1 5 . . 401, II/17d2 5 . . 439, II/17e 5 . . 390, II/17f 5 . . 313, II/17g 5 . . 394, II/17h 5 . . 331

organic semiconductors
– dark-conductive narrow band gap materials: III/17 (see also the supplemented and revised electronic edition of III/41) i 144 . . 150, 187 . . 197
– general properties of selected compounds: III/17 (see also the supplemented and revised electronic edition of III/41) i 151 . . 158, 197 . . 205
– list of organic semiconductors: III/17 (see also the supplemented and revised electronic edition of III/41) i 335 . . 338
– photoconductive wide band gap materials: III/17 (see also the supplemented and revised electronic edition of III/41) i 112 . . 144, 159 . . 186

organic solids

– see the enumeration of keywords to "organic solids" in the Guide to the Keywords

organic solids
– boiling temperature: III/5a,b,10a,b, 6th Ed.II/4 261 . . 393
– color: III/5a,b,10a,b
– compressibility 6th Ed.II/1 632 . . 718
– crystal structure: III/5a,b,10a,b
– density: III/5a,b,10a,b, 6th Ed.II/1 632 . . 718
– diamagnetic anisotropy: II/16 403 . . 439, 6th Ed.II/10 141 . . 167
– diamagnetic susceptibility: II/16 14 . . 265, 6th Ed.II/10 66 . . 140
– dielectric constants: 6th Ed.II/6 559 . . 606
– ebouiloscopic constants: 6th Ed.II/2a 917 . . 919
– enthalpy: 6th Ed.II/4 422 . . 429
– enthalpy of melting: 6th Ed.II/4 261 . . 393
– entropy: 6th Ed.II/4 422 . . 429
– entropy of formation and of mixing: 6th Ed.II/4 261 . . 393
– epitaxial data: III/8 125 . . 143
– equilibrium constants of thermal dissociation and reactions: 6th Ed.II/2a 768 . . 843
– ferroelectric organic crystals: III/3 177 . . 199, 476 . . 532, III/9 S168 . . S192, S401 . . S430, III/16b 203 . . 269, 562 . . 678, III/28b 193 . . 232, 575 . . 643
– habit: III/5a,b,10a,b

- heat capacity in the solid, liquid and gaseous states: 6th Ed.II/4 261 . . 393, 520 . . 544
- high pressure properties
- phase equilibria: IV/4 53 . . 68
- compressibility, thermal and caloric properties: IV/4 121 . . 131
- transport phenomena: IV/4 208 . . 224
- static electric and magnetic properties phenomena: IV/4 275 . . 282
- optical phenomena: IV/4 303 . . 317
- kinetic phenomena: IV/4 343,344
- increments for the calculation of the enthalpies of formation: 6th Ed.II/4 18 . . 38
- keto – enol equilibria: 6th Ed.II/1 919 . . 929
- lattice constant: III/5a,b,10a,b
- luminescence: absorption, emission, decay time, quantum efficiency, and further information: II/3
- magnetic susceptibility: 6th Ed.II/10 168 . . 173
- melting temperature: III/5a,b,10a,b, 6th Ed.II/4 261 . . 393
- melts and allotropic transformations under pressure: 6th Ed.II/2a 236 . . 256
- nuclear magnetic relaxation: 6th Ed.II/9 7-42 . . 7-65
- paramagnetic susceptibility: 6th Ed.II/10 168 . . 173
- refractive index: 6th Ed.II/8 286 . . 404
- selfdiffusion coefficients: 6th Ed.II/5a 581 . . 587
- solubility space group: III/5a,b,10a,b
- structure and spectra: 6th Ed. I/4 220 . . 503
- thermal expansion coefficient: 6th Ed.II/1 632 . . 718 , 6th Ed.IV/4a 821 . . 825
- thermodynamic properties: IV/8a 1 . . 587, IV/8b 1 . . 410, IV/8c 1 . . 381 (d)
- vaporization coefficients: 6th Ed.II/5b 242 . . 246
- vapour pressure: 6th Ed.II/2a 89 . . 162
- volume change in melting: 6th Ed.II/1 75 . . 729

organic systems

- melting equilibria: 6th Ed.II/3 350 . . 394

organometallic crystals

- diamagnetic anisotropy: II/16 445 . . 453
- magnetic properties: II/2,8,10,11,12

organometallic liquids

- refractive index: III/38a 29 . . 40

organononmetallic liquids

- refractive index: III/38a 41 . . 118

origin of the earth

- V/2a 1 . . 8

oscillator strengths and lifetimes of excited states

(Section 13 18 in volume I/1 of the 6th Edition)

- data for atoms and ions, also rare earth, Fe and Ti ions in molecules and crystals: 6th Ed.I/1 260 . . 275

osmium

- band structure and Fermi surfaces: III/13c 271 . . 275
- crystal structure: III/6 18, III/14a 26
- electron states and Fermi surfaces of homogeneously strained elements: III/13b 157 . . 158
- structural defects at surfaces: III/24a 254
- thermal conductivity: III/15c 37, 86
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

osmium compounds and alloys

- compounds with 3d elements, magnetic and related properties: III/19a 566 . . 647 332 . . 382
- crystal structure of osmium oxo-compounds: III/7f 759 . . 764
- magnetic properties: III/19c 299
- for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

osmotic coefficients

- inorganic and organic solvents: 6th Ed.II/2a 851 . . 901

osmotic pressure

(Section 22 25 in volume II/2a of the 6th Edition)

- low-molecular inorganic and organic substances: 6th Ed.II/2a 931 .. 936
- high-molecular non-electrolytes: 6th Ed.II/2a 937 .. 962
- high-molecular electrolytes: 6th Ed.II/2a 963 .. 974
- sea water: V/3a 261, 262

oxidation states

- of the elements (table): 0/b 3-343 .. 3-347

oxides

- amorphous oxides: III/27f3 239 .. 319
- binary, of d-transition elements: III/27g 1 .. 86
- boron containing oxides: III/27h 1 .. 285
- corundum and ilmenite structure: III/27f3 173 .. 238
- epitaxy data: III/8 45 .. 52, 107 .. 110
- ferroelectric oxides
- perovskite-type oxides: III/3 37 .. 88, 217 .. 353, III/9 S53 .. S78, S211 .. S280, III/16a 45 .. 146, 285 .. 485, III/28a 63 .. 104, 204 .. 302
- WO₃, LiNbO₃, YMnO₃ families: III/3 88 .. 97, 353 .. 363, III/9 S78 .. S86, S280 .. S288, III/16a 147 .. 169, 485 .. 510, III/28a 105 .. 115, 302 .. 321
- SrTeO₃ family: III/9 S86, S87, S288 .. S290, III/16a 169, 170, 510 .. 512, III/28a 115, 116, 321 .. 323
- tungsten-bronze-type and pyrochlore-type families: III/3 97 .. 106, 363 .. 375, III/9 S87 .. S106, S290 .. S309, III/16a 170 .. 220, 512 .. 561, III/28a 116 .. 168, 323 .. 356
- Sr₂Nb₂O₇ family: III/16a 221 .. 229, 561 .. 564, III/28a 168 .. 173, 357 .. 360
- layer structure oxides: III/3 107 .. 114, 564 .. 574, III/9 S107 .. S111, S309 .. S312, III/16a 230 .. 243, 564 .. 574, III/28a 173 .. 178, 360 .. 364
- other oxides: III/3 115 .. 122, 383 .. 387, III/9 S112 .. 123, S312 .. 324, III/16a 221 .. 229, 243 .. 284, 561, 564, 574 .. 614, III/28a 178 .. 203, 364 .. 397
- oxides and hydroxides
- crystal structure: III/7b1 1 .. 674, III/7b2 1 .. 128
- oxides with ilmenite and corundum structure: III/27f3 173 .. 238
- oxides with rutile and pyrochlore structure: III/27g 87 .. 123
- perovskite-type: oxides: III/27f3 1 .. 172
- phonon dispersion and frequency spectra: III/13a 332 .. 376
- structural defects at surfaces: III/24a 321 .. 325
- for further properties of individual substances see the Substance-Property Indexes, Links are provided on the LB-homepage

oxy- and peroxy-alkyl radicals, aroxyl radicals

- magnetic properties: II/1 57 .. 76, II/9c2 5 .. 214, II/17e 5 .. 253

oxyl radicals

- reaction rates in liquids: II/18d1 1 .. 230

oxyl-, peroxy- and related radicals

- reaction rates in liquids: II/13d 5 .. 431

oxy-spinels

- magnetic and related properties
- binary oxy-spinels: III/27d 1 .. 99
- iron oxy-spinels: III/27d 100 .. 366
- non-iron oxy-spinels: III/26d 367 .. 501

oxygen

- crystal structure: III/6 18, III/14a 26
- nuclear quadrupole resonance data: III/20a 336 .. 357, III/31a 214 .. 221

P

P Cygni type stars

– VI/2b 288 . . 290

P-, S-, Se-, Te-centered radicals

– magnetic properties: II/1 76, 77, II/9c2 215 . . 306, II/17e 254 . . 390

palaeomagnetism

– V/2b 182 . . 234

palladium

– band structure and Fermi surfaces: III/13c 281 . . 290

– crystal structure: III/6 19, III/14a 28

– electron states and Fermi surfaces of homogeneously strained elements: III/13b 172 . . 179

– electronic structure of surfaces: III/24b: 281 . . 293

– phonon dispersion and frequency spectra: III/13a 112 . . 117

– properties of atomic defects: III/25 254 . . 256

– structural defects at surfaces: III/24a 255

– thermal conductivity: III/15c 39, 89

– for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

palladium compounds and alloys

– compounds with 3d elements, magnetic and related properties: III/19a 566 . . 647, III/32a 332 . . 382

– crystal structure of palladium oxo-compounds: III/7f 757, 758

– magnetic properties: III/19c 285 . . 292

– thermal conductivity of binary alloys: III/15c 157 . . 159, 243

– thermal conductivity of ternary alloys: III/15c 321

– for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

paper and paperboard materials

– 6th Ed.IV/1 296 . . 321

paper-chromatography

– basic properties: 6th Ed.II/3 529 . . 535

parachor

– pure liquids to their vapor or to air: 6th Ed.II/3 407 . . 436

– solutions to air, between two non-miscible liquids: 6th Ed.II/3 437 . . 472

paraelectric Curie constant

– see "Curie constant, paraelectric"

paraelectric Curie temperature

– see "Curie temperature, paraelectric"

paraelectric resonance

– ferro- and antiferroelectrics: subsections 16 in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)

parallaxes of stars

– VI/1 277 . . 283, VI/2c 163 . . 167, 6th Ed. III 172 . . 177,

paramagnetic centers in crystals

(Section 29 4 in volume II/9 of the 6th Edition)

– ESR and ENDOR data, parameters of the spin Hamiltonian, relaxation times: 6th Ed.II/9 4-1 . . 4-39

paramagnetic Curie temperature

– see "Curie temperature, paramagnetic"

paramagnetic moment

– amorphous oxides: III/27f3 239 . . 319 (d)

– binary oxides of d transition elements: III/27g 1 . . 86 (d)

– binary oxides of d transition elements: III/27g 87 . . 123 (d)

– hexagonal ferrites: III/27g 124 . . 236 (d)

– liquid quenched and sputtered magnetic alloys: dispersed data in III/19h

– pnictides and chalcogenides based on transition elements: III/27a 1 . . 425 (d)

paramagnetic relaxation

(Section 29 6 in volume II/9 of the 6th Edition)

- crystals: 6th Ed.II/9 6-1 . . 6-49
- metallic elements and alloys: 6th Ed.II/9 1-212 . . 1-214

paramagnetic resonance

- metallic elements and alloys: 6th Ed.II/9 1-212 . . 1-214
- non-iron garnets: III/27e 162 . . 166

paramagnetic salts

- adiabatic demagnetization: 6th Ed.II/4 774 . . 806
- magnetocaloric effect: 6th Ed.II/4 774 . . 806
- properties and constants: 6th Ed.II/4 780 . . 801

paramagnetic susceptibilities

(Section 2 10 3 in volume II/10 of the 6th Edition)

- organic substances: 6th Ed.II/10 168 . . 173

paramagnetic susceptibility, further data

- alloys: 6th Ed.II/9 1-26 . . 1-111
- metallic elements: 6th Ed.II/9 1 . . 25
- pnictides and chalcogenides based on transition elements: III/27a 1 . . 425 (d)

paramagnetism

- minerals: V/1b 312 . . 319

parameters of the spin Hamiltonian

- coordination and organometallic transition metal compounds: dispersed data in II/2,8,10,11,12b
- crystals with paramagnetic centers: 6th Ed.II/9 4-1 . . 4-39

parity

- nuclear energy levels data in all chapters of I/1

partial pressures in heterogeneous equilibria

- 6th Ed.II/2a 768 . . 843

partial wave amplitudes in pion-nucleon scattering

- analysis: I/9b2 4 . . 36
- analytical properties of amplitudes: I/9b2 549 . . 560
- results derived
 - differential cross sections: I/9b2 148 . . 167
 - polarization parameters: I/9b2 168 . . 198

Pascal constants

- elements and ions: II/2 1-17, II/8 29, II/10 14, II/11 29, II/12a 29

Pascal constitutive corrections

- organic molecules: II/2 1-18, II/10 13, II/11 29, II/12a 30

passage of electricity through gases

(Section 44 3 in volume IV/3 of the 6th Edition)

- electrical conduction in gases, arc discharges, plasma properties etc., breakdown voltages in gases, gas discharges: 6th Ed.IV/3 58 . . 208

peculiar stars

- survey, basic information: VI/2b 269, 270
- types
 - Am stars: VI/2b 333 . . 341
 - Ap stars: VI/2b 318 . . 332
 - Barium stars: VI/2b 350, 351
 - Be and related stars: VI/2b 290 . . 303
 - C stars: VI/2b 351, 352
 - CH stars: VI/2b 349, 350
 - CN stars: VI/2b 349, 350
 - CNO stars: VI/2b 303, 304
 - Helium stars: VI/2b 305 . . 311
 - lambda-Bootis stars: VI/2b 341
 - Of stars: VI/2b 272 . . 278

-- P Cygni type stars: VI/2b 288 .. 290

-- S stars: VI/2b 352 .. 354

-- shell stars: VI/2b 290 .. 303

-- Wolf – Rayet stars: VI/2b 278 .. 287

-- see also 6th Ed. III 187 .. 214

Peltier coefficient

-- metals: 6th Ed.II/6 983, 984

-- semiconductors: sections on transport properties in the subvolumes of III/17 (see also the supplemented and revised electronic edition of III/41) and in III/22a

periodic system of the elements

-- table: 0/b 3-343 .. 3-347, 6th Ed.I/1 11, 6th Ed.II/1 50

periods of orientation

-- in epitaxy of inorganic and organic compounds: dispersed data in III/8

permeability

-- rocks: V/1a 278 .. 302

permeability, initial

-- see "initial permeability"

permittivity, relative

-- see "relative permittivity"

perovskites and perovskite related compounds and alloys

-- magnetic and related properties

-- non-metallic perovskites: III/4a 214 .. 254, 269 .. 274 (d), III/12a 429 .. 479 (d)

--- substance groups

--- stoichiometric perovskite structure: III/4a 131 .. 189, III/12a 374 .. 428

--- perovskite related structures: III/4a 190 .. 206

--- magnetic order of localized electrons: III/4a 207 .. 254, III/12a 429 .. 474

--- localized vs. collective electrons: III/4a 255 .. 262

--- the $M^cXM_3^f$ alloys: III/4a 263 .. 274, III/12a 475, 476

--- perovskite-type oxides based on 3d elements: III/ III/27f1 α 1 .. 345, III/27 β 1 .. 307 (d)

--- layered cuprates: III/27f2 1 .. 280 (d)

--- oxides of the type RMO_3 III/27f3 1 .. 172

-- metallic perovskites: III/19c 186 .. 253

-- perovskite-type oxides on 3d elements: III/27f1 α 1 .. 345, III/27f1 β 1 .. 308

--- scandium-based perovskites: III/27f1 α 6 .. 8

--- titanium-based perovskites: III/27f1 α 9 .. 61

--- vanadium-based perovskites: III/27f1 α 62 .. 101

--- chromium-based perovskites: III/27f1 α 102 .. 122

--- manganese-based perovskites: III/27f1 α 123 .. 199

--- iron-based perovskites: III/27f1 α 200 .. 273

--- cobalt-based perovskites: III/27f1 α 274 .. 315

--- nickel-based perovskites: III/27f1 α 316 .. 345

--- copper-based perovskites: III/27f1 β 6 .. 44

--- mixed transition metal perovskites: III/27f1 β 45 .. 134

--- rhutenium-based perovskites: III/27f1 β 135 .. 178

--- other 4d element perovskites: III/27f1 β 179 .. 225

--- iridium-based perovskites: III/27f1 β 226 .. 245

--- other 5d element perovskites: III/27f1 β 246 .. 279

--- miscellaneous perovskite oxides: III/27f1 β 280 .. 308

-- perovskite type oxides: III/27f3 1 .. 172

-- perovskite-type oxides based on 3d elements: III/ III/27f1 α 1 .. 345, III/27 β 1 .. 307 (d)

-- perovskite-type layered cuprates: III/27f2 1 .. 258 (d)

-- for magnetic and other properties see also 6th Ed.II/9 2-187 .. 2-221, 2 .. 287 .. 221

perovskite-type cuprates

-- see "cuprates, perovskite-type"

peroxyl and related radicals

-- reaction rates in liquids: II/18d2 1 .. 434

p_H-values of buffer mixtures

– electrochemical systems: 6th Ed.II/7 954 . . 959

phase diagrams

– actinide compounds: III/4a 110 . . 124 (d), III/12c 406 . . 484 (d)

– binary alloys: topic of volumes IV/5a . . g

– binary and ternary mixtures: 6th Ed.IV/4b 1 . . 164

– binary and ternary systems of inorganic compounds: 6th Ed.II/3 98 . . 234

– chromites (Cr spinels): III/4b 394 . . 421, 619 . . 646 (d), III/12b 285 . . 613 (d)

– cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)

– general properties, use for characterizing technologically important materials: 6th Ed.IV/2a 4 . . 18, 6th Ed.IV/4b 1 . . 120 (d)

– hexagonal ferrites: III/4b 547 . . 618 (d), III/12c 1 . . 46 (d)

– ice: V/1b 482

– inorganic compounds: dispersed data in III/7a . . f

– iron oxides and iron-metal oxides: III/4a 1 . . 40 (d), III/12b 1 . . 53 (d)

– liquid helium: II/5 227

– metallic alloys: 6th Ed.II/3 1 . . 97

– metallic elements, alloys and compounds: dispersed data in III/19a . . f, III/32a

– organic and inorganic – organic systems: 6th Ed.II/3 350 . . 403

– perovskites and perovskite related compounds: III/4a 214 . . 254, 269 . . 274 (d), III/12a 429 . . 479 (d)

– pressure dependence in solids: IV/4 2 . . 68

– pure iron, cast iron and various steels: 6th Ed.IV/2a 191 . . 198

– rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)

– reciprocal salt pairs: 6th Ed.II/3 235 . . 270

– semiconductor technology: data in the chapters on semiconducting materials in III/17 (see also the supplemented and revised electronic edition of III/41) c,d

– silicate systems: 6th Ed.II/3 271 . . 349

– solid solutions of ferro- and antiferroelectrics: subsections 1b in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)

– spinels other than chromites and cubic ferrites: III/4b 422 . . 546 (d), III/12b 614 . . 743 (d)

phase diagrams and physical properties of nonequilibrium alloys

Topic of volume III/37

For contents of the chapters, data presented and arrangement of the data see the Index of Topical Keywords

phase diagram, magnetic

– see "magnetic phase diagram and transition temperature"

phase diagrams, non-equilibrium

– ternary amorphous alloys: III/37a 33 . . 268

phase equilibria

– binary alloys: dispersed data in volumes IV/5a . . g

– pressure dependence in liquids and liquid systems: IV/4 131 . . 160

– pressure dependence in solids: IV/4 2 . . 68

– see also "binary alloys: phase equilibria, crystallographic and thermodynamic data"

phase transition temperatures

– elements and binary alloys: dispersed data in volumes IV/5a . . g

– pressure dependence in solids: IV/4 2 . . 70

phase transitions

– ferro- and antiferroelectrics: subsections 3b in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)

– solid surfaces: III/24a 330 . . 351

phenoxyl and related radicals

– reaction rates in liquids: II/18d1 231 . . 395

phonon dispersion curves

– cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)

– of metals

– – metallic elements: III/13a 1 . . 179

– – metallic compounds and disordered alloys: III/13b 281 . . 395

– rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)

– semiconductors: see subsections on lattice properties in III/17 III/17 (see also the supplemented and revised electronic edition of III/41) ,e.i,22a

phonon frequencies (wavenumbers)

– chromites (Cr spinels): III/4b 394 . . 421, 619 . . 646 (d), III/12b 285 . . 613 (d)

– metals

– – metallic elements: III/13a 7 . . 179

– – metallic compounds and disordered alloys dispersed tables in III/13b 281 . . 395

– Raman and infrared spectra: 6th Ed. I/4 546 . . 758

– semiconductors: see subsections on lattice properties in III/17 III/17 (see also the supplemented and revised electronic edition of III/41) ,e.i,22a

phonon states in metals

Chapters in volumes III/13a,b.

For contents of the chapters, data presented and arrangement of the data see the Index of Topical Keywords

phonons, surface

– see "surface phonons"

phosphorescence emission bands

– quantum efficiency: II/3 265 . . 272

– vibrational structure of phosphorescence spectra: II/3 230 . . 262

– wavenumbers of emission maxima in luminescence of organic substances: II/3 8 . . 190

phosphors

– technological aspects: 6th Ed.IV/3 853 . . 880

phosphorus

– crystal structure: III/6 18, 19, III/14a 28

– for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

phosphorus compounds and alloys

– crystal structure

– – phosphorus hydrides, phosphides, oxo-compounds and phosphates: III/7c2 1 . . 305

– – intermetallic phosphides: III/6 175 . . 931 (d)

– epitaxy data: III/8 72 . . 73

– for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

photoabsorption coefficient for X-radiation

– 6th Ed. I/1 318 . . 321

photoconductivity

– by impurities and defects in group IV and III-V semiconductors: dispersed data in III/22b

– chromites (Cr spinels): III/4b 394 . . 421, 619 . . 646 (d), III/12b 285 . . 613 (d)

– rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)

– ferro- and antiferroelectrics: subsections 11 in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)

– non-iron garnets: III/27e 242

– see also 6th Ed.II/6 365 . . 413

photoconductivity, surface

– III/24d 34

photoelastic effect

– ferro- and antiferroelectrics: subsections 9c in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)

– non-iron garnets: III/27e 230 . . 231

photoelectric photometry in astronomy

– VI/2a 18 . . 25, VI/3a 17 . . 33, VI/3b 2 . . 40

photoelectric radiation detectors

– see "radiation detectors, photoelectric"

photoelectron energy distribution

– in metallic compounds and disordered alloys: dispersed figures in III/13a 196 . . 440

photoelectron spectroscopy

– data for molecular structure: dispersed data in II/7,15,21

photoemission spectra

– actinide compounds: III/4a 110 . . 124 (d), III/12c 406 . . 484 (d)

– actinides, actinide alloys and compounds: III/23b 184 . . 327

– alkali halides: III/23a 113 . . 161

– chromites (Cr spinels): III/4b 394 . . 421, 619 . . 646 (d), III/12b 285 . . 613 (d)

– condensed molecules: III/23a 162 . . 278

– cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)

– ferro- and antiferroelectrics: subsections 11 in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)

– lanthanides: III/23a 314 . . 430

– layered compounds: III/23b 84 . . 182

– metallic compounds and disordered alloys: dispersed figures III/13a 196 . . 440

– rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)

– semiconductors: see subsections on optical properties, mostly in III/17 (see also the supplemented and revised electronic edition of III/41) a,22a

– solids: 6th Ed.II/6 986 . . 1003

– sp-metals: III/23a 279 . . 313

– tetrahedrally bonded semiconductors: III/23a 10 . . 112

– transition metal compounds: III/23b 11 . . 83

– see also 6th Ed. I/4 759 . . 762

photoemission spectra of solids

Topic of volume III/23.

For contents of the volume, data presented and arrangement of the data see the Index of Topical Keywords

photoemission

– from surfaces: III/24d 70 . . 311

photographic emulsions

– in astronomy: VI/2a 26 . . 30

– see also 6th Ed.IV/3 963 . . 967

photoluminescence

– by impurities and defects in group IV and III-V semiconductors: dispersed data in III/22b

– surface: III/24d 36

photometry

– definitions, measurement: 0/a 2-363 . . 2-373

– see also 6th Ed.I/1 21, 22

photon

– properties and description in electroweak theory: I/10 70

photon attenuation in labyrinths, ducts and penetrations

– I/11 423 . . 424

photon induced reactions

– total cross sections: I/12b 345 . . 400

photoproduction

– above 1.5 GeV

– – total cross sections for hadron production: I/8 305 . . 320

– – photoproduction of vector mesons: I/8 321 . . 330

– – photoproduction of baryon resonances: I/8 331 . . 333

– – photoproduction of strange particles: I/8 334 . . 338

– below 1.5 GeV

– – positive pions from gamma - p reactions: I/8 16 . . 88, 95 . . 113

– – neutral pions from gamma - p reactions: I/8 116 . . 182, 192 . . 113

– – neutral pions from gamma - n reactions: I/8 261 . . 268

– – neutral pions from gamma - d reactions: I/8 269 . . 274

– – negative pions from gamma - n reactions: I/8 214 . . 242, 247 . . 259

– – eta-mesons below 1.5 GeV: I/8 276 . . 281, 284

– – kaons below 1.5 GeV: I/8 285 . . 298

– K mesons: I/8 285 . . 302

- pi and eta mesons: I/8 16 . . 284
- see also **"elementary particles, photoproduction"**

photosphere, solar

- VI/1 98 . . 110, VI/2a 96 . . 101, VI/3a 89 . . 90

photovoltage spectroscopy

- surface: III/24d 35

physical properties of solids, liquids and gases

- see the enumeration of keywords to "physical properties" in the Guide to the Keywords

physico-chemical properties of solids, liquids and gases

- see the enumeration of keywords to "physico- chemical properties" in the Guide to the Keywords

physics of the upper atmosphere

- 6th Ed. III 718 . . 781

piezoelectric coefficients

- boron containing oxides: III/27h 1 . . 285 (d)
- cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)
- ferro- and antiferroelectrics: subsections 7 in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)
- piezoelectric crystals: 6th Ed.II/6 430 . . 437
- piezoelectric substances: III/1 70 . . 88, III/2 60 . . 66, III/11 362 . . 417, III/18 224 . . 271, III/29b 99 . . 181
- semiconductors: see subsections on transport properties in the subvolumes of III/17 (see also the supplemented and revised electronic edition of III/41) and in III/22a

piezoelectric crystals

- dielectric constants: 6th Ed.II/6 438 . . 446
- elastic coefficients: 6th Ed.II/6 422 . . 429
- piezoelectric coefficients: 6th Ed.II/6 430 . . 437
- see also 6th Ed.II/6 414 . . 450

piezoelectric properties

- ferro- and antiferroelectrics: subsections 7a in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)
- inorganic compounds: dispersed data in III/7a . . f
- semiconductors: see subsections on transport properties in III/17 III/17 (see also the supplemented and revised electronic edition of III/41) ,e..i,22a

piezoelectric substances

- Curie constant, paraelectric: III/11 299 . . 326, III/18 185 . . 198
- Curie temperature, ferro- and antiferroelectric: III/1 49 . . 53, III/2 48 . . 52, III/11 299 . . 326, III/18 185 . . 198
- Curie temperature, paraelectric: III/11 299 . . 326, III/18 185 . . 198
- density: 6th Ed.II/6 419 . . 422
- dielectric constant: III/1 88 . . 95, III/2 66 . . 74, III/11 328 . . 361, III/18 199 . . 223, III/29b 45 . . 94
- temperature dependence: III/29b 95 . . 99
- elastic constants: 6th Ed.II/6 422 . . 430
- elastooptic coefficients: III/1 136 . . 139, 144, 147, III/2 138 . . 163, III/11 507 . . 551, III/18 364 . . 398
- electrooptical coefficients (linear and quadratic): III/1 139 . . 147, III/2 141 . . 163, III/11 555 . . 605, 631 . . 651, III/18 402 . . 416, 429, 435 . . 446, III/30a 164 . . 233
- electrostrictive constants: III/11 418 . . 422, 429, 430, 449, III/18 272 . . 278, III/29b 192 . . 324
- nonlinear dielectric properties: III/11 693 . . 737 (d), III/18 465 . . 487, 499 . . 505 (d)
- piezoelectric strain and stress coefficients: III/1 70 . . 88, III/2 60 . . 66, III/11 362 . . 417, III/18 224 . . 271, III/29b 99 . . 181

piezooptic coefficients

- ferroelectric substances: subsections 9c in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)
- nonmetallic solids: 6th Ed.II/8 2.457 . . 458
- piezoelectric substances: 6th Ed.II/8 453 . . 464
- piezooptic substances: III/1 133 . . 135, 144 . . 147, III/2 137, 138, 148 . . 163, III/11 507 . . 551, III/18 364 . . 398, III/30a 1 . . 163
- semiconductors: see subsections on optical properties in III/17 III/17 (see also the supplemented and revised electronic edition of III/41) ,e..i,22a

piezooptic substances

- piezooptic coefficients: III/1 133 . . 135, 144 . . 147, III/2 137, 138, 148 . . 163, III/11 507 . . 551, III/18 364 . . 398, III/30a 1 . . 163, see also 6th Ed.II/8 453 . . 464
- refractive index: III/11 606 . . 635, III/18 417 . . 431, 435 . . 446
- second order generation coefficients: III/2 178 . . 206, III/18 460 . . 487
- third order generation coefficients: III/18 497 . . 505

piezoresistance in semiconductors

- see subsections on transport properties in III/17 III/17 (see also the supplemented and revised electronic edition of III/41), e.i,22a
- see also 6th Ed.II/6 69 . . 93

pion induced high energy reactions

- I/12a 1 . . 209

pion-nucleon resonances

- I/6 35

pion-nucleon scattering

- differential cross sections: I/9b1 31 . . 322
- polarization parameters: I/9b1 323 . . 390
- spin-rotation parameters R and A: I/9b1 391
- total cross sections: I/9b1 29 . . 30

pion-nucleon scattering amplitudes

- I/9b2 36 . . 147

pion-nucleon scattering, collection of formulas

- analytic properties of partial wave amplitudes: I/9b2 549 . . 568
- electromagnetic nucleon and pion form factors: I/9b2 580 . . 587
- expansions of scattering amplitudes: I/9b2 500 . . 513
- invariant amplitudes: I/9b2 525 . . 548
- isospin bounds: I/9b2 578 . . 579
- kinematics: I/9b2 480 . . 486
- measurable quantities: I/9b2 514 . . 518
- Regge models: I/9b2 569 . . 577
- scattering amplitudes: I/9b2 487 . . 499
- symmetries and analytic properties of
- unitarity: I/9b2 519 . . 524

pion-proton scattering

- collection of pion-nucleon scattering formulae: I/9b2 480 . . 587
- methods and results of phenomenological analyses: I/9b2 1 . . 479
- negative pion-proton scattering
 - differential charge exchange cross sections: I/7 330, 331, 471 . . 489, I/9b1 277 . . 322
 - differential elastic cross sections: I/7 328, 329, 332 . . 413, I/9b1 149 . . 276
 - polarization parameters for charge exchange scattering: I/7 528, 529, I/9b1 375 . . 390
 - polarization parameters for elastic scattering: I/7 490 . . 514, 529, I/9b1 364 . . 374
 - total charge exchange cross sections: I/7 324 . . 326
 - total cross sections: I/7 310 . . 316, I/9b1 30
 - total elastic cross sections: I/7 320 . . 323
- positive pion-proton scattering
 - differential elastic cross sections: I/7 330, 413 . . 471, I/9b1 31 . . 147
 - polarization parameters for elastic scattering: I/7 515 . . 530, I/9b1 323 . . 363
 - total charge exchange cross sections: I/7 326 . . 328
 - total cross sections: I/7 316 . . 320, I/9b1 29
 - total elastic cross sections: I/7 323, 324
- remarks, notation, formulae, figures: I/7 295 . . 309, I/9b1 1 . . 28

pions

- excitation functions for radionuclide production: I/13e 90 . . 167
- photoproduction: I/8 16 . . 274

pK values in equilibria of radicals

- in radical reactions in liquids: dispersed data in II/13a..e,18a..d2

placticity

– ferro- and antiferroelectrics: subsections 16 in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)

plages, solar

– VI/1 123, VI/2a 118, 119, VI/3a 100

Planck's constant

– experimental determination: 0/b 3-52 . . 3-78

– see also 6th Ed.I/1 37, 6th Ed.II/4 11 . . 13

Planck-Einstein function

– tables: 6th Ed.II/4 736 . . 741

planes of orientation

– in epitaxy of inorganic and organic compounds: dispersed data in III/8

planetary nebulae

– VI/1 566 . . 575, VI/2b 364 . . 372, 6th Ed. III 210 . . 214, VI/3b 204 . . 218

planetology

– terrestrial planets: V/2a 379 . . 417

planets and their satellites

– abundances of elements: VI/2a 173

– atmosphere: VI/1 173 . . 175, VI/2a 170 . . 175, VI/3a 118

– composition of planetary atmospheres: VI/1 173 . . 175

– dimensions and mechanical properties: VI/1 152 . . 169, VI/2a 132 . . 134, VI/3a 111

– internal composition, structure: VI/1 170, VI/2a 149 . . 154, VI/3a 118

– magnetic field: VI/2a 178, VI/3a 122

– magnitude, color, albedo, temperature: VI/1 171 . . 173, VI/2a 168, 169, VI/3b 1 . . 40

– mechanical properties: VI/1 168

– methods of investigation and classification of data: VI/1 166

– – albedo, temperature: VI/1 167

– – mean density and composition: VI/1 167

– – polarization: VI/1 167

– – radio emission: VI/1 168

– – spectrum, composition of atmosphere: VI/1 167

– – surface structure, rotation, obliquity: VI/1 168

– methods of investigation, classification of data: VI/1 166 . . 168

– orbital elements and related properties: VI/1 150 . . 152, VI/2a 129 . . 132, 146 . . 148

– planetary composition: VI/1 170

– planetary evolution: VI/2a 280 . . 282

– rotation: VI/1 154, 155, VI/2a 135, VI/3a 112

– surface properties: VI/1 168, VI/2a 155 . . 166

– terrestrial planets, geophysical data:

– – age determination: V/2a 383 . . 389

– – basic data: V/2a 381 . . 383

– – electrical conductivity, temperature and related parameters: V/2a 409 . . 412

– – gravimetry: V/2a 392 . . 398

– – magnetic fields and remanent magnetization: V/2a 407, 408

– – surface structure: V/2a 389 . . 392

– see also 6th Ed. III 76 . . 89

plasma frequency

– metals: III/15b 212 . . 222

plasma, interplanetary

– see "interplanetary plasma"

plasma, properties

– 6th Ed.IV/3 92 . . 104

plasmon energies

– elements and inorganic solids: dispersed data in III/23a,b

plasmon, surface

– see "surface plasmon"

plastics

- crosslinked thermosetted plastics, material values: 6th Ed.IV/1 524 . . 546
- plastics as insulating material, technological aspects: 6th Ed.IV/3 525 . . 616
- technological properties: 6th Ed.IV/1 456 . . 548

platinum

- band structure and Fermi surfaces: III/13c 291 . . 297
- crystal structure: III/6 20, III/14a 30
- electron states and Fermi surfaces of homogeneously strained elements: III/13b 180
- electronic structure of surfaces: III/24b: 324 . . 328
- phonon dispersion and frequency spectra: III/13a 117 . . 121
- properties of atomic defects: III/25 256 . . 262
- structural defects at surfaces: III/24a 256 . . 269
- thermal conductivity: III/15c 41, 90
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

platinum compounds and alloys

- compounds with 3d elements, magnetic and related properties: III/19a 566 . . 647, III/32a 332 . . 382
- crystal structure: III/7f 539 . . 778
- magnetic properties: III/19c 300 . . 303
- thermal conductivity of binary alloys: III/15c 244
- for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

plutonium

- electron states and Fermi surfaces of homogeneously strained elements: III/13b 180 . . 181
- electronic structure of surfaces: III/24b: 334 . . 336
- material properties: 6th Ed.IV/2c 452 . . 458
- thermal conductivity: III/15c 42, 90
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

plutonium compounds and alloys

- photoemission spectra and related data: III/23b 291 . . 304
- thermal conductivity of binary alloys: III/15c 245
- for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

pnictides and chalcogenides based on transition elements

- magnetic and related properties: III/27a 1 . . 425

point defects

- ferro- and antiferroelectrics: subsections 16 in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)
- metals and alloys: III/25 1 . . 434 (d)

point group symmetry

- diatomic molecules: II/21 459 . . 460, II/23 405
- polyatomic molecules
 - inorganic molecules: II/7 15 . . 107, II/15 17 . . 136, II/21 21 . . 108, II/23 25 . . 98
 - organic molecules: II/7 108 . . 392, II/15 137 . . 608, II/21 109 . . 458, II/23 99 . . 404
- symmetry elements, table: 6th Ed.I/4 3

Poisson's ratio

- earth's interior: V/2a 89 . . 95
- ice: V/1b 499
- metals: II/5 236, 237
- polycrystalline materials: 6th Ed.II/1 732 . . 746
- polystyrole and lucite: II/5 245, 246
- rocks: V/1b 1 . . 140 (d)
- semiconductors: see subsections on lattice properties in III/17 III/17 (see also the supplemented and revised electronic edition of III/41) ,e.i,22a
- soft magnetic alloys: dispersed data in III/19i1

polar light

- 6th Ed.III 767 . . 773

polaritons, surface

– see "surface polaritons"

polarizability anisotropy coefficient

– linear triatomic molecules: II/20b1 1 . . 446, II/20b2 α 1 . . 415, II/20b2 β 1 . . 345 (d)

polarizability, diamagnetic

– see "diamagnetic polarizability"

polarizability, electrical

– see "electrical polarizability"

polarization

– definition, measurement: 0/a 2-288 . . 2-302

polarization parameters

– kaon-nucleon scattering: I/7 268 . . 290, I/9a 733

– nucleon-nucleon scattering: I/7 129 . . 131, I/9a 328 . . 416, 644, 673

– pion-proton scattering: I/7 490 . . 529, I/9b1 323 . . 390

– reconstructed from partial waves: I/9b2 168 . . 198

polarization, dielectric

– ferro- and antiferroelectrics: subsections 5c in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)

polarization, spontaneous

– see "spontaneous polarization"

pole

– variation of latitude and longitude: VI/1 66 . . 69, VI/2a 66 . . 70, VI/3a 72 . . 73

polyatomic molecules

– hindered rotation parameters: II/4 181 . . 192, II/6 2-360 . . 2-382, II/14a 717 . . 744, II/19c 222 . . 255

– interatomic distances and bond angles of molecules: II/7 15 . . 107, II/15 17 . . 136, II/21 21 . . 108, II/23 25 . . 98

– molecular structure

– inorganic molecules: II/7 15 . . 107, II/15 17 . . 136, II/21 21 . . 108, II/23 25 . . 98

– organic molecules: II/7 108 . . 392, II/15 137 . . 608, II/21 109 . . 458, II/23 99 . . 404

– organic molecules:

– interatomic distances and bond angles of molecules II/7 108 . . 392, II/15 137 . . 608, II/21 109 . . 458, II/23 99 . . 404

polyatomic radicals

– Coriolis coupling constants: II/6 5-91 . . 5-131, II/14b 171 . . 290 (d)

polymers

– depolarization by ultrasound: II/5 224 . . 226

– see also "high polymers"

polynucleotide complexes

– melting temperatures: VII/1c 25 . . 59

polystyrole and lucite

– compressibility: II/5 245, 246

– Poissons ratio: II/5 245,246

– shear modulus: II/5 245,246

– Youngs modulus: II/5 245,246

polytype verification

– semiconductor technology: data in the chapters on semiconducting materials in III/17 (see also the supplemented and revised electronic edition of III/41) c,d

porcelain

– compressibility: 6th Ed.II/1 792 . . 799

– thermal expansion coefficient: 6th Ed.II/1 792 . . 799

porosity

– lunar rocks: V/1b 513, 514

– rocks: V/1a 184 . . 262, 6th Ed.III 325

porous materials

– technological aspects: 6th Ed.IV/2b 114

position and time determination

- in astronomy: VI/1 62 . . 75, VI/2a 63 . . 78, VI/3a 68 . . 78
- see also 6th Ed. III 35 . . 52

positron diffraction (LEPD)

- data for solid surfaces: III/24c 29 . . 112 (d)

potassium

- band structure and Fermi surfaces: III/13c 197 . . 200
- crystal structure: III/6 13
- electron states and Fermi surfaces of homogeneously strained elements: III/13b 119 . . 122
- electronic structure of surfaces: III/24b: 95 . . 96
- nuclear quadrupole resonance data: III/20b 432 . . 435, III/31a 412
- phonon dispersion and frequency spectra: III/13a 68 . . 75
- photoemission spectra and related data: III/23a 298 . . 299
- properties of atomic defects: III/25 135 . . 138
- superconducting properties: III/21a 352, 524
- thermal conductivity: III/15c 29, 80
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

potassium compounds and alloys

- binary phase diagrams and related data: IV/5g 243 . . 272
- superconducting properties: III/21a 352, 524
- thermal conductivity of binary alloys: III/15c 229 . . 231
- for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

potential energy function

- linear triatomic molecules: II/20b1 1 . . 446, II/20b2 α 1 . . 415, II/20b2 β 1 . . 345 (d)

potentials of galvanic elements, reversible

- see "reversible potentials of galvanic elements"

powder metallurgy and sintered materials

(Section 43 5 in volume IV/2b of the 6th Edition)

- properties of technologically important materials as sintered metals with high melting point, hard alloys, porous materials, sintered materials for magnets, materials for contacts, etc.: 6th Ed.IV/2b 1 . . 144

power

- definition, realization, measurement: 0/a 2-227 . . 2-231

power flux density

- definition, measurement, dissemination: 0/a 2-232 . . 2-235

praseodymium

- band structure and Fermi surfaces: III/13c 291 . . 292
- crystal structure: III/6 19, 20, III/14a 29
- photoemission spectra and related data: III/23a 352 . . 358
- thermal conductivity: III/15c 40, 90
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

preparation dependent magnetic properties of metals

Topic of volumes III/19g, h.

For contents of the volumes, data presented and arrangement of the data see the Index of Topical Keywords

pressure

- measurement, units and techniques
 - low pressure
 - definitions: 0/a 2-151 . . 2-153
 - vacuum techniques: 0/a 2-154
 - primary pressure standards: 0/a 2-154 . . 2-158
 - dissemination by secondary standards: 0/a 2-159
 - international intercomparisons: 0/a 2-160 . . 2-164
 - medium pressure
 - definitions: 0/a 2-165
 - measuring methods: 0/a 2-165 . . 2-171
 - dissemination and maintenance: 0/a 2-172 . . 2-173

- uncertainties: 0/a 2-174 . . 176
- high pressure . . 2-176
- primary pressure measurements: 0/a 2-177 . . 2-178
- secondary pressure measurements: 0/a 2-179 . . 2-284
- reduction of barometer readings to 0°C: 6th Ed.IV/1 86, 87
- see also 6th Ed.II/1 44 . . 48

pressure broadening and shift of spectral lines

(Section 13 17 in volume I/1 of the 6th Edition)

- line broadening by interatomic Stark effect, broadening and shift of absorption lines of metals, gas discharges with mercury and noble gases: 6th Ed.I/1 256 . . 259

pressure in the earth's interior

- V/2a 89 . . 95

primary radiation

- cosmic radiation: 6th Ed.I/5 366 . . 369

production and transport of heat

(Section 49 in volume IV/4b of the 6th Edition)

- behavior of solid, liquid and gaseous fuels, combustion, detonations, thermal conductivity of technologically important materials (solids, liquids and gases), heat transfer, convection, radiation etc.: 6th Ed.IV/4b 525 . . 771

production of atomic defects

- metals and alloys: III/25 1 . . 87 (d)

production of radionuclides at intermediate energies

Topic of volume I/13.

For contents of the volume, data presented and arrangement of the data see the Index of Topical Keywords

production spectra of elementary particles

- see **"elementary particles, production spectra"**

promethium

- crystal structure: III/14a 28
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

prominences, solar

- VI/1 124, VI/2a 120 . . 122, VI/3a 101

protactinium

- crystal structure: III/6 19, III/14a 28
- electron states and Fermi surfaces of homogeneously strained elements: III/13b 158
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

protactinium compounds and alloys

- photoemission spectra and related data: III/23b 223 . . 225
- for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

proton scattering on nuclei

- total cross sections: I/7 11

proton transfer reactions and equilibria of radicals

- reaction rates in liquids: II/13e 10 . . 146

proton-deuteron scattering

- differential elastic cross sections: I/9a 287 . . 322
- integrated elastic cross sections: I/9a 7, 8, 12 . . 14, 16
- total cross sections: I/7 5 . . 10, I/9a 11, 12

proton-proton scattering

- cross sections for production of pions, kaons and nucleons: I/6 53 . . 164
- definition of kinematic variables I/6 53 . . 56
- data on cross sections for various reactions: I/6 79 . . 160
- differential elastic cross sections: I/7 27 . . 34, 40 . . 75, I/9a 88 . . 184, 216 . . 286
- discussion and systematics of data: I/6 56 . . 78
- general relations, notation: I/6 49 . . 52
- integrated elastic cross sections: I/9a 7, 8, 12 . . 16

- integrated inelastic cross sections: I/9a 17
 - parameters: I/7 75 . . 77
 - topological cross sections: I/9a 18 . . 23
 - total cross sections: I/7 5 . . 10, I/9a 9, 10
 - for individual channels: I/9a 24 . . 37
 - spin dependent: I/9a 38
 - phase shift analyses of elastic scattering: I/9a 186 . . 216
 - polarization parameters in elastic scattering: I/9a 328 . . 416
 - production of charged particles: I/6 53 . . 164
 - survey of experiments for elastic scattering: I/7 35 . . 40
- proton/neutron induced high energy reactions
- I/12b 73 . . 180
- protons
- interaction with targets: topic of volumes: I/13a..d
- protostars
- VI/2b 357 . . 363, VI/3b 196 . . 203
- pseudopotential form factors
- homogeneously strained metallic elements: dispersed data in III/13b 16 . . 247
- pseudoscalar mesons
- photoproduction: I/8 308 . . 320
 - tables of properties: I/6 23
- psychrometry
- tables: 6th Ed.IV/4a 149 . . 155
- pT-diagrams
- melts and allotropic transformations under pressure: 6th Ed.II/2a 216 . . 265
- pulling techniques
- semiconductor technology: data in the chapters on semiconducting materials in III/17 (see also the supplemented and revised electronic edition of III/41) c,d
- pulsating X-ray sources
- VI/2c 24 . . 28
- pure liquids and liquid systems
- absorption equilibria of gases in liquids
 - liquids of low vapour pressure: 6th Ed.IV/4c1
 - absorption in water: 6th Ed.IV/4c1 32 . . 68
 - absorption in organic liquids: 6th Ed.IV/4c1 69 . . 292
 - absorption in oil products: 6th Ed.IV/4c1 293 . . 308
 - absorption in aqueous solutions: 6th Ed.IV/4c1 330 . . 410
 - liquids of high vapour pressure: 6th Ed.IV/4c2
 - anorganic liquids: 6th Ed.IV/4c2 164 . . 281
 - elements in the liquid state: 6th Ed.IV/4c2 44 . . 163
 - organic liquids: 6th Ed.IV/4c2 282 . . 1047
 - activity coefficient, electrochemical: 6th Ed.II/7 747 . . 838 (d), 6th Ed.IV/4b 1 . . 120 (d)
 - azeotropic point of mixtures: 6th Ed.IV/4c2 282 . . 1047
 - birefringence, magnetic: 6th Ed.II/8 827 . . 844
 - boiling temperature: II/5 15 . . 37
 - conduction of electricity: 6th Ed.IV/3 41 . . 57
 - Cotton – Mouton effect: 6th Ed.II/8 827 . . 844
 - critical point: 6th Ed.IV/4a 544 . . 571
 - density
 - liquids: II/5 12 . . 49, 64, 65, 6th Ed.IV/544 . . 571
 - liquids and its coexisting vapour
 - elements: 6th Ed.II/2a 186, 187
 - inorganic substances: 6th Ed.II/2a 188 . . 192
 - organic substances: 6th Ed.II/2a 197 . . 207
 - binary mixtures: 6th Ed.II/2a 208 . . 212
 - density: also dispersed data in II/5 12 . . 49, 64, 65
 - depolarization by light scattering: 6th Ed.II/8 815 . . 844

- dielectric constants: 6th Ed.II/6 613 . . 742
- dielectric properties
- crystalline liquids: 6th Ed.II/6 607 . . 612
- pure liquids: 6th Ed.II/6 613 . . 742
- diffusion coefficient: 6th Ed.II/5a 566 . . 729
- electrical conductivity: 6th Ed.II/7 15 . . 26
- Eötvös constant: 6th Ed.II/3 407 . . 436
- flow induced birefringence: 6th Ed.II/8 845 . . 848
- free enthalpy of formation
- solid and liquid inorganic substances: 6th Ed.II/4 179 . . 260
- solid and liquid organic substances: 6th Ed.II/4 261 . . 393
- heat capacity: IV/1b 212 . . 335, also 6th Ed. IV/4a 875 . . 944
- heat of evaporation: 6th Ed.IV/544 . . 571
- heat of melting: 6th Ed.IV/544 . . 571
- interdiffusion coefficient: 6th Ed.II/5a 576 . . 587
- Kerr effect, electrooptical: 6th Ed.II/8 849 . . 870
- liquid metals: 6th Ed.IV/2c 350 . . 359
- melting point: 6th Ed.IV/544 . . 571
- nuclear magnetic relaxation: 6th Ed.II/9 7-1 . . 7-78
- optical properties: 6th Ed.II/8 561 . . 870
- optical rotatory power: 6th Ed.II/8 676 . . 814
- pressure dependence of physical properties
- compressibility: IV/4 131 . . 160
- decomposition equilibria: IV/4 340 . . 358
- dilution volume: IV/4 161 . 184
- dissociation equilibria: IV/4 161 . 184
- equivalent conductivity: IV/4 185 . . 223
- excess enthalpy: IV/4 161 . 184
- excess volume: IV/4 161 . 184
- excimer formation velocities: IV/4 340 . . 358
- fluorescence: IV/4 317 . . 339
- formation equilibria: IV/4 340 . . 358
- kinetic phenomena: IV/4 350 . . 358
- phase equilibria: IV/4 131 . . 160
- solubilities: IV/4 71 . . 130
- refractive index: 6th Ed.II/8 561 . . 675
- relative permittivity: IV/6 1 . . 521
- rotary power, optical: 6th Ed.II/8 676 . . 814
- self diffusion coefficients: 6th Ed.II/5a 576 . . 587
- shock wave velocity: II/5 253 . . 258
- solution equilibria
- gases with liquids: 6th Ed.II/2b 1-1 . . 1-210
- gases in solid and liquid metals: 6th Ed.II/2b 2-1 . . 2-13
- solid and liquid substances in liquids: 6th Ed.II/2b 3-1 . . 3-760
- solid and liquid substances in liquids: 6th Ed.II/2c 1 . . 500
- equilibria in systems with several non- miscible phases: 6th Ed.II/2c 501 . . 731
- Soret coefficient in organic liquid systems: 6th Ed.II/5b 219 . . 237
- sound absorption and attenuation: 6th Ed.IV/1 818, 819, II/5 155 . . 193
- sound velocity: II/5 12 . . 63, also 6th Ed.IV/1 818 . . 821
- static dielectric constants
- elements: IV/6 7 . . 14
- inorganic liquids: IV/6 15 . . 228
- organic liquids: IV/6 247 . . 466
- thermal conductivity: 6th Ed.II/5b 72 . . 101, 6th Ed.IV/4a 561 . . 581
- thermal convection: 6th Ed.IV/4b 633 . . 692
- thermal diffusion: 6th Ed.II/5b 219 . . 237, 393, 394
- thermal expansion: 6th Ed.IV/4a 831 . . 837
- thermodynamical properties: 6th Ed.IV/4a 543 . . 573
- throttling coefficient, isothermal: 6th Ed. II/4 769 . . 773
- vapour pressure of binary and ternary liquid systems, including binary azeotropic mixtures: 6th Ed.II/2a 336 . . 767
- wetting heat: 6th Ed.II/4 842 . . 844
- viscosity: 6th Ed.II/5a 92 . . 265, 701.. 725

purification

- semiconductor technology: data in the chapters on semiconducting materials in III/17 (see also the supplemented and revised electronic edition of III/41) c,d

pycnometry

- 6th Ed.IV 126, 127

pyroelectric coefficient

- boron containing oxides: III/27h 1 . . 285 (d)
- ferro- and antiferroelectrics: subsections 5d in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)
- inorganic compounds: dispersed data in III/7a . . f
- piezoelectric substances: III/11 477 . . 490, III/18 328 . . 355, III/29b 325 . . 435

pyrometry

- 6th Ed.IV/4a 47 . . 147

Q

Q-values for nuclear reactions

- tables: I/5a 7 . . 632, 6th Ed. I/5 186 . . 190
- see also 6th Ed. I/5 186 . . 190

QED corrections and processes

- in electron-positron interactions: I/14 307 . . 320

quadrupole constants

- atoms: III/20a 13, III/31a 13

quadrupole coupling constants

- molecules
 - asymmetric top molecules: II/4 163 . . 176, II/6 2-329 . . 359, 6-11, 6-12, II/14a 669 . . 716, II/14b 306, II/19c 139 . . 221
 - diatomic molecules: II/4 156 . . 163, II/6 2-305 . . 2-319, II/14a 644 . . 653, II/14b 302 . . 305, II/19c 99 . . 110
 - linear and symmetric top molecules: II/4 156 . . 163, II/6 2-320 . . 2-328, 6-10, II/14a 654 . . 668, II/14b 305, II/19c 111 . . 138
 - linear triatomic molecules: II/20b1 1 . . 446, II/20b2 α 1 . . 415, II/20b2 β 1 . . 345 (d)
- radicals
 - diatomic radicals: II/6 5-1 . . 5-90, II/14b 24 . . 170 (d), II/19d1 5 . . 209 (d)
 - triatomic and polyatomic radicals: II/6 5-91 . . 5-131 (d), II/14b 171 . . 290 (d), II/19d2 6 . . 298 (d)
- see also 6th Ed. I/3 688, 6th Ed. I/4 942 . . 980, 6th Ed. I/5 4 . . 69

quadrupole moment, electric

- see "electric quadrupole moment"

quadrupole moment, nuclear

- see "nuclear quadrupole moment"

quadrupole resonance spectroscopy, nuclear

- see "**nuclear quadrupole resonance spectroscopy**"

quadrupole splitting

- amorphous oxides: III/27f3 239 . . 319 (d)
- binary oxides of d transition elements: III/27g 1 . . 86 (d)
- boron containing oxides: III/27h 1 . . 285 (d)
- chromites (Cr spinels): III/4b 394 . . 421, 619 . . 646 (d), III/12b 285 . . 613 (d)
- cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)
- halides: III/27j1 1 . . 233 (d), III/27j2 1 . . 359 (d)
- hexagonal ferrites: III/4b 547 . . 618 (d), III/12c 1 . . 46 (d), III/27g 124 . . 236 (d)
- oxides with ilmenite and corundum structure: III/27f3 173 . . 238 (d)
- oxy-spinels: III/27d 1 . . 501 (d)
- perovskite-type oxides: III/27f3 1 . . 172 (d)
- pnictides and chalcogenides based on transition elements: III/27a 1 . . 425 (d)
- spinels other than chromites and cubic ferrites: III/4b 422 . . 546 (d), III/12b 614 . . 743 (d)
- see also 6th Ed. I/4 942 . . 980

quantized Hall resistance

- basic relations, determination, sources of uncertainties: 0/b 3-107 . . 3-116

quantum chromodynamics

- basic facts: I/10 28 . . 30

quantum efficiency

- in luminescence of organic substances: II/3 8 . . 190, 265 . . 272

quantum electrodynamics

- basic facts: I/10 9 . . 11
- high energy processes: I/14 4 . . 11

quantum flavourdynamics

- basic facts: I/10 13 . . 17
- best values for the QFD parameters: I/10 36
- forbidden processes: I/10 252 . . 264
- new directions: I/10 270 . . 271

- open problems in QFD: I/10 265 . . 269
- parameters of the QFD-Lagrangian: I/10 34

quantum yield for scattering and absorption of X-rays

- atoms: 6th Ed.I/1 314 . . 322

quantum yield of photochemical reaction
(Section 14 210 in volume I/3 of the 6th Edition)

- data for reactions in the gaseous phase and liquid phase: 6th Ed.I/3 539 . . 550

quark, beauty (bottom)

- B-lifetime: I/10 63 . . 64
- discovery: I/10 60 . . 61
- impact parameter method: I/10 65 . . 67
- reconstruction of B-mesons: I/10 62

quark, charmed

- discovery: I/10 47 . . 48
- lifetimes of charmed particles: I/10 56 . . 59
- reconstruction of charmed hadrons: I/10 49 . . 55

quark, top

- decay properties: I/10 68 . . 69
- searches and limits: I/10 68

quarks, properties

- flavour quantum numbers: I/10 44
- fundamental aspects: I/10 44
- quark decay: I/10 46
- quark masses: I/10 45
- short distance aspects: I/10 45

quartz as insulating material

- technological aspects: 6th Ed.IV/3 665 . . 669

quasars

- VI/2c 300 . . 312

quasi one-dimensional compounds

- phonon dispersion and frequency spectra: III/13a 300 . . 332

quenching

- fluorescence emission bands: II/3 296 . . 338

R

Racah coefficients

- in angular correlation calculations: I/3 221 . . 817
- see also "j-symbols in angular correlation calculations"

radiation

- atmospheric: see "atmospheric radiation"
- cosmic: see "cosmic radiation"
- ionizing: see "ionizing radiation"
- thermal: "thermal radiation"

radiation damage

- ferro- and antiferroelectrics subsections 16 in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)

radiation detectors, photoelectric

- VI/1 44 . . 47, VI/2a 18 . . 26

radiation protection

- 6th Ed.IV/3 977 . . 982

radical reaction rates in liquids

Topic of volumes II/13, II/18.

For contents of the volumes, data presented and arrangement of the data see the Index of Topical Keywords

radical-molecule addition

- reaction rates in liquids: II/18a 79 . . 170

radical-radical reactions

- reaction rates in liquids: II/18a 1 . . 78

radicals

- see the enumeration of keywords to "radicals" in the Guide to the Keywords

radicals

- (defined as molecules in non-1 Σ electronic states)
- – molecular constants: II/6 5-1 . . 5-131, II/14b 24 . . 290
- – – diatomic radicals: II/6 5-1 . . 5-90, II/14b 24 . . 170, II/19d1 5 . . 209 (d)
- – – triatomic and polyatomic radicals II/6 5-91 . . 5-133, II/14b 171 . . 290, II/19d2 6 . . 298 (d)

radicals

- magnetic properties
- – inorganic radicals
- – – free radicals, radical ions, radicals in metal complexes: II/1 9 . . 20, II/9a 5 . . 341, II/17a 5 . . 505
- – organic radicals
- – – non-conjugated carbon radicals: II/1 20 . . 39, II/9b 5 . . 341, II/17b 5 . . 530
- – – carbon radicals with conjugated π -systems: II/1 39 . . 44, II/9b 342 . . 782, II/17c 5 . . 386
- – – nitrogen centered radicals: II/1 45 . . 53, II/9c1 5 . . 191, II/17c 387 . . 642
- – – nitroxide radicals: II/1 54 . . 57, II/9c1 192 . . 1066, II/17d1 5 . . 401, II/17d2 5 . . 439
- – – oxy- and peroxy-alkyl radicals, aroxyl radicals: II/1 57 . . 76, II/9c2 5 . . 214, II/17e 5 . . 253
- – – P-, S-, Se-, Te-centered radicals: II/1 76, 77, II/9c2 215 . . 306, II/17e 254 . . 390
- – – radicals centered on heteroatoms (Si, Ge, Sn, Pb, As, Sb): II/9c2 307 . . 320, II/17f 5 . . 67
- – – anion radicals: II/1 77 . . 120, II/9c2 221 . . 262, 301 303, II/9d1 5 . . 904, II/17f 68 . . 313
- – – cation radicals: II/1 121 . . 128, II/9c2 263 . . 268, 298 . . 301, II/9d1 351 . . 360, II/9d2 5 . . 147, II/17h 5 . . 245
- – – bi- and polyradicals: II/1 128, II/9d2 148 . . 189, II/17h 246 . . 269
- – – bis- and polynitroxides II/9d2 190 . . 312, II/17h 270 . . 331
- – – semidiones and related species: II/17g 5 . . 68
- – – semiquinones and related species: II/17g 69 . . 394
- reaction rates in liquids
- – carbon-centered radicals: II/13a 6 . . 317, II/13b 5 . . 446
- – – radical-radical reactions in liquids: II/13a 6 . . 135
- – – radical-molecule addition reactions: II/13a 136 . . 252
- – – fragmentation and rearrangement reactions: II/13a 253 . . 317
- – – rate constants of displacement and electron transfer reactions: II/13b 5 . . 446
- – nitrogen-centered radicals, aminoxyl and related radicals: II/13c 6 . . 165

- aminoxyl and related radicals: II/13c 166 . . 270
- radicals centered on sulfur, phosphorus and other heteroatoms: II/13c 271 . . 339
- oxyl-, peroxy- and related radicals: II/13d 5 . . 431
- proton transfer reactions and equilibria of radicals: II/13e 10 . . 146
- electron transfer equilibria involving radicals and radical ions in aqueous solutions: II/13e 150 . . 296
- biradicals: II/13e 294 . . 360
 - organic and inorganic radicals: II/13e 368 . . 380
 - not completely identified e⁻ and/or OH adducts to compounds: II/13e 380, 381
 - radicals derived from polymers and from high molecular biological compounds: II/13e 382
 - biradicals: II/13e 382, 383
 - compounds with known redox potentials: II/13e 383 . . 385
- carbon-centered radicals: II/18a 1 . . 253, II/18b 1 . . 526
 - radical-radical reactions II/18a 1 . . 78
 - radical-molecule addition II/18a 79 . . 170
 - fragmentation and rearrangement reactions II/18a 171 . . 253
 - rate constants for displacement reactions by carbon-centered radicals with molecules in solution: II/18b 1 . . 123
 - rate constants for electron transfer reactions of carbon centered radicals: II/18b 124 . . 526
- nitrogen centered radicals: II/18c 1 . . 250
- aminyl and related radicals: II/18c 251 . . 587
- oxyl radicals: II/18d1 1 . . 230
- phenoxyl and related radicals: II/18d1 231 . . 395
- peroxy and related radicals: II/18d2 1 . . 434
- radicals centered on heteroatoms
 - magnetic properties: II/9c2 307 . . 320, II/17f 5 . . 67
- radicals centered on sulfur, phosphorus and other heteroatoms
 - reaction rates in liquids: II/13c 271 . . 339
- radii of isomers
 - I/2 19
- radii of nuclei, magnetic
 - see "magnetic radii of nuclei"
- radio astronomical devices
 - antennae: VI/1 22 . . 27
 - interferometers: VI/1 33, 34, VI/2a 61, 62
 - radio telescopes: VI/1 29 . . 32, VI/2a 51 . . 60
 - receivers: VI/1 27, 28, VI/2a 50
 - spectrometers and spectrographs: VI/1 4, 15, VI/2a 30 . . 32
- radio emission from the sun
 - VI/1 132 . . 149, VI/2a 286 . . 305
- radio sources, extragalactic
 - VI/2c 315 . . 341
- radio telescopes
 - VI/1 29 . . 32, VI/2a 51 . . 60
- radio waves
 - refraction and extinction in the earth's atmosphere: VI/1 53 . . 56
- radioactive decay families
 - 6th Ed. I/5 203, 204, 238 . . 268
 - actinium family: 6th Ed. I/5 242
 - uranium – radium family: 6th Ed. I/5 240
 - thorium family: 6th Ed. I/5 244, 245
- radioactive nuclei
 - line spectra, families, decay schemes: 6th Ed. I/5 191 . . 237
- radioactive isotopes
 - see "isotopes, radioactive"
- radioactivity
 - definition. measurement, standards: 0/a 2-302 . . 2-307

- absolute activity measurements: 0/a 2-302 . . 2-305
- activity standards: 0/a 2-306
- relative activity measurements: 0/a 2-306 . . 2-307

radioactivity, natural

- rocks: V/1b 433 . . 481
- see also 6th Ed. III 284 . . 312

radioisotopes

- 6th Ed. I/5 191 . . 217, 235 . . 265

radiometeorology

- V/4b 187 . . 348

radiometry

- definitions, measurement, standard sources and detectors: 0/a 2-348 . . 2-362

radionuclides

- production at intermediate energies: topic of volume I/13

radiopulsars

- VI/2c 10 . . 23

radium

- crystal structure: III/14a 30
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

Raman frequencies, pressure dependence

- liquids and liquid system: IV/4 317 . . 339
- solids: IV/4 284 . . 316

Raman spectroscopical data

- chromites (Cr spinels): III/4b 394 . . 421, 619 . . 646 (d), III/12b 285 . . 613 (d)
- cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)
- data for molecular structure: dispersed data in II/7,15,21
- ferro- and antiferroelectrics: subsections 10 in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)
- – table of Raman active modes for given point group symmetries: III/16a 10, III/16b 10 III/28a 11, III/28b 11
- iron garnets: III/4a 315 . . 367 (d), III/12a 53 . . 264 (d)
- molecules: 6th Ed. I/2 227 . . 327, 6th Ed. I/3 621 . . 634
- non-iron garnets: III/4b 1 . . 49 (d), III/12a 265 . . 367 (d)
- nucleic acids: VII/1c 60 . . 87
- perovskites and perovskite related compounds: III/4a 214 . . 254, 269 . . 274 (d), III/12a 429 . . 479 (d)
- rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)
- semiconductors: see subsections on optical properties in the subvolumes of III/17 (see also the supplemented and revised electronic edition of III/41) and in III/22a
- solids: 6th Ed. I/4 546 . . 758
- structure data of inorganic compounds: dispersed data in III/7a . . f

Raman spectroscopy, resonance

- see "resonance Raman spectroscopy"

rare earth ions and complexes

- spectra: 6th Ed. I/4 893 . . 697

rare earth (lanthanide) compounds and alloys

- crystal structure of lanthanide oxo-compounds and alloys: III/7c 16 . . 39
- magnetic and related properties of metallic compounds and alloys
- – alloys between rare earth elements: III/19d1 190 . . 279
- – rare earth hydrides: III/19d1 280 . . 393
- – compounds of rare earth elements and 3d elements: III/19d2 1 . . 468
- – compounds of rare earth elements and 4d and 5d elements: III/19d2 469 . . 545
- – compounds of rare earth elements with main group elements: III/19e1 1 . . 519
- – compounds of rare earth elements and Be, Mg, Zn, Cd or Hg: III/19e2 1 . . 97
- – compounds based on rare earth elements and B: III/19e2 98 . . 148
- – compounds of rare elements and Al, Ga, In or Tl: III/19e2 149 . . 251
- – compounds of rare earth elements and C, Si, Ge, Sn or Pb: III/19e2 252 . . 440
- – crystalline and amorphous films with rare earth and 3d transition elements III/19g 136 . . 287

- liquid-quenched alloys of 3d elements and rare earth elements: III/19h 209 . . 345
- see also "hard magnetic alloys"
- see also 6th Ed.II/9 3-155 . . 3-235
- magnetic and related properties of non-metallic compounds and alloys
- rare earth chalcogenides: III/4a 64 . . 104, III/12c 159 . . 371
- rare earth hydrides: III/12c 372 . . 405, III/19d1 280 . . 393
- rare earth pnictides: III/4a 44 . . 63, III/12c 59 . . 158
- rare earth - Fe₂O₄ compounds: III/27g 225 . . 238
- phonon dispersion and frequency spectra: III/13a 332 . . 376
- phonon dispersion and related properties: III/13b 290 . . 293
- see also 6th Ed.IV/2c 607 . . 697
- semiconducting properties
- binary compounds: III/17 (see also the supplemented and revised electronic edition of III/41) g 317 . . 344, 621 . . 666
- ternary compounds: III/17 (see also the supplemented and revised electronic edition of III/41) h 226 . . 291, 494 . . 522
- for further properties of individual substances see the Substance-Property Indexes, Links are provided on the LB-homepage

rare earth elements (lanthanides)

- electronic structure of surfaces: III/24b: 328 . . 333
- magnetic and related properties: III/19d1 1 . . 189
- nuclear quadrupole resonance data: III/20c 200 . . 207, III/31b 136 . . 141
- photoemission spectra and related data: III/23a 314 . . 430
- properties of atomic defects: III/25 296 . . 303
- see also 6th Ed.IV/2c 607 . . 697
- for further properties of individual substances see the Substance-Property Indexes, Links are provided on the LB-homepage

rate constants for displacement reactions by carbon-centered radicals with molecules in solution

- reaction rates in liquids: II/18b 1 . . 123

rate constants for electron transfer reactions of carbon centered radicals

- reaction rates in liquids: II/18b 124 . . 526

rate constants of uni- and bimolecular processes

- in radical reactions in liquids: dispersed data in II/13a..e, II/18a..c

Rayleigh scattering in ferro- and antiferroelectrics

- subsections 10 in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)

reaction energies

- nuclear processes: 6th Ed.I/5 186 . . 190

reaction energies and excitation functions of nuclear reactions

Topic of volume I/5.

For contents of the volume, data presented and arrangement of the data see the Index of Topical Keywords

reaction velocities in gases and solids

(Section 25 6 in volume II/5b of the 6th Edition)

- gases reacting with atoms and radicals: 6th Ed.II/5b 289 . . 336
- gases reacting with molecules: 6th Ed.II/5b 250 . . 288
- pressure dependence in liquids and liquid systems: IV/4 340 . . 358
- solids (oxidation or halogenization): 6th Ed.II/5b 337 . . 359

reactor materials

- general survey: 6th Ed.IV/2c 360 . . 368
- sintered (beryllium, zirconium, zirconium hydride, uranium, thorium), technological properties: 6th Ed.IV/2b 129 . . 132
- for further properties of individual substances see the Substance-Property Indexes, Links are provided on the LB-homepage

reciprocal lattices

- metals and alloys: III/13a 447 . . 457, III/13c 451 . . 462

reconstruction

- solid surfaces: III/24a 125 . . 224

recovery, resistivity

- see "resistivity recovery"

recovery spectra

- metals and alloys: III/25 88 . . 379 (d)

recrystallization, solid state

– see "solid state recrystallization"

redox potentials

– in electron transfer equilibria of radicals: II/13e 147 . . 290

reduction to standard states

– barometer reading to 0°C: 6th Ed.IV/1 86, 87

– gas volume to standard states: 6th Ed.IV/1 87 . . 101

– reduction of the length of a mercury column to 0°C: 6th Ed.IV/1 83 . . 85

reference systems, geocentric and celestial

– V/2a 14, 15

reflectance, reflectivity

– actinide compounds: III/4a 110 . . 124 (d), III/12c 406 . . 484 (d)

– alloys: 6th Ed.II/8 26 . . 35

– chromites (Cr spinels): III/4b 394 . . 421, 619 . . 646 (d), III/12b 285 . . 613 (d)

– ferro- and antiferroelectrics: subsections 9a in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)

– glasses: 6th Ed.II/8 509 . . 541

– iron garnets: III/12a 183 . . 185

– metals: 6th Ed.II/8 1 . . 25

– non-iron garnets: III/4b 1 . . 49 (d), III/12a 265 . . 367 (d)

reflectance, reflectivity (continued)

– perovskites and perovskite related compounds: III/4a 214 . . 254, 269 . . 274 (d), III/12a 429 . . 479 (d)

– rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)

– semiconductors: see subsections on optical properties in the subvolumes of III/17 (see also the supplemented and revised electronic edition of III/41) and in III/22a

– thin metallic films: 6th Ed.II/8 36 . . 40

reflection filters

– technological aspects: 6th Ed.IV/3 955 . . 956

refraction

– air: 6th Ed.II/8 878

– isotropic compounds: 6th Ed.II/8 879 . . 887

refraction, molecular

– see "molecular refraction"

refractive index

– alloys: 6th Ed.II/8 26 . . 35

– binary mixtures: III/38a 141 . . 392

– boron containing oxides: III/27h 1 . . 285 (d)

– chromites (Cr spinels): III/4b 394 . . 421, 619 . . 646 (d), III/12b 285 . . 613 (d)

– cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)

– electrooptic substances: III/11 606 . . 635, III/18 417 . . 431, 435 . . 446, III/30a 164 . . 233

– ferro- and antiferroelectrics: subsections 9a in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)

– gases and vapours: 6th Ed.II/8 871 . . 889

– glasses: 6th Ed.II/8 465 . . 509

– halides: III/27j1 1 . . 233 (d), III/27j2 1 . . 359 (d)

– inorganic and organic glasses: 6th Ed.II/8 465 . . 541

– inorganic compounds: dispersed data in III/7a . . f, 6th Ed.II/8 43 . . 285

– inorganic liquids: III/38a 5 . . 28

– iron garnets: III/4a 345, III/12a 184 . . 186, III/27e 73 . . 74

– liquids: 6th Ed.II/8 561 . . 675

– metals: III/15b 222 . . 371, 6th Ed.II/8 1 . . 25

– non-iron garnets: III/12a 306, 307, III/27e 171 . . 185

– nonlinear dielectrics: III/2 189 . . 206 (d), III/11 693 . . 737 (d), III/18 465 . . 487, 499 . . 505 (d)

– nonmetallic solids: 6th Ed.II/8 43 . . 433

– organometallic liquids: III/38a 29 . . 40

– organononmetallic liquids: III/38a 41 . . 118

– organic liquids: III/38b 5 . . 391

- organic substances: 6th Ed.II/8 286 . . 404
- perovskite-type oxides: III/27f3 1 . . 172 (d)
- perovskites and perovskite related compounds: III/4a 214 . . 254, 269 . . 274 (d), III/12a 429 . . 479 (d)
- pure liquids: 6th Ed.II/8 561 . . 675
- rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)
- semiconductors: see subsections on optical properties in III/17 III/17 (see also the supplemented and revised electronic edition of III/41) .e.i,22a
- wavelength dependence for various selected solids: 6th Ed.II/8 405 . . 432

refrigerants, thermodynamic properties

- see "thermodynamic properties of refrigerants"

relative volatility

- see "volatility, relative"

relativistic invariants in elementary particle scattering

- I/7 2, I/9a 2

relaxation

- solid surfaces: III/24a 125 . . 224

relaxation, electron spin-lattice

- see "electron spin-lattice relaxation"

relaxation, paramagnetic

- see "paramagnetic relaxation"

relaxation time

- metals: III/15b 212 . . 222
- crystals with paramagnetic centers: 6th Ed.II/9 4-1 . . 4-39

remanent magnetization

- see "magnetic fields and remanent magnetization"

Renner-Teller parameter

- linear triatomic molecules: II/20b1 1 . . 446, II/20b2 α 1 . . 415, II/20b2 β 1 . . 345 (d)

renormalization

- electron-positron interactions: I/14 290 . . 303
- electroweak theory: I/10 17 . . 24
- see also "Feynman-rules and renormalization"

renormalization schemes in QFD

- I/10 30 . . 32

residual resistivity

- metals: III/15a 99 . . 136, 6th Ed.II/6 1 . . 108

resins, artificial, and plastics

- 6th Ed.IV/3 1 . . 32

resistance, electrical

- see "electrical resistance"

resistance, rolling

- see "rolling resistance"

resistivity recovery

- metals and alloys: III/25 88 . . 379 (d)

resistivity

- electrical: see "electrical resistivity"
- impurity contribution: see "impurity contribution to resistivity"
- residual: see "residual resistivity"

resonance

- antiferromagnetic: see "antiferromagnetic resonance"
- cyclotron: see "cyclotron resonance"
- electron nuclear double: see "electron nuclear double resonance"
- electron paramagnetic: see "electron paramagnetic resonance"
- electron spin: see "electron spin resonance"

- ferrimagnetic: see "ferrimagnetic resonance"
- ferromagnetic: see "ferromagnetic resonance"
- magnetic: see "magnetic resonance"
- paramagnetic: see "paramagnetic resonance"
- baryon: see "baryon resonances"

resonance frequencies

- nuclear quadrupole resonance spectroscopy: III/20a 80 . . 677, III/20b 8 . . 717, III/20c 8 . . 799, III/31a 79 . . 437, III/31b 8 . . 198
- paramagnetic ions in crystals: 6th Ed. I/4 942 . . 980

resonance Raman spectroscopy

- nucleic acids: VII/1c 60 . . 87

resonance spectroscopy, laser magnetic

- see "laser magnetic resonance spectroscopy"

resonances in elementary particle physics

- classification: I/6 2
- general formulae: I/6 9 . . 14

reversible potentials of galvanic elements

- aqueous solutions: 6th Ed.II/7 750 . . 799
- non-aqueous solutions: 6th Ed.II/7 800 . . 818
- salt melts: 6th Ed.II/7 819 . . 832

RHEED (reflection high-energy electron diffraction)

- data for solid surfaces: III/24c 29 . . 112 (d)

rhodium

- band structure and Fermi surfaces: III/13c 300 . . 308
- compounds with 3d elements, magnetic and related properties: III/19a 519 . . 565, III/32a 286 . . 331
- crystal structure: III/6 21, III/14a 30
- electron states and Fermi surfaces of homogeneously strained elements: III/13b 183 . . 187
- material properties: 6th Ed.IV/2b 160 . . 168
- nuclear quadrupole resonance data: III/20c 214 . . 225, III/31b 142 . . 145
- phonon dispersion and frequency spectra: III/13a 128 . . 129
- properties of atomic defects: III/25 278 . . 281
- structural defects at surfaces: III/24a 270
- thermal conductivity: III/15c 44, 92
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

rhodium compounds and alloys

- crystal structure of rhodium oxo-compounds: III/7f 509 . . 538
- magnetic properties: III/19c 298
- for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

rheological properties

- earth's interior: V/2a 84 . . 96
- rocks: V/1b 205 . . 232

rhodium

- band structure and Fermi surfaces: III/13c 308 . . 313
- crystal structure: III/6 21, III/14a 30
- electron states and Fermi surfaces of homogeneously strained elements: III/13b 188 . . 189
- electronic structure of surfaces: III/24b: 279 . . 281
- properties of atomic defects: III/25 262 . . 263
- structural defects at surfaces: III/24a 271
- thermal conductivity: III/15c 45, 93
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

rhodium compounds and alloys

- compounds with 3d elements, magnetic and related properties: III/19a 566 . . 647, III/32a 286 . . 331
- crystal structure of rhodium oxo-compounds: III/7f 749 . . 756
- magnetic properties: III/19c 284

– for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

ribonucleic acid

- calorimetric data: VII/1c 241 . . 256
- chemical shift: VII/1c 191 . . 200
- crystal structure of tRNA: VII/1b 1 . . 30
- dipole moments and related data: VII/1d 295 . . 307
- electrostatic potentials, fields and accessibilities: VII/1d 349 . . 414
- structure of RNA in oriented fibers: VII/1b 31 . . 170

Righi – Leduc effect

- metals, alloys and semimetals: 6th Ed.II/6 161 . . 222

rivers

- 6th Ed. III 542 . . 560

RNA

- calorimetric data: VII/1c 241 . . 256
- chemical shift: VII/1c 191 . . 200
- dipole moments and related data: VII/1d 295 . . 307
- electrostatic potentials, fields and accessibilities: VII/1d 349 . . 414
- energetics of RNA double helices: VII/1c 228 . . 240
- interaction with metal ions: VII/1c 277 . . 445

RNA helices in oriented fibers

- crystal structure: VII/1b 31 . . 170

rocks

- age: V/1b 561 . . 599
- anisotropy, diamagnetic: V/1b 366 . . 432 (d)
- atomic weight: V/1b 34, 35, 102 . . 106
- bulk modulus: V/1b 1 . . 140 (d)
- capillarity: V/1a 267 . . 277
- coercitive field, magnetic: V/1b 366 . . 432 (d)
- creep: V/1b 209 . . 210
- Curie temperature, ferro- and ferrimagnetic: V/1b 366 . . 432 (d)
- deformability: V/1b 141 . . 195
- density: V/1a 66 . . 119, also 6th Ed.III 324
- density under shock compression: V/1a 120 . . 127, 156 . . 181
- dielectric constant, also complex: V/1b 257 . . 261
- diffusion coefficient: V/1b 213 . . 232 (d)
- elastic constants: V/1b 22 . . 32
- elastic properties: V/1b 1 . . 307, also 6th Ed.III 326 . . 330
- electrical conductivity: V/1b 239 . . 253
- electrical properties: V/1b 239 . . 307, also 6th Ed.III 349 . . 352
- flow: V/1b 141 . . 204
- fracture: V/1b 141 . . 204
- friction: V/1b 195 . . 204
- geophysical properties: 6th Ed. III 284 . . 368
- heat capacity: V/1a 305 . . 340
- Huginiot data: V/1a 124 . . 181 (d)
- hysteresis curves: V/1b 409 . . 414
- induced magnetization: V/1b 368 . . 382
- internal surfaces: V/1a 267 . . 277
- isotopes, radioactive: V/1b 433 . . 470
- Lamé constant: V/1b 100 . . 140 (d)
- magnetic properties: V/1b 366 . . 432, also 6th Ed.III 340 . . 345
- magnetic susceptibility: V/1b 368 . . 414
- magnetic viscosity coefficient: V/1b 382 . . 409 (d)
- magnetization (spontaneous, saturation, remanent etc.): V/1b 366 . . 432 (d)
- melting point: V/1a 345 . . 351
- permeability: V/1a 278 . . 302
- physical properties: VI/1
- Poisson's ratio: V/1b 1 . . 140 (d)

- porosity: V/1a 184 . . 262, also 6th Ed.III 325
- radioactive heat generation: V/1a 353 . . 370
- radioactivity: V/1b 433 . . 481
- remanent magnetization: V/1b 382 . . 409
- rheology: V/1b 205 . . 232
- shear modulus: V/1b 1 . . 140 (d)
- shock wave velocity: V/1a 129 . . 181
- sound velocity: V/1a 129 . . 181 (d)
- strength: V/1b 141 . . 195
- thermal conductivity: V/1a 305 . . 340
- Young's modulus: V/1b 1 . . 140 (d)

rocks, physical properties

Topic of volume V/1.

For contents of the volume, data presented and arrangement of the data see the Index of Topical Keywords, and the keyword above.

rocks, metamorphic

- see "metamorphic rocks"

rolling resistance

- technological aspects: 6th Ed.IV/1 582

room and building acoustics

- technological aspects: 6th Ed.IV/1 857 . . 873

Rossby parameter and Rossby waves

- as function of geographical latitude: V/4a 49 . . 52
- definitions: V/4a 47, 48

rotation

- of the earth: V/2a 25 . . 43

rotations of molecules

- see "vibrations and rotations of molecules"

rotation-vibration interaction constants

- asymmetric top molecules: II/4 48 . . 135, II/6 2-82 . . 2-259, 6-6 . . 6-8, II/14a 128 . . 555, II/14b 299 . . 301, II/19b 5 . . 488
- diatomic molecules: II/4 4 . . 14, II/6 2-1 . . 2-37, II/14a 5 . . 36, II/14b 291 . . 295, II/19a 5 . . 40
- linear molecules: II/4 14 . . 22, II/6 2-38 . . 2-54, 6-1 . . 6-4, II/14a 37 . . 62, II/14b 296 . . 298, II/19a 41 . . 73
- linear triatomic molecules: II/20b1 1 . . 446, II/20b2 α 1 . . 415, II/20b2 β 1 . . 345 (d)
- symmetric top molecules: II/4 22 . . 47, II/6 2-55 . . 2-81, 6-5, II/14a 63 . . 127, II/14b 299, II/19a 74 . . 143

rotational constants

- ions
 - linear triatomic molecule ions: II/19d2 298 . . 319
 - non-linear triatomic molecular ions: II/19d2 320 . . 326
 - polyatomic molecular ions: II/19d2 327 . . 355
- molecules
 - asymmetric top molecules: II/4 48 . . 135, II/6 2-82 . . 2-259, 6-6 . . 6-8, II/14a 128 . . 555, II/14b 299 . . 301, II/19b 5 . . 488
 - diatomic molecules: 6th Ed. I/3 4 . . 50, 691 . . 702, II/4 4 . . 14, II/6 2-1 . . 2-37, II/14a 5 . . 36, II/14b 291 . . 295, II/19a 5 . . 40
 - linear molecules: II/4 14 . . 22, II/6 2-38 . . 2-54, 6-1 . . 6-4, II/14a 37 . . 62, II/14b 296 . . 298, II/19a 41 . . 73
 - linear triatomic molecules: II/20b1 1 . . 446, II/20b2 α 1 . . 415, II/20b2 β 1 . . 345 (d)
 - symmetric top molecules: II/4 22 . . 47, II/6 2-55 . . 2-81, 6-5, II/14a 63 . . 127, II/14b 299, II/19 74 . . 143
- radicals
 - triatomic and polyatomic radicals: II/6 5-91 . . 5-131 (d), II/14b 171 . . 290 (d), II/19d2 6 . . 298 (d)

rotational motion

- of the earth: V/2a 18, 19

rotatory power, magnetic

- see "magnetic rotatory power"

rotatory power, optical

- crystals: 6th Ed.II/8 434 . . 443
- liquid crystals: 6th Ed.II/8 558, 559

- liquids: 6th Ed.II/8 676 . . 814
- molecules: 6th Ed. I/3 369 . . 385
- nonmetallic solids: 6th Ed.II/8 434 . . 443

rotooptic coefficients

- piezoelectric substances: III/11 530

rovibrational constants

- see "rotation - vibration interaction constants"

rubber

- technological properties: 6th Ed.IV/1 549 . . 562, 6th Ed.IV/3 479 . . 524

rubidium

- band structure and Fermi surfaces: III/13c 298 . . 299
- crystal structure: III/6 21, III/14a 30
- electron states and Fermi surfaces of homogeneously strained elements: III/13b 181 . . 183
- electronic structure of surfaces: III/24b: 97
- material properties: 6th Ed.IV/2c 346 . . 349
- nuclear quadrupole resonance data: III/20b 714 . . 717, III/31b 68 . . 73
- phonon dispersion and frequency spectra: III/13a 122 . . 128
- photoemission spectra and related data: III/23a 302 . . 304
- thermal conductivity: III/15c 43, 91
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

ruthenium

- band structure and Fermi surfaces: III/13c 313 . . 315
- crystal structure: III/6 21, III/14a 30
- electron states and Fermi surfaces of homogeneously strained elements: III/13b 189 . . 192
- electronic structure of surfaces: III/24b: 277 . . 278
- phonon dispersion and frequency spectra: III/13a 129 . . 130
- structural defects at surfaces: III/24a 272
- thermal conductivity: III/15c 46, 93
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

ruthenium compounds and alloys

- compounds with 3d elements, magnetic and related properties: III/19a 566 . . 647, III/32a 286 . . 331
- crystal structure: III/7f 539 . . 778
- magnetic properties: III/19c 281 . . 283
- for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

Rydberg constant

- determination, sources of uncertainties: 0/b 3-132 . . 3-139

S

S stars

- VI/2b 352 . . 354

salinity

- ice in the ocean: V/3c 170, 171
- sea water: V/3a 235 . . 237, 6th Ed.III 476 . . 482

salt melts

- see "molten salts"

salts, paramagnetic

- see "paramagnetic salts"

samarium

- crystal structure: III/6 25, III/14a 38
- electronic structure of surfaces: III/24b: 331
- photoemission spectra and related data: III/23a 362 . . 367
- thermal conductivity: III/15c 48, 94
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

satellites

- artificial satellites and space probes: VI/1 214 . . 233, 680, 681, VI/3b 30 . . 40
- satellites and ring systems of planets: VI/1 158 . . 161, VI/2a 136 . . 141, 147, 148, 152 . . 154, 159 . . 166, 169, VI/3a 116 . . 118

satellites of the planets

- orbital elements, diameters, masses: VI/1 158

Saturn's ring system

- VI/1 160

scandium

- band structure and Fermi surfaces: III/13c 318 . . 323
- crystal structure: III/6 23, III/14a 34
- electronic structure of surfaces: III/24b: 210 . . 213
- nuclear quadrupole resonance data: III/20b 436, III/31a 413
- phonon dispersion and frequency spectra: III/13a 132 . . 135
- properties of atomic defects: III/25 281 . . 82
- thermal conductivity: III/15c 47, 94
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

scandium compounds and alloys

- crystal structure of scandium oxo- and hydroxo-compounds: III/7e 8 . . 13
- for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

scanning tunnel microscopy

- on surfaces: III/24d 363 . . 402

scattering amplitudes for pion-nucleon scattering

- analysis: I/9b2 4 . . 36
- applications on models of the pion-nucleon system: I/9b2 285 . . 313
- formulae: I/9b2 487 . . 513
- results derived: I/9b2 36 . . 147
- forward amplitudes: I/9b2 36 . . 54
- partial wave amplitudes: I/9b2 55 . . 147

scattering and absorption of X-rays

(Sections 13 22 and 13 23 in volume I/1 of the 6th Edition)

- scattering coefficients, directional dependence, atomic form factors, attenuation coefficients, quantum yield: 6th Ed. 297 . . 322

scattering cross sections

- atoms, ions and molecules: 6th Ed. I/1 325 . . 388
- neutrons: 6th Ed.I/5 279 . . 303

scattering of charged particles at atomic nuclei

– 6th Ed.I/5 269278

scattering of elementary particles

– notations, constants and general relations: I/6 49 . . 52

scattering of light, X-rays and neutrons

– DNA: VII/1c 257 . . 276

scattering of X-rays

– atoms: 6th Ed. I/1 297 . . 313

Schottky barrier heights

– semiconductors: see subsections on optical properties in the subvolumes of III/17 (see also the supplemented and revised electronic edition of III/41) and in III/22a

scintillation technique

– II/3 339 . . 374

– technological aspects: see also 6th Ed.IV/3 877 . . 880

screening corrections

– beta-decay: I/4 25, 236 . . 292

sea floor

– recent crustal movements: V/2a 357 . . 374

– relief: V/2b 266 . . 294

sea level pressure

– time averaged horizontal distributions: V/4a 149 . . 153, 161, 162, 182 . . 217, 244 . . 273, 297 . . 321, 401 . . 421

sea water

– acoustical properties: V/3a 265 . . 382

– boiling temperature: V/3a 252 . . 255

– chemical properties: V/3a 463 . . 474

– compressibility: V/3a 242 . . 244

– density: V/3a 237 . . 242

– diffusion coefficient: V/3a 257, 258

– freezing point: V/3a 252 . . 255

– heat capacity: V/3a 247 . . 250

– optical properties and spectra: V/3a 383 . . 462

– osmotic pressure V/3a 261, 262

– physical properties: 6th Ed. III 426 . . 475

– physical properties: V/3a 233 . . 264

– salinity: 6th Ed.III 476 . . 482

– salinity: V/3a 235 . . 237

– sound absorption and attenuation: V/3a 320 . . 347

– sound propagation: V/3a 268 . . 273

– sound velocity: V/3a 285 . . 319

– surface tension: V/3a 261

– thermal conductivity: V/3a 256, 257

– thermal expansion coefficient: V/3a 244 . . 247

– thermodynamical parameters and properties: V/3a 234, 235

– vapour pressure: V/3a 252 . . 255

– viscosity: V/3a 258 . . 261

second

– atomic and astronomic definition: 0/a 2-11 . . 2-33

second order harmonic generation coefficients

– ferro- and antiferroelectrics: subsections 9e in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)

– piezooptic substances: III/2 178 . . 206, III/18 460 . . 487, III/30a 1 . . 163

– semiconductors: see subsections on optical properties in III/17 (see also the supplemented and revised electronic edition of III/41) a

– surface: III/24d 36

second sound in liquid helium

– II/5 232, 233

secondary electron emission

– solids: 6th Ed.II/6 1004 . . 1018

secondary particles

– cosmic radiation: 6th Ed. I/5 370 . . 371

sedimentary rocks

– chemical and biochemical sedimentary rocks: V/1a 55 . . 59

– chemical composition: V/1a 59 . . 62

– clastic or fragmentary rocks: V/1a 50 . . 55

– mineral composition: V/1a 45, 46

– nomenclature: V/1a 44, 45

– origin and genesis: V/1a 63, 64

– texture and structure: V/1a 46 . . 50

sedimentation

– ocean bottom: V/3a 104 . . 113

– DNA: VII/1c 257 . . 276

Seebeck coefficient

– binary oxides of d transition elements: III/27g 1 . . 86 (d)

– hexagonal ferrites: III/27g 124 . . 236 (d)

– metallic elements, alloys and compounds: dispersed data in III/19a . . f, III/32a

– non-iron garnets: III/27e 237 . . 241

– oxy-spinels: III/27d 1 . . 501 (d)

– perovskite-type oxides based on 3d elements: III/ III/27f1 α 1 . . 345, III/27 β 1 . . 307 (d)

– perovskite layered cuprates: III/27f2 255 . . 258 (d)

– pnictides and chalcogenides based on transition elements: III/27a 1 . . 425 (d)

– semiconductors: see subsections on transport properties in the subvolumes of III/17 (see also the supplemented and revised electronic edition of III/41) and in III/22a

seismicity

– earth: V/2a 47 . . 83, 6th Ed.III 369 . . 374

– moon: V/2a 400 . . 407

selenium

– crystal structure: III/6 23, 24, III/14a 34 . . 38

– for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

selenium compounds and alloys

– crystal structure

– selenides, selenites, selenates and selenium oxo-compounds: III/7b3 308 . . 370

– selenides: III/14b1 1 . . 443, III/14b2 1 . . 489

– data also in III/6 175 . . 921:

– epitaxy data: III/8 69 . . 70

– for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

self diffusion coefficient

– aqueous and non-aqueous systems: 6th Ed.II/5a 588 . . 589

– chromites (Cr spinels): III/4b 394 . . 421 (d), III/12b 285 . . 613 (d)

– gases and gas mixtures: 6th Ed.II/5a 516 . . 565

– homogeneous binary alloys and intermediate phases: III/26 213 . . 278

– impurities and defects in group IV and III-V semiconductors: dispersed data in III/22b

– inorganic and organic liquids: 6th Ed.II/5a 581 . . 587

– liquid elements: 6th Ed.II/5a 576 . . 580

– metals and alloys: III/25 88 . . 379 (d)

– solid metallic elements: III/26 32 . . 84

self-interstitial atoms

– metals and alloys: III/25 88 . . 379 (d)

semiconductors: physical properties

Topic of volumes III/17 (see also the supplemented and revised electronic edition of III/41) a, b, c ... i, III/22a,b.

For contents of the volumes, data presented and arrangement of the data see the Index of Topical Keywords

semiconductors: Quantum structured see (sub)volumes of III/34 for transport (III/34B1) and optical properties (III/34C1, III/34C2)

semiconductors: Diffusion see III/33A

semiconductors: technological data

Topic of volumes III/17 (see also the supplemented and revised electronic edition of III/41) c,d.

For contents of the volumes, data presented and arrangement of the data see the Index of Topical Keywords

semiconductors

(Section 272 in volume II/6 of the 6th Edition)

Contents: parameters of homogeneous semiconductors: elements, III-V compounds, some other compounds, alkali halides, photoconductivity

semiconductors, further data

– band structure and core levels of tetrahedrally bonded semiconductors: III/23a 10 . . 112

– cyclotron resonance: 6th Ed.II/9 5-13 . . 5-22

– de Haas – Shubnikov: effect 6th Ed.II/9 5-23

– electrical conductivity: 6th Ed.II/6 1 . . 250

– electronic structure at surfaces: III/24b 352 . . 432

– Faraday effect: 6th Ed.II/9 5-24 . . 5-26

– inelastic scattering of electrons at surfaces: III/24c 150 . . 166

– magnetic properties: 6th Ed.II/9 5-1 . . 5-25

– magnetoabsorption: 6th Ed.II/9 5-13 . . 5-22

– photoemission data: III/23a 10 . . 112

– structural defects at surfaces

– – group IV semiconductors: III/24a 278 . . 311

– – III-V compounds: III/24a 312 . . 320

– structural reconstruction and relaxation at surfaces: III/24a 171 . . 208

– technological properties: 6th Ed.IV/2c 698 . . 796

semiconductors, semimagnetic

– see "semimagnetic semiconductors"

semidiones and related species

– magnetic properties: II/17g 5 . . 68

semimagnetic semiconductors

– III/17 (see also the supplemented and revised electronic edition of III/41) b 302 . . 318, 528 . . 543

– for further properties of individual substances see the Substance-Property Indexes, Links are provided on the LB-homepage

semimetals

– Ettingshausen coefficient: 6th Ed.II/6 161 . . 222

– galvanomagnetic and thermomagnetic transverse effects: 6th Ed.II/6 186 . . 204

– Nernst – Ettingshausen effect: 6th Ed.II/6 161 . . 223

– Righi – Leduc effect: 6th Ed.II/6 161 . . 222

– thermal conductivity of group V semimetals: III/15c 402 . . 448

– for further properties of individual substances see the Substance-Property Indexes, Links are provided on the LB-homepage

semiquinones and related species

– magnetic properties: II/17g 69 . . 394

sensitivity of the human eye

– technological aspects: 6th Ed.IV/3 845 . . 852

sensitized fluorescence

– fluorescence emission bands: II/3 296 . . 338

sensors, magnetic

– 0/a 2-268 . . 287

shallow and deep states

– semiconductors: see subsections on impurities and defects in the subvolumes of III/17 (see also the supplemented and revised electronic edition of III/41) and in III/22a

shear modulus

– earth's interior: V/2a 89 . . 95

– ice: V/1b 499

– polycrystalline materials: 6th Ed.II/1 732 . . 746

– polystyrene and lucite: II/5 245, 246

– rocks and rock forming minerals: V/1b 1 . . 140 (d)

– semiconductors: see subsections on lattice properties in III/17 III/17 (see also the supplemented and revised electronic edition of III/41) ,e.i,22a

– soft magnetic alloys: dispersed data in III/19i1

sheet growth

– semiconductor technology: data in the chapters on semiconducting materials in III/17 (see also the supplemented and revised electronic edition of III/41) c,d

shell stars

– VI/2b 290 . . 303

shielding against high energy radiation

Topic of volume I/11.

For contents of the volume, data presented and arrangement of the data see the Index of Topical Keywords

shielding constants, magnetic

– see "magnetic shielding constants"

shielding formulae, empirical

– I/11 124 . . 135

shielding requirements in practical situations

– tables I/11 324 . . 335

shock wave velocity

– gases, liquids and solids: II/5 253 . . 258

– minerals and rocks: V/1a 129 . . 181

shower theory

– I/11 276 . . 282

Shubnikov – de Haas data

– metals: dispersed data in III/13b 16 . . 247

– semiconductors: see subsections on transport properties in III/17 (see also the supplemented and revised electronic edition of III/41) a

SI and British units

– definition: 6th Ed.II/1 1 . . 14

SI units

– realization: 0/a 2-11 . . 2-118

SI units, derived

– realization: 0/a 2-119 . . 2.389

sidereal time

– VI/1 70, VI/2a 71, 72, VI/3a 74

silicate systems

– melting equilibria: 6th Ed.II/3 271 . . 349

– phase diagrams: 6th Ed.II/3 271 . . 349

silicon

– band structure and core levels: III/23a 15 . . 19

– crystal structure: III/6 24, III/14a 38

– electronic structure of surfaces: III/24b: 366 . . 379

– impurities and defects: III/22b 207 . . 438

– semiconducting properties: III/17 (see also the supplemented and revised electronic edition of III/41) a 43 . . 86, 359 . . 399, III/22a 14 . . 27, 263 . . 274

– structural defects at surfaces: III/24a 284 . . 311

– technology: III/17 (see also the supplemented and revised electronic edition of III/41) c 12 . . 403, 417 . . 585

– for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

silicon compounds and alloys

– compounds with 3d elements, magnetic and related properties: III/19c 1 . . 70

– crystal structure: III/7d1alpha 1 . . 464, III/7d1beta 1 . . 506

– epitaxy data: III/8 79 . . 96, 120 . . 124

– for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

silver

- band structure and Fermi surfaces: III/13c 27 . . 35
- crystal structure: III/6 1, III/14a 1
- electron states and Fermi surfaces of homogeneously strained elements: III/13b 16 . . 19
- electronic structure of surfaces: III/24b: 149 . . 172
- phonon dispersion and frequency spectra: III/13a 7 . . 10
- properties of atomic defects: III/25 203 . . 210
- structural defects at surfaces: III/24a 233 . . 234
- superconducting properties: III/21a 1 . . 2, 454
- thermal conductivity: III/15c 11, 65
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

silver compounds and alloys

- binary phase diagrams and related data: IV/5a 5 . . 130
- compounds with 3d elements, magnetic and related properties: III/19b 70 . . 83
- crystal structure of silver oxo-compounds: III/7e 3
- superconducting properties: III/21a 2 . . 6, 455
- thermal conductivity of binary alloys: III/15c 132 . . 137, 172 . . 180
- for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

sintered materials

- sintered materials for magnets, technological aspects: 6th Ed.IV/2b 115 . . 118
- technological properties: 6th Ed.IV/2b 1 . . 144

skin effect

- 6th Ed.IV/3 28 . . 30

skyshine

- phenomena around accelerators: I/11 411 . . 416

sliding friction

- technological aspects: 6th Ed.IV/1 568 . . 579

small ring molecules

- molecular structure: topic of subvolume II/22b

sodium

- band structure and Fermi surfaces: III/13c 231 . . 235
- crystal structure: III/6 16, III/14a 26
- electron states and Fermi surfaces of homogeneously strained elements: III/13b 146 . . 147
- electronic structure of surfaces: III/24b: 89 . . 95
- nuclear quadrupole resonance data: III/20a 358 . . 367, III/31a222 . . 225
- phonon dispersion and frequency spectra: III/13a 92 . . 96
- photoemission spectra and related data: III/23a285 . . 288
- properties of atomic defects: III/25 147 . . 148
- superconducting properties: III/21a 453, 541
- thermal conductivity: III/15c 33, 83
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

sodium compounds and alloys

- superconducting properties: III/21a 453
- thermal conductivity of binary alloys: III/15c 238
- for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

soft magnetic alloys

- magnetic and related properties
- – substances
- – high purity iron and low carbon steels: III/19i1 1 . . 32
- – crystalline Fe-Si, Fe-Al and Fe-Si-Al alloys: III/19i1 33 . . 143
- – amorphous ferromagnetic alloys: 144 . . 192
- – Invar alloys: III/19i1 193 . . 213
- – Elinvar alloys: III/19i1 214 . . 238
- for further properties of individual substances see the Substance-Property Indexes, Links are provided on the LB-homepage

soils

- 6th Ed. III 358 . . 368

solar activity

- active regions: VI/1 131, 132, VI/2a 112, 113, VI/3a 94, 95
- coronal active region: VI/2a 123, VI/3a 103
- eleven years solar cycle: VI/1 125 . . 131, VI/2a 113, VI/3a 96, 97
- faculae and plages: VI/1 123, VI/2a 118, 119, VI/3a 100
- flares: VI/1 123, 124, VI/2a 124 . . 127, VI/3a 103, 104
- prominences and ejecta: VI/1 124, VI/2a 120 . . 122, VI/3a 101
- radio emission of the disturbed sun: VI/1 132 . . 149, VI/2a 286 . . 305
- sunspots: VI/1 119 . . 123, VI/2a 113 . . 116, VI/3a 98, 99

solar constant

- VI/1 99, VI/2a 82

solar

- chromosphere: see "chromosphere, solar"
- corona: see "corona, solar"
- ejecta: see "ejecta, solar"
- faculae: see "faculae, solar"
- flares: see "flares, solar"
- photosphere: see "photosphere, solar"
- plages: see "plages, solar"

solar system

- abundances of elements: VI/2a 257 . . 272, VI/3a 196 . . 221
- artificial earth satellites and space probes: VI/1 214 . . 233, 680, 681
- asteroids: VI/1 163 . . 166, VI/2a 183 . . 187, VI/3a 134 . . 138
- chronology of the solar system: VI/2a 273 . . 285
- comets: VI/1 176 . . 195, VI/2a 202 . . 228, VI/3a 141 . . 179
- interplanetary particles and magnetic fields: VI/2a 244 . . 256, VI/3a 184 . . 195
- interplanetary space: VI/1 233 . . 253, VI/2a 228 . . 243, VI/3a 184
- meteors and meteorites: VI/1 195 . . 213, VI/2a 187 . . 202, VI/3a 139 . . 140
- planets and their satellites: VI/1 150 . . 176, VI/2a 129 . . 182, VI/3a 109 . . 123
- sun: VI/1 95 . . 149, VI/2a 82 . . 129, VI/3a 79 . . 108
- zodiacal light: VI/1 233 . . 253 (d), VI/2a 228 . . 243 (d)
- see also 6th Ed. III 60 . . 113, VI/1 95 . . 253, VI/2a 82 . . 305, VI/3a 79 . . 221

solar system, chronology

- see "chronology of the solar system"

solar time

- VI/1 70, VI/2a 71, 72, VI/3a 74

solid - liquid interfaces

- see "interfaces, solid - liquid"

solidification, directional

- see "directional solidification"

solid state recrystallization

- semiconductor technology: data in the chapters on semiconducting materials in III/17 (see also the supplemented and revised electronic edition of III/41) c,d

solids

- see the enumeration of keywords to "solids" in the Guide to the Keywords

solubilities

- 6th Ed.IV/4c1 and 6th Ed.IV/4c2
- impurities and defects semiconductors dispersed data in III/22b
- inorganic compounds: dispersed data in III/7a . . f
- organic compounds: III/5a,b,10a,b
- pressure dependence in liquids and liquid systems: IV/4 71 . . 130
- semiconductor technology: data in the chapters on semiconducting materials in III/17 (see also the supplemented and revised electronic edition of III/41) c,d

solution enthalpy

- see "enthalpy of mixing, solution and dilution of binary and polynary systems"

solution equilibria

- gases with liquids: 6th Ed.II/2b 1-1 . . 1-210
- gases in solid and liquid metals: 6th Ed.II/2b 2-1 . . 2-13
- solid and liquid substances in liquids: 6th Ed.II/2b 3-1 . . 3-760
- solid and liquid substances in liquids: 6th Ed.II/2c 1 . . 500
- equilibria in systems with several non- miscible phases: 6th Ed.II/2c 501 . . 731

solution equilibria of non-ionizing substances

- associations: 6th Ed.II/1 930 . . 938
- keto – enol equilibria: 6th Ed.II/1 919 . . 930
- molecular compounds: 6th Ed.II/1 939 . . 944

solution properties

- DNA: VII/1c 257 . . 445

solutions

- density of aqueous and non-aqueous solutions: IV/1a 1 . . 716, IV/1b 1 ..335
- density, thermal expansion, compressibility: 6th Ed.II/1 747 . . 917
- depolarization by light scattering: 6th Ed.II/8 815 . . 844
- dielectric properties: 6th Ed.II/6 742 . . 870
- electrical conductivity: 6th Ed.II/7 27 . . 726
- equilibria of non-ionizing substances in solutions: 6th Ed.II/1 918 . . 944
- flow induced birefringence: 6th Ed.II/8 845 . . 848
- heat capacity: IV/1b 212 . . 335
- Kerr effect: 6th Ed.II/8 849 . . 870
- optical rotatory power: 6th Ed.II/8 676 . . 814

solutions and mixtures

- sound absorption and attenuation: II/5 195 . . 214
- sound velocity: II/5 76 ... 108

solutions of electrolytes

- sound absorption and attenuation: II/5 215 . . 221
- sound velocity: II/5 109 . . 126

solvents, inorganic and organic

- see "inorganic and organic solvents"

Soret coefficient

- organic liquid systems: 6th Ed.II/5b 219 . . 237

sound

- characterization, measurement: 0/a 2-330 . . 2-347
- damping, technological aspects: 6th Ed.IV/1 812 . . 823
- definition of acoustic quantities: 6th Ed.IV/1 809 . . 812
- particle velocity: 0/a 2-340
- sound fields, characterization, specification: 0/a 2-330 . . 2-331
- sound intensity: 0/a 2-341 . . 2-342
- sound power: 0/a 2-343 . . 2-344
- sound pressure, measurement, calibration: 0/a 2-334 . . 2-340
- sound velocity, measurement: 0/a 2-331 . . 2-334
- technical acoustics: 6th Ed.IV/1 809 . . 881
- units and measurement: 0/a 2-330 . . 203

sound absorption and attenuation

- gases and vapours: 6th Ed.IV/1 820,821, II/5 127 . . 152
- liquids: 6th Ed.IV/1 818, 819, II/5 155 . . 193
- metals: II/5 239 . . 242
- mixtures and solutions: II/5 195 . . 214
- organic substances and high polymers: II/5 244 . . 250
- polymers: II/5 222 . . 226
- sea water: V/3a 320 . . 347
- solids: 6th Ed.IV/1 815 . . 818

– solutions of electrolytes: II/5 215 . . 221

– superconductors: II/5 242 . . 244

sound, damping constant

– see "damping constant of sound"

sound propagation

– isotropic or quasi-isotropic solids: II/5 234 . . 251

– liquid helium: II/5 227 . . 233

– sea water: V/3a 268 . . 273

sound radiation and reception

– 6th Ed.IV/1 824 . . 828

sound recording

– 6th Ed.IV/1 874 . . 878

sound sources

– human voice: 6th Ed.IV/1 836

– musical instruments: 6th Ed.IV/1 834, 835

– pressure, power, volume, range, loudness: 6th Ed.IV/1 829 . . 833

sound spectra

– 6th Ed.IV/1 849 . . 852

sound velocity

– amorphous oxides: III/27f3 239 . . 319 (d)

– binary (mostly organic) mixtures and solutions: II/5 76 . . 108

– chromites (Cr spinels): III/4b 394 . . 421, 619 . . 646 (d), III/12b 285 . . 613 (d)

– cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)

– gases and vapours: II/5 6 . . 12

– gases, vapours and liquids: 6th Ed.IV/1 818 . . 821

– general remarks: 6th Ed.IV/1 812 . . 814

– halides: III/27j1 1 . . 233 (d), III/27j2 1 . . 359 (d)

– ice: V/1b 499, 500

– iron garnets: III/4a 345, III/12a 165

– liquid helium: II/5 228 . . 233

– liquids

– inorganic liquids: II/5 12 . . 14

– supercooled and crystalline liquids: II/5 57 . . 60

– polymeric liquids and in fatty acids: II/5 64 . . 66

– interrelations with other properties of matter: II/5 67, 68

– water: II/5 69 . . 72

– near boiling, melting and critical points: II/5 51 . . 57

– organic liquids: II/5 15 . . 51

– pressure dependence: II/5 61 . . 63

– lunar rocks: V/1b 514 . . 524

– metals: II/5 236 . . 244

– minerals and rocks: V/1a 129 . . 181 (d)

– non-iron garnets: III/4b 1 . . 49 (d), III/12a 265 . . 367 (d)

– organic substances and high pressure polymers: II/5 244 . . 250

– perovskite-type oxides: III/27f3 1 . . 172 (d)

– pressure dependence in solids: IV/4 71 . . 130

– rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)

– sea water: V/3a 285 . . 319

– semiconductors: see subsections on lattice properties in III/17 III/17 (see also the supplemented and revised electronic edition of III/41) ,e.i.,22a

– solids: 6th Ed.IV/1 815 . . 817

– solutions

– aqueous solutions of electrolytes: II/5 109 . . 125

– non-aqueous solutions of electrolytes: II/5 126

space charge layers in semiconductors

– III/17 (see also the supplemented and revised electronic edition of III/41) i 219 . . 255

space group

- elements and for intermetallic solids: dispersed data in III/6,14
- ferro- and antiferroelectrics: subsections 3a in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)
- inorganic compounds: dispersed data in III/7a . . f
- organic compounds: III/5a,b,10a,b
- solids: 6th Ed.I/4 1 . . 14
- see also "symmetries, crystal classes, space groups"

space group symbols for various settings

- list: III/6 XVII . . XXIII, III/14a XIV . . XX, III/14b1,2 XIII . . XIX

space increments

- atoms and ions: 6th Ed.I/4 519 . . 533
- intermetallic, semimetallic and organic compounds: 6th Ed.I/4 519 . . 533

space probes

- VI/1 214 . . 233, 680, 681
- see also "artificial earth satellites and space probes"

spattering of metals

- technological aspects: 6th Ed.IV/2c 919 . . 920

special types of stars

- VI/1 487 . . 581, VI/2b 197 . . 380, VI/2c 1 . . 44, 6th Ed. III 178 . . 240,

specific charge of the electron

- 6th Ed.I/1 35

specific heat

- definition, measurement, instruments: 0/a 2-192 . . 203

specific heat, electronic

- see "electronic specific heat"

speckle spectroscopy

- VI/3a 37

spectral lines

- atoms and ions: 6th Ed. I/148 . . 210
- pressure broadening and shift: 6th Ed. I/1 256 . . 259

spectroscopic splitting tensor

- free radicals: dispersed data in II/1,9,17

spectroscopical units

- 6th Ed.I/1 435

spin correlations

- perovskite-type oxides based on 3d elements: III/ III/27f1 α 1 . . 345, III/27 β 1 . . 307 (d)
- perovskite layered cuprates: III/27f2 102 . . 140 (d)

spinels

- chalcogenide spinels: III/27 288 . . 382
- Cr spinels (chromites): III/4b 394 . . 421, 619 . . 646, III/12b 285 . . 613
- Fe³⁺ spinels (cubic ferrites): III/4b 54 . . 393, III/12b 55 . . 284, 744 . . 758
- other spinels: III/4b 422 . . 546, III/12b 614 . . 743
- oxy-spinels: topic of III/27d
- structure of spinels: III/4b 51 . . 54, III/12b 54
- for further properties of individual substances see the Substance-Property Indexes, Links are provided on the LB-homepage

spin fluctuation systems

- data: III/15a 294 . . 333
- introduction: III/15a 289 . . 291
- spin fluctuation temperature: III/15a 294 . . 333

spin glass freezing temperature

- amorphous oxides: III/27f3 239 . . 319 (d)
- boron containing oxides: III/27h 1 . . 285 (d)

- oxides with ilmenite and corundum structure: III/27f3 173 . . 238 (d)
- pnictides and chalcogenides based on transition elements: III/27a 1 . . 425 (d)

spin glass transition temperature

- liquid quenched and sputtered magnetic alloys: dispersed data in III/19h

spin glasses

- properties: III/15a 334 . . 375

spin Hamiltonian parameters

- ferro- and antiferroelectrics: see subsections 13 in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)
- free radicals: dispersed data in II/1,9,17
- magnetic resonance in non-iron garnets: III/4b 19 . . 24, III/12a 289 . . 294, 297
- semiconductors: dispersed data, mostly in III/17 (see also the supplemented and revised electronic edition of III/41) a
- simple, coordination and organometallic transition metal compounds: II/2 4-1 . . 4-95, II/8 987 . . 1155, II/10 763 . . 975, II/11 764 . . 994, II/12b 20 . . 337
- triatomic and polyatomic radicals: II/6 5-91 . . 5-131 (d), II/14b 171 . . 290 (d), II/19d2 6 . . 298 (d)
- see also "fine structure parameters of the spin Hamiltonian"

spin structure

- actinide compounds: III/4a 110 . . 124 (d), III/12c 406 . . 484 (d)
- chromites (Cr spinels): III/4b 394 . . 421 (d), III/12b 285 . . 613 (d)
- cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)
- iron oxides and iron-metal oxides: III/4a 1 . . 40 (d), III/12b 1 . . 53 (d)
- rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)

spin uncoupling coefficients

- linear triatomic molecules: II/20b1 1 . . 446, II/20b2 α 1 . . 415, II/20b2 β 1 . . 345 (d)

spin waves

- actinide compounds: III/4a 110 . . 124 (d), III/12c 406 . . 484 (d)
- boron containing oxides: III/27h 1 . . 285 (d)
- cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)
- hexagonal ferrites: III/4b 547 . . 618 (d), III/12c 1 . . 46 (d)
- iron garnets: III/4a 341, 342, III/12a 122 . . 124, III/27e 45 . . 48
- liquid quenched and sputtered magnetic alloys: dispersed data in III/19h
- metallic elements, alloys and compounds: dispersed data in III/19a . . f, III/32a
- oxides with ilmenite and corundum structure: III/27f3 173 . . 238 (d)
- oxy-spinels: III/27d 1 . . 501 (d)
- perovskites and perovskite related compounds: III/4a 214 . . 254, 269 . . 274 (d), III/12a 429 . . 479 (d)
- pnictides and chalcogenides based on transition elements: III/27a 1 . . 425 (d)
- rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)
- thin films: III/19g 242 . . 247

spin-flop field

- binary oxides of d transition elements: III/27g 1 . . 86 (d)
- chromites (Cr spinels): III/4b 394 . . 421, 621 . . 645 (d), III/12b 285 . . 613 (d)
- iron oxides and iron-metal oxides: III/4a 1 . . 40 (d), III/12b 1 . . 53 (d)
- non-iron garnets: III/4b 1 . . 49 (d), III/12a 265 . . 367 (d)
- perovskites and perovskite related compounds: III/4a 214 . . 254, 269 . . 274 (d), III/12a 429 . . 479 (d)
- rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)

spin-lattice relaxation

- chromites (Cr spinels): III/4b 394 . . 421, 621 . . 645 (d), III/12b 285 . . 613 (d)
- crystals: 6th Ed.II/9 6-10 . . 6-33
- iron garnets: III/4a 315 . . 367 (d), III/12a 53 . . 264 (d)
- non-iron garnets: III/4b 28 . . 34, III/27e 205 . . 206

spin-lattice relaxation time

- metallic elements, alloys and compounds: dispersed data in III/19a . . f, III/32a
- pressure dependence in liquids and liquid systems: IV/4 350 . . 358
- pressure dependence in solids: IV/4 340 . . 358

spin-orbit coupling

- constants for free ions: II/2 1-18, II/8 29, II/10 14, II/11 29, II/12a 30
- perovskites and perovskite related compounds: III/4a 214 . . 254, 269 . . 274 (d), III/12a 429 . . 479 (d)

spin-orbit interaction constants

– linear triatomic molecules: II/20b1 1 . . 446, II/20b2 α 1 . . 415, II/20b2 β 1 . . 345 (d)

spin-orbit splitting energies

– semiconductors: see subsections on electronic properties in the subvolumes of III/17 (see also the supplemented and revised electronic edition of III/41) and in III/22a

spin-rotation and spin-spin coupling constants

– asymmetric top molecules: II/6 2-423 . . 2-448, II/14a 772 . . 785, II/14b 311, II/19c 284 . . 295

– diatomic molecules: II/6 2-383 . . 2-401, II/14a 745 . . 754, II/14b 306 . . 308,

II/19c 256 . . 262

– diatomic radicals: II/6 5-1 . . 5-90 (d), II/14b 24 . . 170 (d), II/19d1 5 . . 209 (d)

– linear and symmetric top molecules: II/6 2-402 . . 2-422, II/14a 745 . . 754, II/14b 306 . . 308, II/19c 263 . . 283

– non-linear triatomic molecular ions: II/19d2 320 . . 326

– triatomic and polyatomic radicals: II/6 5-91 . . 5-131 (d), II/14b 171 . . 290 (d), II/19d2 6 . . 298 (d)

spin-spin relaxation

– crystals: 6th Ed.II/9 6-36 . . 6-43

spontaneous magnetization

– see "spontaneous magnetization"

spontaneous polarization

– ferro- and antiferroelectrics: subsections 1b, 4 and 5c in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)

standard atmosphere

– V/4a 134 . . 138

standard liter weight of gases

– 6th Ed.II/1 61 . . 68

Standard Model in electroweak interactions

– I/10 9 . . 36

standard potential

– 6th Ed.II/7 750 . . 752

standard thermometers and their calibration

– 0/a 2-95 . . 2-97

standard time

– see "local and standard time"

star clusters and associations

– associations: VI/1 596, 597, VI/2b 445 . . 447

– globular clusters: VI/1 583 . . 590, VI/2b 420 . . 431

– open clusters: VI/1 590 . . 595, VI/2b 432 . . 444

– for update and additional data see VI/3b 263 . . 302

– see also 6th Ed. III 235 . . 242

star lists

– VI/1 256 . . 258

Stark effect

– atoms: 6th Ed. I/1 246 . . 255

Stark parameters

– linear triatomic molecules: II/20b1 1 . . 446, II/20b2 α 1 . . 415, II/20b2 β 1 . . 345 (d)

stars

– abundances of elements: VI/1 89, 90, VI/2b 304, 318, 348, 350

– colors of the stars: VI/1 336 . . 373, VI/2b 35 . . 40, VI/3b 1 . . 40

– compact objects: VI/2c 1 . . 33

– double stars: VI/1 487 . . 517, VI/2b 381 . . 419

– integral brightness: VI/1 315 . . 335

– intrinsic colors and absolute magnitudes: VI/1 297 . . 303, VI/2b 14 . . 24, VI/3b 1 . . 40

– mass, radius, density, surface gravity: VI/1 306 . . 310, VI/2b 28 . . 32

– peculiar stars: VI/2b 269 . . 356

- physical parameters of stars:
- classification of spectra: VI/1 284 . . 295, VI/2b 1 . . 14
- color diagrams: VI/2b 449 . . 451
- colors and magnitudes: VI/1 297 . . 303, 336 . . 371, VI/2b 14 . . 23, 35 . . 55, VI/3b 1 . . 40
- effective temperatures and luminosities: VI/1 392, 393, VI/2b 451 . . 456
- Hertzsprung – Russel diagram: VI/1 304 . . 306, 519, VI/2b 25 . . 27, 201, 202
- masses and related parameters: VI/1 306 . . 310, VI/2b 28 . . 31
- photometric data: VI/1 374 . . 395, VI/2a
- rotation: VI/1 311 . . 314, VI/2a 32, 33
- planetary nebulae: VI/1 566 . . 575, VI/2b 364 . . 372
- positions and motions: VI/1 254 . . 281
- protostars: VI/2b 357 . . 363
- rotation of stars: VI/1 311 . . 314, VI/2b 32 . . 34
- spectrophotometric investigations, intensity distribution, temperature: VI/1 374 . . 395, VI/2b 40 . . 85
- star clusters and associations: VI/1 582 . . 597, VI/2b . . 420 . . 456
- stars with strong magnetic fields: VI/1 564, 565
- stellar atmospheres: VI/1 396 . . 458, VI/2b 91 . . 151, VI/3b 41 . . 61
- stellar positions and stellar motion: VI/1 254 . . 283, VI/2c 147 . . 155
- stellar structure and evolution: VI/1 459 . . 486, VI/2b . . 152 . . 196, VI/3b 62 . . 126
- variable stars: VI/1 517 . . 563, VI/2b 197 . . 268, VI/3b 127 . . 195
- white dwarfs: VI/1 485, 575 . . 581, VI/2b . . 373 . . 380
- X-ray and gamma-ray sources: VI/2c 33 . . 44
- see for updates and additional data VI/3b 1 . . 317

stars with strong magnetic fields

- VI/1 564 . . 565

static dielectric constants of pure liquids and binary liquid mixtures

Topic of volume IV/6.

For contents of the volume, data presented and arrangement of the data see the Index of Topical Keywords

static friction

- technological aspects: 6th Ed.IV/1 564

Stefan-Boltzmann constant

- definition, determination, sources of uncertainties: 0/b 3-274 . . 3-284

steels

- technological properties: 6th Ed.IV/2a 121 . . 880
- thermal conductivity of binary steels: III/15c 164 . . 166
- thermal conductivity of multiple ferrous alloys and steels: III/15c 334 . . 398
- low carbon steels, magnetic properties: III/19i1 1 . . 32

stellar atmospheres

- abundances of elements: VI/1 397, 398
- convection: VI/1 432 . . 445
- line absorption and formation: VI/1 445 . . 458
- model atmospheres: VI/1 425 . . 432, VI/2b . . 136 . . 151
- statistical equilibrium and cross sections: VI/2b 96 . . 119
- structure, mean physical parameters: VI/1 397 . . 424
- thermodynamic properties: VI/2b 122 . . 135
- for updates and additional data, see VI/3b 41 . . 61

stellar motion

- 6th Ed. III 167 . . 177
- proper motion: VI/1 267 . . 270, VI/2c 155 . . 158
- radial velocities: VI/1 270 . . 277, VI/2a 149 . . 162, VI/3a 116 . . 117
- see also 6th Ed. III 235 . . 242

stellar populations

- Hertzsprung – Russell diagram: VI/1 304 . . 305, VI/2b 25 . . 26

stellar positions

- charts, atlases, catalogues: VI/1 259 . . 264, VI/2c 149 . . 152
- constellations: VI/1 254 . . 256
- precession tables and nomograms: VI/1 264 . . 267, VI/2c . . 153

- star lists: VI/1 256 . . 259, VI/2c 147, 148
- see also 6th Ed. III 159 . . 166

stellar radiation

- 6th Ed. III 127 . . 138

stellar spectra

- classification: VI/1 284 . . 295, VI/2b 1 . . 13
- 6th Ed. III 145 . . 158

stellar structure and evolution

- basic equations: NSVI/1 460, 461, VI/2b . . 154, 155
- energy generation: VI/1 472 . . 474, VI/2b 181 . . 188
- equation of state: VI/1 461 . . 465, VI/2b 155 . . 159
- model computation: VI/1 474 . . 485, VI/2b . . 188 . . 194
- opacities: VI/1 465 . . 472, VI/2b 159 . . 181
- see also update and additional data in VI/3b 62 . . 126

stellar system

- nearest stars: VI/1 598 . . 600
- structure of the galaxy
 - apparent distribution of the stars on the celestial sphere: VI/1 601 . . 609
 - luminosity function and spatial distribution of the various objects: VI/1 610 . . 621
 - shape and dimensions of the system VI/1 622
 - spiral structure: VI/1 623 . . 626
- see also 6th Ed. III 215 . . 234, VI/1 598 . . 663

stiffness, elastic

- see "elastic compliances and stiffnesses"

stones

- elastic constants: 6th Ed. II/1 838
- stones as insulating material, technological aspects: 6th Ed. IV/3 704 . . 705
- stones for brickwork, material values: 6th Ed. IV/1 133 . . 137
- artificial: see "artificial stones"
- unburned: see "unburned stones"

strange particles

- photoproduction: I/8 334 . . 338

strangeness

- description in electroweak theory: I/10 37

strength

- rocks: V/1b 141 . . 194

stress-optical coefficient

- amorphous and crystalline materials: 6th Ed. II/8 444 . . 464
- glasses: 6th Ed. II/8 542 . . 550

strong interaction

- definition, formulae: I/6 6

strontium

- band structure and Fermi surfaces: III/13c 335 . . 336
- crystal structure: III/6 25, 26
- electron states and Fermi surfaces of homogeneously strained elements: III/13b 210 . . 211
- electronic structure of surfaces: III/24b: 110
- phonon dispersion and frequency spectra: III/13a 141
- photoemission spectra and related data: III/23a 304 . . 306
- thermal conductivity: III/15c 50, 96
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

structure analysis with X-rays, technological

- 6th Ed. IV/3 1004 . . 1076

structure data

- diatomic molecules: II/21 459 . . 460, II/23 405
- polyatomic molecules

- inorganic molecules: II/7 15 . . 107, II/15 17 . . 136, II/21 21 . . 108, II/23 25 . . 98
- organic molecules: II/7 108 . . 392, II/15 137 . . 608, II/21 109 . . 458, II/23 99 . . 404
- semiconductors: see subsections on structure and chemical bond in the subvolumes of III/17 (see also the supplemented and revised electronic edition of III/41) and in III/22a
- elements and for intermetallic solids topic in III/6,14
- organic compounds: III/5a,b,10a,b

structure data of diatomic and polyatomic molecules (experimental)

Topic of volumes II/7, 15, 21.

For contents of the volumes, data presented and arrangement of the data see the Index of Topical Keywords

structure data of diatomic and polyatomic molecules (theoretical)

Topic of volume II/22.

For contents of the volume, data presented and arrangement of the data see the Index of Topical Keywords

structure data of elements and intermetallic phases

Topic of volumes III/6, III/14.

For contents of the volumes, data presented and arrangement of the data see the Index of Topical Keywords

structure data of inorganic substances

Topic of volume III/7.

For contents of the volume, data presented and arrangement of the data see the Index of Topical Keywords

structure data of organic substances

Topic of volumes III/5, III/10.

For contents of the volumes, data presented and arrangement of the data see the Index of Topical Keywords

structure, molecular

-- see "molecular structure"

sublimation enthalpy

-- see "enthalpy of sublimation"

substitutional solubility

-- see "interstitial and substitutional solubility"

sulfur

-- crystal structure: III/6 21 . . 23, III/14a 31 . . 33

-- nuclear quadrupole resonance data: III/20a 387

-- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

sulfur compounds and alloys

-- crystal structure

-- sulfides, sulfites, sulfates, sulfur oxo- compounds: III/7b3 1 . . 307

-- sulfides: III/14b1 1 . . 443, III/14b2 1 . . 489,

-- data also in III/6 175 . . 921

-- epitaxy data: III/8 54 . . 68, 111 . . 116

-- for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

sun

-- abundances of elements: VI/1 86 . . 88, VI/2a 261 . . 264

-- activity, see "solar activity"

-- dimensions: VI/1 95

-- energy spectrum: VI/2a 89 . . 95, VI/3a 86 . . 88

-- global parameters: VI/2a 82, VI/3a 79

-- granulation: VI/1 99

-- interior: VI/2a 83 . . 88, VI/3a 79 . . 85

-- magnetic field: VI/1 98

-- radio emission: VI/1 117 . . 119, VI/2a 105 . . 111, VI/3a 93

-- rotation: VI/1 97

-- solar chromosphere: VI/1 112 . . 115, VI/2a 96 . . 101, VI/3a 89 . . 90

-- solar constant, radiation flux, effective temperature: VI/1 100

-- solar corona: VI/1 115, 116, VI/2a . . 102, 103, VI/3a 91

-- solar energy spectrum: VI/2a 89 . . 94, VI/3a 86, 87

-- solar global parameters: VI/1 95, 96, VI/2a . . 82, 83, VI/3a 79

-- solar interior and magnetic field: VI/1 97, VI/2a 83 . . 89, VI/3a 79 . . 85

- solar photosphere: VI/1 98 . . 110, VI/2a 96 . . 101, VI/3a 89 . . 90
- solar transition region: VI/2a 102, 103, VI/3a 91
- transition region and quiet corona: VI/2a 102 . . 104, VI/3a 91 . . 92
- see also 6th Ed. III 60 . . 75

sunspots

- VI/1 119 . . 123, VI/2a 113 . . 116, VI/3a 98, 99

supercoiled DNA

- physical data: VII/1d 1 . . 30

superconducting transition temperature

- binary oxides of d transition elements: III/27g 1 . . 86 (d)
- hexagonal ferrites: III/27g 124 . . 236 (d)
- metallic elements, alloys and compounds: dispersed data in III/19a . . f, III/32a
- pnictides and chalcogenides based on transition elements: III/27a 1 . . 425 (d)
- metallic elements, alloys and compounds: dispersed data in III/19a . . f, III/32a
- dispersed data also in III/21a,b1,b2, also 6th Ed.II/6 109 . . 160

superconductivity

(Section 27 112 in volume II/6 of the 6th Edition)

- transition temperatures, isotope effect, magnetic field dependence, dependence on mechanical influence, of lattice defects, etc.: 6th Ed.II/6 109 . . 160

superconductors

Topic of volume III/21.

For contents of the volume, data presented and arrangement of the data see the Index of Topical Keywords

superconductors, further data

- elements, alloys and compounds: Ac . . Na, III/21a 1 . . 661, Nb, Nb-Ar . . NbGe, III/21b 1 . . 284, Nb-H . . Nb-Zr, Nd . . Np, III/21b2 1 . . 366
- ferro- and antiferroelectrics: subsections 11 in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)
- perovskite-type oxides based on 3d elements: III/ III/27f1 α 1 . . 345, III/27 β 1 . . 307 (d)
- high T_c cuprates: III/27f2 1 . . 280 (d)
- rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)

superconductors, granular

- properties: dispersed data in III/21a,b1,b2

superhelix density

- DNA: VII/1d 5 . . 7

superlattice films

- magnetic properties: III/19g 294 . . 321

superlattices

- superconducting properties: dispersed data in III/21a,b1,b2

supernovae

- 6th Ed. III 209, VI/1 551 . . 555, VI/2b 229 . . 239, VI/3b 162 . . 168

superstrings

- in elementary particle theory: I/10 271

supersymmetry

- in elementary particle theory: I/10 270

superweak interaction

- definition, formulae: I/6 5

surface air temperature

- time averaged horizontal distributions: V/4a 149 . . 153, 161, 162, 182 . . 217, 244 . . 273, 297 . . 321, 401 . . 421

surface and interfacial tension

(Section 23 1 in volume II/3 of the 6th Edition)

- surface and interface tension, Eötvös constant, parachor; data for pure liquids to their vapor or to air, of solutions to air, between two non-miscible liquids, edge angles at solid-liquid interfaces, interfacial films on water: 6th Ed.II/3 404 . . 494

surface anisotropy, magnetic

– III/19g 27 . . 31

– single crystal surfaces: III/24b 474 . . 505 (d)

surface diffusion

– metals: III/26 717 . . 747

surface energies

– alkali halogenides and some metals at its melting point: 6th Ed.I/4 534 . . 545...

– crystals: 6th Ed. 543 . . 545

– valence and van der Waals lattices: 6th Ed.I/4 534 . . 545

surface ellipsometry

– III/24d 32 . . 33

surface Fermi-surfaces

– metal surfaces: III/24b 34 . . 35

surface hyperfine interactions

– III/19g 12 . . 14

surface layers

– ferro- and antiferroelectrics: subsections 16 in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)

– ferromagnetic: see "ferromagnetic surface layers"

surface magnetization

– boron containing oxides: III/27h 1 . . 285 (d)

– single crystal surfaces: III/24b 474 . . 505 (d)

– thin films: III/19g 3 . . 11

surface phonons

– III/24b 433 . . 473, III/24c 126 . . 129

surface photoconductivity

– III/24d 34

surface photoluminescence

– III/24d 36

surface photovoltage spectroscopy

– III/24d 35

surface plasmon

– III/24b 36, III/24c 129 . . 140

surface polaritons

– III/24b 474 . . 505

surface second harmonic generation

– III/24d 36

surfaces, optical properties

– – photoemission and inverse photoemission: III/24d 70 . . 311

– – X-ray diffraction of surface structures: III/24d 312 . . 341

surface states

– metal surfaces: III/24b 32, 43 . . 55

surface structure

– ideal solid surfaces: III/24a 29 . . 125

– – cubic crystals: III/24a 42 . . 54

– – NaCl structure: III/24a 55 . . 64

– – diamond structure: III/24a 65 . . 101

– – hexagonal close-packed structure: III/24a 102 . . 122

– terrestrial planets and their satellites: V/2a 389 . . 392

surface tension

– angles at solid – liquid interfaces: 6th Ed.II/3 473 . . 486

– between two non-miscible liquids: 6th Ed.II/3 457 . . 472

- interfacial films on water: 6th Ed.II/3 487 . . 494
- pressure dependence in liquids and liquid systems: IV/4 161 . 184
- pure liquids – vapour or air: 6th Ed.II/3 407 . . 434
- sea water: V/3a 261
- semiconductor technology: data in the chapters on semiconducting materials in III/17 (see also the supplemented and revised electronic edition of III/41) c,d
- solutions – air: 6th Ed.II/3 437 . . 456

surface treatment of semiconductors

- technological aspects: 6th Ed.IV/2c 766 . . 771

surfaces

- see the enumeration of keywords to "surfaces, interfaces" in the Guide to the Keywords

surfaces of solids

Topic of volume III/24.

For contents of the volume, data presented and arrangement of the data see the Index of Topical Keywords

surfaces of solids, further data

- magnetic properties: III/19g 1 . . 34
- semiconductor technology: data in the chapters on semiconducting materials in III/17 (see also the supplemented and revised electronic edition of III/41) c,d

susceptibility

- diamagnetic: see "diamagnetic susceptibility"
- magnetic: see "magnetic susceptibility"
- paramagnetic: see "paramagnetic susceptibility"
- specific: see "specific susceptibility"

symmetric top molecules

- anisotropy, diamagnetic: II/6 2-402 . . 2-422, II/14a 755 . . 771, II/14b 308 . . 310, II/19c 263 . . 283
- centrifugal distortion constants: II/4 22 . . 47, II/6 2-55 . . 2-81, 6-5, II/14a 63 . . 127, II/14b 299, II/19a 74 . . 143
- charge distribution, electronic: II/6 2-402 . . 2-422, II/14a 755 . . 771, II/14b 308 . . 310, II/19c 263 . . 283
- Coriolis coupling constants: II/4 22 . . 47, II/6 2-55 . . 2-81, 6-5, II/14a 63 . . 127, II/14b 299, II/19a 74 . . 143
- electric dipole moments: II/4 138, 139, II/6 2-272 . . 2-276, II/14a 590 . . 597, II/14b 302, II/19c 14 . . 38
- electric quadrupole moments: II/6 2-402 . . 2-422, II/14a 755 . . 771, II/14b 308 . . 310, II/19c 263 . . 283
- g-factor: II/6 2-383 . . 2-422, II/14a 745 . . 771, II/14b 306 . . 310, II/19c 263 . . 283
- isotopic masses and mass ratios of molecules: II/4 22 . . 47, II/6 2-55 . . 2-81, 6-5, II/14a 127, II/14b 299, II/19a 74 . . 143
- l-type doubling constants: II/4 22 . . 47, II/6 2-55 . . 2-81, 6-5, II/14a 63 . . 127, II/14b 299, II/19a 74 . . 143
- magnetic constants: II/6 402 . . 422, II/14a 755 . . 771, II/14b 308 . . 310, II/19c 263 . . 283
- magnetic shielding constants: II/6 2-402 . . 2-422, II/14a 755 . . 771, II/14b 308 . . 310, II/19c 263 . . 283
- magnetic susceptibility: II/6 2-402 . . 2-422, II/14a 755 . . 771, II/14b 308 . . 310, II/19c 262 . . 283
- quadrupole coupling constants: II/4 156 . . 163, II/6 2-320 . . 2-328, 6-10, II/14a 654 . . 668, II/14b 305, II/19c 111 . . 138
- rotation-vibration interaction constants: II/4 22 . . 47, II/6 2-55 . . 2-81, 6-5, II/14a 63 . . 127, II/14b 299, II/19a 74 . . 143
- rotational constants: II/4 22 . . 47, II/6 2-55 . . 2-81, 6-5, II/14a 63 . . 127, II/14b 299, II/19 74 . . 143
- spin-rotation and spin-spin coupling constants: II/6 2-402 . . 2-422, II/14a 745 . . 754, II/14b 306 . . 308, II/19c 263 . . 283

symmetries, crystal classes, space groups

(Section 15 01 in volume I/4 of the 6th Edition)

- tables of symmetry elements and classes, translation and space groups: 6th Ed.I/4 1 . . 14

symmetry classes of crystal structures

- list: III/6 XVI

synthetization

- semiconductor technology: data in the chapters on semiconducting materials in III/17 (see also the supplemented and revised electronic edition of III/41) c,d

systems, binary and polynary

- properties in the neighbourhood and above the critical area: IV/4 161 . . 184

T

tantalum

- band structure and Fermi surfaces: III/13c 337 . . 342
- crystal structure: III/6 26, III/14a 38 . . 40
- electronic structure of surfaces: III/24b: 294 . . 299
- material properties: 6th Ed.IV/2b 169 . . 180
- nuclear quadrupole resonance data: III/20c208 . . 213, III/31b 142 . . 145
- phonon dispersion and frequency spectra: III/13a 141 . . 144
- properties of atomic defects: III/25 161 . . 172
- thermal conductivity: III/15c 50 . . 51, 96
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

tantalum compounds and alloys

- compounds with 3d elements, magnetic and related properties: III/19a 519 . . 565, III/32a 286 . . 331
- crystal structure: III/7e 327 . . 739
- magnetic properties: III/19c 295 . . 297
- photoelectron spectra: III/23b 119 . . 130
- thermal conductivity of binary alloys: III/15c 248 . . 250
- thermal conductivity of ternary alloys: III/15c 322 . . 323
- for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

tar

- material values: 6th Ed.IV/1 155

tau lepton

- properties and description in electroweak theory: I/10 41 . . 43

tau neutrino

- properties and description in electroweak theory: I/10 41 . . 43

tautomerism of purines and pyrimidines, their nucleosides and various analogues

- VII/1d 308 . . 348

technetium

- crystal structure: III/6 27, III/14a 40
- electron states and Fermi surfaces of homogeneously strained elements: III/13b 212
- nuclear quadrupole resonance data: III/20c 10 . . 23, III/31b 74 . . 93
- phonon dispersion and frequency spectra: III/13a 147 . . 148
- thermal conductivity: III/15c 53
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

technetium compounds and alloys

- crystal structure: III/7f 438 . . 538
- for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

technical acoustics

(Section 42 7 in volume IV/1 of the 6th Edition)

- sound velocity and damping constant, sound radiation and reception, sound sources, physics of the human ear, sound spectra, vibration numbers, room and building acoustics, sound recording, biological effects of ultrasound: 6th Ed.IV/1 809 . . 881

technical magnetic alloys

- topic of III/19i1, i2

technical properties of ferro- and desoxydation alloys

(Section 43 4 in volume IV/2a of the 6th Edition)

- properties of technologically important alloys of iron with various alloying elements, alloys containing Ca, Al or Zr: 6th Ed.IV/2a 881 . . 888

technical properties of iron

(Section 43 3 in volume IV/2a of the 6th Edition)

- production methods, physical properties as lattice constant, density, thermal expansion, diffusion, atomic heat, heat capacity, enthalpy, entropy, free enthalpy, phase diagrams, transition points, transition heats, vapor pressure, vaporization heat, thermal,

electrical, magnetical and optical properties; composition, treatment, ductility, special chemical and physical properties of pure iron, cast iron and various steels: 6th Ed.IV/2a 121 . . 880

technical properties of semiconductors

(Section 43 37 in volume IV/2c of the 6th Edition)

– basic physical properties and technological properties as purification and doping, crystal growth, contacting, surface treatment etc. for technical important semiconductors: 6th Ed.IV/2c 698 . . 796

– see also "technology of semiconductors"

technical properties of special materials and metal processing

(Sections 43 38 .. 43 42 in volume IV/2c of the 6th Edition)

– technological properties of bearing materials, enamels, hard solders, processing techniques as welding, cutting, spattering of metals, metal gumming: 6th Ed.IV/2c: 797 . . 976

technical properties of various light metals

(Sections 43 24 .. 43 36 in volume IV/2c of the 6th Edition)

– physical and technological properties as thermal, electrical, optical, mechanical properties, corrosion behavior, properties of alloys based on the elements etc. for titanium, beryllium, aluminum, magnesium, lithium, rubidium, cesium, liquid metals, reactor materials, uranium, plutonium, zirconium, hafnium, thorium, rare earths: 6th Ed.IV/2c 1 . . 697

technical properties of various heavy metals (Sections 43 6 .. 43 23 in volume IV/2b of the 6th Edition)

– physical and technological properties as thermal, electrical, optical, mechanical

properties, corrosion behavior, properties of alloys based on the element etc. for tungsten, rhenium, tantalum, molybdenum, niobium, vanadium, chromium, cobalt, nickel, manganese, noble metals, copper, antimony, zinc, cadmium, plumbum, bismuth, tin: 6th Ed.IV/2b 145 . . 1000

technological aspects of electrical conduction in liquids and solids

(Section 44 1 in volume IV/3 of the 6th Edition)

– electrical conductivity and resistance of technological important material, pure metals, molten metals, thin films, semiconductors, dependence of pressure, tension, cold working, skin effect: 6th Ed.IV/3 1 . . 40

technology

– see the enumeration of keywords to "technology" in the Guide to the Keywords

technology of semiconductors

– Si and Ge: III/17 (see also the supplemented and revised electronic edition of III/41) c 12 . . 403, 417 . . 585

– SiC: III/17 (see also the supplemented and revised electronic edition of III/41) c 403 . . 416, 585 . . 651

– III-V compounds: III/17 (see also the supplemented and revised electronic edition of III/41) d 12 . . 144, 319 . . 377

– II-VI compounds

– – wide gap: III/17 (see also the supplemented and revised electronic edition of III/41) d 145 . . 210, 378 . . 389

– – narrow gap: III/17 (see also the supplemented and revised electronic edition of III/41) d 211 . . 244, 390 . . 398

– IV-VI compounds: III/17 (see also the supplemented and revised electronic edition of III/41) d 245 . . 291, 399 . . 419

– HgI₂: III/17 (see also the supplemented and revised electronic edition of III/41) d 292 . . 307, 420 . . 423

– Se: III/17 (see also the supplemented and revised electronic edition of III/41) d 308 . . 318, 424 . . 429

– see also "technical properties of semiconductors"

tektites

– abundances of elements: VI/1 84, 85, VI/2a 257 . . 260, VI/3a 196 . . 221

tectonics, global

– see "global tectonics"

telescopes

– optical telescopes: VI/1 1 . . 14, VI/2a 1 . . 12, VI/3a 1 . . 11

– performance of telescopes: VI/1 35 . . 43

– solar telescopes: VI/1 15 . . 18, VI/2a 13 . . 17, VI/3a 16

– telescopes and observatories: VI/1 5 . . 13, VI/2a 6 . . 11

tellurium

– crystal structure: III/6 27, III/14a 40, 41

– for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

tellurium compounds and alloys

– crystal structure

– – tellurides and tellurium oxo-compounds and alloys: III/7b3 370 . . 435

– – tellurides: III/14b1 1 . . 443 (d), III/14b2 1 . . 489 (d)

– – data also in III/6 175 . . 921

– epitaxy data: III/8 70
– for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

temperature

– conversion tables for temperature units: V/4a 40, 41
– definition: 6th Ed.II/1 6 . . 9
– definition and measurement methods: 0/a 2-76 . . 2-97
– earth's atmosphere: V/4a 152, 153, 162, 218 . . 221, 244 . . 273, 297 . . 321, 401 . . 421
– International Temperature Scale: 0/a 2-73 . . 75
– time averaged horizontal distributions: V/4a 149 . . 153, 161, 162, 182 . . 217, 274 . . 276, 322 . . 345, 422 . . 437

temperature profile

– earth's interior: V/2b 20 . . 23

temporal variation

– cosmic radiation: 6th Ed. I/5 387 . . 389

tensor mesons

– tables of properties: I/6 28

terbium

– band structure and Fermi surfaces: III/13c 343 . . 345
– crystal structure: III/6 26, III/14a 40
– electronic structure of surfaces: III/24b: 332
– phonon dispersion and frequency spectra: III/13a 144 . . 147
– photoemission spectra and related data: III/23a 387 . . 391
– thermal conductivity: III/15c 52, 97
– for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

terms and important spectral lines

(Section 13 12 in volume I/1 of the 6th Edition)

– data for atoms and ions in various ionization states: 6th Ed.I/1 48 . . 210, 436

ternary and quasi-binary compounds and alloys

– impurities and defects: III/22b 721 . . 748
– semiconducting properties
– – rare earth compounds: III/17 (see also the supplemented and revised electronic edition of III/41) h 226 . . 291, 494 . . 522
– – tetrahedrally bonded ternary and quasi- binary compounds: III/17 (see also the supplemented and revised electronic edition of III/41) h 9 . . 156, 329 . . 381
– – transition metal compounds: III/17 (see also the supplemented and revised electronic edition of III/41) h 157 . . 225, 382 . . 493
– – further ternary compounds: III/17 (see also the supplemented and revised electronic edition of III/41) h 292 . . 328, 523 . . 565

terrestrial planets

– age: V/2a 383 . . 389

testing by magnetic and inductive techniques and ultrasonics

– technological aspects: 6th Ed.IV/2a 87 . . 102

testing of hardness

– technological aspects: 6th Ed.IV/2a 59 . . 70

testing of mechanical stability

– technological aspects: 6th Ed.IV/2a 20 . . 58

texture

– metals and alloys: 6th Ed.IV/3 1021 . . 1044

thallium

– band structure and Fermi surfaces: III/13c 361 . . 371
– crystal structure: III/6 28, III/14a 42
– electron states and Fermi surfaces of homogeneously strained elements: III/13b 216 . . 218
– phonon dispersion and frequency spectra: III/13a 154 . . 157
– properties of atomic defects: III/25 282
– thermal conductivity: III/15c 56, 100
– for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

thallium compounds and alloys

- compounds with 3d elements, magnetic and related properties: III/19b 517 . . 519
- crystal structure of thallium oxo-compounds and alloys: III/7d2 320 . . 324
- for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

thermal conductivity

- aqueous and non-aqueous liquid systems: 6th Ed.II/5b 91 . . 94
- cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)
- ferro- and antiferroelectrics: subsections 6b in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)
- gases: 6th Ed.II/5b 39 . . 71
- halides: III/27j1 1 . . 233 (d), III/27j2 1 . . 359 (d)
- ice: V/1b 486, V/3c 173, 174
- ice in the ocean: V/3c 173, 174
- insulating materials: 6th Ed.IV/3 204 . . 736
- iron garnets: III/4a 351, III/12a 224 . . 226
- lunar rocks: V/1b 529 . . 534
- metals and metallic alloys: 6th Ed.IV/4a 517 . . 560
- minerals and rocks: V/1a 305 . . 340
- non-iron garnets: III/12a 340 . . 346, III/27e 223 . . 226
- perovskite-type oxides based on 3d elements: III/ III/27f1 α 1 . . 345, III/27 β 1 . . 307 (d)
- perovskite layered cuprates: III/27f2 255 . . 258 (d)
- perovskite-type oxides: III/27f3 1 . . 172 (d)
- perovskites and perovskite related compounds: III/4a 214 . . 254, 269 . . 274 (d), III/12a 429 . . 479 (d)
- pure inorganic and organic liquids: 6th Ed.II/5b 72 . . 91
- pure metals: 6th Ed.II/5b 102 . . 191
- rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)
- sea water: V/3a 256, 257
- semiconductors: see subsections on further properties in the subvolumes of III/17 (see also the supplemented and revised electronic edition of III/41) ; in III/22a those data have been included into the sections on transport properties
- soft magnetic alloys: dispersed data in III/19i1
- spinels other than chromites and cubic ferrites: III/4b 422 . . 546 (d), III/12b 614 . . 743 (d)
- technological important materials:
- – non-metallic solids: 6th Ed.IV/4a 409 . . 516

– – metals and alloys: 6th Ed.IV/4a 517 . . 560

– – liquids: 6th Ed.IV/4a 561 . . 581

– – gases: 6th Ed.IV/4a 582 . . 619

thermal conductivity of gases and liquids

(Sections 25 31 and 25 32 in volume II/5b of the 6th Edition)

- thermal conductivity of elemental, inorganic and organic gases and of gas mixtures, temperature and pressure dependence;
- thermal conductivity of pure inorganic and organic liquids and of aqueous and non- aqueous liquid systems: 6th Ed.II/5b 39 . . 101

thermal conductivity of pure metals and alloys

Topic of subvolume III/15c.

For contents of the subvolume, data presented and arrangement of the data see the Index of Topical Keywords

thermal conductivity of pure metals

(Section 25 33 in volume II/5b of the 6th Edition)

- 6th Ed.II/5b 102 . . 203

thermal convection

- 6th Ed.IV/4b 633 . . 692

thermal emission

- solids: 6th Ed.II/6 909 . . 928
- see also "electron emission, thermal"

thermal expansion

- actinide compounds: III/4a 110 . . 124 (d), III/12c 406 . . 484 (d)
- alloys: 6th Ed.II/1 747 . . 791, 6th Ed.IV/4a 788 . . 808, 839 . . 844
- aqueous solutions: 6th Ed.IV/4a 836

- binary oxides of d transition elements: III/27g 1 . . 86 (d)
- boron containing oxides: III/27h 1 . . 285 (d)
- chromites (Cr spinels): III/4b 394 . . 421, 621 . . 645 (d), III/12b 285 . . 613 (d)
- cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)
- elements: 6th Ed.II/1 379 . . 448, 6th Ed.IV/4a 781 . . 787
- ferro- and antiferroelectrics: subsections 4 in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)
- garnets: III/12a 45 . . 47, 351, 352
- glasses: 6th Ed.II/1 800 . . 813, 6th Ed.IV/4a 811 . . 818
- halides: III/27j1 1 . . 233 (d), III/27j2 1 . . 359 (d)
- hard magnetic alloys: dispersed data in III/19i2
- hexagonal ferrites: III/27g 124 . . 236 (d)
- ice: V/1b 485
- inorganic compounds: 6th Ed.II/1 449 . . 631
- insulating materials: 6th Ed.IV/3 204 . . 736
- iron oxides and iron-metal oxides: III/4a 1 . . 40 (d), III/12b 1 . . 53 (d)
- liquid helium: II/5 227
- liquid quenched and sputtered magnetic alloys: dispersed data in III/19h
- liquids: 6th Ed.IV/4a 831 . . 837
- lunar rocks: V/1b 536, 537
- metallic elements, alloys and compounds: dispersed data in III/19a . . f, III/32a
- minerals: 6th Ed.IV/4a 818 . . 820
- minerals and porcelain 6th Ed.II/1 792 . . 799
- non-iron garnets: III/27e 219 . . 221
- organic compounds: 6th Ed.II/1 632 . . 718
- organic substances: 6th Ed.IV/4a 821 . . 825
- perovskite-type oxides based on 3d elements: III/ III/27f1 α 1 . . 345, III/27 β 1 . . 307 (d)
- perovskite layered cuprates: III/27f2 244 . . 254 (d)
- perovskite-type oxides: III/27f3 1 . . 172 (d)
- perovskites and perovskite related compounds: III/4a 214 . . 254, 269 . . 274 (d), III/12a 429 . . 479 (d)
- pnictides and chalcogenides based on transition elements: III/27a 1 . . 425 (d)
- pressure dependence in solids: IV/4 71 . . 130
- pure iron, cast iron and various steels: 6th Ed.IV/2a 132
- rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)
- sea water: V/3a 244 . . 247
- semiconductors: see subsections on lattice properties in III/17 III/17 (see also the supplemented and revised electronic edition of III/41) ,e.i,22a
- soft magnetic alloys: dispersed data in III/19i1
- solid solutions with varying composition: 6th Ed.II/1 814 . . 833

thermal expansion of solids and liquids

(Section 48 15 in volume IV/4a of the 6th Edition)

- tables for the thermal expansion of solid and liquid elements, alloys, minerals, organic natural materials, plastics, aqueous solutions: 6th Ed.IV/4a 781 . . 874

thermal properties

- chromites (Cr spinels): III/4b 394 . . 421, 621 . . 645 (d), III/12b 285 . . 613 (d)
- cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)
- ferro- and antiferroelectrics: subsections 6 in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)
- halides: III/27j1 1 . . 233 (d), III/27j2 1 . . 359 (d)
- ice: V/1b 484 . . 486
- iron garnets: III/4a 348 . . 351, III/12a 224 . . 230, III/27e 106
- minerals and rocks: V/1a 305 . . 371
- non-iron garnets: III/4b 34 . . 38, III/12a 328 . . 355, III/27e 207 . . 229
- rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)
- rocks: 6th Ed.III 353 . . 357
- semiconductors: see subsections on lattice properties in the subvolumes of III/17 (see also the supplemented and revised electronic edition of III/41) and in III/22a (in III/17 (see also the supplemented and revised electronic edition of III/41) also the see subsections on further properties)
- spinels other than chromites and cubic ferrites: III/4b 422 . . 546 (d), III/12b 614 . . 743 (d)

thermal radiation

– 6th Ed.IV/4b 729 . . 746

thermal stability

– of inorganic compounds: dispersed data in III/7a . . f

thermal transport

– definition, measurement, instruments: 0/a 2-204 . . 2-217

thermal units, definitions

– 6th Ed.I/1 14 . . 21

thermochemistry: basic concepts

(Sections 26 10 . . 26 13 in volume II/4 of the 6th Edition)

– fundamental constants and definitions in thermochemistry, enthalpies of combustion of organic gauge substances, increments for the calculation of the enthalpies of formation of organic compounds: 6th Ed.II/4 1 . . 38

thermodiffusion in gases and liquids

(Section 25 33 in volume II/5b of the 6th Edition)

– aqueous and non-aqueous solutions: 6th Ed.II/5b 227 . . 235

thermodiffusion in gases and liquids (cont.)

– gases: 6th Ed.II/5b 204 . . 218, 393, 394

– liquid compounds: 6th Ed.II/5b 226

– liquid mixtures: 6th Ed.II/5b 219 . . 225

– solids and melts: 6th Ed.II/5b 227

thermodynamic activities

– of binary alloys: dispersed data in volumes IV/5a . . g

thermodynamic data of binary alloys

– see "binary alloys: phase equilibria, crystallographic and thermodynamic data"

thermodynamic equilibria of boiling mixtures

Topic of volume IV/3.

For contents of the volume, data presented and arrangement of the data see the Index of Topical Keywords

thermodynamic equilibrium of mixtures

(Section 48 2 in volume IV/4b of the 6th Edition)

Contents: phase diagrams and related parameters for the thermal equilibrium in binary and ternary mixtures, equilibrium between liquid and vapor phases for two- and three-component mixtures, equilibrium between solid and gas phase (adsorption from gas phase, adsorption at active coal, silica gel and activated AlO), sorption of water vapor at technically important natural and artificial materials, enthalpy and entropy of two-component mixtures in the range of vaporization and melting

thermodynamic properties of gases

(Section 48 11 in volume IV/4a of the 6th Edition)

– properties elements and inorganic substances in the gaseous state, organic gases: 6th Ed.IV/4a 172 . . 416

thermodynamic properties of liquids

(Section 48 13 in volume IV/4a of the 6th Edition)

– saturation temperatures, molar heats, molar enthalpies, further parameters in the saturation and overheat regions: 6th Ed.IV/4a 543 . . 571

thermodynamic properties of organic compounds and their mixtures

Topic of volume IV/8

For contents of the volume, data presented and arrangement of the data see the Index of Topical Keywords

thermodynamic properties of refrigerants

(Section 48 14 in volume IV/4a of the 6th Edition)

– thermodynamical and technological properties of various refrigerants: 6th Ed.IV/4a 572 . . 780

thermodynamic properties of water and water

vapor

(Section 48 12 in volume IV/4a of the 6th Edition)

– state equation, tables for saturation, water and overheated water vapor, heat capacity etc.: 6th Ed.IV/4a 417 . . 542

thermodynamic temperature

– unit, determination: 0/a 2-69 . . 2-72

thermodynamical data

– protein – nucleic acid interaction: VII/1d 244 . . 263

thermodynamical diagrams

– basics: 6th Ed.IV/4a 161 . . 171

thermodynamical equilibria

– binary mixtures: IV/3 27 . . 275

– ternary and quaternary mixtures: IV/3 276 . . 343

thermodynamical parameters and properties

– binary alloys: dispersed data in volumes IV/5a . . g

– chromites (Cr spinels): III/4b 394 . . 421, 621 . . 645 (d), III/12b 285 . . 613 (d)

– cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)

– homogeneous materials: 6th Ed.IV/4a 161 . . 944

– iron garnets: III/4a 315 . . 367 (d), III/12a 53 . . 264 (d)

– mixtures: 6th Ed.IV/4b 1 . . 224

– various substances: 6th Ed.II/4 394 . . 473

– non-iron garnets: III/12a 352 . . 355

– perovskite-type oxides based on 3d elements: III/ III/27f1 α 1 . . 345, III/27 β 1 . . 307 (d)

– perovskite layered cuprates: III/27f2 215 . . 243 (d)

– rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)

– sea water: V/3a 234, 235

– semiconductors: see subsections on further properties in the subvolumes of III/17 (see also the supplemented and revised electronic edition of III/41) ; in III/22a such data have been included into the subsections on lattice properties

thermodynamics

– see the enumeration of keywords to "thermodynamics" in the Guide to the Keywords

thermodynamics and kinetics

– base-pairing and of DNA and RNA self- assembly and helix – coil transition: VII/1c 201 . . 227

– protein – nucleic acid interaction: VII/1d 244 . . 263

thermoelectric effect

– ferro- and antiferroelectrics: subsections 11 in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)

thermoelectric power

– actinide compounds: III/4a 110 . . 124 (d), III/12c 406 . . 484 (d)

– binary oxides of d transition elements: III/27g 1 . . 86 (d)

– chromites (Cr spinels): III/4b 394 . . 421, 621 . . 645 (d), III/12b 285 . . 613 (d)

– cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)

– ferro- and antiferroelectrics: subsections 11 in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)

– hexagonal ferrites: III/4b 547 . . 618 (d), III/12c 1 . . 46 (d), III/27g 124 . . 236 (d)

– iron garnets: III/4a 315 . . 367 (d), III/12a 53 . . 264 (d)

– Kondo systems: III/15a 294 . . 333 (d)

– metallic elements, alloys and compounds: dispersed data in III/19a . . f, III/32a

– non-iron garnets: III/27e 237 . . 241

– oxy-spinels: III/27d 1 . . 501 (d)

– perovskite-type oxides based on 3d elements: III/ III/27f1 α 1 . . 345, III/27 β 1 . . 307 (d)

– perovskite layered cuprates: III/27f2 255 . . 258 (d)

– pnictides and chalcogenides based on transition elements: III/27a 1 . . 425 (d)

– pure metallic elements and dilute alloys, data for Seebeck coefficient, temperature and pressure dependence: 6th Ed.II/6 929 . . 982

– rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)

– semiconductors: see subsections on transport properties in III/17 III/17 (see also the supplemented and revised electronic edition of III/41) ,e.i.,22a

– solids: 6th Ed.II/6 929 . . 982

– spinels other than chromites and cubic ferrites: III/4b 422 . . 546 (d), III/12b 614 . . 743 (d)

thermoelectric power of pure metals and dilute alloys

Chapter in volumes III/15a,b.

For contents of the chapter, data presented and arrangement of the data see the Index of Topical Keywords

thermoelements

(Section 44 2 in volume IV/3 of the 6th Edition)

- technological aspects of properties and processing of materials for thermoelements: 6th Ed.IV/3 41 . . 57

thermogalvanic and related effects in solids

(Section 27 5 in volume II/6 of the 6th Edition)

- data for thermal emission, thermopower, Peltiereffect, Thomson effect, photoemission and secondary electron emission of solids: 6th Ed.II/6 909 . . 1018

thermoluminescence

- technological aspects: 6th Ed.IV/3 875

thermomagnetic coefficients

- metals: 6th Ed.II/6 161 . . 222
- semiconductors: see subsections on transport properties in the subvolumes of III/17 (see also the supplemented and revised electronic edition of III/41)
- see also "galvanomagnetic and thermomagnetic effects in metals"

thermometers

- standard, calibration: 0/a 2-95 . . 2-97

thermometry

- basic concepts: 6th Ed.II/1 19, 20
- thermometry below 1 K: 0/a 2-98
- noise thermometry: 0/a 2-99
- magnetic thermometry: 0/a 2-99
- nuclear orientation: 0/a 2-99
- nuclear magnetic resonance: 0/a 2-100
- paramagnetic susceptibility: 0/a 2-100
- low temperature standards: 0/a 2-100
- resistance thermometry: 0/a 2-101

thermometry

(Section 47 1 in volume IV/4a of the 6th Edition)

- basics and measuring methods in thermometry, contact thermometers, pyrometry: 6th Ed.IV/4a 1 . . 147

thermoreflectance

- chromites (Cr spinels): III/4b 394 . . 421, 621 . . 645 (d), III/12b 285 . . 613 (d)
- cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)

thermovoltage

- pressure dependence in solids: IV/4 262 . . 281

thick target yields

- definition: I/5c 6 . . 8
- procedures to obtain thick target yields: I/5c 11, 14 . . 16
- reference thick target yields for p-, d-, ³He-, and α -reactions: I/5c 179 . . 257

thin films

- bubble parameters: III/19g 235 . . 241
- coercivity, ferromagnetic: III/19g 229 . . 234
- Faraday effect: III/19g 248 . . 252
- ferro- and antiferroelectrics: subsections 16 in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)
- ferromagnetic resonance: III/19g 242 . . 247
- Hall coefficient: III/19g 268 . . 275
- hyperfine interaction, magnetic: III/19g 12 . . 14
- Kerr effect: III/19g 253 . . 263
- magnetic anisotropy: dispersed data in III/19g
- magnetic order: III/19g 15 . . 24
- magnetic properties
 - crystalline and amorphous films with rare earth elements and 3d elements: III/19g 136 . . 287
 - crystalline films of 3d elements and alloys: III/19g 35 . . 135
 - thin film sandwiches: III/19g 288 . . 323
 - ultrathin films: III/19g 1 . . 34
- magnetization: dispersed data in III/19g
- magnetization, surface: III/19g 3 . . 11

- magneto-optical properties: III/19g 248 . . 263
- magnetoresistance: III/19g 264 . . 167
- magnetostriction: III/19g 222 . . 227
- metallic elements and alloys: 6th Ed.II/9 1-141 . . 1-175
- Mössbauer data: III/19g 143 . . 149
- spin waves: III/19g 242 . . 247
- superconducting properties: dispersed data in III/21a,b1,b2
- thin metallic films
- – optical constants: 6th Ed.II/8 36 . . 41
- – reflectance: 6th Ed.II/8 36 . . 40

third order harmonic generation coefficients

- piezooptic substances: III/18 497 . . 505, III/30a 1 . . 163

Thomson coefficient

- metals: 6th Ed.II/6 984, 985

thorium

- band structure and Fermi surfaces: III/13c 345 . . 352
- crystal structure: III/6 27, III/14a 42
- electron states and Fermi surfaces of homogeneously strained elements: III/13b 213 . . 215
- electronic structure of surfaces: III/24b: 333
- material properties: 6th Ed.IV/2c 587 . . 606
- phonon dispersion and frequency spectra: III/13a 148 . . 151
- properties of atomic defects: III/25 263
- thermal conductivity: III/15c 53 . . 54, 98
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

thorium compounds and alloys

- photoemission spectra and related data: III/23b 204 . . 222
- for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

threshold energies

- ionic conductors: 6th Ed.II/6 229

threshold energies for nuclear reactions

- data for various reaction types: I/5b 50 . . 137
- estimation of threshold energies for p-, d-, ³He- and α -reactions: I/5c 48 . . 80
- height of Coulomb barrier: I/5a 5
- relation to Q-values for nuclear reactions: I/5a 4

throttling effect, isothermal

- see "isothermal throttling effect"

thulium

- band structure and Fermi surfaces: III/13c 372
- crystal structure: III/6 28, III/14a 42
- phonon dispersion and frequency spectra: III/13a 157 . . 158
- photoemission spectra and related data: III/23a 404 . . 410
- thermal conductivity: III/15c 56, 101
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

thunderstorms

- 6th Ed.III 712 . . 717

tidal friction

- earth – moon system: V/2a 299 . . 310
- earth's atmosphere: V/2a 299 . . 310

tide effects on coasts

- V/3c 263 . . 284

tides

- earth: V/2a 259 . . 298
- see also 6th Ed. III 271 . . 283

tiles

- material values: 6th Ed.IV/1 133 . . 136

time

- unit: 0/a 2-11
- scales: 0/a 2-12 . . 2-15
- standard frequency generators and clocks: 0/a 2-16 . . 2-27
- time transfer: 0/a 2-27 . . 2-27

time, astronomical

- atomic time: VI/2a 74, VI/3a 75
- determination: 6th Ed. III 39 . . 42
- Ephemeris time: VI/1 74, 75, VI/2a 73, 74
- fluctuations of the earth's rotational speed: VI/1 74, 75, VI/2a 75 . . 77
- local and standard time: VI/1 70, 71, VI/2a 72
- sidereal, solar, and universal time: VI/1 70, VI/2a 71, 72, VI/3a 74
- time signals: VI/1 75, VI/2a 75
- units and definition: also V/2a 12 . . 14

time tables, geological

- see "geological time tables"

time, universal

- see "universal time"

tin

- band structure and core levels of grey tin: III/23a 24 . . 26
- band structure and Fermi surfaces: III/13c 323 . . 335
- crystal structure: III/6 25, III/14a 38
- electron states and Fermi surfaces of homogeneously strained elements: III/13b 201 . . 209
- material properties: 6th Ed.IV/2b 966 . . 1000
- phonon dispersion and frequency spectra: III/13a 135 . . 140
- properties of atomic defects: III/25 310 . . 311
- thermal conductivity: III/15c 49, 95
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

tin compounds and alloys

- crystal structure of tin oxo-compounds and alloys: III/7d1γ 170 . . 199
- photoelectron spectra: III/23b 159 . . 168
- thermal conductivity of binary alloys: III/15c 159 . . 160, 246 . . 247
- thermal conductivity of ternary alloys: III/15c 322
- compounds with 3d elements, magnetic and related properties: III/19c 1 . . 70
- for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

titanium

- band structure and Fermi surfaces: III/13c 353 . . 361
- crystal structure: III/6 27, 28, III/14a
- electron states and Fermi surfaces of homogeneously strained elements: III/13b 215 . . 216
- electronic structure of surfaces: III/24b: 214 . . 215
- magnetic and related properties: III/19a 1 . . 5, III/32a 2
- material properties: 6th Ed.IV/2c 1 . . 24
- nuclear quadrupole resonance data: III/20b 437
- phonon dispersion and frequency spectra: III/13a 151 . . 154
- properties of atomic defects: III/25 282 . . 283
- thermal conductivity: III/15c 54 . . 55, 99
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

titanium compounds and alloys

- compounds with 3d elements, magnetic and related properties: III/19a 282 . . 490, III/32a 116 . . 224
- crystal structure of titanium oxo-compounds: III/7e 121 . . 262
- photoelectron spectra: III/23b 87 . . 104
- thermal conductivity of binary alloys: III/15c 161 . . 163, 251
- thermal conductivity of ternary alloys: III/15c 323 . . 329
- for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

top quark

– description in electroweak theory: I/10 43 . . 69

topography

– moon: V/2a 390, 391, 399 . . 407

– ocean floor: V/3a 1 . . 13

topological reactions of high energy particles

– see main keyword "total cross sections for reactions of high energy particles"

torsion modulus

– semiconductors: see subsections on lattice properties in the subvolumes of III/17 (see also the supplemented and revised electronic edition of III/41) and in III/22a

torsional rigidity of double helices

– VII/1c 230 . . 231

total angular momentum quantum number

– of nuclear energy levels: data in all chapters of I/1

total cross sections for interactions of elementary particles

– see the respective interactions

total cross sections for reactions of high energy particles

Topic of volume I/12.

For contents of the volume, data presented and arrangement of the data see the Index of Topical Keywords

transfer of time and frequency

– 0/a 2-27 . . 2-230

transfer RNA

– crystal structure: VII/1b 1 . . 30

transference numbers of ions

– aqueous and non-aqueous solutions: 6th Ed.II/7 27 . . 274

– electrolytes in heavy water: 6th Ed.II/7 275 . . 281

– pressure dependence in liquids and liquid systems: IV/4 185 . . 223

transference numbers in solids

(Section 27 13 in volume II/6 of the 6th Edition)

– data for ionic crystals, solid alloys and glasses: 6th Ed.II/6 242 . . 250

transformation enthalpy

– see "enthalpy of transformation"

transformation entropy

– see "entropy of transformation"

transition enthalpy

– see "enthalpy of transition"

transition entropy

– see "entropy of transition"

transition frequencies between nuclear quadrupole energy levels

– III/20a 15, 16, III/31a 15, 16

transition heat

– see "heat of transition"

transition metal compounds and alloys

– electron spin resonance: II/2 4-1 . . 4-95, II/8 987 . . 1155, II/10 763 . . 974, II/11 764 . . 995, II/12b 20 . . 338

– magnetic properties

– – alloys between 3d elements: III/19a 142 . . 490, III/32a 77 . . 224

– – alloys between Fe, Co or Ni: III/19a 142 . . 281, III/32a 77 . . 115

– – alloys between Ti, V, Cr or Mn: III/19a 282 . . 310, III/32a 116 . . 126

– – – alloys between Fe, Co or Ni and Ti, V, Cr or Mn: III/19a 311 . . 490, III/32a 116 . . 224

– – 4d and 5d elements, alloys and compounds: III/19a 491 . . 518, III/32a 225 . . 285

– – alloys and compounds of 3d elements and 4d and 5d elements: III/19a 519 . . 635, III/32a 286 . . 382

– – – 3d elements and Zr, Nb, Mo or Hf, Ta, W, Re: III/19a 519 . . 565, III/32a 286 . . 331

– – – 3d elements and Ru, Rh, Pd or Os, Ir, Pt: III/19a 566 . . 653, III/32a 332 . . 382

- alloys and compounds of 3d elements with main group elements: III/19b 1 . . 528, III/19c 1 . . 253
- 3d elements and Cu, Ag or Au: III/19b 1 . . 148
- 3d elements and Be, Mg, Zn or Hg: III/19b 149 . . 200
- 3d elements and B, Al, Ga, In or Tl: III/19b 201 . . 528
- 3d elements and C, Si, Ge, Sn or Pb: III/19c 1 . . 74
- Heusler alloys: III/19c 75 . . 185
- metallic perovskites: III/19c 186 . . 253
- alloys and compounds of 4d or 5d elements with main group elements: III/19c 254 . . 306
- crystalline films of 3d transition elements and of alloys between these elements: III/19g 35 . . 135
- liquid-quenched alloys: III/19h
- liquid-quenched and sputtered alloys of 3d elements and main group elements: III/19h 1 . . 208
- liquid-quenched alloys of 3d elements and rare earth elements: III/19h 209 . . 345
- magnetic properties: II/2,8,10,11,12
- phonon dispersion and frequency spectra: III/13a 222 . . 299
- phonon dispersion and frequency spectra: III/13a 414 . . 430
- photoemission data: III/23b 11 . . 83
- photoemission spectra and related data: III/23b 11 . . 83
- semiconducting properties
- binary compounds: III/17 (see also the supplemented and revised electronic edition of III/41) g 63 . . 316, 381 . . 620
- ternary compounds: III/17 (see also the supplemented and revised electronic edition of III/41) h 157 . . 225, 382 . . 493
- for further properties of individual substances see the Substance-Property Indexes, Links are provided on the LB-homepage

transition metal elements

- electronic structure of surfaces: III/24b 210 . . 327
- magnetic properties: III/19a 1 . . 141, III/32a 1 . . 76
- Ti, V, Cr, Mn: III/19a 1 . . 23, III/32a 1 . . 30
- Fe, Co, Ni: III/19a 24 . . 141, III/32a 31 . . 76
- for further properties of individual substances see the Substance-Property Indexes, Links are provided on the LB-homepage

transition points

- pure iron, cast iron and various steels: 6th Ed.IV/2a 191

transition temperature

- coordination and organometallic transition metal compounds: dispersed data in II/2,8,10,11,12a
- ferro- and antiferroelectrics: subsections 1b in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)
- liquid crystals: IV/7a 26 . . 246, IV/7b 74 . . 609, IV/7c 34 . . 212, IV/7d 72 . . 497, IV/7e 86 . . 586, IV/7f 57 . . 570, also 6th Ed.II/2a 266 . . 335

transition temperature

- glass: see "glass transition temperature"
- magnetic: see "magnetic phase diagram and transition temperature", "magnetic transition temperature"
- spin glass: see "spin glass transition temperature"
- superconducting: see "superconducting transition temperature"

transitions

- in nuclear decay schemes: data in all chapters of I/1

translation groups

- solids: 6th Ed.I/4 1 . . 14

transmission, optical

- inorganic and organic glasses: 6th Ed.II/8 511 . . 541

transparency

- ferro- and antiferroelectrics: subsections 1b in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)

transport, electronic and nonelectronic

- see the enumeration of keywords to "electronic and nonelectronic transport, diffusion" in the Guide to the Keywords

transport phenomena

- ferro- and antiferroelectrics: subsections 11 in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)
- metallic elements, alloys and compounds: dispersed data in III/19a . . f, III/32a

- perovskite-type oxides based on 3d elements: III/27f1 α 1 . . 345, III/27 β 1 . . 307 (d)
- perovskite layered cuprates: III/27f2 255 . . 258 (d)
- pressure dependence in liquids and liquid systems: IV/4 224 . . 261
- pressure dependence in solids: IV/4 185 . . 223
- semiconductors: respective see subsections in III/17 III/17 (see also the supplemented and revised electronic edition of III/41) ,e.i., 22a

transuranes

- crystal structure: III/6 1 . . 30 (d), III/14a 1 . . 46 (d)
- for further properties of individual substances see the Substance-Property Indexes, Links are provided on the LB-homepage

traps, deep

- see "deep traps"

triatomic and polyatomic radicals

- II/6 5-91 . . 5-131 (d), II/14b 171 . . 290 (d), II/19d2 6 . . 298 (d)

triple point

- 6th Ed.IV/4a 161 . . 780 (d), 6th Ed.IV/4c1, 6th Ed.IV/4c2 (d)

tritons

- excitation functions for radionuclide production: I/13f 341 . . 350

tungsten

- band structure and Fermi surfaces: III/13c 381 . . 394
- crystal structure: III/6 29, III/14a 44
- electron states and Fermi surfaces of homogeneously strained elements: III/13b 226 . . 234
- electronic structure of surfaces: III/24b: 300 . . 321
- material properties: 6th Ed.IV/2b 145 . . 159
- phonon dispersion and frequency spectra: III/13a 164 . . 167
- properties of atomic defects: III/25 179 . . 190
- structural defects at surfaces: III/24a 272 . . 277
- thermal conductivity: III/15c 59 . . 60, 102
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

tungsten bronzes

- phonon dispersion and related properties: III/13b 306 . . 308

tungsten compounds and alloys

- compounds with 3d elements, magnetic and related properties: III/19a 519 . . 565, III/32a 286 . . 331
- crystal structure: III/7f 1 . . 137
- magnetic properties: III/19c 298
- photoelectron spectra: III/23b 141 . . 142
- thermal conductivity of binary alloys: III/15c 256 . . 258
- thermal conductivity of ternary alloys: III/15c 331
- for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

tuning of musical instruments

- 6th Ed.IV/1 853 . . 857

twin structure

- ferro- and antiferroelectrics: subsections 16 in III/16a,b,28a,b (see also the supplemented and revised electronic edition of III/36)

two-body baryon decays

- I/6 12 . . 13

two-dimensional compounds

- phonon dispersion and frequency spectra: III/13a 300 . . 332

two-particle reactions

- Born terms and Lagrangians: I/6 16 . . 17
- constants: I/6 18
- dispersion relations: I/6 19 . . 20
- isospin and SU(3) properties of coupling
- kinematics and partial wave decomposition: I/6 14 . . 15
- threshold behaviour and Coulomb corrections: I/6 16

U

ultrasonic attenuation

- binary oxides of d transition elements: III/27g 1 . . 86 (d)
- hexagonal ferrites: III/27g 124 . . 236 (d)
- halides: III/27j1 1 . . 233 (d), III/27j2 1 . . 359 (d)
- non-iron garnets: III/27e 227 . . 230

ultrasound

- biological effects: 6th Ed.IV/1 879 . . 881

ultrathin films

- magnetic properties: III/19g 1 . . 34

ultraviolet absorption of valence electrons

- nonmetallic inorganic crystals: 6th Ed. I/4 869 . . 892

ultraviolet spectroscopy

- data for molecular structure: dispersed data in II/7,15,21

unburned stones

- material values: 6th Ed.IV/1 137

uncertainties

- definitions and mathematical treatment: 0/a 1-13 . . 1-16

unit cells of metals and alloys (conventional and primitive)

- III/13a 447 . . 457, III/13c 451 . . 462

units

Topic of subvolume a of the volume "Units and fundamental constants in physics and chemistry".

For contents of the subvolume, data presented and arrangement of the data see the Index of Topical Keywords

- see also the enumeration of keywords to "units" in the Guide to the Keywords

units

- further information in the 6th Edition
 - definitions, conversion tables: 6th Ed.II/1 1 . . 14
 - notation of decimal multiples: 6th Ed.IV/1 42
 - special units
 - electric and magnetic units: 6th Ed.IV/1 67 . . 73
 - energy, work, heat: 6th Ed.IV/1 61 . . 65
 - mechanical units: 6th Ed.IV/1 51 . . 61
 - photometric units: 6th Ed.IV/1 74 . . 76
 - power, action: 6th Ed.IV/1 66, 67
 - temperature units: 6th Ed.IV/1 76 . . 78
 - systems of units and their fundamental quantities: 6th Ed.IV/1 40 . . 42
 - survey of physical systems of units: 6th Ed. I/1 12 . . 22, 433 . . 435
 - definition of mechanical, thermal and photometric units: 6th Ed.I/1 12 . . 23
- see also section 40 in volume II/9 of the 6th Edition

units and constants in elementary particle physics

- I/6 52, I/7 4, I/9 4

units, astronomical

- VI/1 76, VI/2a 71 . . 74, 79 . . 81, VI/3a 74, 75

units, spectroscopical

- see "spectroscopical units"

units, tables

- 0/b 3-329 . . 3-333

units. thermal,

- see "thermal units, definitions"

universal time

- VI/1 70, VI/2a 71, 72, VI/3a 74

universe

- abundances of elements: VI/1 83 . . 94, VI/2a 257 . . 272, VI/2c 117, 138, 353, 6th Ed. III 53 . . 59
- Hubble constant: VI/1 675
- radial velocities: VI/1 675
- total values for luminosity, mass density, and energy output: VI/1 676

upper atmosphere

- see "physics of the upper atmosphere"

upper mantel of earth

- structure: V/2a 97 . . 206

UPS spectra

- semiconductors: see subsections on optical properties, mostly in III/17 (see also the supplemented and revised electronic edition of III/41) a,22a

uranium

- band structure and Fermi surfaces: III/13c 373 . . 374
- crystal structure: III/6 28, III/14a 42
- electron states and Fermi surfaces of homogeneously strained elements: III/13b 219 . . 221
- material properties: 6th Ed.IV/2c 369 . . 451
- phonon dispersion and frequency spectra: III/13a 158 . . 160
- properties of atomic defects: III/25 312
- thermal conductivity: III/15c 57, 101 . . 102
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

uranium compounds and alloys

- photoemission spectra and related data: III/23b 226 . . 281
- thermal conductivity of binary alloys: III/15c 252 . . 255
- thermal conductivity of ternary alloys: III/15c 330 . . 331
- for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

V

V-VI compounds and alloys

- photoelectron spectra: III/23b 112 . . 142, 169 . . 170
- semiconducting properties: III/17 (see also the supplemented and revised electronic edition of III/41) f 234 . . 280, 486 . . 559
- for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

V-VII compounds and alloys

- photoelectron spectra: III/23b 171 . . 176
- semiconducting properties: III/17 (see also the supplemented and revised electronic edition of III/41) f 280 . . 288, 559 . . 562
- for further properties of individual compounds and alloys see the Substance-Property Indexes, Links are provided on the LB-homepage

vacancies

- metals and alloys: III/25 1 . . 434 (d)

vacancy concentrations and damage rates

- metals and alloys: III/25 1 . . 87 (d)

vacancy formation and migration enthalpy

- metals and alloys: III/25 88 . . 379 (d)

vacuum

- definition, techniques, standards: 0/a 2-151 . . 2-164

vacuum uv spectra

- semiconductors: see subsections on optical properties in the subvolumes of III/17 (see also the supplemented and revised electronic edition of III/41) and in III/22a

valence band critical point energies

- elements and inorganic solids: dispersed data in III/23a,b

valence band spectra

- metals and alloys: 6th Ed.I/4 769 . . 868

valence energies of chemical bonds

- 6th Ed.I/2 23 . . 24

vanadium

- band structure and Fermi surfaces: III/13c 374 . . 381
- crystal structure: III/6 29, III/14a 44
- electron states and Fermi surfaces of homogeneously strained elements: III/13b 221 . . 225
- magnetic and related properties: III/19a 6, III/32a 2
- material properties: 6th Ed.IV/2b 244 . . 259
- nuclear quadrupole resonance data: III/20b 438 . . 447, III/31a 414 . . 417
- phonon dispersion and frequency spectra: III/13a 160 . . 164
- properties of atomic defects: III/25 173 . . 178
- thermal conductivity: III/15c 58, 102
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

vanadium compounds and alloys

- compounds with 3d elements, magnetic and related properties: III/19a 282 . . 490, III/32a 116 . . 224
- crystal structure of vanadium oxo-compounds: III/7e 327 . . 431
- photoelectron spectra: III/23b 112 . . 116
- for further properties of individual substances see the Substance-Property Indexes, Links are provided on the LB-homepage

vaporization from solids and liquids

(Section 25 5 in volume II/5b of the 6th Edition)

- elements: 6th Ed.II/5b 238 . . 240
- inorganic compounds: 6th Ed.II/5b 241
- organic compounds: 6th Ed.II/5b 242 . . 246

vaporization heat

- see "heat of vaporization"

vapour phase growth

- semiconductor technology: data in the chapters on semiconducting materials in III/17 (see also the supplemented and revised electronic edition of III/41) c,d

vapour pressure

- azeotropic mixtures: 6th Ed. II/2a 662 . . 708
- binary and ternary liquid systems, including binary azeotropic mixtures: 6th Ed. II/2a 336 . . 767
- elements: 6th Ed. II/2a 3 . . 30
- inorganic compounds: 6th Ed. II/2a 31 . . 88
- organic substances: 6th Ed. II/2a 89 . . 162
- pressure dependence in liquids and liquid systems: IV/4 162 . . 184
- sea water: V/3a 252 . . 255
- semiconductor technology data in the chapters on semiconducting materials in III/17 (see also the supplemented and revised electronic edition of III/41) c,d
- see also 6th Ed. IV/4a 161 . . 780, 6th Ed. IV/4b 1 . . 120

vapour pressure of mixed systems

(Section 22 14 in volume II/2a of the 6th Edition)

- vapour pressure of binary and ternary liquid systems, including binary azeotropic mixtures: 6th Ed. II/2a 336 . . 767

vapour pressure of pure substances

(Section 22 11 in volume II/2a of the 6th Edition)

- data for elements, inorganic and organic compounds: 6th Ed. II/2a 1 . . 184

vapours

- optical constants: 6th Ed. II/8 871 . . 901
- optical properties 6th: Ed. II/8 871 . . 901
- refractive index: 6th Ed. II/8 871 . . 889
- sound absorption and attenuation: 6th Ed. IV/1 820,821, II/5 127 . . 152
- sound velocity: 6th Ed. IV/1 818 . . 821
- sound velocity: II/5 6 . . 12

variable stars

- a² Canum Venaticorum type variables: VI/1 541
- b Canis majoris stars: VI/1 530 . . 531
- d Scuti type stars (dwarf cepheids): VI/1 529
- eruptive variable stars: VI/1 543 . . 563, VI/2b 228 . . 268
- irregular variable stars: VI/1 541 . . 543
- long-period cepheids: VI/1 519 . . 525
- Mira stars: VI/1 532 . . 537
- nova-like variable stars: VI/1 550
- novae: VI/1 544 . . 549
- position of the physical variables in the Hertzsprung – Russell diagram: VI/1 519
- pulsating and rotation variable stars: VI/1 519 . . 542, VI/2b 203 . . 228
- pulsating variables: VI/1 519
- R coronae borealis type stars: VI/1 555
- RR Lyrae stars: VI/1 526 . . 528
- RV Tauri type stars: VI/1 539 . . 540
- RW Aurigae type stars: VI/1 555 . . 556
- semi-regular variables: VI/1 538
- supernovae: VI/1 551 . . 554
- survey, basic information: VI/1 517 . . 519, VI/2b 198 . . 202
- the T Tau stars: VI/1 557
- U Geminorum: VI/1 558 . . 559
- UV Ceti type stars: VI/1 560
- Z Camelopardalis type stars: VI/1 561 . . 563
- see also updates and additional data in VI/3b 127 . . 195
- see also 6th Ed. III 190 . . 204

vector mesons

- photoproduction: I/8 321 . . 330 tables of properties: I/6 26

velocity of light

- 6th Ed. I/1 39

Verdet coefficient

- atoms and ions: 6th Ed.I/1 405 . . 435
- glasses: 6th Ed.II/8 551, 552
- inorganic and organic molecules: 6th Ed.I/1 405 . . 435
- semiconductors: see subsections on optical properties in the subvolumes of III/17 (see also the supplemented and revised electronic edition of III/41) and in III/22a
- see also 6th Ed.I/1 405 . . 432

Verwey transition temperature

- cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)
- oxy-spinels: III/27d 1 . . 501 (d)

vibration numbers

- technological aspects: 6th Ed.IV/1 853 . . 856

vibrational constant, anharmonic

- see "anharmonic vibrational constant"

vibrational frequencies of solids from Raman and infrared spectra

- inorganic solids: 6th Ed.I/4 549 . . 665
- organic solids: 6th Ed.I/4 666 . . 755
- linear triatomic molecules: II/20b1 1 . . 446, II/20b2 α 1 . . 415, II/20b2 β 1 . . 345 (d)

vibrational properties

- solid surfaces: III/24b 433 . . 505

vibrations and rotations of molecules

(Section 14 14 in volume I/2 of the 6th Edition)

- symmetries of molecules and thermal vibration modes, vibrational modes of simple molecules from raman and infrared spectra, infrared rotation, and vibration spectra of simple molecules, infrared spectra of further molecules, Raman spectra of further molecules, microwave spectra: 6th Edition I/339 . . 569

virial coefficient of gases, second and higher

- 6th Ed.II/1 245 . . 297

viroids and viroid like RNAs

- VII/1d 194 . . 243

viscosimetry

- DNA: VII/1c 257 . . 276

viscosity

- definition, measurement, maintenance: 0/a 2-218 . . 2-226
- earth's mantle: V/2a 96
- liquid helium: II/5 245, 246
- pressure dependence in solids: IV/4 340 . . 358
- sea water: V/3a 258 . . 261
- semiconductor technology: data in the chapters on semiconducting materials in III/17 (see also the supplemented and revised electronic edition of III/41) c,d

viscosity

(Section 42 2 in volume IV/1 of the 6th Edition)

- viscosity data for technological important materials: gases, liquids, solutions, mixtures, combustibles, oils, glasses, slags, colloids, high polymers etc.: 6th Ed.IV/1 585 . . 661

viscosity of gases and liquids

(Section 25 1 in volume II/5a of the 6th Edition)

- data of viscosities of gaseous elements, inorganic and organic substances and of systems with inorganic and organic components; data of viscosities of liquid elements, inorganic and organic compounds and of mostly aqueous systems: 6th Ed.II/5a 1 . . 512

viscosity coefficient, magnetic

- see "magnetic viscosity coefficient"

VLEED (very low-energy electron diffraction)

- data for solid surfaces: III/24c 29 . . 112 (d)

volatility, relative

- boiling mixtures: IV/3 27 . . 275 (d)

voltage

– definition, realization, reproduction, maintenance, dissemination: 0/a 2-236 . . 2-244

volume

– definition, measurement: 0/a 2-121 . . 2-128

volume change in melting

– alloys: 6th Ed.II/1 724

– elements: 6th Ed.II/1 719 . . 721

– inorganic compounds: 6th Ed.II/1 722, 723

– melts and allotropic transformations under pressure: 6th Ed.II/2a 216 . . 265

– organic compounds: 6th Ed.II/1 725 . . 729

volume coefficient of resistivity

– pure metals: III/15a 140 . . 1621

volume measurement

– 6th Ed.II/1 36 . . 43

volumes of activation

– for radical reactions in liquids: dispersed data in II/13a..e,18a..d2

W

W boson

- properties and description in electroweak theory: I/10 70 . . 87

wafer preparation

- semiconductor technology: data in the chapters on semiconducting materials in III/17 (see also the supplemented and revised electronic edition of III/41) c,d

Walden products

- aqueous and non-aqueous solutions: 6th Ed.II/7 646 . . 709

warm electron coefficient

- semiconductors: see subsections on transport properties in the subvolumes of III/17 (see also the supplemented and revised electronic edition of III/41) and in III/22a

water and water vapour

- density: 6th Ed.II/1 36, 449 . . 459, 6th Ed.IV/1 101, 102
- enthalpy, entropy: 6th Ed.IV/4a 417 . . 527
- heat capacity: 6th Ed.IV/4a 528 . . 533
- heat of evaporation: 6th Ed.IV/4a 417
- photoemission spectra and related data: III/23a 193 . . 198
- sound velocity: II/5 69 . . 72
- thermodynamical properties: 6th Ed.IV/4a 417 . . 542

waters

- 6th Ed. III 542 . . 563

wave effects on coasts

- V/3c 244 . . 263

wave velocity

- of shear and compressional waves
- earth's crust and upper mantle: V/2a 97 . . 110 (d)
- earth's interior: V/2a 88 . . 95

wavelength normals

(Section 13 11 in volume I/1 of the 6th Edition)

- values for the wavelengths of easily reproducible spectral lines: 6th Ed.I/1 42 . . 48

wavelength standards

- infrared region through X-ray region: 6th Ed. I/1 42 . . 48

wavenumbers of vibrational modes

- molecules: dispersed data in II/7,15,21

weak charged current

- I/10 172 . . 251

weak neutral current

- I/10 109 . . 172

weather

- 6th Ed. III 594 . . 602

weight, atomic

- see "atomic weight"

weights, isotope

- see "isotope weights"

Weiss temperature

- coordination and organometallic transition metal compounds: dispersed data in II/2,8,10,11,12a

welding of metals

- technological aspects: 6th Ed.IV/2c 853 . . 909

wetting heat

- 6th Ed.II/4 842 . . 844

white dwarfs

- VI/1 485, 575 . . 581, VI/2b 373 . . 380, VI/3c 219 . . 222, 6th Ed. III 216 . . 218

Wiedemann – Franz – Lorenz number

- metals: 6th Ed.II/6 97 . . 104

wind

- geostrophic and gradient wind speed and related parameters: V/4a 56 . . 63
- significant wind approximation: V/4a 52 . . 55

Wolf – Rayet stars

- VI/2b 278 . . 287

wood

- elastic constants: 6th Ed.II/1 838
- properties: 6th Ed.IV/1 158 . . 295
- thermal conductivity: 6th Ed.IV/4a 412 . . 416
- wood as insulating material, technological aspects: 6th Ed.IV/3 612 . . 657

work function

- elements and inorganic solids: dispersed data in III/23a,b
- metallic elements: III/24b 56 . . 68
- metals and metalloids: 6th Ed.I/4 759 . . 762
- rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)
- semiconductors: dispersed data in III/17 (see also the supplemented and revised electronic edition of III/41) a,f,i

X

X-ray absorption edge, fine structure

– see "fine structure of the X-ray absorption edge"

X-ray and gamma-ray instruments

– in astronomy: VI/2a 35 . . 42, VI/3a 38 . . 40

X-ray bursters

– VI/2 30 . . 32

X-ray diffraction data

– structure data of inorganic compounds: dispersed data in III/7a . . f

– structure of elements and intermetallic solids: dispersed data in III/6,14

– of surface structures: III/24d 312 . . 341

X-ray emission spectra

– semiconductors: see subsections on optical properties, mostly in III/17 (see also the supplemented and revised electronic edition of III/41) a,22a

X-ray sources in astronomy

– VI/2c 24 . . 40, VI/3b 257 . . 262

X-ray spectra

– atoms: section 13 14 in volume I/1 of the 6th Edition: terms and important lines, K, L, M, N, O-series 6th Ed.I/1 214 . . 232

– metallic compounds and disordered alloys: dispersed figures in III/13a 196 . . 440

X-ray spectra and bonding state

(Section 15 08 in volume I/4 of the 6th Edition)

– valence band spectra, densities of state for metals and alloys, fine structure of the X-ray absorption edge, absorption edges and emission lines, influence of chemical bond: 6th Ed.I/4 769 . . 868

X-ray technology

(Section 46 in volume IV/3 of the 6th Edition)

– dosimetry, medical applications: 6th Ed.IV/3 990 . . 998

– measurement of elastic stress: 6th Ed.IV/3 999 . . 1003

– quantities and units: 6th Ed.IV/3 968, 969

– structure analysis: 6th Ed.IV/3 1004 . . 1076

X-rays

– absorption: 6th Ed.I/1 314

– scattering: 6th Ed.I/1 297

XPS spectra

– actinide compounds: III/4a 110 . . 124 (d), III/12c 406 . . 484 (d)

– metallic compounds and disordered alloys: dispersed figures in III/13a 196 . . 440

– rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)

– semiconductors: see subsections on optical properties, mostly in III/17 (see also the supplemented and revised electronic edition of III/41) a,22a

xenon

– crystal structure: III/6 29, III/14a 44

– for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

xenon oxo-compounds

– crystal structure: III/7b 210

Y

yield of nuclear reactions

– 6th Ed. I/5 304 . . 313

yield spectra

– semiconductors: see subsections on optical properties, mostly in III/17 (see also the supplemented and revised electronic edition of III/41) a,22a

Young's modulus

– binary oxides of d transition elements: III/27g 1 . . 86 (d)

– cubic ferrites: III/4b 54 . . 393 (d), III/12b 55 . . 284, 744 . . 758 (d)

– halides: III/27j1 1 . . 233 (d), III/27j2 1 . . 359 (d)

– hexagonal ferrites: III/27g 124 . . 236 (d)

– ice: V/1b 499

– iron garnets: III/4a 346, III/12a 165, 166

– metals: II/5 236, 237

– perovskite-type oxides: III/27f3 1 . . 172 (d)

– polystyrene and lucite: II/5 245, 246

– rare earth compounds: III/4a 44 . . 109 (d), III/12c 59 . . 405 (d)

– rocks: V/1b 1 . . 140 (d)

– semiconductors: see subsections on lattice properties in III/17 III/17 (see also the supplemented and revised electronic edition of III/41) ,e.i,22a

– soft magnetic alloys: dispersed data in III/19i1

ytterbium

– band structure and Fermi surfaces: III/13c 397

– crystal structure: III/6 29, 30, III/14a 44 . . 46

– electron states and Fermi surfaces of homogeneously strained elements: III/13b 235 . . 236

– thermal conductivity: III/15c 61, 104

– electronic structure of surfaces: III/24b: 333

– photoemission spectra and related data: III/23a 410 . . 419

– for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

yttrium

– band structure and Fermi surfaces: III/13c 394 . . 397

– crystal structure: III/6 29, III/14a 44

– electron states and Fermi surfaces of homogeneously strained elements: III/13b 234

– electronic structure of surfaces: III/24b 259

– phonon dispersion and frequency spectra: III/13a 167 . . 169

– properties of atomic defects: III/25 284

– thermal conductivity: III/15c 60 . . 61, 104

– for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

yttrium compounds and alloys

– crystal structure of yttrium oxo-compounds: III/7e 13 . . 15

– for further properties of individual substances see the Substance-Property Indexes, Links are provided on the LB-homepage

Z

Z boson

- properties and description in electroweak theory: I/10 70 . . 83

Zeeman and Stark effect

(Sections 13 15 and 13 16 in volume I/1 of the 6th Edition)

- Zeeman effect of multiplet components, Stark effect of one-electron and many-electron systems: 6th Ed.I/1 233 . . 245

zero field splitting parameter

- for free radicals: II/9d2 150 . . 308

zero point volumina

- condensed phases: 6th Ed.II/1 378

zinc

- band structure and Fermi surfaces: III/13c 398 . . 403
- crystal structure: III/6 30, III/14a 46
- electron states and Fermi surfaces of homogeneously strained elements: III/13b 236 . . 246
- electronic structure of surfaces: III/24b: 183 . . 184
- material properties: 6th Ed.IV/2b 895 . . 925
- nuclear quadrupole resonance data: III/31b 10 . . 13
- phonon dispersion and frequency spectra: III/13a 169 . . 175
- properties of atomic defects: III/25 284 . . 288
- thermal conductivity: III/15c 61 . . 62, 105
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

zinc compounds and alloys

- compounds with 3d elements, magnetic and related properties: III/19b 184 . . 198
- crystal structure of zinc oxo-compounds: III/7e 5
- thermal conductivity of ternary alloys: III/15c332
- for further properties of individual substances see the Substance-Property Indexes, Links are provided on the LB-homepage

zirconium

- band structure and Fermi surfaces: III/13c 403 . . 407
- crystal structure: III/6 30, III/14a 46
- electron states and Fermi surfaces of homogeneously strained elements: III/13b 247 . . 248
- material properties: 6th Ed.IV/2c 459 . . 568
- nuclear quadrupole resonance data: III/20c 10 . . 23
- phonon dispersion and frequency spectra: III/13a 175 . . 179
- properties of atomic defects: III/25 288 . . 296
- thermal conductivity: III/15c 63 . . 64, 106
- for further properties see the Substance-Property Indexes, Links are provided on the LB-homepage

zirconium compounds and alloys

- compounds with 3d elements, magnetic and related properties: III/19a 519 . . 565, III/32a 286 . . 331
- crystal structure of zirconium oxo-compounds: III/7e 262 . . 311
- magnetic properties: III/19c 257 . . 265
- photoelectron spectra: III/23b 104 . . 107
- thermal conductivity of binary alloys: III/15c 259 . . 262
- thermal conductivity of ternary alloys: III/15c 332 . . 333
- for further properties of individual substances see the Substance-Property Indexes, Links are provided on the LB-homepage

zodiacal light

- VI/2a 228 . . 238, 6th Ed.III 109 . . 113

zone melting

- semiconductor technology: data in the chapters on semiconducting materials in III/17 (see also the supplemented and revised electronic edition of III/41) (see also the supplemented and revised electronic edition of III/41)c,d,

Comprehensive Index 1996

Madelung, O.; Martienssen, W. (Eds.)

1996, VIII, 371 p. With CD-ROM., Hardcover

ISBN: 978-3-540-60804-2