

Contents

Foreword

1	Introduction	1
2	Methodology	7
2.1	High Magnetic Fields	8
2.2	One-Dimensional ^1H and ^{13}C NMR Spectra (INEPT, DEPT)	10
2.3	Two-Dimensional ^1H , ^1H Correlation (COSY, Linear Prediction, Pulsed Field Gradients, TOCSY)	15
2.4	Two-Dimensional ^{13}C , ^1H One-Bond Correlation (HETCOR, Inverse Detection, HSQC, HMQC, HMQC-TOCSY)	23
2.5	Two-Dimensional ^{13}C , ^1H Long-Range Correlation (COLOC, HMBC)	29
2.6	^{13}C , ^{13}C -Correlation (INADEQUATE)	32
2.7	Dipolar Coupling Experiments (NOE difference, NOESY, ROESY)	35
2.8	Appendix: ^1H and ^{13}C NMR Data of Quinidine	42
3	Demonstration Examples	44
3.1	Formation of a Novel Benzothiazoline Derivative by Ring Contraction	44
3.2	Structure Elucidation of a Triterpene Saponin	54
4	Exercises	71
5	Strategies	161
6	Solutions	167
	Explanation of Acronyms	203
	Subject Index	204
	Compound Index	206

<http://www.springer.com/978-3-7985-1111-8>

Structure Elucidation by Modern NMR
A Workbook

Duddeck, H.; Dietrich, W.; Toth, G.
1998, VII, 211 p. 19 illus., Softcover
ISBN: 978-3-7985-1111-8