

Landolt-Börnstein Substance/Property Index

III/41: Semiconductors

(revised and extended contents of the volumes III/17 and III/22)

Subvolume III/41B: II-VI and I-VII compounds, semimagnetic compounds

General Introduction

List of substances

Compounds with two elements

[II-VI compounds, general data](#)

[I-VII compounds, general data](#)

[II-V manganese compounds,
general data](#)

[AgBr](#)

[AgCl](#)

[AgF](#)

[AgI](#)

[BaO](#)

[BaS](#)

[Be-VI compounds, general data](#)

[BeO](#)

[BeS](#)

[BeSe](#)

[BeTe](#)

[CaO](#)

[CaS](#)

[CdO](#)

[CdS](#)

[CdSe](#)

[CdTe](#)

[γ-CuBr](#)

[γ-CuCl](#)

[CuF](#)

[γ-CuI](#)

[HgO](#)

[HgS](#)

[HgSe](#)

[HgTe](#)

[MgO](#)

[MgS](#)

[MgSe](#)

[MgTe](#)

[SrO](#)

[ZnO](#)

[ZnS](#)

[ZnSe](#)

[ZnTe](#)

Compounds with three elements

[semimagnetic semiconductors, general data](#)

[Ca_x Ba_{1-x} S](#)

[Cd_x Ca_{1-x} O](#)

[Cd_{1-x} Co_x S](#)

[Cd_{1-x} Co_x Se](#)

[Cd_{1-x} Co_x Te](#)

[Cd_{1-x} Cr_x S](#)

[Cd_{1-x} Cr_x Te](#)

[Cd_{1-x} Fe_x S](#)

[Cd_{1-x} Fe_x Se](#)

[Cd_{1-x} Fe_x Te](#)

[\(Cd_{1-x} Mn_x\)₃ As₂](#)

[Cd_{1-x} Mn_x S](#)

[Cd_{1-x} Mn_x Se](#)

[Cd_{1-x} Mn_x Te](#)

[Cd_{1-x} Ni_x Te](#)

[CdS_{1-x} Se_x](#)

[CdS_{1-x} Te_x](#)

[CdSe_x Te_{1-x}](#)

[Cd_x Sr_{1-x} O](#)

[Ga_{1-x} Mn_x As](#)

[Ge_{1-x} Mn_x Te](#)

[Hg_{1-x} Cd_x Se](#)

[Hg_{1-x} Cd_x Te](#)

[Hg_{1-x} Co_x Se](#)

[Hg_{1-x} Cr_x Se](#)

[Hg_{1-x} Fe_x S](#)

[Hg_{1-x} Fe_x Se](#)

[Hg_{1-x} Fe_x Te](#)

[Hg_{1-x} Mn_x S](#)

[Hg_{1-x} Mn_x Se](#)

[Hg_{1-x} Mn_x Te](#)

[Hg_{1-x} Zn_x Te](#)

[In_{1-x} Mn_x As](#)

[Mg_x Ca_{1-x} O](#)

[Pb_{1-x} Eu_x S](#)

[Pb_{1-x} Eu_x Se](#)

[Pb_{1-x} Eu_x Te](#)

[Pb_{1-x} Gd_x Te](#)

[Pb_{1-x} Mn_x S](#)

[Pb_{1-x} Mn_x Se](#)

[Pb_{1-x} Mn_x Te](#)

[Sn_{1-x} Gd_x Te](#)

[Sn_{1-x} Mn_x Te](#)

[Sr_x Ba_{1-x} O](#)

[Sr_x Ca_{1-x} S](#)

[Zn_x Cd_{1-x} O](#)

[Zn_x Cd_{1-x} S](#)

[Zn_x Cd_{1-x} Se](#)

[Zn_x Cd_{1-x} Te](#)

[Zn_{1-x} Co_x S](#)

[Zn_{1-x} Co_x Se](#)

[Zn_{1-x} Co_x Te](#)

[Zn_{1-x} Cr_x S](#)

[Zn_{1-x} Cr_x Se](#)

[Zn_{1-x} Cr_x Te](#)

[Zn_{1-x} Fe_x S](#)

[Zn_{1-x} Fe_x Se](#)

[Zn_{1-x} Fe_x Te](#)

[Zn_x Hg_{1-x} Se](#)

[\(Zn_{1-x} Mn_x\)₃ As₂](#)

[Zn_{1-x} Mn_x S](#)

[Zn_{1-x} Mn_x Se](#)

[Zn_{1-x} Mn_x Te](#)

[Zn_{1-x} Ni_x S](#)

[Zn_{1-x} Ni_x Se](#)

[ZnS_{1-x} Se_x](#)

[ZnS_{1-x} Te_x](#)

[ZnSe_x Te_{1-x}](#)

Compounds with four elements

[Cd_x Hg_y Mn_z Se](#)

[Cd_x Hg_y Mn_z Te](#)

[Cd\(Te,Se,S\)](#)

[Cd_x Zn_y Mn_z Te](#)

[Hg_{1-x} Mn_x Te_{1-y} Se_y](#)

[Pb_{1-x-y} Sn_y Mn_x Se](#)

[Pb_{1-x-y} Sn_y Mn_x Te](#)

[Zn_{1-y} Cd_y S_x Se_{1-x}](#)

[Zn_{1-y} Cd_y Se_x Te_{1-x}](#)

[Zn\(Te,Se,S\)](#)

Silver bromide (AgBr)

[back to top](#)

[band structure](#)

[band gap, indirect edge](#)

[exciton energies](#)

[g-factors](#)

[band gap, direct edge](#)

[effective masses](#)

[deformation potentials and related parameters](#)

[biexciton parameters](#)

[further remarks to electronic properties](#)

[impurities and intrinsic defects: bound excitons](#)

[impurities and intrinsic defects: infrared absorption spectra](#)

[impurities and intrinsic defects: transient infrared absorption spectra](#)

[crystal structure, high pressure modifications, lattice parameters, thermal expansion](#)

[phonon dispersion](#)

[phonon frequencies and wavenumbers, Debye-Waller factors and related data](#)

[elastic moduli and compliances](#)

[Grueneisen parameters, bulk modulus, compressibility](#)

[electrical and ionic transport properties](#)

[optical properties, dielectric constants](#)

[Debye temperature, heat capacity, melting point, density](#)

[physical properties of AgBr\(1-x\)Cl\(x\) and AgBr\(1-x\)I\(x\) mixed crystals](#)

Silver chloride (AgCl)

[back to top](#)

[Debye temperature, heat capacity, melting point, density](#)

[band structure](#)

[energy gaps, indirect edge](#)

[deformation potential](#)

[exciton binding energy, exchange interaction, g-factor](#)

[energy gaps, direct edge](#)

[effective masses, further band parameters](#)

[further remarks to band structure](#)

[impurities and intrinsic defects: bound excitons](#)

[impurities and intrinsic defects: infrared absorption spectra](#)

[impurities and intrinsic defects: transient infrared absorption spectra](#)

[impurities and intrinsic defects: self-trapped exciton and hole state \(STE, STH\)](#)

[impurities and intrinsic defects: ODMR spectra](#)

[crystal structure, lattice parameters, thermal expansion](#)

[phonon dispersion, frequencies and wavenumbers](#)

[elastic moduli and compliances](#)

[bulk modulus, compressibility, mode Grueneisen parameters](#)

[electrical and thermal transport](#)

[refractive index, dielectric constants](#)

[reflectivity, luminescence](#)

Silver monofluoride (AgF)

[back to top](#)

[characterization, band structure and energies](#)

[crystal structure, lattice parameters, phonon frequencies](#)

[dielectric constants, refractive index](#)

[Debye temperature, melting point, density](#)

Silver iodide (AgI)

[back to top](#)

[band structure, energy gaps: beta-AgI \(wurtzite\)](#)

[edge exciton transition energies: beta-AgI \(wurtzite\)](#)

[transitions to higher excited exciton states: beta-AgI \(wurtzite\)](#)

[spin-orbit, crystal field and longitudinal-transverse splitting energies \(beta-AgI\)](#)

[exciton radius and binding energies](#)

[effective and reduced masses](#)

[electronic properties of beta-AgI \(zincblende\)](#)

[electronic properties of f.c.c.-AgI \(NaCl-type\)](#)

[crystal structure, high pressure modifications, lattice parameters](#)

[phonon dispersion and frequencies, Debye-Waller factors](#)

[sound velocities, elastic moduli and compliances, compressibility and related data](#)

[lattice properties of gamma-AgI and f.c.c-AgI](#)

[ionic transport and related properties](#)

[dielectric constants](#)

[piezoelectric stress coefficient](#)

[far-infrared reflectivity and transmission](#)

[Debye temperature, melting point, density, heat capacity](#)

[AgBr\(1-x\)I\(x\), AgI\(1-x\)Cl\(x\) and Ag\(x\)Cu\(1-x\)I mixed crystals](#)

Barium oxide (BaO)

[back to top](#)

[band structure, energy gap](#)

[effective masses, Fröhlich coupling constant](#)

[impurities and defects](#)

[crystal structure, lattice parameters, thermal expansion](#)

[phonon dispersion and phonon frequencies](#)

[sound velocities, elastic moduli](#)

[bulk modulus, effective ion charge](#)

[electrical and thermal transport properties](#)

[dielectric constants, optical and photoelectric properties](#)

[magnetic properties](#)

[Debye temperature, heat capacity, density, melting and boiling points](#)

[thermodynamical properties](#)

Barium sulfide (BaS)

[back to top](#)

[physical properties](#)

Beryllium oxide (BeO)

[back to top](#)

[electronic properties](#)

[impurities and defects](#)

[lattice properties](#)

[transport and optical properties](#)

[optical properties](#)

[further properties](#)

Beryllium sulfide (BeS)

[back to top](#)

[physical properties](#)

Beryllium selenide (BeSe)

[back to top](#)

[physical properties](#)

Beryllium telluride (BeTe)

[physical properties](#)

[back to top](#)

Beryllium compounds (Be-VI)

[general properties](#)

[back to top](#)

Ca(x)Ba(1-x)S

[properties of IIA-VIB compounds](#)

[back to top](#)

Calcium oxide (CaO)

[band structure](#)

[energy gap, interband transition energies](#)

[effective and polaron masses, Fröhlich coupling constant](#)

[impurities and defects](#)

[crystal structure, lattice parameters, thermal expansion](#)

[phonon dispersion and phonon frequencies](#)

[sound velocities, elastic moduli](#)

[Young's, shear and bulk modulus, Poisson's ratio](#)

[compressibility, Grueneisen parameter, effective ion charge](#)

[electrical and thermal transport properties](#)

[dielectric constants, optical properties](#)

[magnetic properties](#)

[Debye temperature, heat capacity, density, melting and boiling points, hardness](#)

[thermodynamic properties](#)

[back to top](#)

Calcium sulfide (CaS)

[physical properties](#)

[back to top](#)

Cadmium cobalt sulfide (Cd(1-x)Co(x)S)

[physical properties](#)

[back to top](#)

Cadmium cobalt selenide (Cd(1-x)Co(x)Se)

[physical properties](#)

[back to top](#)

Cadmium cobalt telluride (Cd(1-x)Co(x)Te)

[physical properties](#)

[back to top](#)

Cadmium chromium sulfide (Cd(1-x)Cr(x)S)

[physical properties](#)

[back to top](#)

Cadmium chromium telluride (Cd(1-x)Cr(x)Te)

[physical properties](#)

[back to top](#)

Cadmium iron sulfide (Cd(1-x)Fe(x)S)

[physical properties](#)

[back to top](#)

Cadmium iron selenide ($\text{Cd}(1-x)\text{Fe}(x)\text{Se}$)

[physical properties](#)

[back to top](#)

Cadmium iron telluride ($\text{Cd}(1-x)\text{Fe}(x)\text{Te}$)

[physical properties](#)

[back to top](#)

Cadmium manganese sulfide ($\text{Cd}(1-x)\text{Mn}(x)\text{S}$)

[physical properties](#)

[back to top](#)

Cadmium manganese selenide ($\text{Cd}(1-x)\text{Mn}(x)\text{Se}$)

[physical properties](#)

[back to top](#)

Cadmium manganese telluride ($\text{Cd}(1-x)\text{Mn}(x)\text{Te}$)

[electronic properties](#)

[lattice, transport and magnetic properties](#)

[back to top](#)

Cadmium manganese arsenide: ($\text{Cd}(1-x)\text{Mn}(x)$) $_3\text{As}_2$

[physical properties](#)

[back to top](#)

$\text{Cd}(1-x)\text{Ni}(x)\text{Te}$

[general properties](#)

[back to top](#)

$\text{Cd}(\text{Te},\text{Se},\text{S})$

[physical properties](#)

[back to top](#)

$\text{Cd}(x)\text{Ca}(1-x)\text{O}$

[properties of IIA-VIB compounds](#)

[back to top](#)

$\text{Cd}(x)\text{Hg}(y)\text{Mn}(z)\text{Se}$

[physical properties](#)

[back to top](#)

$\text{Cd}(x)\text{Hg}(y)\text{Mn}(z)\text{Te}$

[physical properties](#)

[back to top](#)

$\text{Cd}(x)\text{Sr}(1-x)\text{O}$

[properties of IIA-VIB compounds](#)

[back to top](#)

$\text{Cd}(x)\text{Zn}(y)\text{Mn}(z)\text{Te}$

[physical properties](#)

[back to top](#)

Cadmium oxide (CdO)

[band structure](#)

[band energies at symmetry points](#)

[energy gap](#)

[back to top](#)

[interband transition energies](#)
[effective masses, g-factor and related parameters](#)
[impurities and defects](#)
[crystal structure, lattice parameters, thermal expansion](#)
[phonon properties and frequencies, effective ion charge](#)
[transport properties, carrier mobilities](#)
[optical and photoelectric properties, dielectric constants, plasmon energy](#)
[magnetic properties](#)
[Debye temperature, heat capacity, melting point, density](#)
[thermodynamic properties, vapor pressure, phase diagram](#)

Cadmium sulfide (CdS)

[back to top](#)

[band structure, hexagonal modification](#)
[valence band energies, hexagonal modification](#)
[energy gaps, hexagonal modification](#)
[splitting parameters, hexagonal modification](#)
[k-linear terms, hexagonal modification](#)
[energy gap pressure and temperature coefficients, hexagonal modification](#)
[interband transition energies, hexagonal modification](#)
[deformation potentials, hexagonal modification](#)
[free carrier effective masses, hexagonal modification](#)
[g-factors, hexagonal modification](#)
[diamagnetic shift, Luttinger parameter, deformation potentials,](#)
[free excitons, hexagonal modification](#)
[further exciton energies, hexagonal modification](#)
[exciton polaritons: A-exciton, hexagonal modification](#)
[exciton polaritons: B-exciton, hexagonal modification](#)
[dense exciton systems, hexagonal modification](#)
[biexciton energy, hexagonal modification](#)
[electron-hole liquids, highly excited CdS, hexagonal modification](#)
[further exciton data, exciton-phonon coupling, oscillator strengths and other parameters](#)
[band structure, energy gap, cubic modification](#)
[interband transition energies and effective masses, cubic modification](#)
[band structure, zincblende modification](#)
[ionization and excitation energies of impurities and defects](#)
[capture cross-sections of impurities](#)
[further data on impurities](#)
[impurity \(defect\) bound excitons](#)
[donor-acceptor pairs transitions](#)
[crystal structure, modifications](#)
[lattice parameters, thermal expansion](#)
[phonon dispersion](#)
[phonon wavenumbers, mean square displacements](#)
[Raman wavenumbers](#)
[local modes](#)
[sound velocities and absorption](#)
[elastic moduli and compliances](#)
[piezoelectric stress and strain coefficients](#)
[electromechanical coupling factor](#)
[vibrational amplitudes, bulk modulus](#)
[compressibilities, Grueneisen parameters, effective charges](#)
[transport mechanism](#)

[intrinsic conductivity and carrier concentrations](#)
[electrical and thermal conductivity, resistivity, magnetoresistance](#)
[photoconductivity](#)
[electron mobilities](#)
[hole mobilities](#)
[diffusion of carriers and ions](#)
[Seebeck and Nernst coefficient](#)
[optical properties \(general\), refractive index and birefringence, Sellmeier coefficients](#)
[absorption coefficient, reflectance](#)
[dielectric constants](#)
[Verdet constant](#)
[photoelastic coefficient, nonlinear optics](#)
[two photon absorption](#)
[optical rectification and bistability](#)
[linear and quadratic electrooptic coefficients](#)
[Schottky barrier heights](#)
[optical and ESR spectra of iron-group-element-impurities](#)
[magnetic properties](#)
[Debye temperature, heat capacity, density, melting point, hardness](#)
[thermodynamic properties, vapor pressure, phase diagram](#)

CdS(1-x)Se(x)

[back to top](#)

[electronic properties](#)
[impurities and defects, lattice and transport properties](#)
[optical properties](#)

CdS(1-x)Te(x)

[back to top](#)

[physical properties](#)

Cadmium selenide (CdSe)

[back to top](#)

[band structure, hexagonal modification](#)
[energy gaps, hexagonal modification](#)
[valence band splitting parameters, hexagonal modification](#)
[energy gap, temperature and pressure coefficients, hexagonal modification](#)
[interband transition energies, hexagonal modification](#)
[Luttinger parameters, deformation potentials, hexagonal modification](#)
[effective masses, Fröhlich coupling constant, hexagonal modification](#)
[g-factors, hexagonal modification](#)
[exciton energies, hexagonal modification](#)
[excitonic polaritons, oscillator strengths, biexcitons, hexagonal modification](#)
[dense exciton systems, hexagonal modification](#)
[electronic properties, cubic modification](#)
[electronic properties, zincblende modification](#)
[impurities and defects: ionization energies](#)
[further data on shallow and deep impurities](#)
[impurity bound excitons](#)
[crystal structure, modifications](#)
[lattice parameters, thermal expansion](#)
[phonon dispersion](#)
[phonon wavenumbers, mean square displacements](#)

[local mode wavenumbers](#)
[sound velocities](#)
[elastic moduli](#)
[piezoelectric strain and stress coefficients, electromechanical coupling factor](#)
[Young's and bulk modulus, compressibility, effective charges](#)
[electrical transport](#)
[electrical conductivity, carrier concentration, magnetoresistance](#)
[photoconductivity and thermal conductivity](#)
[electron mobilities](#)
[hole mobility, carrier and ion diffusion](#)
[thermoelectric power](#)
[optical properties, general, refractive index](#)
[isotopic wavelength, Sellmeier coefficients](#)
[refractive index, birefringence](#)
[absorption, reflection, luminescence](#)
[dielectric constants](#)
[two photon absorption](#)
[optical and ESR spectra of iron-group element impurities](#)
[electrooptic and non-linear coefficients](#)
[magnetic properties](#)
[Debye temperature, heat capacity, density, melting point, hardness](#)
[thermodynamical properties, phase diagram](#)

CdSe(x)Te(1-x)

[back to top](#)

[electronic properties](#)
[impurities and defects](#)
[transport and optical properties](#)

Cadmium telluride (CdTe)

[back to top](#)

[band structure](#)
[band energies at symmetry points](#)
[energy gap](#)
[critical point and splitting energies](#)
[effective masses](#)
[g-factors, k-linear terms](#)
[Kane and Luttinger parameters of valence band, polaron coupling constant](#)
[deformation potentials](#)
[excitons](#)
[impurities and defects: ionization energies](#)
[intrinsic defects and defect complexes](#)
[energy position and capture cross sections of traps](#)
[bound excitons, donor-acceptor pairs](#)
[crystal structure, modifications](#)
[lattice parameter, thermal expansion](#)
[phonon dispersion, phonon frequencies and wavenumbers, local modes, mean square displacements](#)
[sound velocities, elastic moduli](#)
[bulk modulus, compressibility, ionicity, effective ion charge](#)
[Grüneisen parameter, stress and strain coefficient](#)
[electrical and thermal transport, carrier mobilities](#)
[optical properties, refractive index, dielectric constants, two-photon absorption](#)
[Debye temperature, heat capacity, density, melting point, hardness](#)
[thermodynamic properties, vapor pressure, phase diagram](#)

Cuprous fluoride (CuF)

[back to top](#)

[physical properties](#)

Gallium manganese arsenide (Ga(1-x)Mn(x)As)

[back to top](#)

[physical properties](#)

Cuprous bromide (gamma-CuBr)

[back to top](#)

[lattice parameters, thermal expansion](#)

[band structure, energy gaps](#)

[exciton energies](#)

[higher exciton states](#)

[edge exciton energies](#)

[exciton splitting energies](#)

[spin-orbit splitting energy](#)

[exciton exchange energies](#)

[exciton radii, binding energies and other exciton parameters](#)

[effective masses](#)

[biexciton parameters](#)

[Luttinger parameters, g-factors](#)

[deformation potentials](#)

[electronic properties of NaCl-type CuBr](#)

[crystal structure, high-pressure modifications](#)

[phonon dispersion and frequencies, Debye-Waller factor](#)

[elastic moduli](#)

[compressibility, bulk modulus, internal strain, Grueneisen parameter, effective charges](#)

[ionic conductivity](#)

[dielectric constants, refractive index](#)

[birefringence, electrooptic and elastooptic constants](#)

[second order nonlinear parameters](#)

[magnetic susceptibility](#)

[Debye temperature, heat capacity, melting point, density](#)

Cuprous chloride (gamma-CuCl)

[back to top](#)

[transition energies to higher excited exciton states](#)

[exciton splitting energies](#)

[spin-orbit splitting energies](#)

[exchange energies](#)

[exciton radii and binding energy](#)

[mean square displacements, Debye-Waller factors, line widths](#)

[biexcitons](#)

[free carrier effective masses](#)

[exciton effective masses](#)

[g-factors](#)

[deformation potentials](#)

[localized excitons](#)

[further remarks to electronic properties](#)

[electronic properties of NaCl-type CuCl](#)

[crystal structure, space group](#)

[lattice parameter, thermal expansion, compressibility](#)

[phonon dispersion](#)

[phonon frequencies, wavenumbers and related data](#)
[elastic moduli, mode Grueneisen parameters, effective charges](#)
[compressibility, bulk modulus, internal strain parameter](#)
[ambipolar diffusion of excitons](#)
[ionic conductivity](#)
[optical properties, dielectric constants, refractive index](#)
[piezoelectric stress coefficient](#)
[electrooptic and piezooptic constants, piezobirefringence](#)
[second-order nonlinear dielectric susceptibility](#)
[third-order nonlinear dielectric susceptibility](#) [electromagnetic coupling constant](#)
[magnetic susceptibility](#)
[Debye temperature, melting point, density](#)
[band structure](#)
[energy gaps](#)
[critical point energies](#)
[exciton energies, oscillator strength, polariton dispersion](#)

Cuprous iodide (γ -CuI)

[back to top](#)

[lattice parameters, thermal expansion](#)
[band structure, energy gap](#)
[exciton transition and splitting energies](#)
[spin-orbit splitting energy](#)
[exciton radii, binding energy and other exciton parameters](#)
[effective masses](#)
[g-factors](#)
[deformation potentials](#)
[electronic properties of NaCl-type CuI](#)
[crystal structure, high pressure modifications](#)
[phonon dispersion and frequencies and related data, Debye-Waller factors](#)
[elastic moduli, compressibility, bulk modulus, internal strain, Grueneisen parameter, effective charge](#)
[ionic conductivity](#)
[dielectric constants, refractive index](#)
[birefringence, piezoelectric, piezooptic and other optical constants](#)
[magnetic susceptibility](#)
[Debye temperature, heat capacity, melting point, density](#)

Germanium manganese telluride ($\text{Ge}_{(1-x)}\text{Mn}_x\text{Te}$)

[back to top](#)

[physical properties](#)

$\text{Hg}_{(1-x)}\text{Cd}_x\text{Se}$

[back to top](#)

[electronic properties](#)
[lattice properties](#)
[transport and optical properties](#)

$\text{Hg}_{(1-x)}\text{Cd}_x\text{Te}$

[back to top](#)

[band structure, energy gap](#)
[interband transition energies, further band parameters](#)
[effective masses](#)
[impurity levels](#)

[lattice properties](#)
[transport properties](#)
[optical properties](#)

Mercury cobalt selenide ($\text{Hg}(1-x)\text{Co}(x)\text{Se}$)

[back to top](#)

[physical properties](#)

Mercury chromium selenide ($\text{Hg}(1-x)\text{Cr}(x)\text{Se}$)

[back to top](#)

[physical properties](#)

Mercury iron sulfide ($\text{Hg}(1-x)\text{Fe}(x)\text{S}$)

[back to top](#)

[physical properties](#)

Mercury iron selenide ($\text{Hg}(1-x)\text{Fe}(x)\text{Se}$)

[back to top](#)

[physical properties](#)

Mercury iron telluride ($\text{Hg}(1-x)\text{Fe}(x)\text{Te}$)

[back to top](#)

[physical properties](#)

Mercury manganese sulfide ($\text{Hg}(1-x)\text{Mn}(x)\text{S}$)

[back to top](#)

[physical properties](#)

Mercury manganese selenide ($\text{Hg}(1-x)\text{Mn}(x)\text{Se}$)

[back to top](#)

[electronic properties](#)

[transport and magnetic properties](#)

Mercury manganese telluride ($\text{Hg}(1-x)\text{Mn}(x)\text{Te}$)

[back to top](#)

[band structure, general](#)

[band structure parameters](#)

[effective mass, g-factor, exchange constants](#)

[impurities](#)

[lattice properties, dielectric constants](#)

[transport mechanisms, insulator-metal transition](#)

[optical and magnetic properties](#)

$\text{Hg}(1-x)\text{Mn}(x)\text{Te}(1-y)\text{Se}(y)$

[back to top](#)

[physical properties](#)

$\text{Hg}(1-x)\text{Zn}(x)\text{Te}$

[back to top](#)

[physical properties](#)

Mercury oxide (HgO)

[back to top](#)

[crystal structure, physical properties](#)

Mercury sulfide (HgS)

[back to top](#)

[crystal structure, modifications](#)

[band energies, impurities: alpha-HgS \(trigonal\) \(red cinnabar\)](#)

[lattice properties: alpha-HgS \(trigonal\) \(red cinnabar\)](#)

[transport properties: alpha-HgS \(trigonal\) \(red cinnabar\)](#)

[optical properties, dielectric constants: alpha-HgS \(trigonal\) \(red cinnabar\)](#)

[crystal structure, lattice parameters, bulk modulus: beta-HgS \(zincblende structure\)](#)

[band structure, energy gap, effective masses: beta-HgS \(zincblende structure\)](#)

[further lattice properties: beta-HgS \(zincblende structure\)](#)

[transport, optical and further properties: beta-HgS \(zincblende structure\)](#)

[Debye temperature, heat capacity, melting point, density, hardness](#)

[thermodynamic properties](#)

Mercury selenide (HgSe)

[back to top](#)

[band structure, energy gap](#)

[interband transition and splitting energies, effective masses, g-factor](#)

[Luttinger and Kane parameters of the valence band](#)

[impurities and defects](#)

[crystal structure, lattice parameters](#)

[phonon dispersion and phonon wavenumbers](#)

[elastic moduli](#)

[effective charge, bulk modulus, compressibility](#)

[electrical conductivity, electron mobility](#)

[optical properties, dielectric constants](#)

[Debye temperature, heat capacity, melting point, density, hardness](#)

[thermodynamical properties, vapor pressure, phase diagram](#)

Mercury telluride (HgTe)

[back to top](#)

[band structure, band energies at symmetry points](#)

[energy gap](#)

[critical point energies](#)

[spin-orbit splitting, k-linear term](#)

[effective masses](#)

[g-factors](#)

[Luttinger and Kane parameters](#)

[impurities and defects](#)

[crystal structure, modifications](#)

[lattice parameters](#)

[thermal expansion](#)

[phonon dispersion, phonon energies and wavenumbers](#)

[elastic moduli, sound velocity](#)

[bulk modulus, effective charge, Grueneisen parameter](#)

[electrical transport, conductivity, mobility](#)

[optical properties, dielectric constants](#)

[Debye temperature, melting point, density, heat capacity, hardness](#)

[thermodynamical properties, vapor pressure, phase diagram](#)

Indium manganese arsenide (In_(1-x)Mn_(x)As)

[back to top](#)

[physical properties](#)

Mg(x)Ca(1-x)O

[properties of IIA-VIB compounds](#)

[back to top](#)

Magnesium oxide (MgO)

[band structure](#)

[energy gap, interband transition energies](#)

[impurities and defects](#)

[crystal structure, lattice parameters, thermal expansion](#)

[phonon dispersion and phonon frequencies](#)

[sound velocities](#)

[elastic moduli](#)

[Young's, shear and bulk moduli, Poisson's ratio](#)

[compressibility, Grueneisen parameter, effective ion charge](#)

[electrical and thermal transport properties](#)

[dielectric constants, optical and photoelectric properties](#)

[magnetic properties](#)

[Debye temperature, heat capacity, density, melting and boiling points, hardness](#)

[thermodynamic parameters](#)

[back to top](#)

Magnesium sulfide (MgS)

[physical properties](#)

[back to top](#)

Magnesium selenide (MgSe)

[physical properties](#)

[back to top](#)

Magnesium telluride (MgTe)

[physical properties](#)

[back to top](#)

Lead europium sulfide (Pb(1-x)Eu(x)S)

[physical properties](#)

[back to top](#)

Lead europium selenide (Pb(1-x)Eu(x)Se)

[physical properties](#)

[back to top](#)

Lead europium telluride (Pb(1-x)Eu(x)Te)

[physical properties](#)

[back to top](#)

Lead gadolinium telluride (Pb(1-x)Gd(x)Te)

[physical properties](#)

[back to top](#)

Lead manganese sulfide (Pb(1-x)Mn(x)S)

[physical properties](#)

[back to top](#)

Lead manganese selenide (Pb(1-x)Mn(x)Se)

[physical properties](#)

[back to top](#)

Lead manganese telluride ($\text{Pb}(1-x)\text{Mn}(x)\text{Te}$)

[back to top](#)

[physical properties](#)

[general properties](#)

Lead tin manganese selenide ($\text{Pb}(1-x-y)\text{Sn}(y)\text{Mn}(x)\text{Se}$)

[back to top](#)

[physical properties](#)

Lead tin manganese telluride ($\text{Pb}(1-x-y)\text{Sn}(y)\text{Mn}(x)\text{Te}$)

[back to top](#)

[physical properties](#)

[general properties](#)

Tin gadolinium telluride ($\text{Sn}(1-x)\text{Gd}(x)\text{Te}$)

[back to top](#)

[physical properties](#)

Tin manganese telluride ($\text{Sn}(1-x)\text{Mn}(x)\text{Te}$)

[back to top](#)

[physical properties](#)

$\text{Sr}(x)\text{Ba}(1-x)\text{O}$

[back to top](#)

[properties of IIA-VIB compounds](#)

$\text{Sr}(x)\text{Ca}(1-x)\text{S}$

[back to top](#)

[properties of IIA-VIB compounds](#)

Strontium oxide (SrO)

[back to top](#)

[band structure, energy gap](#)

[effective and polaron masses, Fröhlich coupling constant](#)

[impurities and defects](#)

[crystal structure, lattice parameters, thermal expansion](#)

[phonon dispersion and phonon frequencies](#)

[sound velocities, elastic moduli](#)

[Young's, shear and bulk modulus, Poisson's ratio](#)

[compressibility, Grueneisen parameter, effective ion charge](#)

[electrical and thermal transport properties](#)

[dielectric constants, optical and photoelectric properties](#)

[magnetic properties](#)

[Debye temperature, heat capacity, density, melting and boiling points, hardness .](#)

[thermodynamical properties](#)

Zinc cobalt sulfide ($\text{Zn}(1-x)\text{Co}(x)\text{S}$)

[back to top](#)

[physical properties](#)

Zinc cobalt selenide ($\text{Zn}(1-x)\text{Co}(x)\text{Se}$)

[back to top](#)

[physical properties](#)

Zinc cobalt telluride ($\text{Zn}(1-x)\text{Co}(x)\text{Te}$)

[back to top](#)

[physical properties](#)

Zinc chromium sulfide ($\text{Zn}(1-x)\text{Cr}(x)\text{S}$)

[back to top](#)

[physical properties](#)

Zinc chromium selenide ($\text{Zn}_{1-x}\text{Cr}_x\text{Se}$) physical properties	back to top
Zinc chromium telluride ($\text{Zn}_{1-x}\text{Cr}_x\text{Te}$) physical properties	back to top
Zinc iron sulfide ($\text{Zn}_{1-x}\text{Fe}_x\text{S}$) physical properties	back to top
Zinc iron selenide ($\text{Zn}_{1-x}\text{Fe}_x\text{Se}$) physical properties	back to top
Zinc iron telluride ($\text{Zn}_{1-x}\text{Fe}_x\text{Te}$) physical properties	back to top
Zinc manganese arsenide: ($\text{Zn}_{1-x}\text{Mn}_x$)$_3\text{As}_2$ physical properties	back to top
Zinc manganese sulfide ($\text{Zn}_{1-x}\text{Mn}_x\text{S}$) physical properties	back to top
Zinc manganese selenide ($\text{Zn}_{1-x}\text{Mn}_x\text{Se}$) physical properties	back to top
Zinc manganese telluride ($\text{Zn}_{1-x}\text{Mn}_x\text{Te}$) physical properties	back to top
$\text{Zn}_{1-x}\text{Ni}_x\text{S}$ general properties	back to top
$\text{Zn}_{1-x}\text{Ni}_x\text{Se}$ general properties	back to top
$\text{Zn}_{1-y}\text{Cd}_y\text{S}_x\text{Se}_{1-x}$ physical properties	back to top
$\text{Zn}_{1-y}\text{Cd}_y\text{Se}_x\text{Te}_{1-x}$ physical properties	back to top
$\text{Zn}(\text{Te}, \text{Se}, \text{S})$ physical properties	back to top
$\text{Zn}_x\text{Cd}_{1-x}\text{O}$ physical properties	back to top
$\text{Zn}_x\text{Cd}_{1-x}\text{S}$ electronic properties impurities and defects lattice parameters, phase diagrams transport properties optical properties	back to top

Zn(x)Cd(1-x)Se

[back to top](#)

[electronic properties](#)

[impurities and defects](#)

[transport properties](#)

[optical properties](#)

Zn(x)Cd(1-x)Te

[back to top](#)

[electronic properties](#)

[impurities and defects](#)

[lattice properties](#)

[transport properties](#)

[optical properties](#)

Zn(x)Hg(1-x)Se

[back to top](#)

[physical properties](#)

Zinc oxide (ZnO)

[back to top](#)

[band structure](#)

[energies of symmetry points of the band structure](#)

[energy gaps](#)

[excitons, general](#)

[exciton transition energies](#)

[further exciton data](#)

[special exciton parameters](#)

[biexcitons](#)

[splitting energies](#)

[electron effective masses](#)

[hole effective masses, g-factors](#)

[deformation potentials](#)

[ionization energies of donors](#)

[ionization energies of shallow impurities](#)

[ionization energies of deep impurities](#)

[deep impurity inner transition energies](#)

[Zeeman behavior of impurity transitions](#)

[isotope shift effects of impurity transitions](#)

[quantum efficiencies eta and decay times tau of impurity transitions](#)

[energy of traps possibly due to acceptors and donors](#)

[excitons bound to neutral acceptors](#)

[excitons bound to neutral donors](#)

[diffusion coefficients](#)

[wavenumbers of absorption peaks](#)

[ESR spectra](#)

[bound excitons](#)

[effective g-values of bound excitons](#)

[crystal structure, lattice parameters](#)

[distances, ionic radii, further lattice parameters](#)

[thermal expansion](#)

[effective ionic charge](#)

[phonon dispersion and related parameters](#)

[phonon wavenumbers: fundamental modes](#)

[phonon wavenumbers: combination modes](#)
[Raman and surface phonon wavenumbers](#)
[sound velocities](#)
[elastic moduli and compliances, bulk modulus, compressibility and related parameters](#)
[piezoelectrical strain and stress coefficients](#)
[electromechanical coupling factor](#)
[pyroelectric constants](#)
[electronic conductivity and photoconductivity](#)
[resistivity, mobility](#)
[thermoelectric power](#)
[surface conductivity](#)
[thermal conductivity](#)
[optical properties and spectra](#)
[refractive index](#)
[isotropic wavelength](#)
[dielectric constants](#)
[electrooptical constants](#)
[light absorption in crystals with admixtures](#)
[nonlinear optical properties](#)
[magnetic susceptibility](#)
[Debye temperature, heat capacity, density, melting point, vapor pressure, hardness](#)
[thermodynamical properties](#)

Zinc sulfide (ZnS)

[back to top](#)

[band structure, cubic modification](#)
[energy gap, cubic modification](#)
[exciton energies, cubic modification](#)
[exciton and electron-hole liquid binding energies, cubic modification](#)
[Fröhlich and exciton-phonon coupling constants cubic modification](#)
[critical point and interband transition energies, cubic modification](#)
[spin-orbit splitting, g-factor, cubic modification](#)
[effective masses, cubic modification](#)
[deformation potential, k-linear term, cubic modification](#)
[band structure, hexagonal modification](#)
[energy gap, hexagonal modification](#)
[exciton energies, hexagonal modification](#)
[interband transition energies, hexagonal modification](#)
[crystal field and spin-orbit splitting, g-factor, hexagonal modification](#)
[effective masses, Luttinger parameters, hexagonal modification](#)
[energy states of imperfections and impurities, general remarks](#)
[shallow donors, ionization energies and g-values](#)
[shallow acceptor energies](#)
[ionization energies of deep impurities](#)
[ionization energies of deep impurities \(further data prior to 1980\)](#)
[deep impurity inner transition energies](#)
[crystal field splitting parameter Dq and Racah parameter B of 3d impurities](#)
[property: Zeeman behavior of impurity transitions](#)
[isotope shift effects of impurity transitions](#)
[pressure coefficients of impurity transitions](#)
[quantum efficiencies and decay times of impurity transitions](#)
[energy and capture cross section of traps possibly due to acceptors and donors](#)
[emission energies \(maxima of emission bands\) of impurity-related transitions](#)

[native defects: general](#)
[native defects: special defects](#)
[impurities in ZnS: scandium](#)
[impurities in ZnS: titanium](#)
[impurities in ZnS: vanadium](#)
[impurities in ZnS: chromium](#)
[impurities in ZnS: manganese](#)
[impurities in ZnS: iron](#)
[impurities in ZnS: cobalt](#)
[impurities in ZnS: nickel](#)
[impurities in ZnS: copper](#)
[ground state properties of rare-earth ions](#)
[impurities in ZnS: other substitutional impurities](#)
[impurities in ZnS: associates](#)
[impurities in ZnS: further associated defects](#)
[property: impurity \(defect\) bound excitons](#)
[crystal structure, modifications](#)
[lattice parameter, cubic modification](#)
[lattice parameter, hexagonal modification](#)
[lattice parameter, polytypic ZnS and other modifications](#)
[transformation temperature and pressure](#)
[thermal expansion](#)
[interatomic distances, covalent and ion radii](#)
[effective charges](#)
[electronic polarizability, ionicity](#)
[phonon dispersion](#)
[phonon wavenumbers, mean square displacements, cubic modification](#)
[phonon wavenumbers, hexagonal modification](#)
[phonon wavenumbers, polytypic ZnS\(4H\)](#)
[Raman frequencies and wavenumbers](#)
[surface optical phonon wavenumber, cubic modification](#)
[sound velocities](#)
[elastic moduli, cubic modification](#)
[elastic moduli, hexagonal modification](#)
[elastic compliances, cubic modification](#)
[elastic compliances, hexagonal modification](#)
[elastic moduli, pressure dependence](#)
[bulk modulus](#)
[compressibility, effective charges](#)
[third-order elastic constants, Young's modulus, Poisson's ratio, Grueneisen parameters](#)
[electromechanical coupling coefficients](#)
[internal strain, piezoelectric strain and stress constants](#)
[\(photo\)conductivity, resistivity, cubic modification](#)
[carrier mobilities, magnetoresistance, diffusion length, cubic modification](#)
[thermal conductivity](#)
[optical properties](#)
[refractive index, cubic modification](#)
[refractive index, hexagonal modification](#)
[refractive index, polycrystalline ZnS](#)
[bulk-photovoltaic effect, thin films](#)
[dielectric constant, cubic modification](#)
[dielectric constant, hexagonal modification](#)

[electrooptical constants](#)
[elastooptical and piezooptical constants](#)
[third order elastooptical constants](#)
[nonlinear optical coefficients](#)
[photodielectric effect](#)
[energy efficiency of cathodoluminescence](#)
[electron yield, electron affinity](#)
[photoelectric threshold, work function](#)
[plasmon energy of valence band electrons](#)
[absorption and reflection in the uv and ir regions](#)
[Raman and Faraday effects, multi-phonon spectra](#)
[visible luminescence of ZnS](#)
[Debye temperature](#)
[heat capacity](#)
[molar weight and volume, isotopic abundances](#)
[hardness, density](#)
[melting point](#)
[vapor pressure, heat of vaporization](#)
[thermodynamical parameters](#)

ZnS(1-x)Se(x)

[back to top](#)

[electronic properties](#)
[impurities and defects](#)
[lattice properties](#)
[transport properties](#)
[optical properties](#)

ZnS(1-x)Te(x)

[back to top](#)

[physical properties](#)

Zinc selenide (ZnSe)

[back to top](#)

[band structure](#)
[energies at symmetry points of the band structure](#)
[energy gap](#)
[exciton energies](#)
[temperature and pressure dependence of exciton energies](#)
[further exciton parameters](#)
[interband transition energies](#)
[spin-orbit splitting energies](#)
[free carrier effective masses, Fröhlich coupling constant](#)
[exciton reduced masses and other exciton parameters](#)
[Luttinger parameters, exchange parameter](#)
[g-factors](#)
[oscillator strengths](#)
[exciton Rydberg energy](#)
[electron-hole interaction parameter](#)
[k-linear term, deformation potentials](#)
[shallow donors, ionization energies](#)
[shallow donor, excitation energies](#)
[chemical and g-values of shallow impurities](#)

[shallow acceptor ionization energies](#)
[shallow acceptor excitation energies](#)
[further data on shallow impurities](#)
[emission energies](#)
[zero-phonon lines](#)
[bound exciton transition and binding energies](#)
[bound exciton emission peaks](#)
[decay times of acceptor-bound-exciton luminescence](#)
[splitting and g-values of bound excitons](#)
[excitons bound to neutral donors](#)
[transitions into excited electronic states of donor-bound-exciton complexes](#)
[decay times of bound-exciton luminescence](#)
[pressure dependence of bound excitons](#)
[emission band maxima](#)
[energy and capture cross section of traps possibly due to acceptors and donors](#)
[ionization energies of deep impurities](#)
[deep impurity inner transition energies](#)
[pressure coefficients and quantum efficiencies of impurity transitions](#)
[3d impurity emission lines](#)
[3d impurity crystal field splitting](#)
[impurity g-values](#)
[spin Hamiltonian parameters](#)
[crystal structure, modifications](#)
[properties of the rocksalt modification](#)
[lattice parameter, thermal expansion](#)
[ionic radii, effective charges](#)
[phonon dispersion](#)
[phonon energies](#)
[phonon frequencies](#)
[pressure dependence of phonon wavenumbers](#)
[energies of local modes](#)
[sound velocities](#)
[elastic moduli and compliances](#)
[compressibility, piezoelectric stress and strain](#)
[Young's, shear and bulk moduli](#)
[Grueneisen parameters](#)
[electrical \(photo\)conductivity and resistivity](#)
[free carrier mobilities, Hall coefficient and magnetoresistance](#)
[charge carrier and ion diffusion](#)
[thermoelectric power, thermal conductivity](#)
[refractive index](#)
[absorption coefficient](#)
[dielectric constants](#)
[Verdet constant](#)
[Cotton-Mouton effect, electrooptic and photoelastic coefficients](#)
[nonlinear optical properties](#)
[radiation damage](#)
[magnetic properties](#)
[Debye temperature, heat capacity, Schottky barrier heights](#)
[density, melting point, hardness](#)
[thermodynamical properties](#)

ZnSe(x)Te(1-x)

[back to top](#)

[electronic properties](#)

[impurities and defects](#)

[transport and optical properties](#)

Zinc telluride (ZnTe)

[back to top](#)

[band structure, band energies](#)

[energy gap](#)

[exciton energies](#)

[critical point energies, spin-orbit splitting](#)

[effective masses](#)

[Fröhlich coupling constant, g-factors](#)

[diamagnetic shift, k-linear term](#)

[Luttinger parameters, deformation potentials](#)

[shallow acceptor and donor energies](#)

[deep impurities](#)

[bound excitons](#)

[crystal structure, lattice parameters, thermal expansion](#)

[effective charges](#)

[phonon dispersion, phonon frequencies and related data](#)

[sound velocities, elastic moduli, bulk modulus, compressibility](#)

[Grueneisen parameters, internal strain parameter, piezoelectric constant, effective charges](#)

[electrical and thermal transport, carrier mobilities](#)

[dielectric constants](#)

[refractive index, absorption, luminescence](#)

[piezoelectric stress coefficient, photoelastic constants, electrooptic coefficient](#)

[nonlinear optical properties](#)

[heat capacity, Debye temperature, density, melting point, hardness](#)

[thermodynamical properties](#)

II-VI compounds, general data

[back to top](#)

[crystal structure, space group and lattice parameters of IIA-VIB compounds](#)

[crystal structure, space group and lattice parameters of IIB-VIB compounds](#)

[lattices occurring in II-VI compounds](#)

[high temperature and high pressure phases, phase diagrams](#)

[physical properties of Mg, Ca and Ba sulfide](#)

[chemical bond in II-VI compounds](#)

I-VII compounds, general data

[back to top](#)

[comparative tables on crystal structure of phases at normal conditions](#)

[comparative tables on crystal structure of high temperature phases](#)

[chemical bond, disorder and melting](#)

II-V manganese compounds

[back to top](#)

[general properties](#)

Semimagnetic semiconductors, general data

[back to top](#)

[composition and crystal structure of ternary bulk semimagnetic semiconductors](#)

[definitions, general properties, structure, general remarks](#)

[general remarks and important formulae for narrow gap semiconductors](#)

[general remarks and important formulae for wide gap semiconductors](#)

II-VI and I-VII Compounds; Semimagnetic Compounds
Supplement to Vols. III/17b, 22a (Print Version) Revised
and Updated Edition of Vols. III/17b, 22a (CD-ROM)

Rössler, U. (Ed.)

1999, XXVI, 721 p. With CD-ROM., Hardcover

ISBN: 978-3-540-64964-9