

Contents

1. Introduction	1
2. Self-consistent quantum-field theory	7
2.1 Legendre transformation	9
2.2 Perturbation series expansion	12
2.3 Conserving approximations	17
2.4 Two-particle functions and Ward identities	20
3. Superconductivity and pairing of electrons in three dimensions	27
3.1 Derivation of the self-consistent equations for a superfluid Fermi system with s -wave pairing	31
3.2 Discussion of the self-consistent equations, weak- and strong-coupling limit	46
3.3 Numerical results for $T = T_c$ and discussion	61
4. Gauge transformation and bosonization	73
4.1 Conventional bosonization for one- and higher-dimensional fermion systems	76
4.2 Modification of the self-consistent quantum-field theory by gauge transformation	81
4.3 Application to the Luttinger model	101
4.4 Application to the independent-boson model	111
5. Two-dimensional electron systems in the FQHE regime	117
5.1 Theory of the FQHE	118
5.2 General properties of the spectral functions for FQHE systems	128
5.3 Modified SC-RPA theory for the two-dimensional electron system in a homogeneous magnetic field	133
5.4 Electronic excitation spectrum of the partially filled lowest Landau level	143
5.5 Magnetization of FQHE electron systems	153

6. Further applications 161

 6.1 Coulomb plasma 161

 6.2 Interacting boson systems 164

References 169

Index 173

<http://www.springer.com/978-3-540-65812-2>

Self-consistent Quantum-Field Theory and Bosonization
for Strongly Correlated Electron Systems

Haussmann, R.

1999, VIII, 175 p., Hardcover

ISBN: 978-3-540-65812-2