

---

# 1 Contents

<b>1 Overview and Basic Properties</b>	<b>1</b>
1.1 General Behaviour	1
1.2 Overview of Ceramic Materials	3
1.3 Fields of Application	5
<b>2 Physical Properties</b>	<b>9</b>
2.1 Thermal Expansion Coefficient	9
2.2 Thermal Conductivity	11
2.3 Electrical Conductivity	13
2.4 Specific Heat	14
2.5 Density	15
2.6 Elastic Constants	16
<b>3 Fracture Mechanics</b>	<b>19</b>
3.1 Fundamentals	19
3.1.1 Linear-Elastic Fracture Mechanics	19
3.1.2 Rising Crack Growth Resistance	23
3.2 Experimental Methods for the Determination of the Mode-I Fracture Toughness $K_{Ic}$	25
3.2.1 The Edge-Cracked Bending Bar	25
3.2.2 Specimens with Chevron Notches	28
3.2.3 Specimen with Knoop Indentation Crack	31
3.2.4 Vickers Indentation Cracks	34
3.2.5 Comparison of Different Specimen Types	37
3.3 Experimental Methods for the Determination of Mode-II and Mixed-Mode Fracture Toughness	40
3.3.1 Bending Test with Bars Containing Oblique Notches	40
3.3.2 Three-Point Bending Test with an Eccentric Notch	41
3.3.3 The Asymmetric Four-Point Bending Test	41
3.3.4 Diametral Compression Test	42
3.3.5 Surface Flaws in Mixed-Mode Loading	44
3.4 Mixed-Mode Criteria and Experimental Results	45
<b>4 R-Curve Behaviour</b>	<b>53</b>
4.1 Experimental Observation	53
4.1.1 Results for Different Materials	53
4.1.2 Effect of Geometry and Loading Conditions	55
4.1.3 Work-of-Fracture	56
4.1.4 Comparison of Macro- and Microcracks	56
4.2 Determination of R-Curves	57
4.2.1 Specimens with Macrocracks	58
4.2.2 Specimens with Vickers Indentations	59

4.3	Reasons for R-Curve Behaviour	61
4.4	Influence of R-Curves on Strength	64
4.5	Computation of R-Curves	66
4.5.1	Fracture Mechanical Treatment of Bridging Stresses	66
4.5.2	Phase-Transformation Zone and Shielding Stress Intensity Factor	69
4.6	Determination of Bridging Stresses from Crack Profiles	71
<b>5</b>	<b>Subcritical Crack Growth</b>	<b>77</b>
5.1	Basic Relations	77
5.2	Computation of Lifetimes	78
5.2.1	Lifetimes Under Arbitrary Loading History	78
5.2.2	Lifetimes Under Static Load	79
5.2.3	Lifetimes Under Cyclic Load	80
5.3	Methods of Determining Subcritical Crack Growth	82
5.3.1	Double-Torsion Test	83
5.3.2	The Double-Cantilever-Beam Specimen	85
5.3.3	Crack Growth Data from Dynamic Bending Tests	87
5.3.4	Crack Growth Data from Static Bending Tests	89
5.3.5	Lifetime Prediction	94
5.4	Influence of R-Curve Behaviour on Subcritical Crack Growth	96
5.4.1	General Influence	96
5.4.2	Tests with Macroscopic Cracks	97
5.4.3	R-Curves for Subcritical Crack Extension	99
5.4.4	Lifetimes for Natural Cracks	100
5.5	Some Theoretical Considerations on Subcritical Crack Growth	103
<b>6</b>	<b>Cyclic Fatigue</b>	<b>109</b>
6.1	Representation of Cyclic Fatigue Results	109
6.2	Proof of a Cyclic Effect	110
6.3	Methods for the Determination of $da/dN$ - $\Delta K$ Curves	113
6.4	Effect of $R$ -Ratio	115
6.5	Theoretical Considerations	118
6.5.1	Effect of Crack Surface Interactions	118
6.5.2	Effect of Glass Phase Content	121
6.5.3	Effect of Phase Transformation Zones	122
6.6	Differences Between Micro- and Macrocracks	123
<b>7</b>	<b>Determination of Strength</b>	<b>125</b>
7.1	Measurement of Tensile Strength	125
7.1.1	The Tensile Test	125
7.1.2	The Bending Test	126
7.1.3	Test of Pipe Sections	129
7.2	Measurement of Compressive Strength	132
7.2.1	Compression Tests with Cylindrical Specimens	132
7.2.2	Compression Test on Hollow Cylinders	133
7.2.3	Results of Compression Tests	134
<b>8</b>	<b>Scatter of Mechanical Properties</b>	<b>137</b>
8.1	Principal Behaviour	137

8.2	Determination of Weibull Parameters	143
8.3	The Size Effect	145
8.4	Scatter of Lifetimes	148
8.5	Some Specific Problems	151
8.5.1	Three-Parameter Weibull Distribution	151
8.5.2	Multiple Flaw Population	152
8.5.3	Influence of the R-Curve	154
<b>9</b>	<b>Proof Test Procedure</b>	<b>159</b>
9.1	Proof Test Without Subcritical Crack Growth	159
9.2	Proof Test Including Subcritical Crack Growth	161
9.3	Problems in Proof Tests	163
9.3.1	Subcritical Crack Growth During the Proof Test	163
9.3.2	Different Flaw Population at High Temperatures	164
9.3.3	Simulation of the Service Conditions	164
<b>10</b>	<b>Multiaxial Failure Criteria</b>	<b>167</b>
10.1	Representation in Multiaxiality Diagrams	167
10.2	Global Multiaxiality Criteria	169
10.3	Defect Models	171
10.3.1	Cylindrical Pore	171
10.3.2	Spherical Pore	173
10.3.3	Ellipsoidal Pore	175
10.3.4	Circular Cracks	176
10.3.5	Conclusions from Defect Models	178
10.3.6	Statistical Treatment	181
10.3.7	Lifetime	188
10.4	Experimental Methods	189
10.4.1	The Ring-on-Ring Test	189
10.4.2	Ball-on-Ring Test	191
10.4.3	Brazilian-Disk Test	193
10.4.4	Tests with Tubes	195
10.4.5	Triaxial Stress States	196
10.5	Experimental Results	196
<b>11</b>	<b>Thermal Shock Behaviour</b>	<b>203</b>
11.1	Thermal Stresses	203
11.2	Measurement of Thermal Shock Sensitivity	211
11.3	Fracture Mechanical Treatment of Thermal Shock	213
11.4	Thermal Shock Parameters	217
11.5	Size Effect in Thermal Shock	219
11.6	Thermal Fatigue	222
<b>12</b>	<b>High-Temperature Behaviour</b>	<b>227</b>
12.1	Creep Deformation	227
12.1.1	Creep Relations for Tensile Tests	229
12.1.2	Differences in Tensile and Compression Creep	233
12.1.3	Creep Under Variable Stresses	234
12.1.4	Creep Under Bending Load	236
12.2	Failure in the Creep Range	249
12.2.1	Creep Fracture	250

## X Contents

---

12.2.2	Failure Maps	251
12.3	Creep Crack Growth	254
12.3.1	The $C^*$ Integral	254
12.3.2	Experimental Determination of $C^*$	256
<b>13</b>	<b>Plasticity</b>	<b>265</b>
13.1	Plasticity During Contact Loading	265
13.2	Plasticity During Surface Grinding	268
13.3	Plasticity by Phase Transformation in Zirconia	269
13.4	Plasticity by Domain Switching in Piezoelectric Ceramics	271
13.5	Measurement of Plastic Deformations in Bending Tests	273
13.6	Time-Dependent Plasticity Effects	275
<b>Appendix A. Stress Intensity Factors and Weight Functions for Test Specimens</b>		<b>279</b>
A.1	Rectangular Bar	279
A.2	Comact-Tension (CT) Specimen	280
A.3	Round Compact Tension (RCT) Specimen	281
A.4	Double-Cantilever-Beam Specimen (DCB)	282
A.5	Weight Function for Chevron-Notched Bending Bars	283
A.6	Specimens for Mixed-Mode Tests	285
<b>Appendix B. h-Parameters for Creep Crack Growth</b>		<b>290</b>
<b>Subject Index</b>		<b>293</b>

Ceramics

Mechanical Properties, Failure Behaviour, Materials  
Selection

Munz, D.; Fett, T.

1999, X, 299 p., Hardcover

ISBN: 978-3-540-65376-9