

CONTENTS

| | |
|---------------------|------|
| <i>Lecturers</i> | xi |
| <i>Participants</i> | xiii |
| <i>Préface</i> | xvii |
| <i>Preface</i> | xxi |
| <i>Contents</i> | xxv |

Course 1. The Universe at High Redshift

by S. Lilly 1

| | |
|--|----------|
| 1 Introduction | 5 |
| 1.1 The formation of structure in the Universe | 5 |
| 1.2 Methodologies, opportunities and limitations | 6 |
| 1.3 Outline of the lectures | 7 |
| 2 The present-day Universe | 8 |
| 2.1 Galaxies | 8 |
| 2.1.1 Normal galaxies | 8 |
| 2.1.2 Galaxy scaling relations | 10 |
| 2.1.3 Low surface brightness galaxies | 11 |
| 2.1.4 Dwarf galaxies | 12 |
| 2.1.5 Active galactic nuclei | 13 |
| 2.1.6 Ultra-luminous galaxies | 13 |
| 2.2 The luminosity function and the luminosity density and extragalactic background light | 13 |
| 2.3 The baryon budget | 15 |

| | | |
|----------|---|-----------|
| 3 | The theoretical framework. I: Cosmology | 16 |
| 3.1 | The Robertson–Walker metric and the appearance of distant objects | 16 |
| 3.2 | $R(\tau)$ and the solutions to the Friedmann equation | 17 |
| 3.3 | Cosmological parameters and uncertainties | 19 |
| 3.4 | The development of density fluctuations | 19 |
| 3.4.1 | Linear growth | 19 |
| 3.4.2 | Fluctuations in baryonic matter and radiation | 20 |
| 3.4.3 | Modification of the primordial spectrum | 20 |
| 4 | The theoretical framework. II: The non-linear regime | 22 |
| 4.1 | Non-linear collapse | 22 |
| 4.2 | Hierarchical clustering and dissipation models | 22 |
| 4.3 | The Press–Schechter formalism | 25 |
| 4.4 | Biassed galaxy formation | 26 |
| 4.5 | Origin of angular momentum | 26 |
| 4.6 | The structure of dark matter haloes | 27 |
| 4.7 | Feed-back processes | 27 |
| 4.8 | Chemical evolution | 28 |
| 4.9 | Galaxy spectral synthesis models | 30 |
| 4.10 | Semi-analytic models | 31 |
| 5 | The formation and evolution of galaxies: The local view | 31 |
| 5.1 | Star formation in disk galaxies and starbursts | 31 |
| 5.2 | Spheroids and the elliptical galaxies | 32 |
| 5.3 | Ultra-luminous galaxies | 33 |
| 6 | Evolution at cosmologically significant redshifts | 34 |
| 6.1 | Redshifts $z > 1$ | 34 |
| 6.1.1 | Methodologies | 34 |
| 6.1.2 | The evolving population of galaxies | 34 |
| 6.1.3 | The early-type galaxy population | 35 |
| 6.1.4 | The importance or otherwise of mergers | 37 |
| 6.1.5 | The evolution of galaxies in rich clusters | 37 |
| 6.1.6 | Inside the galaxies | 38 |
| 6.2 | Redshifts $z > 3$ | 38 |
| 6.2.1 | Detection and identification | 38 |
| 6.2.2 | Luminosity function and properties | 39 |
| 6.2.3 | Clustering and biasing | 41 |
| 6.2.4 | The nature of the Lyman-break population | 42 |
| 6.3 | The observational “gap” at $z = 2$ | 42 |
| 7 | The luminosity density as $f(z)$ | 43 |
| 8 | The cosmic evolution of active galactic nuclei | 45 |
| 9 | Luminous objects at high redshifts: The hidden Universe | 45 |

| | |
|---|-----------|
| 10 Neutral gas | 47 |
| 10.1 Re-ionization of the IGM | 47 |
| 10.2 High column density systems | 48 |
| 10.3 The Lyman α forest systems | 49 |
| 10.4 Global evolution of the neutral Hydrogen content | 49 |
| 11 The first stars | 49 |
| 12 Summary | 52 |

Course 2. Cosmological Parameters and Galaxy Formation
by J. Silk 61

| | |
|--|-----------|
| 1 Introduction | 63 |
| 2 Temperature | 65 |
| 3 Age | 65 |
| 4 Hubble's constant | 65 |
| 5 Baryon density parameter | 66 |
| 6 Matter density parameter | 67 |
| 7 Cosmological constant | 68 |
| 8 Spatial curvature | 69 |
| 9 Density fluctuations | 70 |
| 10 <i>Ab initio</i> galaxy formation | 74 |
| 11 Cold dark matter: Where we are today | 75 |
| 12 Resolving the CDM conundrum | 77 |
| 13 An empirical approach to disk star formation | 78 |
| 14 Testing models of galaxy formation | 81 |
| 15 Summary | 83 |

Course 3. *A Short Course on Big Bang Nucleosynthesis*

| | |
|------------------------|----|
| by K.A. Olive | 87 |
| 1 Introduction | 89 |
| 2 Theory | 90 |
| 3 Data | 90 |
| 4 Likelihood analyses | 93 |
| 5 More data | 95 |
| 6 More analysis | 96 |
| 7 Chemical evolution | 96 |
| 8 Constraints from BBN | 97 |

Course 4. *The Cosmic Microwave Background:
From Detector Signals to Constraints on the Early
Universe Physics*

| | |
|---|-----|
| by F.R. Bouchet, J.-L. Puget and J.M. Lamarre | 103 |
| 1 Introduction | 107 |
| 2 The cosmic background | 108 |
| 2.1 Components of the cosmic background | 108 |
| 2.2 Formation of the CMB, recombination | 112 |
| 2.3 The CMB spectrum | 112 |
| 3 CMB anisotropies | 118 |
| 3.1 Primary anisotropies | 118 |
| 3.1.1 Fundamental physics and CMB anisotropies | 118 |
| 3.1.2 The components of the primary fluctuations | 119 |
| 3.1.3 Power spectrum of the fluctuations in an inflationary model | 119 |
| 3.2 The secondary CMB anisotropies | 121 |
| 3.2.1 Gravitational effects | 122 |
| 3.2.2 Effects of the reionisation | 125 |
| 4 Astrophysical foregrounds | 129 |
| 4.1 Physics of galactic foregrounds | 129 |
| 4.1.1 Dust emission | 129 |
| 4.1.2 Free-free emission | 134 |
| 4.1.3 Synchrotron emission | 136 |

| | | |
|----------|---|------------|
| 4.2 | Physics of the extragalactic sources foregrounds | 138 |
| 4.2.1 | Infrared galaxies and radio sources | 138 |
| 4.2.2 | Sunyaev–Zeldovich effect | 146 |
| 4.3 | Putting it all together | 149 |
| 4.3.1 | A simple sky model | 149 |
| 4.3.2 | Detector noise “backgrounds” | 152 |
| 4.3.3 | Comparing contributions | 153 |
| 5 | Observations of CMB anisotropies | 154 |
| 5.1 | From raw data to the physics of the early Universe | 154 |
| 5.2 | Observational requirements | 156 |
| 5.3 | Reaching the ultimate sensitivity | 159 |
| 5.4 | Present status of observations | 162 |
| 5.5 | Future satellite observations: MAP, Planck | 163 |
| 5.6 | Description of the Planck High-Frequency Instrument | 165 |
| 5.6.1 | Instrument concept | 165 |
| 5.6.2 | Sensitivity | 167 |
| 5.6.3 | Focal plane optics | 169 |
| 5.6.4 | Bolometric detectors | 173 |
| 6 | Extraction of systematic effects and map making | 176 |
| 6.1 | Maximum likelihood estimators | 176 |
| 6.2 | Using noise properties | 178 |
| 6.2.1 | Systematics | 179 |
| 6.2.2 | Priors | 179 |
| 6.3 | Map making | 180 |
| 6.3.1 | “COBE” map making | 181 |
| 6.3.2 | Signal-to-noise (Wiener) filtering | 183 |
| 6.4 | Using redundancies | 184 |
| 6.5 | Low-frequency noise | 186 |
| 6.5.1 | Simplest destriping | 187 |
| 6.6 | Contributions from emission in the far side-lobes of the beam . . . | 187 |
| 7 | Maps analysis methods | 190 |
| 7.1 | Methods of component separation | 190 |
| 7.2 | Final map accuracy achievable | 192 |
| 7.3 | Numerical simulations | 196 |
| 7.3.1 | Simulations of the observations | 197 |
| 7.3.2 | Analysing simulated observations | 198 |
| 7.4 | Joining ends | 202 |
| 7.4.1 | Power spectrum estimation | 202 |
| 7.4.2 | Constraints on models | 204 |
| 8 | Conclusions | 207 |
| | Appendix | 208 |

| | | |
|----------|---|------------|
| A | Formulating the component separation problem | 208 |
| A.1 | Physical model | 208 |
| A.2 | The separation problem | 209 |
| B | Error forecasts assuming Wiener filtering | 210 |
| B.1 | Reconstruction errors of linear component separations | 210 |
| B.2 | Specific case of Wiener filtering | 212 |

*Course 5. Introduction to Supersymmetry:
Astrophysical and Phenomenological Constraints*

| | | |
|----------|--|------------|
| | <i>by K.A. Olive</i> | <i>221</i> |
| 1 | Introduction | 223 |
| 1.1 | Some preliminaries | 223 |
| 1.2 | The hierarchy problem | 226 |
| 1.3 | Supersymmetric operators and transformations | 227 |
| 2 | The simplest models | 232 |
| 2.1 | The massless non-interacting Wess–Zumino model | 232 |
| 2.2 | Interactions for chiral multiplets | 234 |
| 2.3 | Gauge multiplets | 236 |
| 2.4 | Interactions | 238 |
| 2.5 | Supersymmetry breaking | 242 |
| 3 | The minimal supersymmetric standard model | 244 |
| 3.1 | The Higgs sector | 246 |
| 3.2 | The sfermions | 248 |
| 3.3 | Neutralinos | 250 |
| 3.4 | Charginos | 251 |
| 3.5 | More supersymmetry breaking | 251 |
| | 3.5.1 <i>D</i> -Breaking | 252 |
| | 3.5.2 <i>F</i> -Breaking | 252 |
| 3.6 | R-parity | 253 |
| 4 | The constrained MSSM and supergravity | 255 |
| 4.1 | RG evolution | 256 |
| 4.2 | The constrained MSSM | 259 |
| 4.3 | Supergravity | 261 |
| 5 | Cosmology | 264 |
| 5.1 | The Polonyi problem | 265 |
| 5.2 | The gravitino problem | 267 |
| 5.3 | Inflation | 268 |
| 5.4 | Baryogenesis | 270 |
| | 5.4.1 The Affleck–Dine mechanism | 271 |

6 Dark matter and accelerator constraints 276

Course 6. Dark Matter: Direct Detection

by B. Chardin 295

1 Motivations for non-baryonic Dark Matter 297

2 Weakly Interacting Massive Particles (WIMPs) 301

| | | |
|-------|---|-----|
| 2.1 | Phenomenology | 301 |
| 2.2 | Experimental signatures | 303 |
| 2.3 | WIMP direct detection experiments without discrimination | 304 |
| 2.3.1 | Germanium detectors | 305 |
| 2.3.2 | Scintillator detectors | 307 |
| 2.3.3 | Cryogenic experiments | 307 |
| 2.3.4 | The purest of all materials | 308 |
| 2.4 | WIMP direct detection experiments with discrimination | 310 |
| 2.4.1 | NaI experiments | 310 |
| 2.4.2 | Cryogenic detectors | 312 |
| 2.4.3 | A first WIMP candidate? | 314 |
| 2.4.4 | Critical discussion and annual modulation signature | 315 |
| 2.5 | Other discrimination techniques | 319 |
| 2.5.1 | Liquid xenon detectors | 319 |
| 2.5.2 | SIMPLE and PICASSO | 319 |
| 2.6 | Detecting the recoil direction | 320 |
| 2.7 | Low-energy WIMPs trapped in the Solar System | 322 |
| 2.8 | WIMPs with dominant axial interactions. Direct <i>vs.</i> indirect detection | 323 |
| 2.9 | Testing (a significant part of) the SUSY models | 324 |
| 2.9.1 | Neutron background | 325 |
| 2.9.2 | Surface events | 328 |
| 2.9.3 | Main detector strategies | 328 |
| 2.10 | Conclusions | 330 |

3 Axions 330

4 Conclusions and perspectives 334

Course 7. Inflation and Creation of Matter in the Universe

by A. Linde 341

1 Introduction 343

2 Brief history of inflation 344

| | | |
|----|---|-----|
| 3 | Quantum fluctuations in the inflationary universe | 349 |
| 4 | Quantum fluctuations and density perturbations | 352 |
| 5 | Initial conditions for inflation | 354 |
| 6 | From the Big Bang theory to the theory of eternal inflation | 359 |
| 7 | Stochastic approach to inflation | 361 |
| 8 | (P)reheating after inflation | 367 |
| 9 | Phase transitions and inflation after preheating | 378 |
| 10 | Open inflation | 383 |
| 11 | Towards inflation in supergravity: Hybrid inflation | 386 |
| 12 | Pre-Big Bang | 388 |
| 13 | Brane world | 389 |
| 14 | Conclusions | 392 |

Course 8. Cosmological Constant vs. Quintessence

by P. Binétruy

397

| | | |
|-----|----------------------------------|-----|
| 1 | Cosmological constant | 399 |
| 2 | The role of supersymmetry | 401 |
| 3 | Observational results | 402 |
| 4 | Quintessence | 404 |
| 4.1 | Runaway quintessence | 406 |
| 4.2 | Pseudo-Goldstone boson | 413 |
| 5 | Quintessential problems | 414 |
| 6 | Extra spacetime dimensions | 417 |
| 7 | Conclusion | 420 |

Course 9. Gravitino Production and Super-Higgs Effect in Cosmology

by R. Kallosh 423

| | | |
|----------|---|------------|
| 1 | Introduction | 425 |
| 2 | Super-Higgs effect in cosmology | 427 |
| 3 | Gravitino equations in one chiral multiplet case | 429 |
| 4 | Gravitino production | 434 |

Course 10. Physics of the Early Universe: Baryogenesis; Defects; Initial Conditions

by N. Turok 439

| | | |
|-----------|--|------------|
| 1 | Introduction | 441 |
| 2 | Electroweak baryogenesis | 443 |
| 3 | B violation in the standard model | 447 |
| 4 | The electroweak phase transition or crossover | 453 |
| 5 | Baryon production | 454 |
| 6 | Two-Higgs baryogenesis | 454 |
| 7 | Baryogenesis from transport | 456 |
| 8 | Classical force baryogenesis | 457 |
| 9 | Cosmic defects | 463 |
| 10 | Unification and symmetry breaking | 463 |
| 11 | Homotopy and topology | 464 |
| 12 | Existence of defects | 465 |
| 13 | Low-energy actions | 467 |
| 14 | Scaling | 468 |
| 15 | Π in the sky | 469 |

| | |
|--|------------|
| 16 Precision calculations | 471 |
| 17 Refutation | 473 |
| 18 Instantons and the beginning | 477 |
| 19 Singular instantons | 482 |
| 20 The four form and Λ | 488 |
| 21 Conclusions | 489 |

Course 11. M-Theory and Cosmology

by T. Banks 495

| | |
|--|------------|
| 1 Introduction | 497 |
| 2 M-theory, branes, moduli and all that | 501 |
| 2.1 The story of M | 501 |
| 3 Eleven-dimensional supergravity | 510 |
| 4 Forms, branes and BPS states | 513 |
| 4.1 Differential forms and topologically nontrivial cycles | 513 |
| 4.2 SUSY algebras and BPS states | 516 |
| 5 Branes and compactification | 517 |
| 5.1 A tale of two tori | 517 |
| 5.2 A heterotic interlude | 524 |
| 5.3 Enhanced gauge symmetries | 526 |
| 5.4 Conclusions | 529 |
| 6 Quantum cosmology | 530 |
| 6.1 Semiclassical cosmology and quantum gravity | 530 |
| 6.2 Extreme moduli | 537 |
| 6.3 The moduli space of M-Theory on rectangular tori | 539 |
| 6.4 The $2/5$ transformation | 540 |
| 6.5 The boundaries of moduli space | 542 |
| 6.6 Covering the moduli space | 544 |
| 6.7 Moduli spaces with less SUSY | 548 |
| 6.8 Chaotically avoiding SUSY | 550 |
| 6.9 Against inflation | 552 |
| 6.10 Conclusions | 555 |

| | | |
|----------|---|------------|
| 7 | Moduli and inflation | 556 |
| 7.1 | Introduction | 556 |
| 7.2 | Moduli as inflatons? | 556 |
| 7.3 | Radius stabilization | 564 |
| 7.4 | SUSY breaking | 567 |
| 7.5 | The effects of a dynamical radius | 572 |
| 7.6 | Generalizing Hořava–Witten | 573 |
| 7.7 | Conclusions | 574 |

Course 12. String Cosmology: The Pre-Big Bang Scenario

by G. Veneziano 581

| | | |
|----------|---|------------|
| 1 | Introduction | 583 |
| 2 | Basic motivations and ideas | 584 |
| 2.1 | Why string cosmology? | 584 |
| 2.2 | Why/which inflation? | 587 |
| 2.3 | Superstring-inspired cosmology | 588 |
| 2.4 | Explicit solutions | 591 |
| 2.5 | Phase diagrams and Penrose-style overview | 592 |
| 3 | How could it have started? | 596 |
| 3.1 | Generic asymptotically trivial past | 596 |
| 3.2 | The asymptotic past's effective action and different (conformal) frames | 597 |
| 3.3 | Classical asymptotic symmetries: The importance of SUSY | 598 |
| 3.4 | Dilaton-driven inflation as gravitational collapse | 598 |
| 3.5 | Fine-tuning issues | 601 |
| 3.6 | The spherically symmetric case | 603 |
| 4 | Phenomenological consequences | 605 |
| 4.1 | Cosmological amplification of vacuum fluctuations: General properties | 605 |
| 4.2 | Tensor perturbations: An observable cosmic gravitational radiation background (CGRB)? | 609 |
| 4.3 | Dilaton perturbations | 611 |
| 4.4 | Gauge-field perturbations: Seeds for \vec{B}_{gal} ? | 613 |
| 4.5 | Axion perturbations: Seeds for CMBA and LSS? | 613 |
| 4.6 | Heating up the Universe | 615 |
| 5 | How could it have stopped? | 616 |
| 5.1 | No-go theorems | 617 |
| 5.2 | Exit <i>via</i> a non-local V | 617 |
| 5.3 | Exit <i>via</i> B_{ij} | 617 |
| 5.4 | Exit <i>via</i> quantum tunnelling | 618 |

| | | |
|----------|--|------------|
| 5.5 | Higher-derivative corrections | 618 |
| 5.6 | Loop corrections and back reaction | 619 |
| 5.7 | Entropy considerations | 620 |
| 6 | Outlook | 623 |
| | <i>Seminars by participants</i> | <i>629</i> |

The primordial universe - L'univers primordial

28 June - 23 July 1999

Binetruy, P.; Schaeffer, R.; Silk, J.; David, F. (Eds.)

2000, XXXVI, 629 p., Hardcover

ISBN: 978-3-540-41046-1