

# Table of Contents

## Invited Papers

Automated Theorem Proving in First-Order Logic Modulo: On the Difference between Type Theory and Set Theory . . . . .	1
<i>Gilles Dowek (INRIA-Rocquencourt)</i>	
Higher-Order Modal Logic—A Sketch . . . . .	23
<i>Melvin Fitting (Lehman College, CUNY)</i>	
Proving Associative-Commutative Termination Using RPO-Compatible Orderings . . . . .	39
<i>Deepak Kapur (University of New Mexico), G. Sivakumar (Indian Institute of Technology)</i>	
Decision Procedures and Model Building, or How to Improve Logical Information in Automated Deduction . . . . .	62
<i>Alexander Leitsch (Technische Universität Wien)</i>	
Replacement Rules with Definition Detection . . . . .	80
<i>David A. Plaisted (University of North Carolina at Chapel Hill), Yunshan Zhu (University of North Carolina at Chapel Hill)</i>	

## Contributed Papers

On the Complexity of Finite Sorted Algebras . . . . .	95
<i>Thierry Boy de la Tour (LEIBNIZ-IMAG, CNRS)</i>	
A Further and Effective Liberalization of the $\delta$ -Rule in Free Variable Semantic Tableaux . . . . .	109
<i>Domenico Cantone (Università di Catania), Marianna Nicolosi Asmundo (Università di Catania)</i>	
A New Fast Tableau-Based Decision Procedure for an Unquantified Fragment of Set Theory . . . . .	126
<i>Domenico Cantone (Università di Catania), Calogero G. Zarba (Stanford University)</i>	
Interpretation of a Mizar-Like Logic in First-Order Logic . . . . .	137
<i>Ingo Dahn (University of Koblenz-Landau)</i>	
An $\mathcal{O}((n \cdot \log n)^3)$ -Time Transformation from Grz into Decidable Fragments of Classical First-Order Logic . . . . .	152
<i>Stéphane Demri (LEIBNIZ-CNRS), Rajeev Goré (Australian National University)</i>	

Implicational Completeness of Signed Resolution . . . . .	167
<i>Christian G. Fermüller (Technische Universität Wien)</i>	
An Equational Re-engineering of Set Theories . . . . .	175
<i>Andrea Formisano (University “La Sapienza” of Rome),</i> <i>Eugenio Omodeo (University of L’Aquila)</i>	
Issues of Decidability for Description Logics in the Framework of Resolution . . . . .	191
<i>Ullrich Hustadt (Manchester Metropolitan University),</i> <i>Renate A. Schmidt (Manchester Metropolitan University)</i>	
Extending Decidable Clause Classes via Constraints . . . . .	206
<i>Reinhard Pichler (Technische Universität Wien)</i>	
Completeness and Redundancy in Constrained Clause Logic . . . . .	221
<i>Reinhard Pichler (Technische Universität Wien)</i>	
Effective Properties of Some First-Order Intuitionistic Modal Logics . . . . .	236
<i>Aida Pliuškevičienė (Vilnius Institute of Mathematics and Informatics)</i>	
Hidden Congruent Deduction . . . . .	251
<i>Grigore Roşu (University of California at San Diego),</i> <i>Joseph Goguen (University of California at San Diego)</i>	
Resolution-Based Theorem Proving for $SH_n$ -Logics . . . . .	267
<i>Viorica Sofronie-Stokkermans (Max-Planck-Institut für Informatik,</i> <i>Saarbrücken)</i>	
Full First-Order Sequent and Tableau Calculi with Preservation of Solutions and the Liberalized $\delta$ -Rule but without Skolemization . . . . .	282
<i>Claus-Peter Wirth (Universität Dortmund)</i>	
<b>Author Index . . . . .</b>	<b>299</b>

Automated Deduction in Classical and Non-Classical  
Logics

Selected Papers

Caferra, R.; Salzer, G. (Eds.)

2000, VIII, 304 p., Softcover

ISBN: 978-3-540-67190-9