

CONTENTS

<i>Lecturers</i>	xi
<i>Participants</i>	xiii
<i>Préface</i>	xvii
<i>Preface</i>	xxi
<i>Contents</i>	xxv

Course 1. Bose–Einstein Condensates in Atomic Gases: Simple Theoretical Results

by Y. Castin 1

1 Introduction	5
1.1 1925: Einstein’s prediction for the ideal Bose gas	5
1.2 Experimental proof?	6
1.3 Why interesting?	6
1.3.1 Simple systems for the theory	6
1.3.2 New features	7
2 The ideal Bose gas in a trap	8
2.1 Bose–Einstein condensation in a harmonic trap	8
2.1.1 In the basis of harmonic levels	8
2.1.2 Comparison with the exact calculation	11
2.1.3 In position space	11
2.1.4 Relation to Einstein’s condition $\rho\lambda_{\text{dB}}^3 = \zeta(3/2)$	14
2.2 Bose–Einstein condensation in a more general trap	15
2.2.1 The Wigner distribution	15
2.2.2 Critical temperature in the semiclassical limit	16
2.3 Is the ideal Bose gas model sufficient: Experimental verdict	18
2.3.1 Condensed fraction as a function of temperature	18
2.3.2 Energy of the gas as a function of temperature and the number of particles	18
2.3.3 Density profile of the condensate	19
2.3.4 Response frequencies of the condensate	20

3	A model for the atomic interactions	20
3.1	Reminder of scattering theory	21
3.1.1	General results of scattering theory	22
3.1.2	Low energy limit for scattering by a finite range potential	24
3.1.3	Power law potentials	25
3.2	The model potential used in this lecture	25
3.2.1	Why not keep the exact interaction potential?	25
3.2.2	Scattering states of the pseudo-potential	28
3.2.3	Bound states of the pseudo-potential	29
3.3	Perturbative vs. non-perturbative regimes for the pseudo-potential	30
3.3.1	Regime of the Born approximation	30
3.3.2	Relevance of the pseudo-potential beyond the Born approximation	31
4	Interacting Bose gas in the Hartree–Fock approximation	32
4.1	BBGKY hierarchy	32
4.1.1	Few body-density matrices	32
4.1.2	Equations of the hierarchy	33
4.2	Hartree–Fock approximation for $T > T_c$	34
4.2.1	Mean field potential for the non-condensed particles	34
4.2.2	Effect of interactions on T_c	36
4.3	Hartree–Fock approximation in presence of a condensate	37
4.3.1	Improved Hartree–Fock Ansatz	37
4.3.2	Mean field seen by the condensate	38
4.3.3	At thermal equilibrium	38
4.4	Comparison of Hartree–Fock to exact results	39
4.4.1	Quantum Monte Carlo calculations	39
4.4.2	Experimental results for the energy of the gas	39
5	Properties of the condensate wavefunction	41
5.1	The Gross–Pitaevskii equation	42
5.1.1	From Hartree–Fock	42
5.1.2	Variational formulation	43
5.1.3	The fastest trick to recover the Gross–Pitaevskii equation	46
5.2	Gaussian Ansatz	46
5.2.1	Time-independent case	47
5.2.2	Time-dependent case	51
5.3	Strongly interacting regime: Thomas–Fermi approximation	52
5.3.1	Time-independent case	52
5.3.2	How to extend the Thomas–Fermi approximation to the time-dependent case?	55
5.3.3	Hydrodynamic equations	56
5.3.4	Classical hydrodynamic approximation	58
5.4	Recovering time-dependent experimental results	59
5.4.1	The scaling solution	59

5.4.2	Ballistic expansion of the condensate	61
5.4.3	Breathing frequencies of the condensate	61
6	What we learn from a linearization of the Gross–Pitaevskii equation	62
6.1	Linear response theory for the condensate wavefunction	63
6.1.1	Linearize the Gross–Pitaevskii solution around a steady-state solution	63
6.1.2	Extracting the “relevant part” from $\delta\phi$	65
6.1.3	Spectral properties of \mathcal{L} and dynamical stability	66
6.1.4	Diagonalization of \mathcal{L}	67
6.1.5	General solution of the linearized problem	69
6.1.6	Link between eigenmodes of \mathcal{L}_{GP} and eigenmodes of \mathcal{L}	69
6.2	Examples of dynamical instabilities	70
6.2.1	Condensate in a box	70
6.2.2	Demixing instability	74
6.3	Linear response in the classical hydrodynamic approximation	78
6.3.1	Linearized classical hydrodynamic equations	78
6.3.2	Validity condition of the linearized classical hydrodynamic equations	79
6.3.3	Approximate spectrum in a harmonic trap	80
7	Bogoliubov approach and thermodynamical stability	81
7.1	Small parameter of the theory	82
7.2	Zeroth order in ε : Gross–Pitaevskii equation	83
7.3	Next order in ε : Linear dynamics of non-condensed particles	83
7.4	Bogoliubov Hamiltonian	85
7.5	Order ε^2 : Corrections to the Gross–Pitaevskii equation	87
7.6	Thermal equilibrium of the gas of quasi-particles	88
7.7	Condensate depletion and the small parameter $(\rho a^3)^{1/2}$	89
7.8	Fluctuations in the number of condensate particles	92
7.9	A simple reformulation of the thermodynamical stability condition	95
7.10	Thermodynamical stability implies dynamical stability	97
7.11	Examples of thermodynamical instability	97
7.11.1	Real condensate wavefunction with a node	97
7.11.2	Condensate with a vortex	98
8	Phase coherence properties of Bose–Einstein condensates	100
8.1	Interference between two BECs	101
8.1.1	A very simple model	102
8.1.2	A trap to avoid	103
8.1.3	A Monte Carlo simulation	105
8.1.4	Analytical solution	105
8.1.5	Moral of the story	108
8.2	What is the time evolution of an initial phase state?	108
8.2.1	Physical motivation	108
8.2.2	A quadratic approximation for the energy	109

8.2.3	State vector at time t	110
8.2.4	An indicator of phase coherence	111

9 Symmetry-breaking description of condensates 114

9.1	The ground state of spinor condensates	114
9.1.1	A model interaction potential	115
9.1.2	Ground state in the Hartree-Fock approximation	116
9.1.3	Exact ground state of the spinor part of the problem	118
9.1.4	Advantage of a symmetry-breaking description	121
9.2	Solitonic condensates	123
9.2.1	How to make a solitonic condensate?	123
9.2.2	Ground state of the one-dimensional attractive Bose gas	127
9.2.3	Physical advantage of the symmetry-breaking description	129

Course 2. Spinor Condensates and Light Scattering from Bose-Einstein Condensates

by D.M. Stamper-Kurn and W. Ketterle 137

1 Introduction 139

2 Optical properties of a Bose-Einstein condensate 140

2.1	Light scattering from a Bose-Einstein condensate	141
2.1.1	Elastic and inelastic light scattering	141
2.1.2	Light scattering from atomic beams and atoms at rest	144
2.1.3	Relation to the dynamic structure factor of a many-body system	145
2.2	The dynamic structure factor of a Bose-Einstein condensate	146
2.2.1	The homogeneous condensate	146
2.2.2	Bragg scattering as a probe of pair correlations in the condensate	148
2.2.3	Mean-field theory determination of $S(\vec{q}, \omega)$	150
2.2.4	The inhomogeneous condensate	152
2.2.5	Relevance of Doppler broadening	154
2.3	Experimental aspects of Bragg spectroscopy	155
2.4	Light scattering in the free-particle regime	157
2.4.1	Measurement of line shift and line broadening	157
2.4.2	A measurement of the coherence length of a Bose-Einstein condensate	161
2.5	Light scattering in the phonon regime	163
2.5.1	Experimental study	163
2.5.2	Suppression of light scattering from a Bose-Einstein condensate	164

3	Amplified scattering of light	167
3.1	Introduction	167
3.2	Superradiant Rayleigh scattering	167
3.2.1	Semiclassical derivation of the gain mechanism	167
3.2.2	Four-wave mixing of light and atoms	169
3.2.3	Bosonic stimulation by scattered atoms or scattered light?	170
3.2.4	Observation of directional emission of light and atoms	173
3.2.5	Relation to other non-linear phenomena	177
3.3	Phase-coherent amplification of matter waves	179
4	Spinor Bose–Einstein condensates	182
4.1	The implications of rotational symmetry	184
4.2	Tailoring the ground-state structure with magnetic fields	188
4.3	Spin-domain diagrams: A local density approximation to the spin structure of spinor condensates	191
4.4	Experimental methods for the study of spinor condensates	193
4.5	The formation of ground-state spin domains	194
4.6	Miscibility and immiscibility of spinor condensate components	197
4.7	Metastable states of spinor Bose–Einstein condensates	198
4.7.1	Metastable spin-domain structures	199
4.7.2	Metastable spin composition	202
4.8	Quantum tunneling	203
4.9	Magnetic field dependence of spin-domain boundaries	208

Course 3. Field Theory for Trapped Atomic Gases

by H.T.C. Stoof 219

1	Introduction	221
2	Equilibrium field theory	223
2.1	Second quantization	223
2.2	Grassmann variables and coherent states	227
2.3	Functional integrals	231
2.4	Ideal quantum gases	234
2.4.1	Semiclassical method	234
2.4.2	Matsubara expansion	235
2.4.3	Green's function method	237
2.5	Interactions and Feynmann diagrams	240
2.6	Hartree–Fock theory for an atomic Fermi gas	245
2.7	Landau theory of phase transitions	249
2.8	Superfluidity and superconductivity	252
2.8.1	Superfluidity	252
2.8.2	Some atomic physics	259
2.8.3	Superconductivity	261

3	Nonequilibrium field theory	266
3.1	Macroscopic quantum tunneling of a condensate	266
3.2	Phase diffusion	272
3.3	Quantum kinetic theory	276
3.3.1	Ideal Bose gas	276
3.3.2	Ideal Bose gas in contact with a reservoir	282
3.4	Condensate formation	295
3.4.1	Weak-coupling limit	296
3.4.2	Strong-coupling limit	302
3.5	Collective modes	307

4	Outlook	311
----------	----------------	------------

Course 4. Atom Interferometry

by S. Chu 317

1	Introduction	319
2	Basic principles	320
2.1	Ramsey interference	320
2.2	Interference due to different physical paths	324
2.3	Path integral description of interference	325
2.4	Atom optics	326
2.5	Interference with combined internal and external degrees of freedom	329
3	Beam splitters and interferometers	334
3.1	Interferometers based on microfabricated structures	334
3.2	Interferometers based on light-induced potentials	337
3.2.1	Diffraction from an optical standing wave	337
3.2.2	Interaction of atoms with light in the sudden approximation	338
4	An atom interferometry measurement of the acceleration due to gravity	339
4.1	Circumventing experimental obstacles	342
4.2	Stimulated Raman transitions	343
4.3	Frequency sweep and stability issues	346
4.4	Vibration isolation	347
4.5	Experimental results	348
5	Interferometry based on adiabatic transfer	352
5.1	Theory of adiabatic passage with time-delayed pulses	354
5.2	Atom interferometry using adiabatic transfer	356
5.3	A measurement of the photon recoil and \hbar/M	359

6 Atom gyroscopes	363
6.1 A comparison of atom interferometers	364
6.2 Future prospects	365

Course 5. Mesoscopic Light Scattering in Atomic Physics

by B.A. van Tiggelen 371

1 Introduction	373
2 Mesoscopic wave physics	375
2.1 Mesoscopic quantum mechanics	375
2.2 Phenomenological radiative transfer	378
2.3 Mesoscopic physics with classical waves	379
2.4 Mesoscopic light scattering in atomic gases	380
3 Light scattering from simple atoms	383
3.1 Vector Green's function	384
3.2 An atom as a point scatterer	385
3.3 Polarization, cross-section and stored energy	387
3.4 Two atoms: Dipole-dipole coupling	389
3.5 Induced dipole force between two simple atoms	393
3.6 Van der Waals interaction	395
4 Applications in multiple scattering	396
4.1 Effective medium	397
4.2 Group and energy velocity	398
4.3 Dipole-dipole coupling in the medium	402
4.4 Coherent backscattering	404
4.5 Dependent scattering with quantum correlation	408
4.6 From weak towards strong localization	410

Course 6. Quantum Chaos in Atomic Physics

by D. Delande 415

1 What is quantum chaos?	417
1.1 Classical chaos	418
1.2 Quantum dynamics	419
1.3 Semiclassical dynamics	421
1.4 Physical situations of interest	423
1.5 A simple example: The hydrogen atom in a magnetic field	425
1.5.1 Hamiltonian	425
1.5.2 Classical scaling	426

1.5.3	Classical dynamics	427
1.5.4	Quantum scaling – Scaled spectroscopy	428
2	Time scales – Energy scales	430
2.1	Shortest periodic orbit	430
2.2	Ehrenfest time	430
2.3	Heisenberg time	432
2.4	Inelastic time	434
3	Statistical properties of energy levels – Random Matrix Theory	435
3.1	Level dynamics	435
3.2	Statistical analysis of the spectral fluctuations	437
3.2.1	Density of states	438
3.2.2	Unfolding the spectrum	438
3.2.3	Nearest-neighbor spacing distribution	439
3.2.4	Number variance	439
3.3	Regular regime	440
3.4	Chaotic regime – Random Matrix Theory	441
3.5	Usefulness of Random Matrix Theory	444
3.6	Other statistical ensembles	446
4	Semiclassical approximation	448
4.1	Regular systems – EBK/WKB quantization	448
4.2	Semiclassical propagator	452
4.3	Green's function	454
4.4	Trace formula	456
4.5	“Backward” application of the trace formula	458
4.6	“Forward” application of the trace formula	458
4.7	Scarring	460
4.8	Convergence properties of the trace formula	461
4.9	An example: The helium atom	463
4.10	Link with Random Matrix Theory	464
5	Transport properties – Localization	466
5.1	The classical kicked rotor	467
5.2	The quantum kicked rotor	468
5.3	Dynamical localization	469
5.4	Link with Anderson localization	471
5.5	Experimental observation of dynamical localization	472

5.6	The effect of noise and decoherence	474
6	Conclusion	475
 <i>Course 7. Photonic Band Gap Materials: A New Frontier in Quantum and Nonlinear Optics</i>		
	<i>by S. John</i>	481
1	Introduction	483
2	The existence of photon localization	486
2.1	Independent scatterers and microscopic resonances	487
2.2	A new criterion for light localization	489
2.3	Photonic band gap formation	490
3	Quantum electrodynamics in a photonic band gap	491
3.1	Theory of the photon-atom bound state	491
3.2	Lifetime of the photon-atom bound state	498
4	Non-Markovian spontaneous emission dynamics near a photonic band edge	500
4.1	Single atom radiative dynamics	500
4.2	Collective time scale factors	504
4.3	Superradiance near a photonic band edge	508
5	Quantum and nonlinear optics in a three-dimensional PBG material	511
5.1	Low-threshold nonlinear optics	511
5.2	Collective switching and transistor effects	513
6	Resonant nonlinear dielectric response in a doped photonic band gap material	516
7	Collective switching and inversion without fluctuation in a colored vacuum	520
 <i>Course 8. Environment-Induced Decoherence and the Transition from Quantum to Classical</i>		
	<i>by J.P. Paz and W.H. Zurek</i>	533
1	Introduction and overview	535

2	Quantum measurements	539
2.1	Bit-by-bit measurement and quantum entanglement	541
2.2	Interactions and the information transfer in quantum measurements	544
2.3	Monitoring by the environment and decoherence	546
2.4	One-bit environment for a bit-by-bit measurement	548
2.5	Decoherence of a single (qu)bit	550
2.6	Decoherence, einselection, and controlled shifts	554
3	Dynamics of quantum open systems: Master equations	557
3.1	Master equation: Perturbative evaluation	558
3.2	Example 1: Perturbative master equation in quantum Brownian motion	561
3.3	Example 2: Perturbative master equation for a two-level system coupled to a bosonic heat bath	564
3.4	Example 3: Perturbative master equation for a particle interacting with a quantum field	566
3.5	Exact master equation for quantum Brownian motion	568
4	Einselection in quantum Brownian motion	574
4.1	Decoherence of a superposition of two coherent states	574
4.2	Predictability sieve and preferred states for QBM	578
4.3	Energy eigenstates can also be selected by the environment!	580
5	Deconstructing decoherence:	
	Landscape beyond the standard models	581
5.1	Saturation of the decoherence rate at large distances	582
5.2	Decoherence at zero temperature	583
5.3	Preexisting correlations between the system and the environment .	585
6	Decoherence and chaos	589
6.1	Quantum predictability horizon: How the correspondence is lost .	589
6.2	Exponential instability <i>vs.</i> decoherence	591
6.3	The arrow of time: A price of classicality?	593
6.4	Decoherence, einselection, and the entropy production.	597
7	How to fight against decoherence:	
	Quantum error correcting codes	598
7.1	How to protect a classical bit	599
7.2	How to protect a quantum bit	599
7.3	Stabilizer quantum error-correcting codes	606
8	Discussion	609

Course 9. Cavity QED Experiments, Entanglement and Quantum Measurement

by M. Brune

615

1	Introduction	617
2	Microwave CQED experiments: The strong coupling regime	619
2.1	The experimental tools and orders of magnitude	620
2.1.1	Circular Rydberg atoms	620
2.1.2	The photon box	621
2.2	Resonant atom-field interaction: The vacuum Rabi oscillation . . .	622
2.3	“Quantum logic” operations based on the vacuum Rabi oscillation	622
3	Quantum non-demolition detection of a single photon	624
3.1	Quantum non-demolition strategies	624
3.2	The Ramsey interferometer for detecting a single photon	625
3.3	Experimental realization	627
3.3.1	Input-meter: Demonstrating the single photon phase shift .	628
3.3.2	Meter-output correlation: Detecting the same photon twice	629
3.3.3	Input-output correlation: Quantifying the QND performance	632
4	Step-by-step synthesis of a three-particle entangled state	635
4.1	The SP-QND scheme as a quantum phase gate	635
4.2	Building step-by-step three-particle entanglement: Principle	638
4.3	Detection of the three-particle entanglement	640
5	Decoherence and quantum measurement	645
5.1	Quantum measurement theory	645
5.1.1	The postulates	645
5.1.2	Von Neumann’s analysis of meters	646
5.2	Observing progressive decoherence during a measurement process .	648
5.2.1	Measuring the atom state with the field phase	648
5.2.2	Characterizing the Schrödinger cat state	649
5.3	Theoretical analysis	652
5.4	Decoherence and interpretation of a quantum measurement	655
6	Conclusion and perspectives	656

Course 10. Basic Concepts in Quantum Computation

by A. Ekert, P.M. Hayden and H. Inamori

659

1	Qubits, gates and networks	663
----------	-----------------------------------	------------

2	Quantum arithmetic and function evaluations	668
3	Algorithms and their complexity	672
4	From interferometers to computers	675
5	The first quantum algorithms	679
6	Quantum search	682
7	Optimal phase estimation	684
8	Periodicity and quantum factoring	686
9	Cryptography	689
10	Conditional quantum dynamics	693
11	Decoherence and recoherence	694
12	Concluding remarks	699

*Course 11. Coherent Backscattering of Light
from a Cold Atomic Cloud*

*by G. Labeyrie, F. de Tomasi, J.-C. Bernard,
C. Mueller, C. Miniatura and R. Kaiser* **699**

1	Introduction	705
2	Coherent backscattering	706
2.1	Principle of CBS	706
2.2	CBS with cold atoms	707
3	Description of the experiment	708
3.1	Preparation of the atomic sample	708
3.2	CBS detection setup	709
4	Results	710
5	Conclusion	713

Seminars by participants **715**

Posters **717**

Coherent atomic matter waves - Ondes de matiere
coherentes

27 July - 27 August 1999

Kaiser, R.; Westbrook, C.; David, F. (Eds.)

2001, XXXVI, 717 p., Hardcover

ISBN: 978-3-540-41047-8