

Contents

| | | |
|----------|---|-----------|
| 1 | Introduction | 1 |
| 2 | Deserts of the Middle East | 5 |
| 3 | Climatic Aridity in the Deserts of the Middle East | 11 |
| 3.1 | Rainfall | 11 |
| 3.2 | Air Temperature | 19 |
| 3.3 | Air Humidity and Evaporation | 21 |
| 3.4 | Types of Climate | 22 |
| 4 | Topography and Plant Life | 25 |
| 5 | Plants in the Arabic Heritage | 31 |
| 6 | Adaptations of Desert Plants | 39 |
| 6.1 | What is Adaptation? | 39 |
| 6.2 | Why Adaptation? | 41 |
| 6.3 | What to Adapt to? | 43 |
| 7 | Adaptations That Increase Water Absorption | 45 |
| 7.1 | Adaptations of the Root System | 45 |
| 7.2 | Characteristics of the Root Systems of Desert Plants | 46 |
| 7.2.1 | Rapid Growth in the Seedling Stage | 46 |

| | | |
|----------|--|-----------|
| 7.2.2 | Root Extension | 50 |
| 7.2.3 | Low Shoot/Root Ratio | 51 |
| 7.2.4 | Stratification | 52 |
| 7.2.5 | Sparsity of Root Systems Within the Soil: Absence of Root Competition | 53 |
| 7.2.6 | Plasticity of Responses to Soil Conditions | 54 |
| 7.2.7 | Production of Adventitious Roots in Hillocks (Shoot-Borne Roots) | 56 |
| 7.2.7.1 | Formation of Phytogenic Hillocks | 56 |
| 7.2.8 | Production of Ephemeral Roots (Shoot-Borne Roots) | 58 |
| 7.2.9 | Sheath Roots (Rhizosheaths) | 58 |
| 7.2.10 | Resistance to Exposure Due to Wind Erosion | 59 |
| 7.2.11 | Absorption from a Relatively Dry Soil | 60 |
| 7.2.12 | Burial of Plants by Wind and Allocation of Resources | 61 |
| 7.2.13 | Anatomical Features Enabling the Root to Tolerate Edaphic Aridity | 62 |
| 8 | Adaptations That Reduce Water Loss | 65 |
| 8.1 | Reduction of the Transpiring Body | 66 |
| 8.1.1 | Shedding Part of the Green Cortex | 67 |
| 8.1.2 | Shedding, Partly or Wholly, of Branches | 71 |
| 8.1.3 | Leaf Shedding | 72 |
| 8.1.4 | Shedding Winter Leaves and Retention of Summer Leaves | 74 |
| 8.2 | Reduction of Transpiration | 77 |
| 8.2.1 | Daily Reduction of the Transpiration Rate | 80 |
| 8.2.2 | Seasonal Reduction in Transpiration Rate | 87 |
| 8.2.3 | Reduction in Water Output of Individual Plants | 88 |
| 8.2.4 | Reduction of Water Output from Natural Vegetation | 89 |
| 8.2.5 | Reduction of Water Output at the Community Level | 93 |
| 8.2.5.1 | Species Diversity | 93 |
| 8.2.5.2 | Diversity of Life Forms | 94 |
| 8.2.5.3 | Growth Form Diversity | 96 |
| 8.2.5.4 | Physiological Diversity | 96 |
| 8.2.5.5 | Intraseasonal Diversity | 98 |
| 8.2.5.6 | Allelopathy in Desert Plants | 98 |
| 8.2.2 | Plasticity of Transpiration Rates in Different Microhabitats | 99 |

| | | |
|-----------|--|------------|
| 9 | Adaptational Traits That Resist and/or Tolerate Drought | 103 |
| 9.1 | Introduction | 103 |
| 9.2 | Physiological Adaptations | 104 |
| 9.2.1 | Stomatal Control | 104 |
| 9.2.2 | Bound Water | 106 |
| 9.2.3 | Allocation of Resources | 106 |
| 9.2.4 | The Accumulation of Proline and Other Amino Acids | 108 |
| 9.2.5 | Photosynthetic Pathways | 110 |
| 9.2.5.1 | Traits of C ₄ Plants | 110 |
| 9.2.6 | Osmotic Potential | 112 |
| 9.2.7 | Protoplasmic Characteristics | 114 |
| 9.2.8 | Response to Heat Stress | 115 |
| 9.2.9 | Dew Absorption: Foliar Uptake of Water | 116 |
| 9.3 | Anatomical Adaptations | 118 |
| 9.3.1 | Anatomical Features | 118 |
| 9.3.2 | Types of Anatomical Structures in Desert Plants . . . | 121 |
| 9.3.3 | Shedding of the Cortex | 125 |
| 9.3.4 | Formation of Interxylary Cork | 126 |
| 9.3.5 | Cell Size | 126 |
| 10 | Adaptations That Engender Escape from Drought | 127 |
| 10.1 | Drought Avoidance | 127 |
| 10.2 | Winter Annuals | 128 |
| 10.2.1 | Potential Annuals | 130 |
| 10.3 | Geophytes | 131 |
| 10.4 | Diminutive Perennials | 132 |
| 11 | Adaptation to Desiccation | 135 |
| 11.1 | Resurrection Plants | 135 |
| 11.2 | Desert Poikilohydrous Thallophytes | 136 |
| 11.2.1 | Algae | 137 |
| 11.2.2 | Lichens | 137 |
| 11.2.2.1 | Water Uptake by Lichens | 139 |
| 11.2.2.2 | Lichens and Air Temperature | 141 |
| 11.2.3 | Bryophytes | 142 |
| 11.2.4 | Ferns | 143 |

| | | |
|-----------|---|------------|
| 12 | Adaptations of Plants to Saline Conditions in Arid Regions | 146 |
| 12.1 | Saline Regions and Halophytes | 146 |
| 12.2 | Adaptations and Mechanisms | 147 |
| 12.3 | Salt Excretion | 149 |
| 12.3.1 | Salt Glands | 149 |
| 12.3.1.1 | Structure of Salt Glands | 149 |
| 12.3.1.2 | Ecological Factors Affecting Salt Secretion | 152 |
| 12.3.2 | Salt Bladders and Hairs | 152 |
| 12.4 | Shedding of Salt-Saturated Tissues and Organs | 154 |
| 12.5 | Osmotic Adjustment | 157 |
| 12.6 | Succulence | 158 |
| 12.7 | Proline and Other Organic Metabolites | 159 |
| 12.8 | Photosynthetic Pathways | 160 |
| 12.9 | Germination and Vegetative Reproduction | 162 |
| 12.10 | Formation of Phytogenic Mounds | 164 |
| | References | 167 |
| | Index of Latin Plant Names | 183 |
| | Index of Arabic Plant Names | xxx |
| | Subject Index | xxx |



<http://www.springer.com/978-3-540-52572-1>

Plants in the Deserts of the Middle East

Batanouny, K.H.

2001, XII, 194 p., Hardcover

ISBN: 978-3-540-52572-1