

---

# Contents

■ 1	<b>The Basic Features of Self-Incompatibility . . . .</b>	<b>1</b>
1.1	A Definition . . . . .	1
1.2	Nature of the SI Reaction . . . . .	2
1.3	Classification of SI Systems . . . . .	3
1.3.1	The Time of Gene Action in the Pistil . . . . .	3
1.3.2	The Time of Gene Action in the Stamen . . . . .	4
1.3.2.1	Determination of the Pollen Phenotype in Gametophytic Systems . . . . .	4
1.3.2.2	Determination of the Pollen Phenotype in Sporophytic Systems . . . . .	6
1.3.3	The Association with Floral Polymorphism . . .	7
1.3.3.1	The Distylic Condition . . . . .	8
1.3.3.2	Tristylly . . . . .	9
1.3.4	The Site of Gene Expression . . . . .	10
1.3.4.1	Stigmatic Inhibition . . . . .	10
1.3.4.2	Stylar Inhibition . . . . .	11
1.3.4.3	Ovarian Inhibition . . . . .	12
1.3.5	The Number of Genetic Loci and the Involvement of Polyallelic Series . . . . .	13
1.3.5.1	The Genetic Basis of Recognition . . . . .	13
1.3.5.1.1	Control by a Single but Complex Locus . . . . .	13
1.3.5.1.2	Recognition by Two Unlinked Loci in the Grasses . . . . .	14
1.3.5.1.3	Recognition by Two or More Loci in Several Other Families . . . . .	14
1.3.5.2	Polyallelism at the Incompatibility Loci . . . . .	14
1.3.5.3	How Many Genes are Involved in the Rejection Process? . . . . .	15
1.3.5.3.1	Stigmatic SSI . . . . .	15
1.3.5.3.2	Stigmatic GSI . . . . .	15
1.3.5.3.3	Stylar GSI . . . . .	15

1.4	Recapitulation on the Classification of SI Systems .....	16
1.5	The Distribution of SI Systems in the Angiosperms .....	17
1.5.1	Incidence of SI in the Families of Flowering Plants .....	17
1.5.2	Distribution of SI among Species Important for Agriculture .....	21
1.6	Chronology of Early Researches on SI .....	23
■ 2	<b>The Genetics of Self-Incompatibility</b> .....	25
2.1	Sporophytic Heteromorphic Systems .....	25
2.1.1	Distyly .....	25
2.1.1.1	A Supergene... ..	26
2.1.1.2	...Within Which Recombination Occurs ....	27
2.1.1.3	The Supergene is Controlled by Modifier Genes .....	28
2.1.2	Tristyly .....	28
2.1.2.1	Homomorphic Variants and Supergenes in Tristyly .....	30
2.1.2.2	One Genotype, Two Phenotypes .....	30
2.1.2.3	Dominance Change in <i>O. articulata</i> .....	30
2.1.2.4	Breeding Behavior Can be Independent of Floral Heteromorphism .....	31
2.1.3	Multi-Allelic Series in Species with Incomplete Heterostyly? .....	31
2.2	Sporophytic Homomorphic Stigmatic Control .....	31
2.2.1	Two Di-Allelic Loci .....	31
2.2.2	A Single Locus with Polyallelic Series, Dominance and Competitive Interaction: the <i>Brassica</i> Type .....	32
2.2.2.1	The <i>Brassica</i> Haplotypes .....	34
2.2.2.1.1	Class-I Haplotypes .....	35
2.2.2.1.2	Class-II Haplotypes .....	35
2.2.2.2	Extension of the Haplotype Concept to Other Genes, Other Families and Other Systems ....	36
2.2.2.3	S-Locus-Related (SLR) Genes in <i>Brassica</i> ....	37
2.2.2.4	Many Genes in the S-Linkage Group .....	37
2.2.3	A Single Sporophytic Stigmatic Locus with Multiple Alleles but without Dominance and Competitive Interaction .....	38
2.2.4	Three or Four Polyallelic Loci in <i>Eruca sativa</i> .	38

2.3	Gametophytic Homomorphic S Systems with Polyallelic Series .....	39
2.3.1	One-Locus Stigmatic Control: the Case of the Style-Less Field Poppy .....	39
2.3.1.1	Genetics of SI Polymorphism in <i>P. rhoeas</i> and Other Species with Polyallelic, Monofactorial SI .....	40
2.3.1.2	The Number of S Alleles in <i>P. rhoeas</i> .....	42
2.3.2	Two Loci-Stigmatic Control in the Grasses ...	42
2.3.2.1	Breeding Efficiency of the S-Z System .....	43
2.3.2.2	The Size of Polyallelic Series .....	43
2.3.3	Four-Loci Stigmatic Gametophytic Control in the Ranunculaceae, the Chenopodiaceae and the Liliaceae .....	45
2.3.3.1	Few Alleles per Locus in Tetra-Factorial Stigmatic GSI .....	46
2.3.3.2	Linkage Between the Four SI Genes .....	47
2.3.3.3	SI is Maintained in Tetraploid <i>R. repens</i> .....	47
2.3.4	Monofactorial Stylar GSI with Polyallelic Series .....	47
2.3.4.1	The Size of Polyallelic Series in Stylar Monofactorial GSI .....	48
2.3.4.2	The Structure of the S Locus in Stylar Monofactorial GSI .....	49
2.3.4.3	Identification of S-Bearing Chromosomes ....	50
2.3.5	Bifactorial Stylar GSI with Epistatic Relationships .....	50
2.3.6	Three or Four S Loci in a Complementary System of <i>Lotus tenuis</i> .....	52
2.3.7	Ovarian Gametophytic SI .....	52
2.3.7.1	Post-Zygotic OSI? .....	53
2.3.7.2	Cyclic, Post-Zygotic, Polygenic SI .....	54
2.3.7.3	Incompatible Pollen Tubes That Prevent Ovule Development .....	54
2.4	Sporophytic-Gametophytic Systems .....	55
2.4.1	Three Genes Participate in the Ovarian Gametophytic-Sporophytic System of <i>Theobroma cacao</i> .....	55
2.4.2	Sporophytic Stigmatic SI Revisited in the Cruciferae and the Compositae .....	56
2.4.3	A One-Locus Sporophytic System with Traces of Gametophytic Pollen Control in the Caryophyllaceae .....	58

2.5	Genes Involved in the Rejection Phase of SI .....	59
2.5.1	In Stigmatic SI Systems .....	59
2.5.2	The Rejection Phase in Species with Stylar GSI .....	61
2.5.3	SI in the Ovary .....	61
2.6	SI in Polyploids .....	62
2.7	Equilibrium Frequencies of SI Alleles .....	62
2.7.1	Two Alleles at One Locus in a Sporophytic System .....	62
2.7.2	Trimorphism .....	63
2.7.3	One Polyallelic Locus in a Sporophytic System .....	63
2.7.4	Polyallelic Series in a Monofactorial Gametophytic System .....	64
2.7.5	Two Polyallelic Gametophytic Loci .....	64
2.7.6	The Number of Possible Allelic Combinations in <i>Theobroma</i> .....	65
2.8	The Maintenance and Efficiency of Incompatibility Systems .....	65
2.8.1	Population Sizes and Numbers of Incompatibility Alleles .....	66
2.8.1.1	Smallest Numbers of Alleles Required .....	66
2.8.1.2	“Molecular Restraints to the Coding Capacity of the S Gene in <i>Papaver</i> ”? .....	66
2.8.1.3	Consequences of High Numbers of Alleles at the SI Loci .....	67
2.8.1.4	Linkage Effect as a Main Cause to Unequal S-Allele Frequencies in British Populations of <i>P. rhoeas</i> .....	67
2.8.2	The Selection of Rare Alleles and Replacement Processes .....	67
2.8.3	Explanations to the Large Numbers of Alleles Found in <i>Oenothera</i> , <i>Trifolium</i> , <i>Carthamus</i> and <i>Lolium</i> .....	68
2.8.3.1	High Mutation Rates .....	68
2.8.3.2	Subdivisions of Populations .....	69
2.8.3.3	Migration and Hard Seed Carryover .....	69
2.8.4	The Efficiency of SI Mechanisms for Preventing Unions Between Near Relatives .....	70
2.8.4.1	A Comparison of Parent-Offspring Relationships in Heterostylic and Gametophytic Systems .....	70

2.8.5	Effects of Pollen and Seed Dispersal, Overlapping Generations and Plant-Size Variations in Populations at Equilibrium . . . . .	71
2.8.6	A New Mathematical Approach to SI Polymorphism in a One-Locus Gametophytic System . . . . .	71
2.8.7	The Concept of a Frequency-Equivalent Population . . . . .	72
■ 3	<b>Cellular and Molecular Biology of Self-Incompatibility . . . . .</b>	<b>73</b>
3.1	Heteromorphic Incompatibility . . . . .	74
3.1.1	A System of Its Own . . . . .	74
3.1.1.1	The Research Approaches are Different . . . . .	74
3.1.1.2	Several Rejection Sites . . . . .	74
3.1.1.3	Rejection Cascades . . . . .	75
3.1.1.4	Stigmatic Rejection May Occur on Wet Stigmas . . . . .	76
3.1.1.5	The Rejection Sites Are Not Always Typical of a Sporophytic System . . . . .	76
3.1.1.6	The Incompatibility Loci Are Usually Di-Allelic . . . . .	76
3.1.1.7	Role of the Internal Environment in the Specificity of Incompatibility Products . . . . .	77
3.1.2	Occurrence and Function of Stigma and Pollen Polymorphism . . . . .	78
3.1.2.1	Analyses of Pollen Walls . . . . .	79
3.1.2.2	The Role of Pollen and stigma Dimorphism on Pollen Affixation and Pollen Metabolism . . . . .	81
3.1.2.2.1	Effects of Differences in the Morphology of the Stigmatic Cuticle and in the Sculpturing of Pollen Exine . . . . .	81
3.1.2.2.2	Function of the Pollen Exine in <i>Jepsonia</i> . . . . .	83
3.1.2.2.3	Availability of Exudate on the Stigma Surface . . . . .	83
3.1.2.2.4	Variations in Osmotic Pressures . . . . .	83
3.1.3	The Molecular Biology of Heteromorphic SI . . . . .	84
3.1.3.1	Identification of S-Recognition Factors . . . . .	84
3.1.3.2	Is There a Fundamental Difference Between SI in Heteromorphic Species and SI in Sporophytic-Homomorphic Systems? . . . . .	85
3.2	Homomorphic Sporophytic Stigmatic SI: the <i>Brassica</i> Type . . . . .	87
3.2.1	Morphology and Structure of Stigma and Pollen Surfaces . . . . .	87
3.2.1.1	The Stigma Surface . . . . .	87
3.2.1.2	The Pollen Exine and the Pollen Coating . . . . .	88

3.2.1.2.1	Differences in the Pollen Exine Sculpturing Between SSI and GSI .....	89
3.2.2	The Route of the Compatible Pollen Tube Through the Stigma .....	89
3.2.2.1	Self-Incompatible <i>Brassica oleracea</i> .....	89
3.2.2.2	Self-Compatible <i>Arabidopsis thaliana</i> .....	90
3.2.3	Stigmatic Proteins Involved in the Recognition of Incompatible Pollen .....	91
3.2.3.1	Immunological Detection and Purification of SLG .....	91
3.2.3.1.1	Purification of SLG .....	92
3.2.3.2	Essential Features of SLG .....	92
3.2.3.2.1	Cloning of the Gene Encoding SLG .....	92
3.2.3.2.2	The SLG Sequence .....	93
3.2.3.2.3	Structure of SLG and Homologies Between Alleles .....	94
3.2.3.2.4	Nature, Origin and Frequency of Sequence Variations Between Different Alleles .....	94
3.2.3.2.5	Co-Evolution of SLG and SRK .....	94
3.2.3.2.6	Structural and Functional Distinctness of SLG in Class-II Haplotypes .....	95
3.2.3.3	The S-Receptor Kinase Gene, SRK .....	95
3.2.3.3.1	Essential Features of SRK .....	96
3.2.3.4	A Direct Method for the Cloning of S Haplotypes .....	98
3.2.3.5	SLG and SRK Are Present, Often as Traces, in Other Parts of the <i>Brassica</i> and Transgenic <i>Nicotiana</i> Flowers .....	99
3.2.3.5.1	In the Pollen .....	99
3.2.3.5.2	In Anther Walls .....	99
3.2.3.5.3	In the Transmitting Tissue of the Stigma, Style and Ovary .....	99
3.2.3.5.4	In Transgenic Tobacco .....	99
3.2.3.6	A Putative Receptor Kinase Gene in <i>Ipomoea trifida</i> .....	99
3.2.3.7	SLG and SRK Have Many Relatives .....	100
3.2.3.7.1	Members of the S Multi-Gene Family That Are Linked to the S Locus .....	101
3.2.3.7.2	S-Locus-Related Sequences in <i>Arabidopsis</i> ....	102
3.2.3.7.3	Relationship of SRK/SLG to the Putative Kinase Receptor (ZmPK1) from Maize .....	102
3.2.3.7.4	ARC1, a Putative Downstream Effector for SRK	102
3.2.4	The S-Specific Pollen Determinant .....	102
3.2.4.1	Expected Features of the S Determinants ....	102
3.2.4.1.1	Allelism to the SRK or SLG Genes? .....	102

3.2.4.1.2	Likelihood of a Dimer Mechanism in SI Systems of the <i>Brassica</i> Type .....	103
3.2.4.1.3	Linkage of Pollen and Stigma Determinants to the S Haplotype .....	103
3.2.4.1.4	Sporophytic Expression .....	104
3.2.4.2	Contribution of the Tapetum to the Pollen Coat and to SI .....	104
3.2.4.2.1	Contribution to Pollen Coating .....	104
3.2.4.2.2	Evidence That the Pollen Coating Carries the Pollen S Determinant .....	104
3.2.4.2.3	Tapetal Origin of Pollen S Determinants? ....	105
3.2.4.3	The Search for the Pollen S Determinant: Recent History .....	105
3.2.4.3.1	The S-Glycoprotein-Like Anther Protein ....	106
3.2.4.3.2	The S-Locus Anther .....	106
3.2.4.3.3	Pollen-Coat Protein Class A .....	106
3.2.4.3.4	Pollen-Coat Protein A2 .....	107
3.2.4.3.5	SLL2-S9 and S-Locus Anther-Expressed S9 Gene .....	107
3.2.4.3.6	The Systematic Analysis of S and S-Related Regions .....	107
3.2.4.4	Finding the Pollen Determinant .....	108
3.2.4.4.1	The Gene Fulfils the Requirements for the Hypothesized Pollen Determinant ....	108
3.2.4.4.2	SCR Is a Relative of PCPs .....	108
3.2.4.4.3	Origin (Sporophytic and Tapetal) of SCR ....	108
3.2.5	What Happens After an Incompatible Pollination? .....	109
3.2.5.1	Pollen Capture by the Stigma .....	109
3.2.5.2	Relationships Between Pollen Hydration and SI .....	110
3.2.5.3	Stigmatic S Glycoproteins Are Glycosylated ...	110
3.2.5.4	The Recognition of Incompatible Pollen ....	110
3.2.5.5	Rejection of Incompatible Pollen .....	112
3.2.5.6	The Role of Callose .....	112
3.3	Stigmatic Monofactorial Multiallelic GSI in <i>Papaver rhoeas</i> .....	113
3.3.1	Compatible and Incompatible Pollinations ...	113
3.3.1.1	Morphology and Growth of Compatible Pollen Tubes .....	113
3.3.1.2	Incompatible Pollen Grains and Pollen Tubes .	113
3.3.2	An In Vitro Bioassay for the Study of Stigmatic S Proteins – Pollen Metabolism and Pollen-Stigma Interactions after Self-Pollination ....	114

3.3.3	Characterization of Stigmatic S Proteins and Cloning of the Stigmatic S Gene . . . . .	114
3.3.3.1	Isolation and Characterization of the Stigmatic S Proteins . . . . .	114
3.3.3.1.1	Isolation and Testing of Function . . . . .	114
3.3.3.1.2	Co-Segregation with S Alleles . . . . .	114
3.3.3.1.3	Characteristics of the Protein . . . . .	115
3.3.3.1.4	S Activity, S Specificity and the Role of Glycosylation . . . . .	115
3.3.3.1.5	Polymorphism of S Sequences . . . . .	115
3.3.3.1.6	The S Proteins Are Not Major Proteins of the Stigma . . . . .	115
3.3.3.1.7	The S Protein Is Not a Ribonuclease . . . . .	116
3.3.3.2	Cloning and Nucleotide Sequencing of the Stigmatic S Gene . . . . .	116
3.3.3.3	Biological Activity of Mutant Derivatives of the S Protein . . . . .	116
3.3.3.4	Large Numbers of ORFs with Homology to the Stigmatic S Gene of <i>Papaver</i> Are Present in the <i>Arabidopsis</i> Genome . . . . .	117
3.3.4	Pollen Genes That Participate in the SI Response . . . . .	117
3.3.4.1	Inhibition of Incompatible Pollen Tubes Depends on Pollen-Gene Expression . . . . .	117
3.3.4.2	Involvement of a Signal-Transduction Mechanism in the SI Response . . . . .	118
3.3.4.3	A Membrane Glycoprotein That Binds Stigmatic S Proteins in Pollen . . . . .	119
3.3.4.4	Programmed Cell Death Is the End Point of the SI Response in <i>Papaver rhoeas</i> . . . . .	121
3.4	Stigmatic Bi-Factorial GSI in the Grasses . . . . .	121
3.4.1	Flowers and Pollination . . . . .	122
3.4.1.1	Stigma and Pollen . . . . .	122
3.4.1.2	Compatible Pollination . . . . .	122
3.4.1.3	Self-Pollination . . . . .	122
3.4.2	SI in <i>Phalaris coerulescens</i> . . . . .	123
3.4.2.1	Identification of Restriction Fragments Linked to the Pollen S Gene . . . . .	123
3.4.2.2	Bm2 is not the S Gene . . . . .	123
3.4.2.3	Involvement of Thioredoxins in the SI Mechanism? . . . . .	124
3.4.3	SI in Rye . . . . .	125
3.4.3.1	Evidence that the SI Mechanism Involves Phosphorylation and Is $\text{Ca}^{2+}$ Dependent . . . . .	125
3.4.3.1.1	<i>In Situ</i> Pollen Phosphorylation . . . . .	125



3.4.3.1.2	Gel Electrophoresis of Pollen Phosphoproteins	125
3.4.3.1.3	Effects of Inhibitors	126
3.4.3.2	A Model for the SI Mechanism in Rye	126
3.4.4	Applicability of the Model to All SI Species of Grasses	127
3.4.4.1	The S and Z Loci Are Not Interchangeable	127
3.4.4.2	Conserved S Sequences of <i>Brassica</i> Amplify S-Linked Fragments in Rye	127
3.5	Monofactorial Stylar GSI with Multiple Alleles: the <i>Nicotiana</i> Type	128
3.5.1	Pollen-tube Morphology and Growth in Compatible Styles	128
3.5.1.1	Observation under the Light Microscope	128
3.5.1.1.1	Role and Specificity of the Stigmatic Exudate	129
3.5.1.1.2	Mitosis in the Generative Nucleus of <i>Petunia hybrida</i>	129
3.5.1.2	Electron Microscopy	129
3.5.2	Morphology and Growth of Incompatible Tubes	130
3.5.2.1	Incompatible Tubes of <i>N. alata</i> under Epifluorescence Illumination	130
3.5.2.2	Electron Microscopy	131
3.5.2.3	The Role of Callose	132
3.5.2.4	Mitosis in the Generative Nucleus of <i>P. hybrida</i>	132
3.5.3	Early Research on the Nature of the SI Reaction	133
3.5.3.1	SI as a Process of Growth Inhibition	133
3.5.3.2	Is the S Phenotype of Mature Styles Determined before Pollination?	133
3.5.3.2.1	Evidence from In Vitro Tests	133
3.5.3.2.2	Diverging Results	133
3.5.3.3	First Models of the Gametophytic Stylar SI Mechanism	134
3.5.3.4	Towards the Detection of Stylar S Proteins	135
3.5.4	Isolation, Cloning and Sequencing of a Stylar Protein Segregating with the S2 Allele of <i>N. alata</i>	136
3.5.5	The S-Associated Glycoproteins Are Ribonucleases, and SI Involves the Degradation of Pollen RNA	137
3.5.6	Evidence that the S Proteins of <i>Petunia</i> and <i>Nicotiana</i> Are Responsible for the S-Allele-Specific Recognition and Rejection of Self Pollen	138

3.5.6.1	Induction of Loss and Gain of Functions at the S Locus of <i>P. inflata</i> .....	138
3.5.6.2	S-Allele-Specific Pollen-Tube Rejection in Transgenic <i>Nicotiana</i> .....	139
3.5.6.3	Proof that Ribonuclease Is Involved in the Rejection of Self Pollen .....	139
3.5.7	Main Features of the S-Ribonuclease Gene and of Ribonucleases .....	139
3.5.7.1	Distribution and Structural Features of the Gene .....	139
3.5.7.1.1	Solanaceae .....	140
3.5.7.1.2	Rosaceae .....	141
3.5.7.1.3	Scrophulariaceae .....	141
3.5.7.2	What Are the Effects of S Ribonucleases on rRNA and mRNA? .....	141
3.5.7.3	Are the Effects of Ribonucleases Irreversible? ..	142
3.5.7.4	Why Pollen Tubes Are Not Inhibited in the Stigma .....	143
3.5.7.5	What Determines the S Specificity of Stylar Ribonucleases? .....	143
3.5.7.5.1	The Role of the Carbohydrate Moiety .....	143
3.5.7.5.2	The Role of HV Regions .....	144
3.5.8	S-Gene Products in Pollen Grains and Pollen-Pistil Recognition .....	145
3.5.8.1	The S-Ribonuclease Gene Is Expressed in Developing Pollen Grains... ..	145
3.5.8.1.1	<i>N. alata</i> .....	145
3.5.8.1.2	<i>P. hybrida</i> .....	145
3.5.8.1.3	<i>L. peruvianum</i> .....	145
3.5.8.2	...but Pollen S Ribonucleases Do Not Determine the Pollen S Phenotype .....	145
3.5.8.3	Involvement of Protein Kinase? .....	146
3.5.8.3.1	A Pollen Receptor-Like Kinase 1 in <i>P. inflata</i> ..	146
3.5.8.3.2	In Vitro Phosphorylation of the S Ribonucleases from <i>N. alata</i> .....	147
3.5.8.4	The Role of Pollen Determinants .....	147
3.5.8.5	Current Research Regarding the Identification of Pollen S Determinants .....	149
3.5.8.5.1	A Functional Genome Approach to Search for the Pollen S Gene of <i>P. inflata</i> .....	149
3.5.8.5.2	Towards the Fine-Scale Mapping of the S Locus in <i>Petunia hybrida</i> .....	149
3.5.8.5.3	Use of a Two-Hybrid System to Identify the Pollen S Component in <i>S. chacoense</i> .....	149

■ 4	<b>Breakdown of the Self-Incompatibility Character, S Mutations and the Evolution of Self-Incompatible Systems</b>	151
4.1	The Physiological Breakdown of SI	152
4.1.1	Age Factors	152
4.1.1.1	Bud Pollination	152
4.1.1.2	Delayed Pollination, Use of Stored Pollen and End-of-Season Effects	153
4.1.2	Irradiation	153
4.1.2.1	Chronic Exposure to Low Dose Rates of Radiation	154
4.1.2.2	Acute Irradiation of Styles	154
4.1.2.3	High Temperatures	155
4.1.3	Application of CO <sub>2</sub>	156
4.1.4	Hormones and Inhibitors	156
4.1.4.1	$\alpha$ -Naphthalene Acetic Acid and Indole Acetic Acid	156
4.1.4.2	Effects of Transcription and Translation Inhibitors	157
4.1.4.3	Effects of Proteinase and Tunicamycin	158
4.1.4.4	Effects of Inhibitors of Protein Phosphatase	158
4.1.5	Pistil Grafting	159
4.1.6	Mutilations, Injections and the Effects of Castration on Pollen-Tube Growth	159
4.1.7	Mentor Effects	160
4.1.7.1	Mentor Pollen Is More Efficient When Inactivated or Killed	160
4.1.7.2	Nature of the Mentor Effects	161
4.2	Genetic Breakdown of SI and S-Gene Mutations	161
4.2.1	Loss of S Function in Pollen Grains of Species with SSI	161
4.2.2	Loss of S Function in the Pollen of Species with GSI	163
4.2.2.1	Function Loss of the Pollen Determinant Associated with the Presence of a Free Centric Fragment	163
4.2.2.1.1	Competitive Interaction	163
4.2.2.1.2	Complementation	165
4.2.2.1.3	Restitution	165
4.2.2.1.4	Likelihood of the Three Hypotheses	166
4.2.2.1.5	Origin of the Centric Fragment in "Pollen-Part" SC Mutants of <i>N. alata</i>	166

4.2.2.1.6	Current Approaches to the Biomolecular Study of PPMs Associated with Additional Chromosomal Material .....	166
4.2.2.2	Function Loss of the Pollen Determinant Not Associated with the Presence of a Centric Fragment .....	168
4.2.2.3	The Frequency of S Mutations Leading to the Loss of SI Function in Pollen Grains ...	169
4.2.2.4	Production of Cultivars with Modified Breeding Regimes: Examples of Traditional and Molecular Approaches .....	170
4.2.2.4.1	Cherry Stella .....	170
4.2.2.4.2	Elstar .....	170
4.2.2.5	The Use of “Pollen-Part” Mutations for the Production of F1 Hybrid Seed .....	171
4.2.3	Loss of S Function in the Stigmas of Species with SSI .....	172
4.2.3.1	Utility of SC Styler Mutations and of Silencing Studies for the Understanding and Exploitation of SI .....	172
4.2.3.1.1	Breakdown of SI Through Silencing Effects ...	172
4.2.3.1.2	Why Gene Silencing Occurs .....	173
4.2.3.1.3	Scientific Interest of S-Gene Silencing .....	173
4.2.3.1.4	The Importance of Specific S-Function Losses for Basic and Applied Research .....	174
4.2.4	Loss and Gain of S-Function Approaches in the Stigma or Style of Species with GSI ...	174
4.2.4.1	SC Mutants Arising Spontaneously or from Conventional Mutagenic Treatment ..	174
4.2.4.2	Genetic Constructs and Ablations of S-Gene Products Leading to SC and their Importance for SI Research .....	175
4.2.4.2.1	How to Induce Function Loss Through the Use of Anti-Sense DNA .....	175
4.2.4.2.2	Loss of Function and Gain of Function Approaches Are Complementary .....	176
4.2.4.2.3	Competition Effects Occurring in the Styles of <i>Petunia</i> Plants with a Tri-Allelic S2–S3–S3× Genotype .....	177
4.2.4.3	Presence and Expression of S Ribonucleases in Self-Compatible Lines .....	177
4.2.4.4	Loss and Gain of Function in the Pollen of Plants with Mono-Factorial Styler GSI ....	178
4.2.5	SC Through Genetic Changes Occurring Outside the S Locus .....	178
4.2.5.1	In Sporophytic Systems .....	179

4.2.5.2	In Gametophytic Systems .....	180
4.2.5.2.1	Mutations of Major Genes .....	180
4.2.5.2.2	Action of Polygenes .....	180
4.2.5.2.3	S Alleles Trapped in Translocation Rings .....	181
4.2.6	SC in Polyploids .....	182
4.2.6.1	Tetraploid Forms and Tetraploid Species Are Often Self-Compatible .....	182
4.2.6.2	Competitive Interaction in Diploid Hetero-Allelic Pollen .....	182
4.2.6.3	Effects of Polyploidy on SI in Monocots and Certain Primitive Dicots .....	183
4.2.7	The Generation of New SI Alleles .....	184
4.2.7.1	Conflicting Evidence Regarding the Role of HV Regions in the Solanaceae? .....	184
4.2.7.1.1	Only Four AAs Are Responsible for the Differ- ence in Specificity Between the S11 and S13 Alleles of <i>Solanum chacoense</i> .....	184
4.2.7.1.2	In <i>Petunia</i> and <i>Nicotiana</i> , the Ribonuclease Sequences Responsible for Pollen Recognition Appear to be Scattered Throughout the Molecule .....	185
4.2.7.2	New S Alleles Appear in Inbred Populations ..	187
4.2.7.3	Origin of New Specificities .....	188
4.2.7.4	The Dual Specificity of New S Alleles May Play a Key Role in the Generation of New S Alleles ..	188
4.2.7.5	The Role of the Genetic Background .....	189
4.2.7.6	Methods for a Rapid and Reliable Identification of S Alleles in Plant Breeding ..	189
4.3	Evolution of SI .....	190
4.3.1	Allelic Diversity .....	190
4.3.1.1	Origin, Distribution and Extent of Divergences among Functional S Alleles in the GSI System of the Solanaceae .....	191
4.3.1.1.1	Intragenic Crossing-Over or Accumulation of Single BP Changes? .....	191
4.3.1.1.2	Distribution and Variability of S Alleles .....	192
4.3.1.1.3	Inter-Species Variation in S-Allele Age and Number .....	192
4.3.1.2	S Alleles in Other Families with a Ribonuclease GSI System .....	192
4.3.1.2.1	Differences Between the Scrophulariaceae and the Solanaceae .....	192
4.3.1.2.2	Differences Between the Rosaceae and the Solanaceae .....	193
4.3.1.2.3	S-RNase Polymorphism in the Rosaceae .....	193

4.3.1.3	Homology or Convergence Among S Ribonucleases? . . . . .	193
4.3.1.3.1	What Happens in Legumes? . . . . .	194
4.3.1.4	SLG and SRK Allelic Divergences in the Brassicaceae . . . . .	194
4.3.1.4.1	Hyper-Mutability of the S Locus . . . . .	194
4.3.1.4.2	The S Locus is not a Hot Spot of Recombination . . . . .	195
4.3.1.4.3	Distribution and Extent of Variations Between S Alleles . . . . .	196
4.3.1.4.4	Extent of the Divergence Between SLG and SRK of a Same S Haplotype . . . . .	197
4.3.1.4.5	How is Sequence Similarity Usually Maintained Between SRK and SLG in <i>Brassica</i> Haplotypes? . . . . .	197
4.3.1.5	S Alleles Are Very Old . . . . .	197
4.3.1.5.1	S-Ribonuclease Polymorphism in the Solanaceae Arose Before the Emergence of <i>Nicotiana</i> , <i>Petunia</i> and <i>Solanum</i> . . . . .	198
4.3.1.5.2	The Origin of SLG and SRK . . . . .	199
4.3.1.6	PCR Methods for Assessing Divergence Among S Alleles . . . . .	201
4.3.1.6.1	In the Crucifers . . . . .	201
4.3.1.6.2	In Solanaceous Species . . . . .	201
4.3.2	The Multiple Origins of SI Systems . . . . .	202
4.3.2.1	Early Views . . . . .	202
4.3.2.1.1	SI is a Primitive Outbreeding Mechanism That Promoted the Expansion of Angiosperms . . . . .	202
4.3.2.1.2	Gametophytic Poly-Allelic Incompatibility Is the Ancestral System and Occurred Only Once . . . . .	203
4.3.2.2	Current Thoughts . . . . .	203
4.3.2.2.1	Towards a General Agreement Regarding the Multiple Origins of SI . . . . .	203
4.3.2.2.2	Multiple Gene Systems as an Origin of Mono-Factorial GSI? . . . . .	204
4.3.2.2.3	S Ribonucleases Could Be Operating in a Very Vast Majority of Species from the Dicot Families . . . . .	205
4.3.3	Origin of the Different Homomorphic SI Systems and Their Relationships . . . . .	206
4.3.3.1	Origin of Stylar Mono-Factorial GSI and Properties of Allelic Genealogies at the GSI Locus . . . . .	206
4.3.3.2	The Origin of SSI . . . . .	207
4.3.3.3	Evolution of Inbreeding Depression and Its Importance for S-Allele Invasion . . . . .	207
4.3.3.4	Transitions Between GSI and SSI . . . . .	207

4.3.3.5	Co-Existence of SI and SC Alleles or Breakdown of the System? . . . . .	208
4.3.4	The Origin of Heteromorphic Incompatibility . . . . .	208
4.3.4.1	Arguments against Evolutionary Relationships with Homomorphic SI . . . . .	209
4.3.4.1.1	Homomorphic SI Systems Probably Have Multiple Origins . . . . .	209
4.3.4.1.2	Heteromorphic Incompatibility is Scattered Among the Angiosperms and Has Poly-Phyletic Origins . . . . .	209
4.3.4.1.3	There Are Basic Differences Between Heteromorphic and Homomorphic SI . . . . .	209
4.3.4.2	Which Came First, Heteromorphy or Incompatibility? . . . . .	210
4.3.4.3	Evolution of Tristyly . . . . .	211
4.3.4.4	The Evolutionary Breakdown or Transformation of Heteromorphy . . . . .	211
4.3.5	SC as the “Paradox of Evolution” . . . . .	212
4.3.5.1	The Derived Condition of SC . . . . .	212
4.3.5.1.1	More Recent Arguments . . . . .	213
4.3.5.2	Reasons for the Expansion of Self-Fertilizers . . . . .	213
4.3.5.2.1	Outbreeding is not Always Essential Once the Environment has been Captured . . . . .	214
4.3.5.2.2	Inbreeding-Outbreeding Alternations Provide Fertility Insurance . . . . .	214
4.3.5.2.3	SC Facilitates the Establishment of Colonies after the Long-Distance Dispersal of Single Seeds . . . . .	214
4.3.5.2.4	Self-Fertilizers Are Qualified Colonizers . . . . .	214
4.3.5.2.5	Inbred Populations Display High Levels of Genetic Diversity . . . . .	215
4.3.6	The Origin of Inter-Species Incompatibility . . . . .	215
■ 5	<b>Incompatibility and Incongruity Barriers Between Different Species . . . . .</b>	217
5.1	Inter-Species Incompatibility Under the Control of the S Locus . . . . .	217
5.1.1	The SI×SC Rule . . . . .	217
5.1.1.1	Distribution of the Barrier . . . . .	218
5.1.1.1.1	In the Solanaceae . . . . .	218
5.1.1.1.2	In Sporophytic Systems . . . . .	218
5.1.1.1.3	The SI×SC Rule in the Grasses . . . . .	219
5.1.2	Many Exceptions to the SI×SC Rule . . . . .	219
5.1.2.1	They Occur Essentially in the Case of SI×SI Pollination . . . . .	219

5.1.2.2	SI×“Sc” Crosses .....	220
5.1.3	Differences Between the SI Reaction and Inter-Species Rejection Processes .....	221
5.1.3.1	Situation in the Solanaceae .....	221
5.1.3.1.1	Observations with the Light Microscope .....	221
5.1.3.1.2	Electron Microscopy .....	222
5.1.3.2	In the Brassicaceae .....	222
5.1.4	The Involvement of the S Locus .....	224
5.1.4.1	Unilateral Pre-Zygotic Isolation Is an Active Process in <i>Brassica</i> .....	224
5.1.4.2	SE <sub>f</sub> a Class of S Alleles That Clearly Display a Dual Function .....	224
5.1.4.3	Unilateral Pre-Zygotic Isolation Requires the Action of S-Ribonucleases in <i>Nicotiana</i> ...	225
5.1.5	S-Recognition Structures Participating in Inter-Species UI .....	227
5.1.5.1	The Antigen-Antibody Model .....	228
5.1.5.1.1	SI×SI Crosses .....	228
5.1.5.1.2	SI×Sc Crosses and Sc×SC Crosses .....	228
5.1.5.1.3	Actuality of the Model .....	229
5.1.5.2	The “Area Hypothesis” .....	229
5.1.5.3	The S Locus as a Cluster of Primary and Secondary Specificities .....	230
5.1.5.4	Why SI×SI Crosses Often Fail to Follow the SI×SC Rule .....	231
5.1.6	Other Genetic Loci Also Participate in Inter-Species Incompatibility .....	232
5.1.6.1	The R Locus of <i>Solanum</i> .....	232
5.1.6.2	A Switch Gene in <i>Lycopersicum</i> .....	232
5.1.6.3	The Two-Power Competition Hypothesis .....	234
5.1.6.4	Non-Functional and “Conditionally” Functional S Alleles in a SC Cultivar of <i>Petunia</i> .....	234
5.1.6.5	An Interaction Between the S Locus and Major Genes in <i>Lycopersicum pennellii</i> ? ..	235
5.2	Incongruity Between the Pollen and Pistil .....	236
5.2.1	What is Incongruity? .....	236
5.2.1.1	When Does it Start? .....	236
5.2.1.2	When Does it End? .....	237
5.2.2	Genetic Basis of Incongruity .....	238
5.2.3	Origin of Tissues and Genomes Involved in Incongruity .....	239
5.2.4	Justification of the Hypothesis .....	240
5.2.4.1	Arguments in Support of the Hypothesis ....	240
5.2.4.1.1	Pollen–Pistil Barriers Between SC Species ....	241



5.2.4.1.2	The Conditions that Overcome SI Often Have No Effect on Incongruity .....	241
5.2.4.1.3	The Genetics of Acceptance and Non-Acceptance .....	241
5.2.4.2	Questions Remain .....	242
5.3	The Removal of Pollen–Pistil Barriers Between Species .....	243
5.3.1	Intra-Species Inbreeding .....	244
5.3.2	Induced Mutations .....	245
5.3.3	Effects of Mentor Pollen .....	246
5.3.3.1	Can Mentor Effects on Self Pollen Consolidate Reproductive Barriers Between Species? .....	246
5.3.3.2	Nature of the Mentor Effects .....	246
5.3.4	Bud Pollination and the Action of Protein Inhibitors .....	247
5.4	Transfer of the S Gene to Autogamous Species .....	247
5.4.1	Introduction of the <i>Brassica</i> SLG and SRK Genes in SC Species .....	248
5.4.1.1	Transfer of SLG to <i>B. napus</i> .....	248
5.4.1.2	Transfer of SLG and SRK to <i>A. thaliana</i> and <i>N. tabacum</i> .....	248
5.4.2	Transfer and Expression of the S-Ribonuclease Gene in SC Species and SC Inter-Species Hybrids of <i>Nicotiana</i> .....	249
5.4.3	Other Genes Should Be Transferred with the S Gene .....	250
5.5	Reconstruction of Multigenic SI in SC Species .....	250
5.6	Crop Improvement Through the Transfer of Individual Genes .....	251
■ 6	<b>Conclusions</b> .....	253
6.1	High-Quality Research and Abundance of Achievements .....	253
6.1.1	High-Quality Research .....	253
6.1.2	An Abundance of Achievements: Classification, Distribution and Inheritance of Self-Incompatible Systems .....	253

6.1.3	Fine-Structure Studies of Pollen and Pollen Tubes in Compatible and Incompatible Surroundings .....	254
6.1.4	Identification of S Genes Active in the Pistil ..	254
6.1.5	Discovery of a Putative Pollen Determinant in the Cabbage Family .....	254
6.1.6	Progress Towards the Understanding of S Specificity .....	254
6.1.7	Advances in Cellular and Molecular Surgery ..	255
6.1.8	New Information Regarding the Evolution of SI Systems .....	255
6.1.9	Bypassing Pre-Zygotic Inter-Species Barriers ..	256
6.2	There Are Still Numerous Gaps in Our Knowledge and Skill .....	256
6.2.1	Unraveling the S-Gene Family .....	256
6.2.1.1	Genetic Control is More Complex Than Expected .....	256
6.2.1.2	The S-Gene Family of <i>Brassica</i> is Surprisingly Large .....	257
6.2.1.3	S-Locus Complexity Has Also Been Found in the Solanaceae .....	257
6.2.1.4	The S Alleles of <i>Papaver</i> May Also Belong to a Large Family .....	257
6.2.2	Analysis of Recognition and Rejection .....	257
6.2.2.1	Identification and Function of S and S-Related Proteins in the Pistil .....	257
6.2.2.2	The Search for Pollen Determinants .....	258
6.2.2.3	Identification of the Genes and Processes Affected by the Rejection Phase of SI .....	258
6.2.3	The Molecular Biology of SI in Heteromorphic Species .....	259
6.2.4	Barriers to the Expression of Transferred Genes	259
6.2.5	Evolution of SI .....	260
6.2.5.1	The Multiple Origin of Homomorphic SI ....	260
6.2.5.2	A Relationship Between GSI and Sporophytic SI? .....	260
6.2.5.3	A Multiple Gene System as the Starting Point for GSI .....	260
6.2.5.4	Is the Emergence of New S Alleles a Gradual Process? .....	261
6.2.5.5	Nature of the Relationship (Homology or Convergence) Between the S Proteins of the Different Families of Plants That Share a Common SI System .....	261
6.2.5.6	Evolution of Heteromorphic SI .....	261

6.2.6	Inter-Species Incompatibility and Incongruity .	262
6.2.6.1	The Complexity of Pollen–Pistil Barriers Between Species . . . . .	262
6.2.6.2	The Need for Further Research on the Molecular Biology of Pre-Zygotic Barriers Between Species . . . . .	262
6.2.6.3	Selection of Bridging Lines . . . . .	263
■	<b>References</b> . . . . .	265
■	<b>Subject Index</b> . . . . .	309

<http://www.springer.com/978-3-540-65217-5>

Incompatibility and Incongruity in Wild and Cultivated  
Plants

Nettancourt, D. de

2001, XXX, 322 p., Hardcover

ISBN: 978-3-540-65217-5