

Table of Contents

Hankel transform via double Hecke algebra

<i>Ivan Cherednik and Yavor Markov</i>	1
1 L-operator	2
2 Hankel transform	3
3 Dunkl operator	5
4 Nonsymmetric eigenfunctions	7
5 Master formula	9
6 Double H double prime	11
7 Algebraization	14
8 Inverse transform and Plancherel formula	16
9 Finite-dimensional case	18
10 Truncated Bessel functions	21
References	24

Affine-like Hecke algebras and p -adic representation theory

<i>Roger Howe (Lecture Notes by Cathy Kriloff)</i>	27
1 Introduction	27
2 Structure of p -adic $GL(V)$ and $Sp(V)$	29
3 Structure of the Iwahori Hecke Algebra	46
4 Results on representations of G	51
5 Spherical Function Algebras	54
6 Consequences	65
References	67

Notes on affine Hecke algebras

<i>George Lusztig</i>	71
1 The affine Hecke algebra	71
2 \mathcal{H} and equivariant K -theory	73
3 Convolution	77
4 Subregular case	79
5 Subregular case: type A	83
6 Subregular case: types C, D, E, F, G	97
References	103

Iwahori-Hecke Algebras and their Representation
Theory

Lectures given at the CIME Summer School held in
Martina Franca, Italy, June 28 - July 6, 1999

Cherednik, I.; Markov, Y.; Howe, R.E.; Lusztig, G. -
Barbasch, D.; Baldoni, M.W. (Eds.)

2002, X, 114 p., Softcover

ISBN: 978-3-540-00224-6