

Contents

| | |
|---|----|
| 1 Quantum Theory for Near-Field Nano-Optics | |
| K. Cho, H. Hori, K. Kitahara..... | 1 |
| 1.1 Resonant Near-Field Optics..... | 4 |
| 1.1.1 Outline of Microscopic Nonlocal Response Theory | 5 |
| 1.1.2 Resonant SNOM | 9 |
| 1.1.3 Coupling of Cavity Modes and Matter Excitation..... | 11 |
| 1.2 Quantization of Evanescent Waves and Optical Near-Field Interaction of Atoms | 13 |
| 1.2.1 State of Vector Fields | 14 |
| 1.2.2 Radiative Fields Near a Planar Dielectric Surface..... | 17 |
| 1.2.3 Detector-Mode Functions and Field Quantization..... | 19 |
| 1.2.4 Multipole Radiation near a Dielectric Surface | 23 |
| 1.2.5 Spontaneous Radiative Lifetime in an Optical Near-Field .. | 25 |
| 1.3 Quantum Mechanical Aspects of Optical Near-Field Problems.... | 27 |
| 1.3.1 Properties of Near-Field Optical Interactions..... | 27 |
| 1.3.2 Observations and Transport Properties in the Near-Field .. | 29 |
| 1.3.3 Local Mode Descriptions and Compatibility with Macroscopic Descriptions | 30 |
| References | 32 |
| 2 Electromagnetism Theory and Analysis for Near-Field Nano-Optics | |
| S. Kawata, K. Tanaka, N. Takahashi | 35 |
| 2.1 Finite-Difference Time-Domain Analysis of a Near-Field Microscope System | 36 |
| 2.1.1 Near-Field Microscope as a Multiple Scattering System ... | 36 |
| 2.1.2 Finite-Difference Time-Domain Algorithm for NSOM Imaging | 37 |
| 2.1.3 NSOM Image Without Effects of Probe-Sample Interaction | 39 |
| 2.1.4 NSOM Image When the Probe-Sample Interaction is Included | 41 |
| 2.1.5 Effect of the Probe-Sample Distance on the Generated NSOM Images | 44 |

| | | |
|-------|--|----|
| 2.1.6 | Dependence of NSOM Image on the Spatial Frequency Content of Sample Surface | 45 |
| 2.2 | Reconstruction of an Optical Image from NSOM Data | 47 |
| 2.2.1 | Necessity for Numerical Inversion of the NSOM System . . . | 47 |
| 2.2.2 | NSOM Image of Dielectric Strips | 47 |
| 2.2.3 | Deconvolution of Dielectric Strips with Nonnegativity Constraint | 49 |
| 2.2.4 | Reconstruction of Metal Strips | 50 |
| 2.3 | Radiation Force Exerted near a Nano-Aperture | 51 |
| 2.3.1 | Radiation Force to Trap a Small Particle | 51 |
| 2.3.2 | Force Distribution Exerted on the Sphere near a Subwavelength Aperture | 54 |
| 2.3.3 | Force Exerted on Two Spheres in the Near Field of a Small Aperture | 57 |
| | References | 58 |

3 High-Resolution and High-Throughput Probes

| | | |
|-------|---|----|
| | M. Ohtsu, K. Sawada | 61 |
| 3.1 | Excitation of a HE-Plasmon Mode | 64 |
| 3.1.1 | Mode Analysis | 64 |
| 3.1.2 | Edged Probes for Exciting a HE-Plasmon Mode | 64 |
| 3.2 | Multiple-Tapered Probes | 66 |
| 3.2.1 | Double-Tapered Probe | 66 |
| 3.2.2 | Triple-Tapered Probe | 70 |
| | References | 73 |

4 Apertureless Near-Field Probes

| | | |
|-------|--|----|
| | S. Kawata, Y. Inouye, T. Kataoka, T. Okamoto | 75 |
| 4.1 | Local Plasmon in a Metallic Nanoparticle | 76 |
| 4.1.1 | Local Plasmon Resonance in a Metallic Nanoparticle | 76 |
| 4.1.2 | Local Plasmon Resonance in a Metallic Nanoparticle above a Substrate | 79 |
| 4.1.3 | Optical Sensor Using Colloidal Gold Monolayers | 82 |
| 4.1.4 | Gold Nanoparticle Probe | 85 |
| 4.2 | Laser-Trapping of a Metallic Particle for a Near-Field Microscope Probe | 87 |
| 4.2.1 | Mechanism of Laser Trapping | 88 |
| 4.2.2 | Laser Trapping of a Probe for NSOM | 89 |
| 4.2.3 | Experimental Setup | 90 |
| 4.2.4 | Feedback Stabilization of a Particle | 90 |
| 4.2.5 | Experimental Results | 91 |
| 4.3 | Near-Field Enhancement at a Metallic Probe | 93 |
| 4.3.1 | Field Enhancement at the Tip | 93 |
| 4.3.2 | Near-Field Raman Spectroscopy | 96 |

| | | |
|-------|---|-----|
| 4.4 | Scattering Near-Field Optical Microscope with a Microcavity | 101 |
| 4.4.1 | Resonant Microcavity Probe | 101 |
| 4.4.2 | FDTD Simulation of a Resonant Microcavity Probe | 102 |
| 4.4.3 | Fabrication of a “Resonant Microcavity Probe” | 104 |
| 4.4.4 | Observation of a Vacuum-Evaporated Gold Film | 106 |
| | References | 107 |

5 Integrated and Functional Probes

| | | |
|-------|---|-----|
| | T. Ono, M. Esashi, H. Yamada, Y. Sugawara, J. Takahara, K. Hane . . . | 111 |
| 5.1 | Micromachined Probes | 111 |
| 5.1.1 | Fabrication of a Miniature Aperture | 112 |
| 5.1.2 | Throughput Measurement | 116 |
| 5.1.3 | Fabrication of an Aperture Having a Metal Nanowire at the Center | 117 |
| 5.1.4 | Imaging with a Fabricated Aperture Probe | 119 |
| 5.2 | Light Detection from Force | 120 |
| 5.2.1 | Method of Measuring Optical Near-Field Using Force | 121 |
| 5.2.2 | Imaging Properties | 124 |
| 5.3 | High Efficiency Light Transmission Through a Nano-Waveguide | 126 |
| 5.3.1 | Low-Dimensional Optical Wave and Negative Dielectric . . | 126 |
| 5.3.2 | One-Dimensional Optical Waveguides | 127 |
| 5.3.3 | Negative-Dielectric Pin and Hole | 128 |
| 5.3.4 | Negative-Dielectric Tube | 131 |
| 5.3.5 | Lossy Waveguides and Applications | 132 |
| | References | 133 |

6 High-Density Optical Memory and Ultrafine Photofabrication

| | | |
|-------|--|-----|
| | M. Irie | 137 |
| 6.1 | Photochromic Memory Media | 138 |
| 6.2 | Near-Field Optical Memory | 141 |
| 6.2.1 | Diarylethenes | 141 |
| 6.2.2 | Perinaphthothioindigo | 142 |
| 6.3 | Future Prospects for Near-Field Optical Memory | 144 |
| 6.4 | Nanofabrication: Chemical Vapor Deposition | 144 |
| 6.5 | Nanofabrication: Organic Film | 147 |
| | References | 149 |

7 Near-Field Imaging of Molecules and Thin Films

| | | |
|-------|--|-----|
| | M. Fujihira, S. Itoh, A. Takahara, O. Karthaus, S. Okazaki, K. Kajikawa | 151 |
| 7.1 | Near-Field Imaging of Molecules and Thin Films | 151 |
| 7.1.1 | Preparation of Organic Thin Films | 151 |

| | | |
|-------|--|-----|
| 7.1.2 | Control of Tip-Sample Separation | 151 |
| 7.1.3 | Various Modes of Observations | 152 |
| 7.1.4 | Optical Recording on Organic Thin Films | 152 |
| 7.2 | Two-Dimensional Morphology of Ultrathin Polymer Films | 152 |
| 7.2.1 | Materials, Preparation of Films, and Apparatus | 153 |
| 7.2.2 | Observation of Two-Dimensional Morphology | 156 |
| 7.2.3 | Conclusion | 161 |
| 7.3 | Observation of Polyethylene (PE) Crystals | 161 |
| 7.3.1 | AFM and NSOM Observation of PE Single Crystals | 161 |
| 7.3.2 | AFM and NSOM Observation of Melt-Crystallized PE Thin Films | 163 |
| 7.3.3 | Conclusions | 167 |
| 7.4 | Preparation of Micrometer-Sized Chromophore Aggregates | 168 |
| 7.4.1 | Control of Aggregation | 168 |
| 7.4.2 | Mesoscopic Patterns | 169 |
| 7.4.3 | Mechanism of Pattern Formation | 169 |
| 7.4.4 | Chromophore-Containing Mesoscopic Patterns | 170 |
| 7.4.5 | Azobenzene-Containing Polyion Complex | 171 |
| 7.4.6 | Mesoscopic Line Pattern of Poly(hexylthiophene) | 173 |
| 7.5 | Application to Electrochemical Research | 174 |
| 7.5.1 | Fabrication of an Aluminum Nanoelectrode SNOM Probe to Stimulate Electroluminescent (EL) Polymers | 174 |
| 7.5.2 | Integration of STM with SNOM Microscopy by Fabricating Original Chemically Etched Conducting Hybrid Probes | 176 |
| 7.5.3 | Development of a New Type of AFM/SNOM Integrated System | 178 |
| 7.5.4 | Biological Applications | 180 |
| 7.6 | Second-Harmonic Generation in Near-Field Optics | 184 |
| 7.6.1 | Materials and Apparatus | 186 |
| 7.6.2 | SHG Observation | 186 |
| 7.6.3 | Conclusion | 187 |
| | References | 187 |

8 Near-Field Microscopy for Biomolecular Systems

| | | |
|-------|---|-----|
| | T. Yanagida, E. Tamiya, H. Muramatsu, P. Degenaar, Y. Ishii, Y. Sako, K. Saito, S. Ohta-Iino, S. Ogawa, G. Marriott, A. Kusumi, H. Tatsumi | 191 |
| 8.1 | Near-Field Imaging of Human Chromosomes and Single DNA Molecules | 192 |
| 8.1.1 | SNOAM System | 193 |
| 8.1.2 | SNOAM Imaging of Human Chromosomes [19] | 194 |
| 8.1.3 | SNOAM Imaging of a Single DNA Molecule [20] | 198 |
| 8.2 | Imaging of Biological Molecules | 199 |

| | | |
|-------|--|-----|
| 8.2.1 | Myosin-Actin Motors | 199 |
| 8.2.2 | Membrane Receptors | 209 |
| 8.2.3 | ATP Synthase | 215 |
| 8.3 | Cell and Cellular Functions | 220 |
| 8.3.1 | Near-Field Fluorescent Microscopy of Living Cells. | 220 |
| 8.3.2 | Dynamics of Cell Membranes | 222 |
| 8.3.3 | Near-Field Imaging of Neuronal Cell and Transmitter | 229 |
| | References | 233 |

9 Near-Field Imaging of Quantum Devices and Photonic Structures

| | | |
|-------|---|-----|
| | M. Gonokami, H. Akiyama, M. Fukui | 237 |
| 9.1 | Spectroscopy of Quantum Devices and Structures | 237 |
| 9.1.1 | Near-Field Microscopy with a Solid-Immersion Lens | 238 |
| 9.1.2 | Solid-Immersion Microscopy of GaAs Nanostructures | 242 |
| 9.1.3 | Time-Resolved Spectroscopy of Single Quantum Dots Using NSOM | 247 |
| 9.2 | Observation of Polysilane by Near-Field Scanning Optical Microscope in the Ultraviolet (UV) Region | 251 |
| 9.2.1 | Morphologies and Quantum Size Effects of Single InAs Quantum Dots Studied by Scanning Tunneling Microscopy/Spectroscopy | 255 |
| 9.2.2 | Photonic Structures Consisting of Dielectric Spheres | 257 |
| 9.2.3 | Interaction of a Near-Field Light with Two-Dimensionally Ordered Spheres | 265 |
| 9.2.4 | Photonic-Band Effect on Near-Field Optical Images of 2-D Sphere Arrays | 270 |
| 9.3 | Near-Field Photon Tunneling | 275 |
| 9.3.1 | What is Photon Tunneling? | 275 |
| 9.3.2 | Resonant Photon Tunneling Through a Photonic Double-Barrier Structure | 277 |
| 9.3.3 | Resonant Photon Tunneling Mediated by a Photonic Dot .. | 280 |
| 9.3.4 | Concluding Remarks | 281 |
| | References | 281 |

10 Other Imaging and Applications

| | | |
|--------|--|-----|
| | N. Umeda, A. Yamamoto, R. Nishitani, J. Bae, T. Tanaka, S. Yamamoto | 287 |
| 10.1 | Birefringent Imaging with an Illumination-Mode Near-Field Scanning Optical Microscope | 287 |
| 10.1.1 | Principle | 288 |
| 10.1.2 | Apparatus | 289 |
| 10.1.3 | System Performance | 291 |

| | | |
|--------|--|-----|
| 10.1.4 | Observation of Sample | 292 |
| 10.1.5 | Conclusion | 294 |
| 10.2 | Plain-Type Low-Temperature NSOM System | 294 |
| 10.2.1 | Experimental Setup | 295 |
| 10.2.2 | Results and Discussion | 296 |
| 10.2.3 | Conclusion | 298 |
| 10.3 | STM-Induced Luminescence | 298 |
| 10.3.1 | Theoretical Model | 298 |
| 10.3.2 | Experimental Method | 299 |
| 10.3.3 | Results | 300 |
| 10.3.4 | Conclusion | 304 |
| 10.4 | Energy Modulation of Electrons with Evanescent Waves..... | 304 |
| 10.4.1 | Sensing an Optical Near-Field with Electrons | 304 |
| 10.4.2 | Metal Microslit | 304 |
| 10.4.3 | Experiment | 306 |
| 10.4.4 | Conclusion | 308 |
| 10.5 | Manipulation of Particles by Photon Force..... | 308 |
| 10.5.1 | Method | 308 |
| 10.5.2 | Experiments | 309 |
| 10.5.3 | Conclusion | 314 |
| | References | 315 |
| | Index | 317 |

Nano-Optics

Kawata, S.; Ohtsu, M.; Irie, M. (Eds.)

2002, XV, 324 p., Hardcover

ISBN: 978-3-540-41829-0