

Table of Contents, Part III

Shape

| | |
|---|----|
| 3D Statistical Shape Models Using Direct Optimisation of Description Length | 3 |
| <i>R.H. Davies, C.J. Twining, T.F. Cootes, J.C. Waterton, C.J. Taylor</i> | |
| Approximate Thin Plate Spline Mappings | 21 |
| <i>G. Donato, S. Belongie</i> | |
| DEFORMOTION: Deforming Motion, Shape Average and the Joint Registration and Segmentation of Images | 32 |
| <i>S. Soatto, A.J. Yezzi</i> | |
| Region Matching with Missing Parts | 48 |
| <i>A. Duci, A.J. Yezzi, S. Mitter, S. Soatto</i> | |

Stereoscopic Vision I

| | |
|--|-----|
| What Energy Functions Can Be Minimized via Graph Cuts? | 65 |
| <i>V. Kolmogorov, R. Zabih</i> | |
| Multi-camera Scene Reconstruction via Graph Cuts | 82 |
| <i>V. Kolmogorov, R. Zabih</i> | |
| A Markov Chain Monte Carlo Approach to Stereovision | 97 |
| <i>J. S  n  gas</i> | |
| A Probabilistic Theory of Occupancy and Emptiness | 112 |
| <i>R. Bhotika, D.J. Fleet, K.N. Kutulakos</i> | |

Texture Shading and Colour / Grouping and Segmentation / Object Recognition

| | |
|---|-----|
| Texture Similarity Measure Using Kullback-Leibler Divergence between Gamma Distributions | 133 |
| <i>J.R. Mathiassen, A. Skavhaug, K. B  </i> | |
| All the Images of an Outdoor Scene | 148 |
| <i>S.G. Narasimhan, C. Wang, S.K. Nayar</i> | |
| Recovery of Reflectances and Varying Illuminants from Multiple Views | 163 |
| <i>Q.-T. Luong, P. Fua, Y. Leclerc</i> | |

| | |
|---|-----|
| Composite Texture Descriptions | 180 |
| <i>A. Zalesny, V. Ferrari, G. Caenen, D. Auf der Maur, L. Van Gool</i> | |
| Constructing Illumination Image Basis from Object Motion | 195 |
| <i>A. Nakashima, A. Maki, K. Fukui</i> | |
| Diffuse-Specular Separation and Depth Recovery from Image Sequences | 210 |
| <i>S. Lin, Y. Li, S.B. Kang, X. Tong, H.-Y. Shum</i> | |
| Shape from Texture without Boundaries | 225 |
| <i>D.A. Forsyth</i> | |
| Statistical Modeling of Texture Sketch | 240 |
| <i>Y.N. Wu, S.C. Zhu, C.-e. Guo</i> | |
| Classifying Images of Materials: Achieving Viewpoint and Illumination Independence | 255 |
| <i>M. Varma, A. Zisserman</i> | |
| Estimation of Multiple Illuminants from a Single Image of Arbitrary Known Geometry | 272 |
| <i>Y. Wang, D. Samaras</i> | |
| The Effect of Illuminant Rotation on Texture Filters: Lissajous's Ellipses | 289 |
| <i>M. Chantler, M. Schmidt, M. Petrou, G. McGunnigle</i> | |
| On Affine Invariant Clustering and Automatic Cast Listing in Movies | 304 |
| <i>A. Fitzgibbon, A. Zisserman</i> | |
| Factorial Markov Random Fields | 321 |
| <i>J. Kim, R. Zabih</i> | |
| Evaluation and Selection of Models for Motion Segmentation | 335 |
| <i>K. Kanatani</i> | |
| Surface Extraction from Volumetric Images Using Deformable Meshes: A Comparative Study | 350 |
| <i>J. Tohka</i> | |
| DREAM ² S: Deformable Regions Driven by an Eulerian Accurate Minimization Method for Image and Video Segmentation (Application to Face Detection in Color Video Sequences) | 365 |
| <i>S. Jehan-Besson, M. Barlaud, G. Aubert</i> | |
| Neuro-Fuzzy Shadow Filter | 381 |
| <i>B.P.L. Lo, G.-Z. Yang</i> | |
| Parsing Images into Region and Curve Processes | 393 |
| <i>Z. Tu, S.-C. Zhu</i> | |

| | |
|--|-----|
| Yet Another Survey on Image Segmentation: Region and Boundary Information Integration | 408 |
| <i>J. Freixenet, X. Muñoz, D. Raba, J. Martí, X. Cufí</i> | |
| Perceptual Grouping from Motion Cues Using Tensor Voting in 4-D | 423 |
| <i>M. Nicolescu, G. Medioni</i> | |
| Deformable Model with Non-euclidean Metrics | 438 |
| <i>B. Taton, J.-O. Lachaud</i> | |
| Finding Deformable Shapes Using Loopy Belief Propagation | 453 |
| <i>J.M. Coughlan, S.J. Ferreira</i> | |
| Probabilistic and Voting Approaches to Cue Integration for Figure-Ground Segmentation | 469 |
| <i>E. Hayman, J.-O. Eklundh</i> | |
| Bayesian Estimation of Layers from Multiple Images | 487 |
| <i>Y. Wexler, A. Fitzgibbon, A. Zisserman</i> | |
| A Stochastic Algorithm for 3D Scene Segmentation and Reconstruction | 502 |
| <i>F. Han, Z. Tu, S.-C. Zhu</i> | |
| Normalized Gradient Vector Diffusion and Image Segmentation | 517 |
| <i>Z. Yu, C. Bajaj</i> | |
| Spectral Partitioning with Indefinite Kernels Using the Nyström Extension | 531 |
| <i>S. Belongie, C. Fowlkes, F. Chung, J. Malik</i> | |
| A Framework for High-Level Feedback to Adaptive, Per-Pixel, Mixture-of-Gaussian Background Models | 543 |
| <i>M. Harville</i> | |
| Multivariate Saddle Point Detection for Statistical Clustering | 561 |
| <i>D. Comaniciu, V. Ramesh, A. Del Bue</i> | |
| Parametric Distributional Clustering for Image Segmentation | 577 |
| <i>L. Hermes, T. Zöller, J.M. Buhmann</i> | |
| Probabilistic Models and Informative Subspaces for Audiovisual Correspondence | 592 |
| <i>J.W. Fisher, T. Darrell</i> | |
| Volterra Filtering of Noisy Images of Curves | 604 |
| <i>J. August</i> | |
| Image Segmentation by Flexible Models Based on Robust Regularized Networks | 621 |
| <i>M. Rivera, J. Gee</i> | |

| | |
|--|-----|
| Principal Component Analysis over Continuous Subspaces and Intersection of Half-Spaces | 635 |
| <i>A. Levin, A. Shashua</i> | |
| On Pencils of Tangent Planes and the Recognition of Smooth 3D Shapes from Silhouettes | 651 |
| <i>S. Lazebnik, A. Sethi, C. Schmid, D. Kriegman, J. Ponce, M. Hebert</i> | |
| Estimating Human Body Configurations Using Shape Context Matching | 666 |
| <i>G. Mori, J. Malik</i> | |
| Probabilistic Human Recognition from Video | 681 |
| <i>S. Zhou, R. Chellappa</i> | |
| SoftPOSIT: Simultaneous Pose and Correspondence Determination | 698 |
| <i>P. David, D. DeMenthon, R. Duraiswami, H. Samet</i> | |
| A Pseudo-Metric for Weighted Point Sets | 715 |
| <i>P. Giannopoulos, R.C. Veltkamp</i> | |
| Shock-Based Indexing into Large Shape Databases | 731 |
| <i>T.B. Sebastian, P.N. Klein, B.B. Kimia</i> | |
| EigenSegments: A Spatio-Temporal Decomposition of an Ensemble of Images . . | 747 |
| <i>S. Avidan</i> | |
| On the Representation and Matching of Qualitative Shape at Multiple Scales | 759 |
| <i>A. Shokoufandeh, S. Dickinson, C. Jönsson, L. Bretzner, T. Lindeberg</i> | |
| Combining Simple Discriminators for Object Discrimination | 776 |
| <i>S. Mahamud, M. Hebert, J. Lafferty</i> | |
| Probabilistic Search for Object Segmentation and Recognition | 791 |
| <i>U. Hillenbrand, G. Hirzinger</i> | |
| Real-Time Interactive Path Extraction with On-the-Fly Adaptation of the External Forces | 807 |
| <i>O. Gérard, T. Deschamps, M. Greff, L.D. Cohen</i> | |
| Matching and Embedding through Edit-Union of Trees | 822 |
| <i>A. Torsello, E.R. Hancock</i> | |
| A Comparison of Search Strategies for Geometric Branch and Bound Algorithms | 837 |
| <i>T. M. Breuel</i> | |
| Face Recognition from Long-Term Observations | 851 |
| <i>G. Shakhnarovich, J.W. Fisher, T. Darrell</i> | |

Stereoscopic Vision II

| | |
|--|-----|
| Helmholtz Stereopsis: Exploiting Reciprocity for Surface Reconstruction | 869 |
| <i>T. Zickler, P.N. Belhumeur, D.J. Kriegman</i> | |
| Minimal Surfaces for Stereo | 885 |
| <i>C. Buehler, S.J. Gortler, M.F. Cohen, L. McMillan</i> | |
| Finding the Largest Unambiguous Component of Stereo Matching | 900 |
| <i>R. Šára</i> | |
| Author Index | 915 |

Table of Contents, Part I

Active and Real-Time Vision

| | |
|--|----|
| Tracking with the EM Contour Algorithm | 3 |
| <i>A.E.C. Pece, A.D. Worrall</i> | |
| M2Tracker: A Multi-view Approach to Segmenting and Tracking People in a Cluttered Scene Using Region-Based Stereo | 18 |
| <i>A. Mittal, L.S. Davis</i> | |

Image Features

| | |
|---|----|
| Analytical Image Models and Their Applications | 37 |
| <i>A. Srivastava, X. Liu, U. Grenander</i> | |
| Time-Recursive Velocity-Adapted Spatio-Temporal Scale-Space Filters | 52 |
| <i>T. Lindeberg</i> | |
| Combining Appearance and Topology for Wide Baseline Matching | 68 |
| <i>D. Tell, S. Carlsson</i> | |
| Guided Sampling and Consensus for Motion Estimation | 82 |
| <i>B. Tordoff, D.W. Murray</i> | |

Image Features / Visual Motion

| | |
|--|-----|
| Fast Anisotropic Gauss Filtering | 99 |
| <i>J.-M. Geusebroek, A.W.M. Smeulders, J. van de Weijer</i> | |
| Adaptive Rest Condition Potentials: Second Order Edge-Preserving Regularization | 113 |
| <i>M. Rivera, J.L. Marroquin</i> | |
| An Affine Invariant Interest Point Detector | 128 |
| <i>K. Mikolajczyk, C. Schmid</i> | |
| Understanding and Modeling the Evolution of Critical Points under Gaussian Blurring | 143 |
| <i>A. Kuijper, L. Florack</i> | |
| Image Processing Done Right | 158 |
| <i>J.J. Koenderink, A.J. van Doorn</i> | |
| Multimodal Data Representations with Parameterized Local Structures | 173 |
| <i>Y. Zhu, D. Comaniciu, S. Schwartz, V. Ramesh</i> | |

| | |
|--|-----|
| The Relevance of Non-generic Events in Scale Space Models | 190 |
| <i>A. Kuijper, L. Florack</i> | |
| The Localized Consistency Principle for Image Matching under Non-uniform Illumination Variation and Affine Distortion | 205 |
| <i>B. Wang, K.K. Sung, T.K. Ng</i> | |
| Resolution Selection Using Generalized Entropies of Multiresolution Histograms | 220 |
| <i>E. Hadjidemetriou, M.D. Grossberg, S.K. Nayar</i> | |
| Robust Computer Vision through Kernel Density Estimation | 236 |
| <i>H. Chen, P. Meer</i> | |
| Constrained Flows of Matrix-Valued Functions: Application to Diffusion Tensor Regularization | 251 |
| <i>C. Chefd'hotel, D. Tschumperlé, R. Deriche, O. Faugeras</i> | |
| A Hierarchical Framework for Spectral Correspondence | 266 |
| <i>M. Carcassoni, E.R. Hancock</i> | |
| Phase-Based Local Features | 282 |
| <i>G. Carneiro, A.D. Jepson</i> | |
| What Is the Role of Independence for Visual Recognition? | 297 |
| <i>N. Vasconcelos, G. Carneiro</i> | |
| A Probabilistic Multi-scale Model for Contour Completion Based on Image Statistics | 312 |
| <i>X. Ren, J. Malik</i> | |
| Toward a Full Probability Model of Edges in Natural Images | 328 |
| <i>K.S. Pedersen, A.B. Lee</i> | |
| Fast Difference Schemes for Edge Enhancing Beltrami Flow | 343 |
| <i>R. Malladi, I. Ravve</i> | |
| A Fast Radial Symmetry Transform for Detecting Points of Interest | 358 |
| <i>G. Loy, A. Zelinsky</i> | |
| Image Features Based on a New Approach to 2D Rotation Invariant Quadrature Filters | 369 |
| <i>M. Felsberg, G. Sommer</i> | |
| Representing Edge Models via Local Principal Component Analysis | 384 |
| <i>P.S. Huggins, S.W. Zucker</i> | |
| Regularized Shock Filters and Complex Diffusion | 399 |
| <i>G. Gilboa, N.A. Sochen, Y.Y. Zeevi</i> | |

| | |
|--|-----|
| Multi-view Matching for Unordered Image Sets, or “How Do I Organize My Holiday Snaps?” | 414 |
| <i>F. Schaffalitzky, A. Zisserman</i> | |
| Parameter Estimates for a Pencil of Lines: Bounds and Estimators | 432 |
| <i>G. Speyer, M. Werman</i> | |
| Multilinear Analysis of Image Ensembles: TensorFaces | 447 |
| <i>M.A.O. Vasilescu, D. Terzopoulos</i> | |
| ‘Dynamism of a Dog on a Leash’ or Behavior Classification by Eigen-Decomposition of Periodic Motions | 461 |
| <i>R. Goldenberg, R. Kimmel, E. Rivlin, M. Rudzsky</i> | |
| Automatic Detection and Tracking of Human Motion with a View-Based Representation | 476 |
| <i>R. Fablet, M.J. Black</i> | |
| Using Robust Estimation Algorithms for Tracking Explicit Curves | 492 |
| <i>J.-P. Tarel, S.-S. Ieng, P. Charbonnier</i> | |
| On the Motion and Appearance of Specularities in Image Sequences | 508 |
| <i>R. Swaminathan, S.B. Kang, R. Szeliski, A. Criminisi, S.K. Nayar</i> | |
| Multiple Hypothesis Tracking for Automatic Optical Motion Capture | 524 |
| <i>M. Ringer, J. Lasenby</i> | |
| Single Axis Geometry by Fitting Conics | 537 |
| <i>G. Jiang, H.-t. Tsui, L. Quan, A. Zisserman</i> | |
| Computing the Physical Parameters of Rigid-Body Motion from Video | 551 |
| <i>K.S. Bhat, S.M. Seitz, J. Popović, P.K. Khosla</i> | |
| Building Roadmaps of Local Minima of Visual Models | 566 |
| <i>C. Sminchisescu, B. Triggs</i> | |
| A Generative Method for Textured Motion: Analysis and Synthesis | 583 |
| <i>Y. Wang, S.-C. Zhu</i> | |
| Is Super-Resolution with Optical Flow Feasible? | 599 |
| <i>W.Y. Zhao, H.S. Sawhney</i> | |
| New View Generation with a Bi-centric Camera | 614 |
| <i>D. Weinshall, M.-S. Lee, T. Brodsky, M. Trajtkovic, D. Feldman</i> | |
| Recognizing and Tracking Human Action | 629 |
| <i>J. Sullivan, S. Carlsson</i> | |

| | |
|---|-----|
| Towards Improved Observation Models for Visual Tracking: Selective Adaptation | 645 |
| <i>J. Vermaak, P. Pérez, M. Gangnet, A. Blake</i> | |
| Color-Based Probabilistic Tracking | 661 |
| <i>P. Pérez, C. Hue, J. Vermaak, M. Gangnet</i> | |
| Dense Motion Analysis in Fluid Imagery | 676 |
| <i>T. Corpetti, É. Mémin, P. Pérez</i> | |
| A Layered Motion Representation with Occlusion and Compact Spatial Support | 692 |
| <i>A.D. Jepson, D.J. Fleet, M.J. Black</i> | |
| Incremental Singular Value Decomposition of Uncertain Data with Missing Values | 707 |
| <i>M. Brand</i> | |
| Symmetrical Dense Optical Flow Estimation with Occlusions Detection | 721 |
| <i>L. Alvarez, R. Deriche, T. Papadopoulos, J. Sánchez</i> | |
| Audio-Video Sensor Fusion with Probabilistic Graphical Models | 736 |
| <i>M.J. Beal, H. Attias, N. Jojic</i> | |
| Visual Motion | |
| Increasing Space-Time Resolution in Video | 753 |
| <i>E. Shechtman, Y. Caspi, M. Irani</i> | |
| Hyperdynamics Importance Sampling | 769 |
| <i>C. Sminchisescu, B. Triggs</i> | |
| Implicit Probabilistic Models of Human Motion for Synthesis and Tracking | 784 |
| <i>H. Sidenbladh, M.J. Black, L. Sigal</i> | |
| Space-Time Tracking | 801 |
| <i>L. Torresani, C. Bregler</i> | |
| Author Index | 813 |

Table of Contents, Part II

Surface Geometry

| | |
|--|----|
| A Variational Approach to Recovering a Manifold from Sample Points | 3 |
| <i>J. Gomes, A. Mojsilovic</i> | |
| A Variational Approach to Shape from Defocus | 18 |
| <i>H. Jin, P. Favaro</i> | |
| Shadow Graphs and Surface Reconstruction | 31 |
| <i>Y. Yu, J.T. Chang</i> | |
| Specularities Reduce Ambiguity of Uncalibrated Photometric Stereo | 46 |
| <i>O. Drbohlav, R. Šára</i> | |

Grouping and Segmentation

| | |
|--|-----|
| Pairwise Clustering with Matrix Factorisation and the EM Algorithm | 63 |
| <i>A. Robles-Kelly, E.R. Hancock</i> | |
| Shape Priors for Level Set Representations | 78 |
| <i>M. Rousson, N. Paragios</i> | |
| Nonlinear Shape Statistics in Mumford–Shah Based Segmentation | 93 |
| <i>D. Cremers, T. Kohlberger, C. Schnörr</i> | |
| Class-Specific, Top-Down Segmentation | 109 |
| <i>E. Borenstein, S. Ullman</i> | |

Structure from Motion / Stereoscopic Vision / Surface Geometry / Shape

| | |
|---|-----|
| Quasi-Dense Reconstruction from Image Sequence | 125 |
| <i>M. Lhuillier, L. Quan</i> | |
| Properties of the Catadioptric Fundamental Matrix | 140 |
| <i>C. Geyer, K. Daniilidis</i> | |
| Building Architectural Models from Many Views Using Map Constraints | 155 |
| <i>D.P. Robertson, R. Cipolla</i> | |
| Motion – Stereo Integration for Depth Estimation | 170 |
| <i>C. Strecha, L. Van Gool</i> | |

| | |
|---|-----|
| Lens Distortion Recovery for Accurate Sequential Structure and Motion Recovery | 186 |
| <i>K. Cornelis, M. Pollefeys, L. Van Gool</i> | |
| Generalized Rank Conditions in Multiple View Geometry with Applications to Dynamical Scenes | 201 |
| <i>K. Huang, R. Fossum, Y. Ma</i> | |
| Dense Structure-from-Motion: An Approach Based on Segment Matching | 217 |
| <i>F. Ernst, P. Wilinski, K. van Overveld</i> | |
| Maximizing Rigidity: Optimal Matching under Scaled-Orthography | 232 |
| <i>J. Maciel, J. Costeira</i> | |
| Dramatic Improvements to Feature Based Stereo | 247 |
| <i>V.N. Smelyansky, R.D. Morris, F.O. Kuehnel, D.A. Maluf, P. Cheeseman</i> | |
| Motion Curves for Parametric Shape and Motion Estimation | 262 |
| <i>P.-L. Bazin, J.-M. Vézien</i> | |
| Bayesian Self-Calibration of a Moving Camera | 277 |
| <i>G. Qian, R. Chellappa</i> | |
| Balanced Recovery of 3D Structure and Camera Motion from Uncalibrated Image Sequences | 294 |
| <i>B. Georgescu, P. Meer</i> | |
| Linear Multi View Reconstruction with Missing Data | 309 |
| <i>C. Rother, S. Carlsson</i> | |
| Model-Based Silhouette Extraction for Accurate People Tracking | 325 |
| <i>R. Plaenkers, P. Fua</i> | |
| On the Non-linear Optimization of Projective Motion Using Minimal Parameters . | 340 |
| <i>A. Bartoli</i> | |
| Structure from Many Perspective Images with Occlusions | 355 |
| <i>D. Martinec, T. Pajdla</i> | |
| Sequence-to-Sequence Self Calibration | 370 |
| <i>L. Wolf, A. Zomet</i> | |
| Structure from Planar Motions with Small Baselines | 383 |
| <i>R. Vidal, J. Oliensis</i> | |
| Revisiting Single-View Shape Tensors: Theory and Applications | 399 |
| <i>A. Levin, A. Shashua</i> | |

| | |
|---|-----|
| Tracking and Rendering Using Dynamic Textures on Geometric Structure from Motion | 415 |
| <i>D. Cobzas, M. Jagersand</i> | |
| Sensitivity of Calibration to Principal Point Position | 433 |
| <i>R.I. Hartley, R. Kaucic</i> | |
| Critical Curves and Surfaces for Euclidean Reconstruction | 447 |
| <i>F. Kahl, R. Hartley</i> | |
| View Synthesis with Occlusion Reasoning Using Quasi-Sparse Feature Correspondences | 463 |
| <i>D. Jelinek, C.J. Taylor</i> | |
| Eye Gaze Correction with Stereovision for Video-Teleconferencing | 479 |
| <i>R. Yang, Z. Zhang</i> | |
| Wavelet-Based Correlation for Stereopsis | 495 |
| <i>M. Clerc</i> | |
| Stereo Matching Using Belief Propagation | 510 |
| <i>J. Sun, H.-Y. Shum, N.-N. Zheng</i> | |
| Symmetric Sub-pixel Stereo Matching | 525 |
| <i>R. Szeliski, D. Scharstein</i> | |
| New Techniques for Automated Architectural Reconstruction from Photographs | 541 |
| <i>T. Werner, A. Zisserman</i> | |
| Stereo Matching with Segmentation-Based Cooperation | 556 |
| <i>Y. Zhang, C. Kambhamettu</i> | |
| Coarse Registration of Surface Patches with Local Symmetries | 572 |
| <i>J. Vanden Wyngaerd, L. Van Gool</i> | |
| Multiview Registration of 3D Scenes by Minimizing Error between Coordinate Frames | 587 |
| <i>G.C. Sharp, S.W. Lee, D.K. Wehe</i> | |
| Recovering Surfaces from the Restoring Force | 598 |
| <i>G. Kamberov, G. Kamberova</i> | |
| Interpolating Sporadic Data | 613 |
| <i>L. Noakes, R. Kozera</i> | |
| Highlight Removal Using Shape-from-Shading | 626 |
| <i>H. Ragheb, E.R. Hancock</i> | |

| | |
|---|-----|
| A Reflective Symmetry Descriptor | 642 |
| <i>M. Kazhdan, B. Chazelle, D. Dobkin, A. Finkelstein, T. Funkhouser</i> | |
| Gait Sequence Analysis Using Frieze Patterns | 657 |
| <i>Y. Liu, R. Collins, Y. Tsin</i> | |
| Feature-Preserving Medial Axis Noise Removal | 672 |
| <i>R. Tam, W. Heidrich</i> | |
| Hierarchical Shape Modeling for Automatic Face Localization | 687 |
| <i>C. Liu, H.-Y. Shum, C. Zhang</i> | |
| Using Dirichlet Free Form Deformation to Fit Deformable Models to Noisy 3-D Data | 704 |
| <i>S. Ilic, P. Fua</i> | |
| Transitions of the 3D Medial Axis under a One-Parameter Family of Deformations | 718 |
| <i>P. Giblin, B.B. Kimia</i> | |
| Learning Shape from Defocus | 735 |
| <i>P. Favaro, S. Soatto</i> | |
| A Rectilinearity Measurement for Polygons | 746 |
| <i>J. Žunić, P.L. Rosin</i> | |
| Local Analysis for 3D Reconstruction of Specular Surfaces – Part II | 759 |
| <i>S. Savarese, P. Perona</i> | |
| Matching Distance Functions: A Shape-to-Area Variational Approach for Global-to-Local Registration | 775 |
| <i>N. Paragios, M. Rousson, V. Ramesh</i> | |
| Shape from Shading and Viscosity Solutions | 790 |
| <i>E. Prados, O. Faugeras, E. Rouy</i> | |
| Model Acquisition by Registration of Multiple Acoustic Range Views | 805 |
| <i>A. Fusiello, U. Castellani, L. Ronchetti, V. Murino</i> | |
| Structure from Motion | |
| General Trajectory Triangulation | 823 |
| <i>J.Y. Kaminski, M. Teicher</i> | |
| Surviving Dominant Planes in Uncalibrated Structure and Motion Recovery | 837 |
| <i>M. Pollefeys, F. Verbiest, L. Van Gool</i> | |
| A Bayesian Estimation of Building Shape Using MCMC | 852 |
| <i>A.R. Dick, P.H.S. Torr, R. Cipolla</i> | |

Structure and Motion for Dynamic Scenes – The Case of
Points Moving in Planes 867
 P. Sturm

What Does the Scene Look Like from a Scene Point? 883
 M. Irani, T. Hassner, P. Anandan

Author Index 899

Computer Vision - ECCV 2002

7th European Conference on Computer Vision,

Copenhagen, Denmark, May 28-31, 2002, Proceedings,

Part III

Heyden, A.; Sparr, G.; Nielsen, M.; Johansen, P. (Eds.)

2002, XXVIII, 919 p., Softcover

ISBN: 978-3-540-43746-8