

# Index

- $\square$ , 162
- $\Leftrightarrow$ , 44
- $\Rightarrow$ , 44
- $*$ , 298, 299, 313
- $\bar{n}$ , 266
- $\bigcap$ , 231
- $\bigcup$ , 231
- $\cap$ , 231
- $\circ$ , 118, 351
- $\cup$ , 127, 231, 352
- $\div$ , 293
- $\dot{+}$ , 288
- $\downarrow$ , 51, 192, 347
- $\leq$ , 274
- $=$ , 142, 212, 235, 293, 342
- $\overline{p_{\alpha\beta}}$ , 258
- $\neq$ , 212
- $\equiv$ , 9, 14, 44, 212
- $\exists_1$ , 146, 233, 342
- $\dot{\exists}$ , 260
- $\exists$ , 79, 80, 99, 229, 360
- $\nexists$ , 111
- $\exists$  Gen, 97, 212, 229
- $\exists$ I, 100
- $\exists$  Rule, 99
- $\exists \mathbf{x} \in \mathbf{P}$ , 79
- $\exists \mathbf{G}$ , 153, 157
- $\dot{\forall}$ , 260
- $\forall$ , 76, 77, 79, 81, 208, 212, 342
- $\forall \mathbf{x} \in \mathbf{P}$ , 79
- $\forall \mathbf{G}$ , 153, 157
- $\forall$ I, 92, 153, 221, 349, 358
- $\leq$ , 269–273, 293, 365
- $<$ , 206, 293, 365
- $|$ , 44, 51, 192, 347
- $\models$ , 35, 117, 239
- $\mathfrak{k}$ , 86
- $\neq$ , 10, 192
- $\not\subset$ , 192
- $\not\supset$ , 192
- $+$ , 284
- $\#$ , 231
- $\sim$ , 7, 11, 33, 38, 40, 44, 49, 76, 212
- $\blacksquare$ , 15
- $\star$ , 166
- $\star\star$ , 314, 368
- $\subset$ , 44, 192
- $\subseteq$ , 231
- $\supset$ , 8, 14, 44, 212, 227, 342, 359
- $\supset \forall$ , 87, 93, 227, 359
- $(\varphi : \mathbf{x}/z)$ , 238
- $\vdash$ , 24, 69, 86, 91, 92, 214, 229, 259, 349
- $\forall$ , 8, 11, 33, 44, 76, 212, 342
- $\dot{\forall}$ , 68
- $\wedge$ , 7, 14, 44, 77, 212
- $\overrightarrow{x_k}$ , 289
- $\times_{\sigma\sigma\sigma}$ , 284
- $\mathbf{F}_{\alpha\alpha}^n \mathbf{A}_\alpha$ , 266
- $\{\mathbf{F}_\alpha \mid \mathbf{A}_o\}$ , 231
- $0_\sigma$ , 260
- abbreviation, 14
- absolutely consistent, 35

- absolutely inconsistent, 32, 35
- abstract consistency class, 130
- AC, 236
- additive abelian group, 85
- agree off, 115
- agree on, 115
- algorithm, 287
- $\alpha$ , 219
- $\alpha$ -conversion, 219, 342
- Alphabetic Change of Bound Variables, 91, 153, 156, 219, 342, 349
- and, 7
- assertion, 152
- assignment, 115, 238
- association to the left, 15
- atomic wff, 77
- axiom, 23, 84, 213, 342
- Axiom 6, 258
- Axiom of Choice, 236, 245
- axiom of infinity, 258, 266
- axiom schema, 23
- axiomatic method, 21
- axiomatic set theory, 319
- basic tautologies, 59
- $\beta$ , 219
- $\beta$ -contraction, 219, 342
- $\beta$ -conversion, 219
- $\beta$ -expansion, 219, 342
- $\beta$ -normal form, 232
- $\beta$ -reduction, 219
- Beth's Definability Theorem, 199
- bound, 81, 213
- bracket, 14
- but, 7
- $C$ , 341
- c-instance, 177
- Cantor's Theorem, 254
- card, 128, 248
- cardinal number, 258
- cardinality, 128, 257, 258
- Cases, 153
- categorical, 256, 326
- characteristic function, 268
- Church's Theorem, 86
- Church's Thesis, 287, 302
- closed, 13, 67, 81, 162
- closed under subsets, 129
- cnf, 48
- compact, 67
- compactness, 64, 136, 138, 142, 253, 330
- Compactness Theorem, 64, 136, 179, 181
- complete, 51, 142, 248, 334
- completeness, 135
- Completeness Theorem, 37, 135, 158, 163, 173, 253
- composition, 285
- compound Herbrand instance, 179
- compound instance, 177
- concatenate, 11
- conjunct, 48
- conjunction, 7, 48
- Conjunction Elimination, 162, 173
- Conjunction Introduction, 156
- conjunctive normal form, 48
- connection method, 177
- consequence, 142
- conservative expansion, 127
- conservative extension, 127, 243
- Consistency Theorem, 36, 86, 243
- consistent, 35, 86, 121, 126, 136, 243, 329
- constant, 76
- contradictory, 117
- countable, 128, 248, 251
- countable model, 244

- countermodel, 117
- Craig-Lyndon Interpolation Theorem, 196
- Cut, 68, 160, 173
- Cut-Elimination, 160
- cwff, 81, 213
- decision problem, 38, 177
- Ded, 93, 153, 349
- Deduction Theorem, 93, 349
- definable, 335
- define implicitly, 199
- DeMorgan's laws, 48
- denotation, 238
- denote, 73
- derived rules of inference, 27
- descriptions, 343
- designate, 42
- disagreement set, 185
- disjunct, 48
- disjunction, 8, 10, 48
- Disjunction Elimination, 162
- Disjunction Rules, 156, 172
- disjunctive component, 156, 172
- disjunctive normal form, 48
- disjunctively valid, 67
- dnf, 48
- domain of individuals, 80, 114
- Double-Negation Elimination, 162
- dual, 40, 192
- duality, 192
- effectively computable, 287
- elementarily equivalent, 146
- elementary theory, 85
- elementary type theory, 343
- elementary wff, 77
- elusive, 338
- equality, 142
- equality-interpretation, 146
- equality-model, 146
- equipollent, 257
- equivalence, 9
- equivalent, 9, 127
- equivalent as clauses, 68
- equivalent systems, 343
- essentially existential, 166
- essentially incomplete, 329
- essentially universal, 166
- ETPS, xiv
- exclusive disjunction, 8, 10
- existential closure, 118
- existential constant, 166
- Existential Generalization, 153, 157
- Existential Instantiation, 162
- Existential Rule, 99
- expansion, 126, 248
- expansion proof, 320
- explicit definition, 199, 290
- explicitly definable, 290
- expression, 184
- extension, 127
- extensionality, 343
- extensionally complete, 248
- $F_o$ , 212
- $\mathcal{F}$ , 73, 84
- $\mathcal{F}^=$ , 142
- false, 117
- $Finite_{o(\alpha)}$ , 260
- finite, 260
- finite character, 129
- finite intersection property, 67
- finite model, 244
- finite number, 260
- first-order theorem, 243
- first-order theory, 85
- formation rule, 11, 77
- formation sequence, 19
- formula, 11

- Four Color Theorem, 136
- fourth-order logic, 201
- frame, 238
- free, 81, 92, 152, 213
- free for, 82, 152, 213
- free on, 118
- frugal, 128, 251, 255
- full conjunctive normal form, 48
- full disjunctive normal form, 48
  
- Gödel's Completeness Theorem, 135, 243
- Gödel's Second Theorem, 322, 324, 369
- Gen, 84, 91
- general model, 238
- general recursive, 285
- Generalization, 84, 342
- generalize on, 84
- Gentzen's Hauptsatz, 160
- Gödel, 243, 320
- graph, 136
- Ground Resolution, 69
- ground resolvent, 68
  
- $\mathcal{H}$ , 23
- $\eta$ , 219
- $\eta$ -contraction, 219
- $\eta$ -conversion, 219
- $\eta$ -expansion, 219
- $\eta$ -reduction, 219
- hardware, x
- Henkin, 321
- Henkin's Completeness Theorem, 253, 362
- Henkin's Theorem, 251
- Herbrand expansion, 182
- Herbrand property, 182
- Herbrand universe, 179
- Herbrand's Theorem, 179, 356
  
- Hilbert, 302
- Hilbert's program, 302, 319
- Hilbert-style system, 151, 182
- horizontal path, 52
- Hyp, 91, 152, 162
- hypotheses, 24, 152
  
- $\iota_{(i(o))}$ , 211, 341
- $\iota$ , 202, 210
- identity relation, 238
- if, 8
- if and only if, 10
- iff, 10
- Implication, 8
- implies, 8
- improper symbol, 11
- inclusive disjunction, 8
- inconsistent with respect to negation, 35
- independent, 42, 123
- Indirect Proof, 104, 153, 351
- individual, 238
- individual variable, 75
- Induction on the Construction of a Wff, 12, 345
- $Inf^I$ , 258
- $Inf^{II}$ , 259
- $Inf^{III}$ , 326
- infinitesimal, 138
- infix, 45
- initial function, 285
- initial object, 13
- interpolation sentence, 196
- interpretation, 114, 238
- IP, 104, 153, 351
  
- Kemeny, 320
  
- $\mathcal{L}(Q_0)$ , 248
- $\mathcal{L}(\mathcal{F})$ , 126
- Löb, 321

- Löb's Theorem, 322, 369
- Löwenheim's Theorem, 135
- Löwenheim-Skolem Theorem, 136
- $\lambda$ , 47, 207, 211, 219, 238
- $\lambda$ -conversion, 219
- $\lambda$ -notation, 279
- language, 126, 248
- least-number operator, 279
- length of proof, 243
- less specified, 184
- liar paradox, 313
- linear ordering, 66
- literal, 48, 125
- logistic system, 24
- material implication, 8
- mating method, 177
- matrix, 111
- meaning, 115
- meta-language, 11
- metatheorem, 11
- method of horizontal paths, 57
- method of vertical paths, 57, 58
- minimization, 279
- model, 117, 121, 136, 238
- Modus Ponens, 23, 84, 86, 342
- Modus Tollens, 86
- monotonic, 25
- more general, 184
- MP, 23, 84, 91
- $N_{o\sigma}$ , 260
- nand, 44
- natural deduction, 152
- natural number, 17
- necessary, 8, 10
- Neg., 153
- negation, 7
- Negation Elimination, 173
- Negation Introduction, 156
- negation normal form, 51, 177
- negation normal formula, 51
- negation normal sentence, 177
- negative, 196
- negatively, 111
- nnf, 51, 177
- nns, 177
- Non-equivalence, 10
- nonmonotonic, 26
- nonstandard, 254, 255
- nonstandard analysis, 138
- nonstandard model, 138
- nonstandard number theory, 138
- nor, 44
- not, 7
- nth-order arithmetic, 320
- null formula, 152
- numeral, 266
- numerical function, 278
- numerical relation, 279
- $o$ , 202, 210
- object language, 11
- only if, 8
- operation, 13
- or, 8
- $\Pi_{o(o\alpha)}$ , 212
- $\mathcal{P}$ , 5
- parable, 312
- paradox, 136, 313, 322
- partial ordering, 66
- partial recursive, 285
- PCI, 18
- Peano's Postulates, 258, 261, 266
- Peirce's dagger, 44
- PMI, 17
- poset, 66
- positive, 196
- positively, 111

An Introduction to Mathematical Logic and Type Theory  
To Truth Through Proof

Andrews, P.B.

2002, XVIII, 390 p., Hardcover

ISBN: 978-1-4020-0763-7