

Index

- $\alpha\lambda$, 94, 159
- $\alpha\lambda$ -calculus, 180, 207
- α -convertible, 214
- $\alpha\lambda$, xxxvii, 5, 11, 19
- β -reductions, 172
- $\beta\eta$ -equivalence, 234
- $\beta\eta$ -reductions, 21
- $\lambda\Lambda$ -calculus, 155, 213, 225, 268
- $\lambda\Lambda$ -calculus, reason for study of, 156
- $\lambda\Pi$ -calculus, 227
- λ -definability, 119
- $\lambda\Lambda$ -calculus, 150, 155, 208
- $\lambda\Pi$ -calculus, xxii, xliv
- ω -complete, 43
- \succ , 19, 22
- ζ -reductions, 21, 22, 173
- CLL**_{if}, 104
- CL**^{*}_{if}, 105
- CL**_{if}, 105
- *-autonomous category, 99
- BI**, xxii, xxxiv
- BI**-algebra, 34
- BI**-algebras, 98
- BLP**, 265
- CL**, xxiii
- DILL**, 42, 231
- IL**, xxiii, 7
- LBI**, 89
- LL**, xxiii
- MILL**, 7
- NBI**, 15, 169
- NBI**[∇], 17
- NBI** for $\alpha\lambda$, 160
- TBI**, 95
- accessible, xxvi
- additive, xxx
- additive conjunction, xxxiv
- additive disjunction, xxxv
- additive implication, xxxiv
- additive predication, 152
- adjunction, 33, 36
- admissibility of Cut, 167
- affine, 28
- affine model, 48
- algebraic models, 6
- aliasing, 132, 139
- ambients, 138
- answer substitution, 11, 121, 156, 264
- answers, 268
- Armélín, Pablo, 15, 126, 263
- assignment, 129
- axiom pairing, 165, 184, 202
- axiom sequent, xl, 16, 150, 165
- backtracking, 123
- base category, 207
- basic substructural logic, 33
- Beck-Chevalley condition, 231, 233
- Beth, xxvi
- Beth models, 182
- BHK semantics, xxv, 207
- bi-cartesian doubly closed categories, 36
- bi-DCCs, 39, 45
- bifunctoriality, 7
- BKLR**, 117
- Boolean **BI**, 98
- buffer, 135
- bunch of variables, 151, 229
- bunch(es), 5, 14, 19, 100, 147
- bunched logical relations, 11
- bunches of variables, 147, 157, 207
- cartesian, 36
- cartesian closed categories, 115
- cartesian doubly monoidal category, 230
- categorical, 6
- categorical model of $\alpha\lambda$, 38
- categorical model of **BI**, 37
- CCS, 12, 122, 137

- Church-Rosser, 224
- classical additives, 97
- classical conjunction, xxiv
- classical disjunction, xxiv
- classical implication, xxiv
- classical linear logic, xxx
- classical logic, xxiii
- classical model theory, xxv
- classical multiplicatives, 97
- classical negation, xxiv
- CLL, xxx
- co-algebra, 41
- co-end, 45
- co-Kleisli category, 41
- co-monad, symmetric monoidal, 41
- co-monoid, 41
- coherence, 39, 45, 47
- coherence space, 44
- coherent equivalence, 15, 19, 29, 158, 164
- combinators, 110
- commuting conversions, 21, 22
- completeness, 44, 56, 62, 73, 75, 81, 115, 190, 199, 204
- confluent, 28
- congruence, 19, 100
- connected, 65
- cons cell, 139, 142
- consequence relation, xxiv
- consequences, xxiii
- conservation, 8
- conservative, 18, 46
- conservative extension, 47, 170
- consistent, 60, 171
- context, 214
- context joining, 215, 219, 234
- context sharing, 234
- continuation-passing style, 126
- continuations, 268, 269
- continuous, 34
- Contraction, xxiv, xxix, 5, 17, 165, 170, 224
- control, xlii
- CPO, 43
- creative subject, xxvi
- Curry-Howard-de Bruijn correspondence, 213
- Cut, xxiv, 165, 167, 186
- Cut admissibility, 23
- Cut-elimination, xxxi, xl, 89, 174
- decidable, 93, 224
- declarative statements, xxiii
- decomposition of connectives, 4
- dedendent types, 150
- deductive logic, xxxix
- definitional equality, 219
- dependent types, xliv, 213
- Dereliction, xxx, 155, 224
- dereliction, in linear logic, xxxvii
- De Morgan **BI**, 98
- discharge, xxviii, 211
- Dispose, 143
- distributive, 136
- distributive law, 9, 64, 68
- distributivity, 35, 37
- domain of individuals, 109, 179, 229
- domain theory, xxxiii
- doubly closed categories, 33, 36, 116, 207
- doubly closed category, 207
- doubly monoidal category, 230
- dynamic logic, 136
- elimination rule, 89
- elimination rule, general schema, 212
- end, 45
- enough points, 183, 202
- environment, 109, 153, 179, 180
- equality, 22
- equational theory, 19
- equivalence class, 44, 62, 81, 114, 199, 247
- equivalence of **NBI** and **LBI**, 93, 174
- evaluation, 56, 191, 268
- Exchange, xxiv, 224
- exponential, xxx, xxxvi, 40
- exponentials, 4, 125
- expressions, 268
- extensional, xxxiv
- extensionality, 117
- families of types, 213
- fibred categories, 154
- fibred models, 207, 228, 230
- finite model property, 93
- forcing, 112
- forcing relation, 7
- forcing semantics, 54, 102, 103, 110, 183, 228
- frame axioms, 143
- functional programming, xlvii
- fusion, 30
- garbage collection, 269
- generalized bunches, 193
- Gentzen, xxvii
- Glivenko, xxv
- global, xxxix, 12, 153
- goal, 264
- goal-directed, 123
- Day's function space, 45
- Day's function space of sheaves, 70
- Day's pairing operation, 46, 52
- Day's product of sheaves, 69
- Day's tensor, 51, 229
- Day's tensor product, 45, 182
- de-allocates, 142

- goals, 124
- GRM, 78
- Grothendieck Topological Monoid, 76
- Grothendieck Resource Model, 78
- Grothendieck sheaf, 75
- Grothendieck sheaves, 10
- Grothendieck Topological Interpretation, 77
- Grothendieck topology, 76, 95
- GTI, 77
- GTM, 76

- Hereditary, 8
- hereditary Harrop formulæ, 124, 263
- hereditary Harrop sequent, 124, 263
- Heyting, xxv
- Heyting **BI**, 98
- Heyting algebras, 33
- Hilbert-type system, xxvi, 34
- Hoare's logic, xxi, xlviii
- Horn clauses, xlv

- Idealized Algol, 12, 121
- idempotent, 34
- identity group, 165
- imperative programming, 11, 121
- implementation, xliii
- incompleteness, 63
- inconsistency, 9, 63
- inductive definitions, xlv
- informatics, xxi
- input/output model, xlii, 124
- intensional, xxxiv
- interference, 11, 121
- internal logic, 227–229
- interpretation of $\alpha\lambda$, 110
- interpretation of bunches, 180
- interpretation of types, 180
- introduction rule, 89
- introduction rule, schematic, 211
- intuitionistic additives, 97
- intuitionistic conjunction, xxxiv
- intuitionistic implication, xxxiv
- intuitionistic logic, xxiii
- intuitionistic multiplicatives, 97
- involution, 99, 102, 103
- Ishtiaq, Samin, 209

- judgement, 209
- judgement, general, 209
- judgement, hypothetical, 209
- judgement, hypothetico-general, 209
- judgements-as-types, xlv, 209

- kinds, 213
- Kolmogorov, xxv
- Kripke, xxvi
- Kripke $\alpha\lambda$ -models, 112
- Kripke $\alpha\lambda$ -model, 11
- Kripke λ -models, 107
- Kripke applicative structure, 108
- Kripke model, 6, 51, 53, 151, 181, 182, 227, 228, 234
- Kripke monotonicity, 8, 77, 184, 202
- Kripke resource $\lambda\Lambda$ -model, 234
- Kripke resource $\lambda\Lambda$ -structure, 232
- Kripke resource monoid, 7, 51
- Kripke resource semantics, 8
- Kripke structure, 228
- Kripke's semantics, xxvi

- labelled deductive systems, 95
- labelled trees, 19
- Lambek **BI**, 98
- lattice, 136
- left rule, 89
- LF, xlv, 210, 227
- linear category, 41
- linear logic, xxiii, xxx, xxxiii, xxxvi
- linear occurrence, 214
- local, xxxix, 12, 153
- location, xxxix
- logic, xxi
- logic programming, xxxvi, xxxix, xlii, 11, 121–123, 156, 263
- logical framework, 209
- logical frameworks, xxii, xliii, 209
- logical relations, 11, 116

- magic wand, xxxiv
- memory cell, 130, 139, 268
- meta-language, xliii
- meta-logic, xxii, xxiii, 209
- minimal **BI**, 10, 97
- ML, 139, 156, 267
- modality, 4, 137, 212
- model, xxiv, 36
- model existence, 60, 81, 114, 195, 204
- modules, 129, 267
- monoidal adjunction, 231
- multi-cut, 23, 91
- multiple occurrences, 215, 219, 234
- multiplicative, xxxiv
- multiplicative conjunction, xxxiv
- multiplicative disjunction, 99, 130
- multiplicative forms, xxx
- multiplicative implication, xxxiv
- multiplicative predication, 152
- multiplicative signatures, 159, 265

- natural deduction, xxvii, 13
- natural numbers, xxxviii, 179
- negation, 97
- neutral terms, 26
- non-commutative, 30

- non-commutative model, 49
- non-determinism, xlii, 123
- non-deterministic, xl
- non-indecomposable, 9, 67
- non-interference, 11, 121
- non-sharing, xliii, 12, 121, 129, 130, 264
- normal form, xxix
- normalization, xxviii
- number-of-uses, xxxiii, 4

- O'Hearn, Peter, xxxiii, 76
- object language, xliii
- object-logic, xxii, 209
- objects, 213
- open map, 35
- open sets, 34
- open topological monoid, 35
- operational semantics, 122
- ownership, xxxix

- parallel nested reduction, 219
- partial monoids, 74, 138
- partial order, 43
- partitioned, 8
- Petri nets, 12, 122, 134
- pieces of information, 9
- pointed, 43
- pointers, 12, 122, 139
- pointless detour, xxix
- possible worlds, xxiii, xxvi, xxxvii, 100, 227
- predicate, 148
- predication, 148
- preordered commutative monoid, xxxviii, 7
- presheaf, 51, 207
- prime bunch, 56, 190, 205
- prime bunches, 75
- prime evaluation, 57, 58, 73, 193, 204
- prime theory, 56
- principal formula, 57
- process calculi, 136
- program clauses, 124, 264
- program logic, xxi
- Prolog, xlii
- proof-search, xl, xlii, 11, 121, 122, 156
- proofs-as-actions, xxxvi
- propositional signature, 160
- propositions, xxiii
- propositions-as-resources, 62
- propositions-as-types correspondence, xlix, 19, 155, 208, 213, 225

- quantifier rules in **NBI**, 169
- quantifiers, xxv, 168
- quantifiers, additive, 149
- quantifiers, multiplicative, 149

- RAA, 10, 97, 98
- reachability, 135
- realizer, xlvii
- reduction operators, xl, 122
- reductions, 19
- reductive logic, xxxix
- reference types, 156
- references, 267
- reflexivity, xxiv
- relative truth, 55, 184
- relative validity, 55, 184
- relevant, 28
- relevant logic, 4, 30
- relevant logics, xlviii
- representation, xlv, 209
- residuated, 34
- residuated monoid, 99
- resolution, 123, 264
- resource semantics, xxxii, 153
- resource(s), xxii, xxiii, xxxii, xxxvii, 107, 129, 130, 138, 228, 232, 234
- resource-interpretations, 4
- resource-sensitive, xxxiii
- ribbons, 27
- right rule, 89
- RLF, xlix, 156, 209, 227, 267

- SCI, 12, 121
- search strategy, xlii
- section, 69
- semantic tableaux, 95
- sentential operator, 211
- sequent calculi, xxxi, 89, 100, 164, 174
- sequent(s), xxix
- sequential natural deduction, 13
- sequents, 164
- set-theoretic models of $\lambda\Lambda$, 253
- sharing, xliii, 12, 121, 129, 130, 139, 215, 218, 221, 238, 263, 265
- sheaf, 69, 207
- sheaves, 10
- signature, 159, 214
- simply-typed λ -calculus, 24
- situation theory, xxiii
- soundness, 39, 55, 71, 84, 113, 187, 202
- spatial, 12, 68, 134, 269
- star, xxxiv
- store, 268
- stoup, 42, 215
- stratified bunches, 15
- strengthening, 24
- strong monoidal, 47
- strong normalization, 25, 27, 172, 174, 224
- structural rules, xlvii, 3, 89
- sub-object classifier, 53, 71, 185, 202
- subject reduction, 28, 172, 174

- Substitution, 165, 170
- substitution, 38, 112, 185, 207, 264
- substitutivity, 38
- substructural logic, xlviii
- symmetric monoidal, 36
- symmetric monoidal closed category, 116
- symmetric monoidal closed functor, 47

- tableaux, 95
- temporal logic, 136
- term, 148
- term context, 21
- term model, 60, 73, 81, 195, 204
- the logic of bunched implications, xxxiv
- theorem, 19
- theories, xxv
- topological forcing semantics, 72
- topological Kripke model, 71, 201
- topological model existence, 74
- topological models, 6
- topological monoid, 34, 68
- topological space, 10, 34, 67, 76
- topological term model, 73
- topology, xxvi
- topos, 51, 67
- transition, 112
- transitivity, xxiv
- translation, 40, 225, 233
- trees, 14
- true, 54, 184
- truth, xxiv, 55, 71, 202

- truth table, xxiv
- truth value, xxiv
- Truthmaker Axiom, xxxii
- truthmakers, xxxii

- unification, 264
- uniform proofs, 123
- uniform representation, xlvii
- uniform representation, 210
- units, 8
- use-once interpretation, 24

- valid, 55, 78, 184
- validity, xxv, 55, 71, 202
- variable sharing, 215, 221
- vending machine, xxxiii

- weak soundness, 37
- Weakening, xxiv, xxix, 5, 17, 224
- well-formed, 148
- well-formed bunches, 163
- well-formed propositions, 161, 163
- well-pointed, 43

- Yang, Hongseok, xxxiii, 76
- Yoneda embedding, 45
- Yoneda functor, 46
- Yoneda lemma, 64

- zones, 42

The Semantics and Proof Theory of the Logic of
Bunched Implications

Pym, D.J.

2002, XLIX, 290 p., Hardcover

ISBN: 978-1-4020-0745-3