

Table of Contents

Preface	V
1 Introduction	1
1.1 A further setting of the problem	2
1.1.1 The planar reduction method	2
1.1.2 The energy–momentum map	5
1.1.3 Standard bases	7
1.2 Sketch of the results	8
1.2.1 Reduction methods	8
1.2.2 The planar reduction method	9
1.2.3 The energy–momentum map method	12
1.2.4 Standard bases	14
1.3 Discussion	15
1.3.1 Discussion – reduction methods	15
1.3.2 Discussion – standard bases	16
1.4 Outline	17
<hr/>	
I Applications	
<hr/>	
2 Method I: Planar reduction	21
2.1 Introduction	21
2.1.1 BCKV-restricted morphisms	23
2.2 Details of the planar reduction method	23
2.2.1 Overview	24
2.2.2 Some notation	25
2.2.3 Birkhoff normalization	26
2.2.4 Reduction to planar 1 degree-of-freedom system	28
2.2.5 Reduction to the central singularity	30
2.2.6 Inducing the system from a versal deformation	30
2.2.7 BCKV normal form	31
2.3 Spring-pendulum in 1:2-resonance	32
2.3.1 The system	32
2.3.2 Reduction	33
2.3.3 Dynamics and bifurcations	39

3	Method II: The energy-momentum map	45
3.1	Introduction	45
3.2	Description of the method	47
3.2.1	Birkhoff normalization	47
3.2.2	Circle-equivariant vector fields	47
3.2.3	The energy-momentum map	49
3.2.4	Removing the χ -dependence	51
3.3	Application to several resonances	53
3.3.1	The 1:2 resonance	54
3.3.2	The 1:3 resonance	55
3.3.3	The 1:4 resonance	56
3.4	Spring-pendulum in 1:2 resonance	57
3.4.1	Bifurcation analysis of the 1:2-resonant normal form	57
3.4.2	Pictures	60
3.4.3	Inducing the system from the model	61

II	Theory	
-----------	---------------	--

4	Birkhoff normalization	71
4.1	Introduction	71
4.2	Introduction to Hamiltonian mechanics	72
4.3	Birkhoff normal form theorem	74
4.3.1	Semisimple quadratic part, and resonance	76
4.3.2	Second normalization	78
4.4	Algorithms for the Birkhoff normal form	79
4.4.1	Another formulation of Birkhoff's result	80
4.4.2	Deprit's algorithm	80
4.4.3	The exponential-map algorithm	82

5	Singularity theory	85
5.1	Overview	85
5.2	Introduction: The finite dimensional case	86
5.2.1	Deformations	87
5.3	Functions and right-transformations	88
5.3.1	Equivalence and versal deformations	88
5.3.2	Applications	90
5.3.3	BCKV normal form	91
5.4	Maps and left-right transformations	94
5.4.1	The tangent space	95

6	Gröbner bases and Standard bases	97
6.1	Introduction	97
6.1.1	Algorithms and real numbers	99
6.2	Motivation: Gröbner bases	99
6.2.1	Term orders for Gröbner bases	100
6.2.2	Basic question	101
6.2.3	Rephrasing the basic question	101
6.2.4	A criterion for Gröbner bases	102
6.3	Standard bases	104
6.3.1	Overview	104
6.3.2	Definitions	104
6.3.3	Setup	106
6.3.4	Normal form property	107
6.3.5	The standard map theorem	108
6.3.6	Normal form algorithm	110
6.3.7	Reduced normal forms	111
6.4	Instances of standard bases	112
6.4.1	Gröbner bases	112
6.4.2	Standard bases for submodules	114
6.4.3	Standard bases for subalgebras	115
6.4.4	Standard bases for modules over subalgebras	119
6.4.5	Left-Right tangent space	122
6.5	The ring of formal power series	128
6.5.1	Three approaches	129
6.5.2	Existence of a normal form for formal power series	129
6.5.3	Truncated formal power series	131
7	Computing normalizing transformations	133
7.1	Introduction	133
7.2	Deformations of functions	134
7.2.1	Finding a universal deformation	135
7.2.2	The algorithm of Kas and Schlessinger	136
7.2.3	Solving the infinitesimal stability equation	137
7.2.4	Application: The hyperbolic umbilic	139
7.3	Deformations of maps	140
7.3.1	Adaptation of Kas and Schlessinger's algorithm	140
7.3.2	Solving the infinitesimal stability equation	144
7.3.3	Example of a LR-tangent space calculation	146
A	Appendix	153
A.1	Classification of term orders	153
A.2	Proof of Proposition 5.8	155
	References	159
	Index	167

Bifurcations in Hamiltonian Systems

Computing Singularities by Gröbner Bases

Broer, H.; Hoveijn, I.; Lunter, G.; Vegter, G.

2003, XVI, 172 p., Softcover

ISBN: 978-3-540-00403-5