

Contents

| | | |
|----------|--|-----------|
| 1 | Fundamentals and Priming | 1 |
| 1.1 | Necessary Equipment | 1 |
| 1.2 | Preliminary Examination of Textile Test Material | 2 |
| 1.3 | Classical Examination Methods | 2 |
| 1.4 | Preparation of Negative Imprints with the Size of Microscope Slides | 3 |
| 1.5 | Preparation of Negative Imprints of Fibers and Yarns on Thermoplastic Films | 6 |
| 1.6 | Imprints of Larger Areas | 6 |
| 1.6.1 | Detection of Dyeing Unlevelness with the Aid of the Replication Method – Practical Example | 14 |
| 1.6.2 | Detection of Oil and/or Grease Soiling on Textile Fabrics | 15 |
| 1.6.3 | Detection of Structural Defects – Practical Example | 15 |
| 1.6.4 | Summarizing Evaluation of Large Imprints | 15 |
| 1.7 | Microtome Sections | 15 |
| 2 | Chemical Damage | 18 |
| 2.1 | Chemical Damage to Wool | 18 |
| 2.1.1 | The Pauly Reaction | 18 |
| 2.1.2 | Alkaline Damage to Wool and Wool-Like Natural Fibers | 23 |
| 2.1.2.1 | Dye Unlevelness in Wool Tops Made of Alkaline Damaged Wool – Practical Example | 23 |
| 2.1.2.2 | Strength Loss in Wool, Caused by Alkalinely Reacting Untreated Yarn – Practical Example | 30 |
| 2.1.2.3 | Dye Stains on Polyester/Wool Due to Local Alkaline Damage to the Wool – Practical Example | 30 |
| 2.1.2.4 | Limits of the Pauly Reaction – Strong Alkaline Damage | 31 |
| 2.1.3 | Acid Damage to Wool | 31 |
| 2.1.4 | Chlorine Damage to Wool | 34 |
| 2.1.4.1 | Chlorination of a Wool Carpet (Gold Afghan), Increase of Luster, Gold Effects – Practical Example | 35 |
| 2.1.4.2 | Chlorination of Wool in the Non-Felting Finish | 35 |
| 2.2 | Chemical Damage to Silk | 37 |
| 2.2.1 | Chemical Composition, Structure and Microscopy of Silk | 37 |

| | | |
|----------|---|-----------|
| 2.2.2 | Detection of Chemical Damage to Silk with Pauly Reagent | 41 |
| 2.2.3 | Control of the Degumming Effect | 42 |
| 2.3 | Chemical Damage to Cotton | 43 |
| 2.3.1 | Microscopy of Cotton | 43 |
| 2.3.2 | Detection of Oxycellulose and Hydrocellulose | 50 |
| 2.3.3 | Bleaching Damage Due to Catalysts | 53 |
| 2.3.4 | Different Phenomena of Catalytic Bleaching Damage | 55 |
| 2.3.4.1 | Holes and Tears in a Bleached Cotton Fabric – Practical Example . . | 58 |
| 2.3.4.2 | Small Holes in a Bleached Cotton Fabric – Practical Example . . . | 58 |
| 2.4 | Chemical Damage to Synthetics | 59 |
| 2.4.1 | Acid Damage to Polyamide Knitwear – Practical Example | 59 |
| 2.4.2 | Detection of Acid-Damaged Polyamide Fibers by Means of Imprints – Practical Example | 62 |
| 2.4.3 | Acid Damage to Polyamide Stockings – Practical Example | 62 |
| 2.4.4 | Polyester Fabric with Acid Damage – Practical Example | 63 |
| 2.4.5 | Detection of Saponified Acetate Fibers | 66 |
| 3 | Mechanical Damage | 68 |
| 3.1 | Mechanical Damage to Wool | 68 |
| 3.1.1 | Mechanical Damage to a Blended Fabric Due to Abrasion on the Winch – Practical Example | 68 |
| 3.1.2 | Light Streaks and Stains on a Wool Fabric – Practical Example . . . | 68 |
| 3.1.3 | Light Stains on a Wool Cloth Caused by Mechanical Damage During Shearing – Practical Example | 70 |
| 3.1.4 | Mechanical Damage Caused by Tearing Wool, Comparison with Recovered Wool | 70 |
| 3.1.5 | Mechanical Damage to Wool Fibers Caused by Wool Pests | 71 |
| 3.2 | Mechanical Damage to Silk | 71 |
| 3.3 | Mechanical Damage to Cotton | 74 |
| 3.3.1 | Light Streaks on a Black-Dyed Poplin Fabric – Practical Example . . | 74 |
| 3.3.2 | Mechanical Damage to a Feather Bed Ticking – Practical Example . | 74 |
| 3.3.3 | Graying of a Dyed Cotton Fabric After Extended Use | 76 |
| 3.3.4 | Mechanically Damaged Cotton Threads of an Oriental Carpet – Practical Example | 76 |
| 3.3.5 | Darker Colored Streaks Due to Squashed Cotton Fibers – Practical Example | 78 |
| 3.3.6 | Crease Marks | 78 |
| 3.4 | Mechanical Damage to Cellulose Regenerated Fibers Graying During Dyeing on the Winch – Practical Example | 83 |
| 3.5 | Mechanical Damage to Synthetic Fibers | 83 |

| | | |
|----------|---|-----------|
| 3.5.1 | Graying of a Carpet Made of Acrylic Fibers – Practical Example . . . | 85 |
| 3.5.2 | Graying of a Napped Blanket Material Made of Acrylic Fibers – Practical Example | 85 |
| 4 | Thermal and Thermo-Mechanical Damage to Synthetics | 87 |
| 4.1 | Thermal Damage Caused by Direct Heat | 87 |
| 4.1.1 | Thermal Deformation of Synthetic Fibers During Setting | 87 |
| 4.1.2 | Weft Streaks in a Fabric Made of Polyester/Wool After Setting – Practical Example | 87 |
| 4.1.3 | Graying in a Woven Fur Made of Polyvinyl Chloride and Acrylic Fibers After Drying – Practical Example | 89 |
| 4.1.4 | Thermal Deformations During Texturizing | 91 |
| 4.1.5 | Light Stains on a Printed Cotton Fabric Due to Melted, Flat-Rolled Polypropylene Fibers – Practical Example | 91 |
| 4.1.6 | Singeing Damage to Synthetic Fibers | 93 |
| 4.1.6.1 | Dark Stains on a Gabardine Fabric After Singeing and Dyeing – Practical Example | 93 |
| 4.1.6.2 | Stain Formation and Film-Like Coating Due to Thermally Deformed, Flat-Rolled Polyester Fibers – Practical Example | 95 |
| 4.1.6.3 | Streaks and Stains on a Singed Fabric Made of Polyester/Viscose Staple – Practical Example | 95 |
| 4.1.6.4 | Strength Loss After Singeing Due to Melting of Polyester Fibers – Practical Example | 98 |
| 4.1.6.5 | Streakiness After Singeing and Dyeing Due to Melted, Darker Dyed Polyamide Fibers – Practical Example | 98 |
| 4.1.7 | Damage Caused by Ironing | 99 |
| 4.1.7.1 | Light Stains on a Fabric Made of Polyester/Wool Caused by Ironing – Practical Example | 99 |
| 4.2 | Thermal Deformation of Synthetic Fibers Due to Frictional Heat . . | 99 |
| 4.2.1 | Streaks in a Piece of Knitwear Caused by Acrylic Fibers with Thermo-Mechanical Damage – Practical Example | 102 |
| 4.2.2 | Graying on a Dyed Acrylic Yarn – Practical Example | 102 |
| 4.2.3 | Light Patches on a Sewing Thread Made of Polyester Due to Thermo-Mechanical Damage – Practical Example | 102 |
| 4.2.4 | Thermal Deformation of Polyester Fibers as a Result of Excessive Spinning Speeds – Practical Example | 104 |
| 4.2.5 | Fiber Dust Formation During Twisting of a Polyester/Cotton Yarn – Practical Example | 104 |
| 4.2.6 | Bar Formation Due to Polyester Fibers with Thermo- Mechanical Damage in a Fabric Made of Polyester/Wool – Practical Example | 104 |

| | | |
|----------|--|------------|
| 4.3 | Thermal Damage to Synthetic Fibers due to Impact | 106 |
| 4.3.1 | Lighter Yarn Areas Due to “Shuttle Marks” on a Fabric Made of Acrylic Fibers – Practical Example | 106 |
| 4.3.2 | Light Streaks in a Black-Dyed Polyester Fabric Due to “Warp Splashes” – Practical Example | 108 |
| 4.3.3 | White Streaks in a Polyester/Acrylic Fabric Caused by “Warp Splashes” – Practical Example | 108 |
| 4.4 | Thermal Deformation of Synthetic Fibers Due to Cutting, Punching and Sewing | 108 |
| 4.4.1 | Thermally Bonded Cut Ends in Polyamide Short Staple | 111 |
| 4.4.2 | Streak Formation in a Plush Fabric Made of Acrylic Fibers – Practical Example | 111 |
| 4.4.3 | Streak Formation in a Velour Carpet Made of Polyamide – Practical Example | 111 |
| 4.4.4 | Streak Formation in a Velour Carpet Made of Polypropylene – Practical Example | 114 |
| 4.4.5 | Bonding of Punched Pieces of a Knitted Fabric Made of Polyamide – Practical Example | 114 |
| 4.4.6 | Detection of Cutting Defects on Polyester Fibers Through Dyeing of the Cut Ends | 114 |
| 5 | Streaks and Bars in Textile Fabrics Due to Yarn Differences and Technological Reasons | 117 |
| 5.1 | Streaks Due to Variations in the Yarn Volume or Yarn Count . . . | 119 |
| 5.1.1 | Streaks Parallel to the Threads in a Viscose Staple Fabric – Practical Example | 119 |
| 5.1.2 | Warp-Streaky Twill Due to Differences in the Yarn Count – Practical Example | 119 |
| 5.1.3 | Streak Formation in a Tubular Knitted Fabric, Made of Mercerized Cotton Yarn, Due to Differences in the Twisting Effects – Practical Example | 119 |
| 5.1.4 | Streaks and Bars in Cotton Fabrics Due to Varying Hairiness of the Weft Yarn – Practical Example | 122 |
| 5.1.5 | Streak Formation Due to Differently Twisted Mouliné Yarns – Practical Example | 122 |
| 5.1.6 | Warp Streakiness in a Polyester/Wool Fabric Due to Differences in Yarn Twist – Practical Example | 124 |
| 5.1.7 | Streakiness in a Piece of Knitted Fabric Made of Bulked Acrylic Yarn Due to Differences in Volume and/or in Bulking – Practical Example | 124 |

| | | |
|----------|---|------------|
| 5.2 | Streaks and Bars Parallel to Threads Due to Yarn Mixture Errors | 127 |
| 5.2.1 | Dark Weft Bar in a Cotton Fabric After Dyeing – Practical Example | 127 |
| 5.2.2 | Weft Bars in a Fabric Made of Wool/Viscose Staple – Practical Example | 127 |
| 5.2.3 | Streaks in an Acrylic Fiber Fabric Due to Yarns of Different Origin – Practical Example | 130 |
| 5.2.4 | Warp Streaks in Polyamide Fabrics Due to Yarn Mixture Errors – Practical Example | 130 |
| 5.2.5 | Dye Unlevelness in Cotton Pieces due to Yarns Manufactured According to Different Spinning Processes – Practical Example . . . | 133 |
| 5.2.6 | Warp Streaks and Bars Due to Yarns of Different Cotton Origin – Practical Example | 133 |
| 5.2.7 | Warp Streaks in a Black-Dyed Wool Fabric – Practical Example . . . | 135 |
| 5.2.8 | Color Differences and Streaks in Ribbons Made of Secondary Acetate from Different Spinning Lots – Practical Example | 135 |
| 5.3 | Streak and Bar Formation Due to Other Yarn-Related Influences . . . | 135 |
| 5.3.1 | Streaks Due to Incorrect Mercerization – Practical Example | 137 |
| 5.3.2 | Streaks Due to Differences in the Blend – Practical Example | 137 |
| 5.3.3 | Weft Streaks in a Polyamide Fabric Due to Absence of Protective Twist – Practical Example | 137 |
| 5.3.4 | Warp Streaks Due to Incorrect Texturing – Practical Example . . . | 140 |
| 5.4 | Streaks in Pile Goods | 140 |
| 5.4.1 | Streaks Parallel to the Threads in a Tufted Carpet Made of Pure Wool, Caused by a Deeper Set Tuft Row – Practical Example . . . | 141 |
| 5.4.2 | Streaks Parallel to the Threads in a Tufted Carpet Made of Pure Wool Due to Different Needling – Practical Example | 141 |
| 5.4.3 | Streak Formation in a Woven Wall-to-Wall Carpet Due to Yarn Differences – Practical Example | 143 |
| 5.4.4 | Streaks and Bars in Cotton Velvet Due to Differences in the Twisting of the Pile Yarns – Practical Example | 143 |
| 5.4.5 | Streakiness in a Viscose Staple Plush Due to Yarn Differences – Practical Example | 145 |
| 6 | Causes of the Formation of Tight Threads and Their Effects . . . | 146 |
| 6.1 | Tight Threads in Wool Fabrics Caused by Uneven Yarn Moisture . . . | 146 |
| 6.1.1 | Tight Picks in Wool Fabrics – Practical Example | 146 |
| 6.1.2 | Tight Threads in the Warp of a Wool Fabric – Practical Example . . . | 147 |
| 6.2 | Tight Picks in a Fabric Made of Viscose – Practical Example | 150 |

| | | |
|----------|---|------------|
| 6.3 | Tight Threads Caused by Different Yarn Twist – Practical Example | 150 |
| 7 | Defects Caused by Deposits and Encrustations on the Fiber Material | 153 |
| 7.1 | Detection of Oil, Grease, Paraffin or Wax Deposits by Means of Dyeing with Oil-Soluble Dyes | 153 |
| 7.1.1 | Dye Resisting Effects of a Polyamide Fabric – Practical Example . . | 156 |
| 7.1.2 | Warp Streakiness in a Lining Material Caused by Failure to Adequately Wash Out the Spin Finish – Practical Example | 156 |
| 7.1.3 | Streaks in Fulled Wool Fabrics Due to Differences in the Fiber Lubricant Pick-Up – Practical Example | 156 |
| 7.1.4 | Detection of Oil and/or Grease Soiling on Polyester | 157 |
| 7.2 | Detection of Oil, Grease, Wax and Paraffin Deposits by Means of Film Imprints | 160 |
| 7.2.1 | Light Stains Caused by Oil Soiling in a Wool Fabric After Dyeing – Practical Example | 160 |
| 7.2.2 | Reserved Areas Due to Oil Soiling in a Cotton Fabric – Practical Example | 160 |
| 7.2.3 | Streak Formation in Knitwear Caused by Uneven Paraffination – Practical Example | 161 |
| 7.3 | Detection of Pigment Deposits on Imprints | 161 |
| 7.3.1 | Reserved Areas in a Polyester/Cotton Fabric Due to Resin Deposits – Practical Example | 163 |
| 7.3.2 | Stain Formation Caused by Lime Deposits on Polyester Knitwear – Practical Example | 163 |
| 7.3.3 | Pigment Soiling on a Played Yarn Made of Acrylic Fibers – Practical Example | 164 |
| 7.3.4 | Speck-Like Dark Stains on a Cotton Fabric Caused by Undissolved Dye Particles – Practical Example | 164 |
| 7.3.5 | Graying and Light Stains on a Polyester Fabric Due to Oligomer Deposits – Practical Example | 164 |
| 7.4 | Detection of Film-Forming Products and Film-Like Deposits by Means of Imprints | 167 |
| 7.4.1 | Hardening of the Hand Due to Residues of Printing Paste Thickeners – Practical Example | 167 |
| 7.4.2 | Wool Fabric Showing Chalky Marks when Scratched, Caused by the Backing – Practical Example | 169 |
| 7.4.3 | Printed Fabric Made of Silk/Viscose with Hardened Areas Caused by Adhesives for the Printing Table – Practical Example . . | 169 |

| | | |
|----------|--|------------|
| 7.4.4 | Deposits of Sizing Agent on the Weft Yarns of a Polyester/Cotton Fabric – Practical Example | 172 |
| 7.5 | Detection of Deposits in Staining Tests, Yarn Cross-Sections and/or Fabric Cross-Sections | 172 |
| 7.5.1 | Evaluation of Sizing Agent Distribution on Yarn Cross-Sections by Staining of the Starch Sizing Agent with Iodine Solution | 173 |
| 7.5.2 | Oversized Warp Threads – Practical Example | 173 |
| 7.5.3 | Detection of Durable Antistatics by Staining | 176 |
| 7.5.4 | Black Specks in a Polyester Curtain Fabric After Bleaching – Practical Example | 176 |
| 8 | Other Defects in the Quality of Textiles | 179 |
| 8.1 | Skittery Dyed Wool Yarn – Practical Example | 179 |
| 8.2 | Uneven Wool Printing – Practical Example | 179 |
| 8.3 | Small Light Spots Caused by Trapped Air Bubbles During the Dyeing of Wound Packages | 182 |
| 8.4 | Dye Unevenness in Polyester Knitwear Caused by Water Drops – Practical Example | 182 |
| 8.5 | Dye Unevenness Within a Spinning Lot Due to Separation of the Fiber Components – Practical Example | 182 |
| 8.6 | Darker Specks of Dyed Feather Bed Ticking Due to Non-Decomposed Seed Husks – Practical Example | 183 |
| 8.7 | Spots Due to Dark-Dyed Fly Fibers – Practical Example | 183 |
| 8.8 | Red Specks Due to Dyed, Melted and Flat-Rolled Man-Made Fly Fibers on a White Viscose Staple Fabric | 183 |
| 8.9 | Light, Undyed Short Bristly Fibers in a Wool Yarn – Practical Example | 186 |
| 8.10 | Gray, Dot-Like Stains on Needlefelt Sheets – Practical Example | 186 |
| 8.11 | Running Marks in a Cotton Tricot Fabric – Practical Example | 188 |
| 8.12 | Shade Differences in Dress Fabrics Due to Different Hairiness – Practical Example | 188 |
| 8.13 | Brittle, Dope-Dyed Acrylic Fiber Material on the Carding Machine and Drawing Frames – Practical Example | 188 |
| 8.14 | Light Specks in a Milled Terry Towelling Fabric Due to Dead Cotton – Practical Example | 190 |
| 8.15 | Bonded Yarns in a Cotton Cross-Wound Bobbin – Practical Example | 190 |
| 8.16 | Knitted Goods Sticking Together in Garment Production Due to Hairiness of Cotton Yarn – Practical Example | 191 |

| | | |
|-----------|--|------------|
| 8.17 | Cotton Fabrics With Side-to-Center Shading Due to Uneven Squeezing Effects – Practical Example | 191 |
| 9 | Microbiological Damage to Fibers | 195 |
| 9.1 | Damage Caused by Fungi | 195 |
| 9.1.1 | Mould Attack on Cotton – Practical Example | 196 |
| 9.1.2 | Mould Attack on Sausage Yarn Made of Hemp – Practical Example | 199 |
| 9.1.3 | Mould Attack on Packing Cords Made of Hemp – Practical Example | 199 |
| 9.1.4 | Mould Attack on Viscose Staple – Practical Example | 199 |
| 9.1.5 | Moulds on a Blended Fabric Made of Polyester/Cotton – Practical Example | 201 |
| 9.1.6 | Moulds on a Sized Polyester Fabric – Practical Example | 201 |
| 9.1.7 | Moulds on a Polyester Yarn – Practical Example | 203 |
| 9.1.8 | Dark Stains on a Wool Fabric Caused by Moulds – Practical Example | 203 |
| 9.1.9 | Cross-Wound Bobbins Made of Wool with Brownish and Dark Green Mould Stains – Practical Example | 205 |
| 9.1.10 | Warp Beams Made of Polyamide/Wool with Differently Colored Mildew Spots – Practical Example | 205 |
| 9.2 | Damage Caused by Bacteria | 208 |
| 9.2.1 | Bacterial Attack on a Military Cloth – Practical Example | 209 |
| 9.2.2 | Bacterially Damaged Carpet Yarn – Practical Example | 212 |
| 9.2.3 | Streak Formation in a Dyed Fabric Made of Polyester/Wool Caused by Bacterial Attack – Practical Example | 212 |
| 10 | Poultry Feathers as Filling Material for Bedding and Textiles – Analysis of Faults | 214 |
| 10.1 | Chemical and morphological structure of poultry feathers | 214 |
| 10.2 | Detection of damage to poultry feathers | 215 |
| 10.2.1 | Detection of damage to poultry feathers with the Pauly reagent . . . | 216 |
| 10.2.2 | Detection of damage to poultry feathers with Neocarmin W | 216 |

References 222

Figures 227

Subject Index 231

Appendix: Technical Equipment, Chemicals, Reagents and
Dyes (with new substitutes/suppliers) for Microscopic Damage Analysis . . 235



<http://www.springer.com/978-3-540-44072-7>

Quality Assessment of Textiles
Damage Detection by Microscopy
Mahall, K.
2003, XXI, 238 p., Hardcover
ISBN: 978-3-540-44072-7