

Table of Contents

1. An Introductory Survey	3
1.1 History	3
1.1.1 Early Developments	3
1.1.2 The First Transistors	4
1.1.3 Silicon Transistors	6
1.1.4 Integrated Bipolar Transistors	7
1.1.5 Heterojunction Bipolar Transistors	9
1.1.6 CAD, Device Modeling	10
1.1.7 Applications	11
1.2 Devices, Circuits, Compact Models	12
1.2.1 Circuit Elements	13
1.2.2 Nonlinear Network Elements, Small-Signal Description	14
1.2.3 Two-Ports	17
1.2.4 Device Modeling	21
1.3 Semiconductors	23
1.3.1 Electrons and Holes	23
1.3.2 Thermal Equilibrium	25
1.3.3 Drift and Diffusion Currents	30
1.3.4 Generation and Recombination	32
1.3.5 Basic Semiconductor Equations	35
1.4 PN Junctions	36
1.4.1 PN Junctions in Thermal Equilibrium	36
1.4.2 Forward-Biased PN Junction	39
1.4.3 Reverse-Biased PN Junction	46
1.4.4 Stored Charge	47
1.4.5 Switching, Charge-Control Theory	50
1.4.6 Epitaxial Diodes	51

1.5	Bipolar Transistor Principles	54
1.5.1	Modes of Operation	54
1.5.2	Transfer Current	56
1.5.3	Current Gain	60
1.5.4	Transistor Amplifiers and Switches	62
1.5.5	Leakage Currents	64
1.5.6	Voltage Limits, Breakdown	65
1.5.7	Some Differences of Bipolar Transistors and MOSFETs ..	67
1.6	Elementary Large-Signal Models	69
1.6.1	The Elementary Transistor Model	69
1.6.2	Current–Voltage Characteristics	73
1.6.3	Charge Storage, Charge Control Model	75
1.6.4	Switching Operation	77
1.7	Elementary Small-Signal Models	82
1.7.1	Admittance Parameters	82
1.7.2	Hybrid Parameters	84
1.7.3	T-Equivalent Circuit	86
1.7.4	Frequency Limits	87
1.8	Noise Modeling	92
1.8.1	Noise and Noise Sources	92
1.8.2	Noise Circuit Analysis	95
1.8.3	Noisy Linear Two-Ports, Noise Figure	99
1.8.4	Bipolar-Transistor Noise Equivalent Circuit	102
1.8.5	Input-Referred Noise Sources	103
1.8.6	Noise Figure	107
1.9	Orders of Magnitude	109
1.10	References	113
2.	Semiconductor Physics Required for	
	Bipolar-Transistor Modeling	119
2.1	Band Structure	120
2.1.1	Bloch Functions	120
2.1.2	Temperature Dependence of Bandgap and Intrinsic Carrier Density	122
2.2	Thermal Equilibrium	124
2.2.1	Fermi–Dirac and Boltzmann Statistics	124

2.2.2 Ionization	127
2.3 The Boltzmann Equation	128
2.3.1 Collision Term	129
2.3.2 Thermal Equilibrium	130
2.3.3 Limits of Validity	130
2.3.4 Relaxation Times	131
2.4 The Drift–Diffusion Approximation	132
2.4.1 The Relaxation Time Approximation	132
2.4.2 Transport in Low Electric Fields	133
2.5 Hydrodynamic Model	136
2.5.1 Continuity Equation	136
2.5.2 Current Equation	137
2.5.3 Energy Balance Equation	138
2.6 Generation and Recombination	142
2.6.1 Shockley–Read–Hall Processes	142
2.6.2 Auger Recombination	147
2.6.3 Impact Ionization	148
2.6.4 Interband Tunneling	152
2.7 Heavily Doped Semiconductors	154
2.7.1 Modification of the Band Structure	154
2.7.2 Bandgap Narrowing in Silicon	156
2.8 Silicon Device Modeling in the Drift–Diffusion Approximation	159
2.8.1 Basic Equations of the Drift–Diffusion Approximation ..	159
2.8.2 Model Equations for Material Parameters	161
2.8.3 Compact Modeling	166
2.9 References	168
3. Physics and Modeling of Bipolar Junction Transistors	175
3.1 The Regional Approach	175
3.1.1 Drift Transistors – Homogeneous-Field Case	175
3.1.2 Transfer Current in Frequency and Time Domains	176
3.1.3 The Ebers–Moll Model	179
3.1.4 The Charge Control Model	180
3.1.5 Non-Quasi-Static Effects	183
3.2 Transfer Current, Early Effect	185
3.2.1 The Integral Charge Control Relation	185

3.2.2	Forward Operation, Early Voltage	187
3.2.3	Base Charge Partitioning	189
3.3	Emitter–Base Diode, Current Gain	192
3.3.1	Minority-Carrier Transport in Heavily Doped Silicon Emitters	192
3.3.2	Polycrystalline Emitter Contacts	194
3.3.3	Recombination in the Space Charge Layer	197
3.3.4	Reverse-Bias Currents, Breakdown	202
3.4	Base–Collector Diode, Breakdown	204
3.4.1	Multiplication Factor	204
3.4.2	Collector–Emitter Breakdown due to Impact Ionization ..	207
3.4.3	Punchthrough	208
3.5	Charge Storage, Transit Time	212
3.5.1	Depletion Capacitances	212
3.5.2	Hole Continuity and Cutoff Frequency	213
3.5.3	Forward Transit Time	217
3.6	Series Resistances	222
3.6.1	Emitter Resistance	222
3.6.2	Base Resistance	222
3.6.3	Collector Resistance, Quasi-Saturation	226
3.7	High-Level Injection	227
3.7.1	High-Level Injection in the Base Region	227
3.7.2	High-Level Injection in the Collector Region	229
3.7.3	The Epilayer Model of Kull et al.	237
3.8	The Gummel–Poon Model	239
3.8.1	Transfer Current and Current Gain	239
3.8.2	Base Current Components	241
3.8.3	Current Gain	241
3.8.4	Charge Storage	243
3.8.5	Series Resistances	244
3.8.6	Parameters	245
3.9	Small-Signal Description	248
3.9.1	Giacoletto Small-Signal Equivalent Circuit	248
3.9.2	Admittance Parameters	251
3.9.3	Carrier Multiplication Effects	256
3.9.4	Non-Quasi-Static Effects and Excess Phase	258

3.9.5 Nonlinear Distortion Effects	262
3.10 Figures of Merit	267
3.10.1 Cutoff Frequency	267
3.10.2 Maximum Frequency of Oscillation	269
3.10.3 CML Gate Delay and Power-Delay Product	271
3.10.4 Product of Current Gain and Early Voltage	273
3.10.5 Johnson Limit	274
3.11 Temperature Dependences, Self-Heating	276
3.11.1 Temperature Dependences	276
3.11.2 Thermal Equivalent Circuit	278
3.11.3 Mitlauffeffekt, Thermal Runaway	280
3.12 Parameter Extraction – DC Measurements	283
3.12.1 Gummel Plot	283
3.12.2 Output Characteristics, Early Voltage	288
3.12.3 Series Resistances	291
3.12.4 Carrier Multiplication and Open-Base Breakdown	295
3.12.5 Thermal Resistance, Self-Heating Effects	300
3.13 Parameter Extraction – AC Measurements	302
3.13.1 De-Embedding	302
3.13.2 Transit Time	304
3.13.3 Capacitances	305
3.13.4 The Impedance Semicircle Method	307
3.14 The VBIC Model	308
3.14.1 Vertical NPN Transistor	308
3.14.2 Parasitic PNP Transistor	313
3.14.3 Stored Charges	313
3.14.4 Temperature Effects	314
3.15 The HICUM Model	316
3.15.1 Modeling Approach	320
3.15.2 Transfer Current	322
3.15.3 Static Base Current, Parasitic PNP Transistor	324
3.15.4 Series Resistances	324
3.15.5 Charge Storage	325
3.15.6 BC Avalanche Effect	331
3.15.7 Emitter-Base Tunneling	331

3.15.8 Temperature Effects	332
3.16 The MEXTRAM Model.....	333
3.16.1 Transfer Current	336
3.16.2 Base Current Components, Parasitic PNP Transistor...	337
3.16.3 Epilayer Description	339
3.16.4 Series Resistances.....	342
3.16.5 Charge Storage.....	342
3.16.6 Avalanche Effect	345
3.16.7 Temperature Effects	346
3.16.8 Discussion	348
3.17 References.....	349
 4. Physics and Modeling of Heterojunction Bipolar Transistors	 359
4.1 Heterojunctions	361
4.1.1 Thermal Equilibrium.....	362
4.1.2 Forward-Biased Heterojunction	364
4.1.3 Depletion Capacitance	373
4.2 Heterojunction Bipolar Transistors	375
4.2.1 Transfer Current	376
4.2.2 Offset Voltage.....	377
4.2.3 Nonequilibrium Carrier Transport	378
4.3 Silicon-Based Semiconductor Heterostructures	380
4.3.1 Growth of SiGe/Si Heterostructures.....	382
4.3.2 SiGe Material Parameters	383
4.4 SiGe HBTs	387
4.4.1 Transfer Current	388
4.4.2 Base Transit Time	394
4.4.3 High-Level-Injection Effects	395
4.4.4 Compact Models for SiGe HBTs	398
4.5 Compound Semiconductor HBTs	400
4.5.1 GaAlAs/GaAs HBTs.....	400
4.5.2 Indium Phosphide	401
4.5.3 Microwave Power Transistors.....	402
4.6 References.....	406

5. Noise Modeling	411
5.1 Noise in Semiconductors	411
5.1.1 Shot Noise and Thermal Noise	411
5.1.2 Generation–Recombination Noise	417
5.1.3 Low-Frequency Noise (1/f Noise)	419
5.2 Transport Theory of Noise	421
5.2.1 Langevin Approach to the Noise of Ohmic Resistors	422
5.3 Noise of pn Junctions	424
5.3.1 Noise Mechanism of Biased pn Junctions	425
5.3.2 Langevin Approach to the Noise of pn Junction Diodes	427
5.4 Noise Generated by the Transfer Current	435
5.5 High-Frequency Noise Equivalent Circuit	440
5.6 Noise Figure	443
5.6.1 Noise Caused by the Transfer Current	443
5.6.2 Noise Figure	446
5.6.3 Effects of Carrier Multiplication on Noise Figure	448
5.7 Low-Frequency Noise	451
5.8 References	455
6. Basic Circuit Configurations	463
6.1 Common-Emitter Configuration	463
6.1.1 Biasing	463
6.1.2 AC Characteristics	467
6.1.3 Nonlinear Distortion	470
6.2 Common-Collector Configuration	471
6.2.1 Basic Principles	471
6.2.2 AC Characteristics	473
6.3 Common-Base Configuration	474
6.4 The Diode-Connected Bipolar Transistor	476
6.4.1 Realizations	476
6.4.2 Current–Voltage Characteristic	477
6.4.3 High-Frequency Behavior	478
6.5 Current Sources and Active Loads	479
6.5.1 Current Source with Series Feedback	480
6.5.2 Current Mirror	480
6.5.3 Active Load	484

6.6	Differential Amplifiers	485
6.6.1	DC Transfer Characteristic	486
6.6.2	Differential-Mode and Common-Mode Voltage Gain	487
6.7	Analog Multipliers	489
6.8	Two-Transistor Amplifier Stages	491
6.8.1	The Darlington Configuration	491
6.8.2	The Cascode Configuration	493
6.9	Bandgap References	494
6.10	Digital Circuits	497
6.10.1	Characteristics of Digital Circuits.....	498
6.10.2	Bipolar-Digital-Circuit Techniques	501
6.11	References.....	508
7.	Process Integration	511
7.1	Fabrication of Integrated npn Transistors.....	511
7.1.1	Collector Isolation	511
7.1.2	Emitter and Base Formation	514
7.2	Passive Components	521
7.2.1	Resistors	521
7.2.2	Capacitors	524
7.2.3	Inductors	527
7.3	PNP Transistors	530
7.3.1	Vertical pnp Transistors with Polysilicon Emitter	530
7.3.2	Lateral pnp Transistors.....	531
7.4	Reliability	536
7.4.1	Device Degradation	536
7.4.2	Failure of Bipolar Devices due to Electrostatic Discharges	539
7.5	References.....	546
8.	Applications	551
8.1	Emitter-Coupled Logic	551
8.1.1	Single-Ended, Differential and Feedback ECL	552
8.1.2	Noise Margin	559
8.1.3	Flip-Flops	561
8.1.4	Frequency Dividers	562

8.2 High-Speed Optical Transmission Systems	563
8.3 RF Microelectronics	564
8.4 BiCMOS	569
8.5 References.....	571
A. Linear and Nonlinear Response	577
A.1 Linear Response	577
A.1.1 Step Response, Elmore Delay	578
A.2 Nonlinear Systems Without Memory.....	580
A.2.1 Harmonic Distortion, Gain Compression	580
A.2.2 Intermodulation Distortion	582
A.3 Nonlinear Systems with Memory	585
A.3.1 Volterra Series	585
A.4 References.....	586
B. Linear Two-Ports, s-Parameters.....	587
B.1 Indefinite Admittance Matrix	587
B.2 Terminated Two-Ports	588
B.2.1 Input and Output Impedance	589
B.2.2 Voltage and Current Gain	589
B.2.3 Power Gain	590
B.2.4 Stability	594
B.2.5 Incident and Reflected Power	595
B.3 S-Parameters	597
B.3.1 Relations between s-Parameters and Two-Port Parameters	598
B.3.2 Matching and Power Gain	599
B.4 References.....	600
C. PN Junctions: Details.....	601
C.1 Boundary Conditions at PN Junctions	601
C.2 Epitaxial Diode	603
C.3 Minority-Carrier Transport in Heavily Doped Emitter Regions	605
C.4 High-Frequency Diode Admittance	608
C.5 References.....	610
D. Bipolar Transistor: Details	611

D.1	Drift Transistor	611
D.1.1	Electron Transport Through the Base Region	611
D.1.2	Computation of $a_{21}(t)$	613
D.1.3	Excess Phase	613
D.1.4	Collector Transit Time	614
D.1.5	Small-Signal Analysis	615
D.2	Quasi-Three-Dimensional Computations of the Base Resistance	617
D.3	Generation of Model Parameters from Layout Data	620
D.4	Generalization of the Gummel Transfer Current Relation to Arbitrary Geometries	621
D.5	Definition of Series Resistances Within the Integral Charge Control Relation	623
D.6	Multiplication Factor	625
D.7	References	626
E.	Noise: Details	627
E.1	Some Statistics	627
E.1.1	Stochastic Variables, Correlation	627
E.1.2	Ensemble Average, Distribution Function	628
E.1.3	Spectral Density	629
E.1.4	Carson Theorem, Shot Noise	629
E.2	Velocity Fluctuations and Diffusion	630
E.3	Thermodynamics and Noise	632
E.4	Generation-Recombination Noise	634
E.5	McWorther Model of 1/f Noise	636
E.6	Short-Base Diode with Metal Contact	637
E.7	Short-Base Diode with Polysilicon Contact	639
E.8	Equivalent-Circuit Representation of Transfer Current Noise ..	641
E.9	References	644
F.	Overtemperature Developed During Electrostatic Discharges	645
F.1	Thermal Conductivity	645
F.2	Transient Overtemperature During a Short Pulse	646
F.3	References	648



<http://www.springer.com/978-3-540-67702-4>

High-Frequency Bipolar Transistors

Reisch, M.

2003, XX, 658 p., Hardcover

ISBN: 978-3-540-67702-4