

Index

- adjacency relation, 280
- algebraic geometry, 291
 - complex, 37
 - real, 38, 341
- algebraic numbers
 - complex, 87
 - real, 87
- algebraically independent set, 170
- algorithm, 39, 80
- amalgamation, 231, 234
- analysis
 - complex, 345
- annihilator, 42
- Artin's conjecture, 86, 96–103
- Artin's theorem, 95
- atlas, 299
- atomic set, 198
- automorphism, 5
- Ax's theorem, 60
- Ax-Kochen-Ershov theorem, 100

- back-and-forth property, 10
- basis, 169
- Baur-Monk theorem, 70, 74
- biinterpretability, 279–286, 288, 290, 339
- Boolean space, 136, 180
- boundary point, 322

- Cantor's theorem, 12
- Cantor-Bendixson rank, 155, 159
- cell, 320
- cell decomposition theorem, 324, 329
- character
 - finite, 228, 233
 - local, 228, 233
- Cherlin's conjecture, 303, 310
- Chevalley's theorem, 59
- Church-Turing thesis, 39, 80
- class
 - elementary, 22, 105, 221
 - of fields, 25, 103
 - of finite sets, 22
 - of graphs, 280
 - of infinite sets, 22
 - of modules, 27
 - of nilpotent groups of class 2, 281
 - of ordered fields, 26
- classification problem, 20, 221–227, 289
- closure
 - algebraic, 133, 172, 287, 328
 - definable, 133, 172
 - differential, 209
 - real, 175
- coheir, 238, 252, 290
- compactness, 18
 - theorem of, 18, 243, 325, 327
- connected component, 189
- constructible set, 38, 58, 118, 134, 198, 199, 220, 271, 292, 295
- construction, 199
- coordinate chart, 299
- cylindrical algebraic decomposition, 80

- definable manifold, 340
- definable sets, 35–42, 45, 59, 78, 112, 121, 126, 129, 133–136, 222, 280, 320, 344, 345
 - Boolean algebra of, 36, 134, 143, 219
 - convex, 346
 - definably connected, 322

- indecomposable, 190
- dependence, 227
- dependence relation, 180, 184, 328
 - algebraic, 170
 - linear, 169
- derivation, 109, 307
- descriptive set theory, 222, 289
- difference degree, 289
- differential algebra, 209
- differential degree, 287
- differentially algebraic, 210
- differentially transcendental, 210
- dimension, 294–297
 - of a definable set, 328
 - of a tuple, 328
 - of a vectorspace, 169
- dimension theory, 327
- effective procedure, 40, 44, 79
- Ehrenfeucht-Mostowski model, 274, 290
- elementary chain theorem, 18, 144
- elementary equivalence, 324, 347
- elimination of imaginaries, 125, 194, 307
 - uniform, 125, 300
- elimination sets, 43
- embedding, 4, 9–18, 85, 88, 103
 - elementary, 13, 85, 103
 - existential, 14, 89, 105
- endomorphism, 5
- existence property, 270
- exponential set, 342
- extension, 5, 228, 234
 - elementary, 14
 - non forking, 237, 238, 240
- field
 - ω -stable, 220
 - algebraic closure of, 33, 86, 93, 103, 117
 - algebraically closed, 26, 32, 45, 80–82, 86, 103, 105, 117, 134, 160, 184, 230, 239, 255, 284, 287, 291, 294
 - elimination of imaginaries for, 126
 - model completeness of, 91
 - quantifier elimination for, 54–61
 - with an automorphism, 117
- complex
 - elimination of quantifiers for, 82
- constant subfield of, 110, 116
- difference, 115
 - existentially closed, 117
 - inversive, 116
- differential, 109, 209
 - existentially closed, 110, 115, 209
- differential closure of, 111, 115
- differentially closed, 106, 109–115, 119, 134, 211, 220, 239, 242, 290, 291, 304, 307
 - axioms for, 111
- existentially closed, 239, 290, 307
 - with an automorphism, 291
- fixed subfield of, 116
- formally real, 95
- Henselian, 99
- imperfection degree of, 114
- locally compact, 98
- of complex numbers, 33
- of meromorphic functions, 110
- of rational functions, 109
- ordered, 129, 316, 327
 - o -minimal, 317
 - real closure of, 180
- p -adic, 86
- perfect, 113
- pseudofinite, 26, 102, 118, 288, 290
- real, 321
 - elimination of quantifiers for, 82
- real closed, 43, 78–82, 87, 95, 104, 105, 129, 134, 239, 313, 317
 - elimination of imaginaries of, 129–131

- model completeness of, 93
 - quantifier elimination for, 61–68
 - theory of, 27
- residue, 101, 102
- separably closed, 112–115, 119, 239, 242, 290, 307
- structure of, 3
- superstable, 220
- transcendence basis of, 33
- transcendence degree of, 33, 86, 184
- valued, 99, 100, 102
 - of p -adic numbers, 102
- field of definition, 194
- finite in
 - uniformly, 330
- Fischer-Rabin theorem, 80
- forking, 233, 237, 287
- formal Laurent series, 98
- formula, 5
 - positive primitive, 41
 - atomic, 6
 - existential, 8, 88
 - finite, 330
 - normal form of, 8
 - quantifier free, 8
 - T-equivalent, 43
 - true in a structure, 5, 7
 - universal, 8, 88
- Fraïssé's theorem, 13
- Frobenius morphism, 113, 116, 118, 174
- function
 - definable, 297–299
 - elementary, 16, 135, 196
- function field, 306
- generic element, 190
- geometry, 286
- graph, 280
 - random, 231
 - structure of, 3
- group
 - pp -definable, 283
 - ω -stable, 184–192, 220, 302, 303, 310
 - abelian-by-finite, 284
 - algebraic, 301–304
 - centre of, 121
 - definable, 302, 317
 - existentially closed, 106, 119
 - linear, 121, 301
 - linear algebraic, 302
 - o -minimal, 315
 - of finite Morley rank, 303, 310
 - of finite type, 305
 - ordered abelian, 101
 - divisible, 313
 - quotient, 122
 - special, 122
 - structure of, 3
 - torsionfree abelian, 222, 289
- groups
 - elementary class of, 105
- Gödel Incompleteness theorem, 40, 280
- heir, 238, 252, 290
- Hensel's lemma, 98
- Herbrand universe, 19
- Hilbert's Basis theorem, 38, 292
- Hilbert's Nullstellensatz, 82, 86, 93, 119, 292
- Hilbert's Seventeenth problem, 86, 95, 119
- homomorphism, 4
 - pure, 151
- Hrushovski-Weil theorem, 303, 310, 340
- ideal
 - differential, 210
 - prime, 210
 - prime, 293
 - radical, 292
- ideal element, 139
- independence, 287
- independence system, 236
 - good, 231, 249
- independent set, 177

- Induction Principle, 7, 29
- infinite sets
 - theory of, 22
- injectivity-implies-surjectivity theorem, 60
- interpretability, 279
- invariance, 228, 233
- invariant statement, 70, 73
- invariant system, 225
- irreducible components, 293
- isomorphism, 5
 - partial, 10
- Knight - Pillay - Steinhorn theorem, 78
- Kolchin constructible, 112, 134
- Kolchin topology, 112
- Lagrange's theorem, 43, 280
- language, 1
- Lindström's theorem, 7, 29
- linear order
 - expansion of, 313
- linear orders, 78
 - class of, 23
 - dense, 52–54, 93
 - elimination of quantifiers for, 52
 - dense without endpoints, 24, 32
 - discrete, 24, 47–52, 93
 - elimination of quantifiers for, 48
 - theory of, 23, 218
- linearly independent set, 169
- locally modular, 288
- Löwenheim-Skolem theorem, 28, 85, 182, 226, 274, 275
 - downward, 19, 29
- Macintyre's theorem, 192, 284
- manifold, 299–302
 - affine, 299
 - semiaffine, 299
- Manin-Mumford conjecture, 305, 310
- model, 8
 - λ -saturated, 144
 - λ -universal, 145
 - homogeneous, 147
 - minimal, 87
 - prime, 87, 133, 196–209, 216, 220, 254, 270, 328
 - saturated, 133, 143–150, 180
 - weakly λ -homogeneous, 145
- model companion, 111, 115, 117, 215
- module, 239
 - algebraically compact, 152
 - indecomposable, 153
 - pure injective, 152
 - pure injective hull of, 152
- modules, 27, 41, 290
 - theory of, 68–76
- monotonicity theorem, 348
- Mordell's conjecture, 304
- Mordell-Lang conjecture, 304–310
- Morley degree, 161, 189, 220, 241
 - of a type, 165
- Morley rank, 158–168, 180, 220, 230, 241, 288, 294, 298, 307, 313, 346
 - of a type, 165
- Morley's existence theorem, 271
- Morley's theorem, 133, 181, 271, 273–279, 290
- morphism, 297, 302
- n-type, 293
 - complete, 137
- Neumann's lemma, 70, 72
- nilradical, 108
- non-forking extension, 252, 259
- number field, 304
- omitting types theorem, 157, 198, 217
- open box, 322
- open mapping theorem, 259, 273
- order property, 237, 243
- ordered field, 104, 313
 - of reals, 65, 95
 - real closure of, 93
 - structure of, 3

- orthogonality, 255
- p-adic topology, 96
- p-basis, 114
- $P=NP$ problem, 80
- parameters, 35
- partition, 330
- polish space, 222
- polynomial, 110
 - difference, 116
 - differential, 110, 115
 - separable, 113
- pp-elimination of quantifiers, 70–76
- pp-formula, 41, 69, 151
- pp-type, 152
- predecessor, 47, 263
- presentation, 264
- projective space, 299
- Prüfer group, 155
- pure injectivity, 150
- quantifier elimination, 43–82, 87, 88, 345
- random graph
 - theory of, 239
- rank, 158
- real analysis, 341
- recursive sets, 39
- recursively enumerable set, 40
- residue field, 99
- Ressayre's Uniqueness theorem, 202, 271
- ring
 - commutative, 107
 - differential, 109
 - existentially closed, 106
 - ordered, 317
 - reduced, 109
- rings
 - elementary class of, 105
- Robinson's test, 88–91
- Rudin-Keisler relation, 254, 290
- Ryll-Nardzewski's theorem, 217, 220
- Schanuel's Conjecture, 343
- semialgebraic set, 38, 67, 134
- semidefinite positive, 95
- sentence, 5, 7
- separant, 211
- Shelah's uniqueness theorem, 220, 270–273, 290
- sign change property, 98
- small subset of Ω , 148
- smooth equivalence relation, 223
- spectrum function, 226
- stationarity over models, 236
- stationary logic, 290
- strong homogeneity theorem, 147
- strongly minimal set, 163, 168–172, 288, 304
- structure
 - X -definable, 121
 - X -interpretable, 123
 - ω -stable, 185, 220, 291, 308
 - $\mathbf{R}_{an,exp}$, 345
 - \mathbf{R}_{an} , 344
 - \mathbf{R}_{exp} , 341
 - basis of, 177
 - definable, 40, 121, 302
 - dimension of, 177
 - existentially closed, 105, 110, 119
 - expansion of, 5
 - extension of, 85
 - interpretable, 123
 - locally modular, 283
 - minimal, 77, 168, 176, 179
 - o-minimal, 78, 178, 179, 313, 318
 - restriction of, 5
 - simple, 232
 - stable, 236
 - strongly minimal, 168, 256, 282, 287, 292, 308
 - superstable, 241
 - trivial, 283
 - two-sorted, 100
 - universe of, 2
 - unstable, 236
- structures, 2
 - elementarily equivalent, 10
- subanalytic set, 344

A Guide to Classical and Modern Model Theory

Marcja, A.; Toffalori, C.

2003, XI, 371 p., Hardcover

ISBN: 978-1-4020-1330-0