
Table of Contents

1	Motivation	1
1.1	The Subject of This Volume	1
1.2	Interpretation, Analysis, Computation	2
1.2.1	Interpretation	2
1.2.2	Analysis	3
1.2.3	Computation	4
1.3	Acknowledgments	5

Part I Logics

2	Model Generation	9
2.1	Introduction	9
2.2	Preliminaries	9
2.3	Topics	10
2.3.1	Models and Decidability	10
2.3.2	Herbrand Models	11
2.3.3	Finite Models	11
2.3.4	Representations	12
2.3.5	Minimality	12
2.3.6	Subset Minimality	12
2.3.7	Domain Minimality	13
2.3.8	Predicate-Specific Minimality	13
2.3.9	Enumeration	14
2.3.10	Model Enumeration with Theorem Provers	14
2.3.11	Enumeration with Finite Model Generators	14
2.4	Methods	15
2.4.1	Analytical Tableaux	15
2.4.2	Ground Tableaux	16
2.4.3	Free Variable Tableaux	16
2.4.4	Positive Unit Hyper-resolution	17
2.4.5	A Method Complete for Finite Satisfiability	19

2.4.6	The Davis-Putnam Procedure	20
2.4.7	Calculus and Procedure	20
2.4.8	Branches as Models	21
2.4.9	Efficiency	22
2.5	Related Work	22
3	Higher-Order Model Generation	25
3.1	The λ -Calculus in Linguistics	25
3.1.1	Composition of Meaning	26
3.1.2	Quantification in Natural Language	26
3.1.3	Quantifiers as Higher-Order Expressions	27
3.1.4	First-Order Limitations	29
3.1.5	A Motivation for a New Kind of Logic	30
3.2	Higher-Order Logic	31
3.2.1	Syntax	31
3.2.2	Types	31
3.2.3	Terms	32
3.2.4	Semantics	32
3.2.5	Functional Interpretations	33
3.2.6	Logical Constants	33
3.2.7	Defining a Logic	34
3.2.8	Standard Frames and Generalised Interpretations	35
3.2.9	Model Generation for Generalised Frames?	35
3.2.10	Equivalency for Higher-Order Atoms	36
3.2.11	Function Domains and Quantification	37
3.3	A Fragment of Higher-Order Logic	38
3.3.1	Syntax	39
3.3.2	Semantics	40
3.3.3	Constant Frames	40
3.3.4	Interpretations and Denotations	40
3.3.5	An \mathcal{MQL} Logic	42
3.3.6	Connectives	42
3.3.7	Quantifiers	43
3.3.8	Definitions	44
3.3.9	Equality	45
3.4	Constructing Models	45
3.4.1	Determining Models Intelligently	46
3.4.2	Formulas as Constraints	46
3.4.3	Solving Constraints	46
3.4.4	Translating Formulas into Constraints	48
3.4.5	An Example	50
3.4.6	Properties of the Translation	51
3.4.7	Refutation Soundness	51
3.4.8	Completeness for \mathcal{MQL} Satisfiability	52
3.4.9	Enumerating Models	53

4	Minimal Model Generation	55
4.1	Preliminaries	55
4.2	Decidability of Local Minimality	55

Part II Linguistics

5	The Analysis of Definites	59
5.1	Introduction	59
5.1.1	The Semantics of Definite Descriptions	60
5.1.2	Definites and Deduction	60
5.1.3	How Models Interpret Sentences	61
5.1.4	Discourse Models	62
5.1.5	Models for Definites	63
5.1.6	Uniqueness and Lots of Rabbits	65
5.2	Some Representations	67
5.2.1	Simple Cases	67
5.2.2	Donkeys, Context Sets, and Anaphoric Use	68
5.2.3	Quantifiers and Donkey Sentences	68
5.2.4	Context Set Restrictions	69
5.2.5	The Treatment of Names	71
5.2.6	Restrictions with Knowledge	71
5.2.7	Implicit Knowledge and Accommodation	72
5.2.8	Bridging	73
5.2.9	Simple Cases Revisited	74
5.2.10	Non-resolvable Anaphora in DRT	74
5.2.11	Definites Are Not Anaphora	75
5.2.12	Non-existence	76
5.3	What We Have Learned so Far	76
6	Reciprocity	79
6.1	Introduction	79
6.2	Exploring the Meaning of <i>Each Other</i>	80
6.2.1	Reciprocals for Larger Groups	81
6.2.2	Classifying Reciprocal Meaning	82
6.2.3	Strong Reciprocity	82
6.2.4	One-Way Weak Reciprocity	83
6.2.5	Inclusive Alternative Ordering	83
6.2.6	Intermediate Reciprocity	84
6.2.7	Intermediate Alternative Reciprocity	84
6.2.8	Strong Alternative Reciprocity	85
6.2.9	Parameterisation	85
6.2.10	The Landscape of Reciprocity	85
6.2.11	Parameterised Definitions	86
6.2.12	Interpreting Reciprocals	87

6.2.13	The Strongest Meaning Hypothesis	87
6.2.14	A Counter-Example	88
6.2.15	The SMH Does Not Compute (Yet).....	88
6.3	Inference to Best Reciprocal Meaning	89
6.3.1	To Strong Meaning through Minimality	90
6.3.2	Predicate Minimisation	91
6.3.3	A Logical Encoding of Less Is More.....	92
6.3.4	A First Attempt at Computation	92
6.3.5	First Method: Minimality by Proof	93
6.3.6	Second Method: Minimality by Bounded Search	93
6.3.7	Third Method: A Two-Stage Combination	93
6.3.8	An Example	94
6.3.9	Conservative Minimality	96
6.4	Experiments	98
6.4.1	Pitchers and Pearls	98
6.4.2	The Boston Pitchers	99
6.4.3	Pearls	99
6.4.4	Measles	100
6.4.5	Marriages	101
6.5	Loose Ends	102
6.6	How We Can Understand Each Other	102
7	Abduction	105
7.1	What Is Abduction?	105
7.1.1	A Formal Definition of Abduction	106
7.2	Models for Anaphora Resolution	107
7.2.1	Chasing the Criminal	107
7.2.2	Explaining Resolutions	108
7.2.3	Discussion	109
7.2.4	Incremental Inference instead of Generate-and-Test	110
7.2.5	An Alternative by Conservative Minimality	111
7.3	Weighted Abduction	113
7.3.1	Logic Programming and Abduction	113
7.3.2	Abductive Explanations	114
7.3.3	Weights and Costs.....	115
7.3.4	Applications	117
7.3.5	Definite Reference	117
7.3.6	Composite Noun Phrases	118
7.3.7	Resolving Ambiguity	119
7.3.8	Discussion	120
7.3.9	Similarities	121
7.3.10	Differences and Comparison	122

8	Implementation	125
8.1	Introduction	125
8.2	System Architecture	126
8.3	The Syntax	127
8.3.1	Logical Constants	127
8.3.2	Formulas	128
8.3.3	Problem Specifications	129
8.3.4	A Small Example	129
8.3.5	Definitions	130
8.4	The Semantics	130
8.4.1	Logic Definition Structures	131
8.4.2	Propagator Procedures	131
8.4.3	Connectives	131
8.4.4	Monadic Quantifiers	133
8.4.5	Diadic Quantifiers	134
8.4.6	The Translation	136
8.5	Proof Engines and Controlling Search	137
8.5.1	Proof Engines	138
8.5.2	Search	141
8.6	System Performance	142
8.6.1	Identifying Single Solutions	143
8.6.2	KIMBA as a Propositional Theorem Prover	144
8.6.3	Generating Minimal Models	145
9	Conclusion	149
9.1	Why Inference Is Worth the Effort	149
9.2	Contributions	151
9.3	Models as Meaning	152
A	Some Example Problems	155
A.1	The Job Puzzle	155
A.2	Reciprocals: The Boston Pitchers	155
	References	159
	Index	165



<http://www.springer.com/978-3-540-21069-6>

Model Generation for Natural Language Interpretation
and Analysis

Konrad, K.

2004, XIV, 174 p., Softcover

ISBN: 978-3-540-21069-6