

## TABLE OF CONTENT

### **PREFACE (2 pages)**

M. Nikravesh, L. A. Zadeh, B. Azvine, R.R. Yager

### **Enhancing the Power of the Internet (20)**

M. Nikravesh ([Nikravesh@cs.berkeley.edu](mailto:Nikravesh@cs.berkeley.edu))

1-20

1. Introduction
  2. Web Intelligence: Conceptual Search Engine and Navigation
  3. Challenges and Road Ahead
  4. Conclusions
  5. Future Works
    - 5.1 TIKManD (Tool for Intelligent Knowledge Management and Discovery)
    - 5.2 Google™ and Yahoo! Concept-Based Search Engine
- Acknowledgements  
References

### **Soft Computing and User Modeling (32 pages)**

21-46

*B. Azvine and T Martin*

*[ben.azvine@bt.com] [Trevor.Martin@bristol.ac.uk]*

1. Introduction
  2. User models—Learning, Adaptivity and Uncertainty
  3. The Intelligent Personal Assistant
  4. Assumptions for FILUM
    - 4.1 Updating Support
    - 4.2 Testing
    - 4.3 n-player IPD as a Test Bed for User Modeling
    - 4.4 Experiments
    - 4.5 User Models in the Telephone Assistant
  5. Summary
- References

### **Intelligent Web Searching Using Hierarchical Query Descriptions (15 Pages) 47-62**

*R. R. Yager*

*[Yager@Panix.Com]*

1. Introduction

2. OWA Aggregation Operators
3. Introducing Importances In Queries
4. Concepts and Hierarchies
5. Hierarchical Querying in Information Retrieval
6. Thesaurus
7. Enhancing the Use of Importances
8. Granular Satisfactions
- References

## **Relationships at the Heart of Semantic Web: Modeling, Discovering, and Exploiting Complex Semantic Relationships (36 Pages) 63-94**

*Amit Sheth, I. Budak Arpinar, and Vipul Kashyap*  
[\[amit@cs.uga.edu\]](mailto:amit@cs.uga.edu)

1. Introduction
2. Classification of Complex Relationships
  - 2.1 A Taxonomy of Relationships Based on the Information Content
  - 2.2 Representation of Relationships
  - 2.3 Computation and Exploitation of Relationships
3. Ontology Driven Relationship Identification: Example of the SCORE Technology
4.  $\rho$  Operator for Semantic Associations: Example of Semantic Relationship Discovery and Ranking
  - 4.1 A Comparative Analysis of Semantic Relation Discovery and Indexing
  - 4.2  $\rho$  Operator
5. Human-Assisted Knowledge Discovery Involving Complex Relations
  - 5.1 User-Defined Functions
  - 5.2 Information Scapes (IScapes)
  - 5.3 Human Assisted Knowledge Discovery (HAND) Techniques
6. Evaluations involving Semantic Relationships: Example of Multi-ontology Query Processing
  - 6.1 Query Processing in OBSERVER
    - Controlled and Incremental Query Expansion to Multiple Ontologies
  - 6.2 Estimating the Loss of Information
    - Loss of information based on intensional information
    - Loss of information based on extensional information
    - A composite measure combining precision and recall
    - Semantic adaptation of precision and recall
7. Conclusions
  - Acknowledgements
- References

## **Subjective Enhancement and Measurement of Web Search Quality (35 pages) 95-130**

M. M. Sufyan Beg and Nesar Ahmad  
[{mmsbeg, nahmad}@ee.iitd.ac.in](mailto:{mmsbeg, nahmad}@ee.iitd.ac.in)

### **Abstract**

1. Introduction
  - 1.1 Content-Based Web Search
    - 1.1.1 Text Pre-Processing
    - 1.1.2 Term Frequency
    - 1.1.3 Vector Space Model
    - 1.1.4 Boolean Similarity Measures
    - 1.1.5 Problems with Content Based Web Search
  - 1.2 Connectivity-Based Web Search
  - 1.3 Integrating Content Based and Connectivity Based Techniques
  - 1.4 Web Characterization
2. Search Engine Model

- 2.1. Query Handler
- 2.2. Query Formulation using Linguistic Operators
  - 2.2.1 Ordered Weighted Averaging (OWA) operator
  - 2.2.2 Relative Fuzzy Linguistic Quantifier
  - 2.2.3 OWA Operator Based Queries
- 2.3 Query Formulation using Weighted Logical Operators AND, OR and NOT
- 3 Updating Relevance Matrix from the User Feedback
  - 3.1 User Feedback Vector
  - 3.2 Dealing with Simple One-Keyword Query
  - 3.3 Dealing with Complex Multiple Keywords Query
  - 3.4 Dealing with NOT Terms in the Query
  - 3.5 Dealing with Linguistic and Weighted Queries
  - 3.6 Exponential Penalization for Documents Left Untouched by the User
- 4 Subjective Measurement of Web Search Quality
  - 4.1 Step I of FSQM: Transformation of Each Component of User Feedback Vector to a Corresponding Fuzzy 4.2 Preference Relation
  - 4.3 Step II of FSQM: Aggregation of Individual Fuzzy Preference Relations
  - 4.4 Step III of FSQM: From Combined Fuzzy Preference Relation to Combined Fuzzy Preference Ordering
  - 4.4 Step IV of FSQM: Finally Getting FSQM
- 5. Experiments and Results
  - 5.1 Results Pertaining to the Fuzzy Measure of Web Search Quality
- 6. Summary
- References

## **Internet-enabled Soft Computing Holarchies for e-Health Applications**

**- Soft Computing Enhancing the Internet and  
the Internet Enhancing Soft Computing – (36 Pages)**

**131-166**

*Mihaela Ulieru*

*[ulieru@acs.ucalgary.ca]*

- 1. INTRODUCTION: EMERGENT HOLARCHIES IN CYBERSPACE
  - 1.1. The Holonic Enterprise: A Model for Internet-Enabled Workflow Management in Virtual Organizations  
Soft Computing for the HE: Enabling the Evolutionary, Self-Organizing Cyberspace
    - 1.2.1. Self-Organization: Emergence of the Holonic Structure
    - 1.2.2. Evolution Towards the Best Structure
  - 2.1. Particularities of Medical Holarchies
  - 2.2. Agents vs. Web Services in Medical Holarchies Implementation
    - 2.2.1. Web-Centric Implementation of Medical Holarchies
    - 2.2.2. Multi-Agent System Implementation of Medical Holarchies
  - 2.3. Challenges in Implementing Medical Holarchies
- 3. A CASE STUDY: REMOTE GLAUCOMA PROGRESSION MONITORING AND DIAGNOSIS
  - 3.1. The Glaucoma Holarchy – Inter-enterprise level
  - 3.2. The Glaucoma Clinic Holarchy (Intra-enterprise level)
  - 3.3. The Diagnosis Holarchy: Physical Resource Level
  - 3.4. Internet-enabled soft computing methodology for glaucoma progression monitoring (Physical resource level)
  - 3.5. Soft Computing for the Internet: Emergence of a Glaucoma Holarchy
- 4. CONCLUSIONS
- ACKNOWLEDGEMENTS
- REFERENCES

## **Searching and Smushing on the Semantic Net - Challenges for Soft Computing (13 Pages)**

**167-186**

*Trevor Martin*

*[ben.azvine@bt.com] [Trevor.Martin@bristol.ac.uk]*

1. Introduction
2. Information Retrieval and Searching
  - 2.1 Extensions
  - 2.2 Performance Evaluation
3. Metadata
4. Opportunities for Soft Computing
  - 4.1 Knowledge Representation using Conceptual Graphs and Fril++
  - 4.2 Uncertainty in Conceptual Graphs
  - 4.3 Fril++
  - 4.4 Uncertainty in the Type Hierarchy
  - 4.5 Fusion of concepts - "smushing"
5. Summary
- References

**Dialogue-Based interaction with a web assistant: The Device Approach (20 Pages)**  
**187-206**

*Ana García-Serrano, David Teruel, Josefa Z. Hernández*  
*{agarcia, dteruel, phernan}@dia.fi.upm.es*

1. Introduction
2. Dialogue based approach
3. Intelligent assistance on the web
4. Natural Language Processing
5. Working Prototype
6. Conclusions
- Acknowledgements
- References

**Personalized Library Web Search Agents Using Data Mining and Granular Fuzzy Techniques (18 Pages)**  
**207-224**

*Yu Tang, Yan-Qing Zhang, Abraham Kandel, T.Y. Lin and Y.Y. Yao*  
*[zhang@taichi.cs.gsu.edu]*

- 1 INTRODUCTION
- 2 DATA MINING OVERVIEW
  - 2.1 Basic Concept of Data Mining
  - 2.2 Process of Data Mining
  - 2.3 Methods of Data Mining
  - 2.4 Trends of Data Mining
- 3 CLASSIFICATION ALGORITHMS
  - 3.1 Algorithms
  - 3.2 SLIQ Algorithm
- 4 SYSTEM DESIGN
- 5 FUZZY WEB SEARCH AGENTS
- 6 GRANULAR WEB SEARCH AGENTS
- 7 CONCLUSIONS
- References

**Business Operation Intelligence (20 Pages)**

**225-240**

*Eric Shan, Fabio Casati, Umesh Dayal, and Ming-Chien Shan*  
*[mcshan@exch.hpl.hp.com]*

- 1 Introduction

- 2 The overall IBOM operation scenario
- 3 IBOM's implementation and challenges
  - 3.1 Business metrics and mappings
  - 3.2 Operation data warehouse and steam data management
  - 3.3 GBR and BOCT libraries
  - 3.4 Business process management
- 4 Conclusion
- References

## **Evaluating E-commerce projects using an information fusion methodology (13 Pages) 241-254**

*K. J. Engemann, H. E Miller, H. E. and R. R. Yager*  
*[Yager@Panix.Com]*

1. Introduction
2. Dimensions for Assessing E-Commerce Projects
3. Information Fusion using the Power Average
4. Evaluation of Qualitative Dimension
5. Optimization Model for a Project Portfolio
6. Conclusion
- References

## **Dynamic Knowledge Representation for e-Learning Applications (24 Pages) 255-278**

*M. E. S. Mendes and L. Sacks*  
*[mmendes@ee.ucl.ac.uk]*

1. Introduction
2. Fuzzy Clustering for Knowledge Representation
3. Background for the Clustering Experiments
  - 3.1 Document Representation
  - 3.2 Pre-processing
  - 3.3 Document Encoding
  - 3.4 Clustering Algorithm
    - Fuzzy c-Means Clustering Algorithm
    - Selection of the Distance Function
    - Relation between Euclidean Distance and Dissimilarity
  - 3.5 Hyperspherical Fuzzy c-Means Algorithm
  - 3.6 Performance Evaluation
    - Internal Performance Measures: Validity Indexes for the FCM
    - External Performance Measures: Precision, Recall, F-Measure
4. Fuzzy Clustering Experiments
  - 4.1 Data Set Description
  - 4.2 Experimental Results
    - Performance Comparison between FCM and H-FCM
    - FCM vs. H-FCM with Normalized Document Vectors
    - Pre-processing Effects on the H-FCM Results
5. Adaptive Knowledge-based e-Content Navigation
6. Conclusions
7. Acknowledgement
- References

## **Content Based Vector Coder for Efficient Information Retrieval (27 pages) 279-306**

*Shuyu Yang and Sunanda Mitra*  
*[Shu.yang@ttu.edu, Sunanda.Mitra@coe.ttu.edu]*

|     |                                                     |
|-----|-----------------------------------------------------|
| 1   | Introduction                                        |
| 2   | AFLC and DA                                         |
| 2.1 | AFLC                                                |
| 2.2 | The Deterministic Annealing (DA) Algorithm          |
| 2.3 | The Performances of AFLC and DA                     |
| 3   | Feature Extraction                                  |
| 3.1 | Vector Extraction                                   |
| 3.2 | Multi-Scale Vector Extraction                       |
| 4   | Coding Method                                       |
| 4.1 | The New Hybrid Coding Scheme                        |
| 4.2 | Results                                             |
|     | Example 1: HMQ For MRI Images                       |
|     | Example 2: HMQ for Images from Different Categories |
|     | Example 3: Color Image Compression Using HMQ        |
| 5   | Conclusions                                         |
|     | Acknowledgments                                     |
|     | References                                          |

|                                                                        |                |
|------------------------------------------------------------------------|----------------|
| <b>A Reference Model for Intelligent Information Search (20 Pages)</b> | <b>307-326</b> |
| <i>Ivan L. M. Ricarte, Fernando Gomide</i>                             |                |
| <i>[gomide@dca.fee.unicamp.br]</i>                                     |                |

|     |                                     |
|-----|-------------------------------------|
| 1.  | Introduction                        |
| 2.  | Information Search in the Internet  |
| 3.  | A Reference Framework               |
| 3.1 | Document model                      |
| 3.2 | Search model                        |
| 3.3 | User interface model                |
| 3.4 | Retrieval model                     |
| 3.5 | Considerations about implementation |
| 4.  | Intelligent Information Search      |
| 5.  | Concluding Remarks                  |
|     | References                          |

|                                                                     |                |
|---------------------------------------------------------------------|----------------|
| <b>Soft Computing and Personal Information Provision (13 Pages)</b> | <b>327-346</b> |
| Marcus Thint, Simon Case, and Ben Azvine                            |                |
| <i>[ben.azvine@bt.com] [marcus.thint@concert.com]</i>               |                |

|     |                                             |
|-----|---------------------------------------------|
| 1.  | Introduction                                |
| 1.1 | Software Agents                             |
| 1.2 | Agent Systems                               |
| 2.  | Personal Agent Systems                      |
| 2.1 | Trust and Privacy                           |
| 2.2 | Security Issues                             |
| 2.3 | Other Desirables for Personal Agent Systems |
| 3.  | A Personal Assistant Framework              |
| 3.1 | Architectural Benefits                      |
| 3.2 | Satisfying the Design Criteria              |
| 4.  | Enhancing Framework Intelligence            |
| 4.1 | Adapting User Profiles                      |
| 4.2 | Soft Concepts in iDiary                     |
| 5.  | Discussion and Summary                      |
|     | References                                  |

|                                                               |                |
|---------------------------------------------------------------|----------------|
| <b>Soft Computing and Information Organization (10 Pages)</b> | <b>347-358</b> |
|---------------------------------------------------------------|----------------|

*Andreas Nuernberger and Gery Ducatel*  
[anuernb@EECS.Berkeley.EDU] [ben.azvine@bt.com]

- 1 Introducing iArchive
- 2 User Profiles in Information Retrieval
- 3 A Fuzzy Logic Approach
- 4 Conclusion
- 5 Future Work
- References

## **Fuzzy Detection of Network Intrusions and Integrated Network Management (19 Pages)**

**359-378**

*Seyed Shahrestani* [seyed@ieee.org]

- 1 Introduction
- 2 Integrated Network Management
- 3 Intrusion Models and Detection Algorithms
  - 3.1 Statistical Anomaly Detection
  - 3.2 Recognition of Intrusive Patterns
    - Important Characteristics
  - 3.3 Rule-based Misuse Detection
  - 3.4 Immunology Based Intrusion Detection
- 4 Fuzzy Logic and Network Management
  - 4.1 Fuzzy Logic and Artificial Intelligence
    - Fuzzy Logic
    - Knowledge Based and Expert Systems
    - Artificial Neural Networks
    - Pattern Recognition
    - Case-based Reasoning
  - 4.2 Classification of Tasks in Management Layers
  - 4.3 Advanced Help Desk
  - 4.4 Network Diagnostic Systems
  - 4.5 Quality-of-Service
  - 4.6 Fuzzy Intrusion Detection
- 5 Concluding Remarks
- References

## **Smart Homepage-Finder**

**— A Genetic Fuzzy Neural Agent for Searching Homepages Intelligently 379-402**

*Yuchun Tang and Yanqing Zhang*

*Department of Computer Science, Georgia State University, Atlanta, GA 30303*

Tang Yuchun [tyczjs@yahoo.com]

1. Introduction
2. Web Information Search Task
3. Homepage-Finder: a case research of WIST
  - 3.1 Google Search Engine and Web Services
  - 3.2 Fuzzy Inference System (FIS)
  - 3.3 Fuzzy Neural Network (FNN)
  - 3.4 Supervised Learning and Genetic Algorithm
  - 3.5 Multi-threaded Java Application
  - 3.6 XML-driven system
  - 3.7 Non-linear Fuzzy Inference System
4. Performance Evaluations
  - 4.1 Google Search Strings Definition

4.2 Parameter Identification

4.3 Results

5. Conclusions

References



Enhancing the Power of the Internet

Nikravesh, M.; Azvine, B.; Yager, R.R.; Zadeh, L.A. (Eds.)

2004, VIII, 406 p., Hardcover

ISBN: 978-3-540-20237-0