

Table of Contents

| | |
|---|----------|
| 1 Mean-square approximation for stochastic differential equations | 1 |
| 1.1 Fundamental theorem on the mean-square order of convergence | 3 |
| 1.1.1 Statement of the theorem | 3 |
| 1.1.2 Proof of the fundamental theorem | 5 |
| 1.1.3 The fundamental theorem for equations in the sense of Stratonovich | 9 |
| 1.1.4 Discussion | 10 |
| 1.1.5 The explicit Euler method | 12 |
| 1.1.6 Nonglobally Lipschitz conditions | 16 |
| 1.2 Methods based on Taylor-type expansion | 18 |
| 1.2.1 Taylor expansion of solutions of ordinary differential equations | 18 |
| 1.2.2 Wagner–Platen expansion of solutions of stochastic differential equations | 19 |
| 1.2.3 Construction of explicit methods | 23 |
| 1.3 Implicit mean-square methods | 29 |
| 1.3.1 Construction of drift-implicit methods | 29 |
| 1.3.2 The balanced method | 33 |
| 1.3.3 Implicit methods for SDEs with locally Lipschitz vector fields | 37 |
| 1.3.4 Fully implicit mean-square methods: The main idea .. | 38 |
| 1.3.5 Convergence theorem for fully implicit methods | 41 |
| 1.3.6 General construction of fully implicit methods | 43 |
| 1.4 Modeling of Ito integrals | 45 |
| 1.4.1 Ito integrals depending on a single noise and methods of order $3/2$ and 2 | 45 |
| 1.4.2 Modeling Ito integrals by the rectangle and trapezium methods | 51 |
| 1.4.3 Modeling Ito integrals by the Fourier method | 54 |
| 1.5 Explicit and implicit methods of order $3/2$ for systems with additive noise | 60 |
| 1.5.1 Explicit methods based on Taylor-type expansion | 60 |
| 1.5.2 Implicit methods based on Taylor-type expansion | 62 |

| | | |
|----------|--|-----------|
| 1.5.3 | Stiff systems of stochastic differential equations with additive noise. A -stability | 66 |
| 1.5.4 | Runge–Kutta type methods | 71 |
| 1.5.5 | Two-step difference methods | 75 |
| 1.6 | Numerical schemes for equations with colored noise | 77 |
| 1.6.1 | Explicit schemes of orders 2 and 5/2 | 78 |
| 1.6.2 | Runge–Kutta schemes | 80 |
| 1.6.3 | Implicit schemes | 81 |
| 2 | Weak approximation for stochastic differential equations | 83 |
| 2.1 | One-step approximation | 87 |
| 2.1.1 | Properties of remainders and Ito integrals | 88 |
| 2.1.2 | One-step approximations of third order | 92 |
| 2.1.3 | The Taylor expansion of mathematical expectations .. | 98 |
| 2.2 | The main theorem on convergence of weak approximations and methods of order two | 99 |
| 2.2.1 | The general convergence theorem | 100 |
| 2.2.2 | Runge–Kutta type methods | 104 |
| 2.2.3 | The Talay–Tubaro extrapolation method | 105 |
| 2.2.4 | Implicit method | 109 |
| 2.3 | Weak methods for systems with additive and colored noise . . | 112 |
| 2.3.1 | Second-order methods | 113 |
| 2.3.2 | Main lemmas for third-order methods | 113 |
| 2.3.3 | Construction of a method of order three | 116 |
| 2.3.4 | Weak schemes for systems with colored noise | 121 |
| 2.4 | Variance reduction | 123 |
| 2.4.1 | The method of important sampling | 123 |
| 2.4.2 | Variance reduction by control variates and combining method | 126 |
| 2.4.3 | Variance reduction for boundary value problems | 129 |
| 2.5 | Application of weak methods to the Monte Carlo computation of Wiener integrals | 130 |
| 2.5.1 | The trapezium, rectangle, and other methods of second order | 133 |
| 2.5.2 | A fourth-order Runge–Kutta method for computing Wiener integrals of functionals of exponential type | 135 |
| 2.5.3 | Explicit Runge–Kutta method of order four for conditional Wiener integrals of exponential-type functionals | 137 |
| 2.5.4 | Theorem on one-step error | 140 |
| 2.5.5 | Implicit Runge–Kutta methods for conditional Wiener integrals of exponential-type functionals | 145 |
| 2.5.6 | Numerical experiments | 148 |
| 2.6 | Random number generators | 159 |

| | | |
|----------|--|------------|
| 2.6.1 | Some uniform random number generators | 160 |
| 2.6.2 | A specific test for SDE integration | 163 |
| 2.6.3 | Generation of Gaussian random numbers | 166 |
| 2.6.4 | Parallel implementation | 168 |
| 3 | Numerical methods for SDEs with small noise | 171 |
| 3.1 | Mean-square approximations and estimation of their errors | 173 |
| 3.1.1 | Construction of one-step mean-square approximation . | 173 |
| 3.1.2 | Theorem on mean-square global estimate | 175 |
| 3.1.3 | Selection of time increment h depending on parameter ε | 177 |
| 3.1.4 | (h, ε) -approach versus (ε, h) -approach | 177 |
| 3.2 | Some concrete mean-square methods for systems with small noise | 178 |
| 3.2.1 | Taylor-type numerical methods | 179 |
| 3.2.2 | Runge–Kutta methods | 180 |
| 3.2.3 | Implicit methods | 182 |
| 3.2.4 | Stratonovich SDEs with small noise | 183 |
| 3.2.5 | Mean-square methods for systems with small additive noise | 184 |
| 3.3 | Numerical tests of mean-square methods | 185 |
| 3.3.1 | Simulation of Lyapunov exponent of a linear system with small noise | 185 |
| 3.3.2 | Stochastic model of a laser | 188 |
| 3.4 | The main theorem on error estimation and general approach to construction of weak methods | 190 |
| 3.5 | Some concrete weak methods | 193 |
| 3.5.1 | Taylor-type methods | 193 |
| 3.5.2 | Runge–Kutta methods | 196 |
| 3.5.3 | Weak methods for systems with small additive noise . | 199 |
| 3.6 | Expansion of the global error in powers of h and ε | 202 |
| 3.7 | Reduction of the Monte Carlo error | 203 |
| 3.8 | Simulation of the Lyapunov exponent of a linear system with small noise by weak methods | 206 |
| 4 | Stochastic Hamiltonian systems and Langevin-type equations | 211 |
| 4.1 | Preservation of symplectic structure | 213 |
| 4.2 | Mean-square symplectic methods for stochastic Hamiltonian systems | 216 |
| 4.2.1 | General stochastic Hamiltonian systems | 216 |
| 4.2.2 | Explicit methods in the case of separable Hamiltonians | 220 |
| 4.3 | Mean-square symplectic methods for Hamiltonian systems with additive noise | 224 |
| 4.3.1 | The case of a general Hamiltonian | 224 |
| 4.3.2 | The case of separable Hamiltonians | 231 |

| | | |
|-------|---|-----|
| 4.3.3 | The case of Hamiltonian $H(t, p, q) = \frac{1}{2}p^\top M^{-1}p + U(t, q)$ | 234 |
| 4.4 | Numerical tests of mean-square symplectic methods | 237 |
| 4.4.1 | Kubo oscillator | 237 |
| 4.4.2 | A model for synchrotron oscillations of particles in storage rings | 239 |
| 4.4.3 | Linear oscillator with additive noise | 240 |
| 4.5 | Liouvillian methods for stochastic systems preserving phase volume | 246 |
| 4.5.1 | Liouvillian methods for partitioned systems with multiplicative noise | 248 |
| 4.5.2 | Liouvillian methods for a volume-preserving system with additive noise | 250 |
| 4.6 | Weak symplectic methods for stochastic Hamiltonian systems | 251 |
| 4.6.1 | Hamiltonian systems with multiplicative noise | 251 |
| 4.6.2 | Hamiltonian systems with additive noise | 255 |
| 4.6.3 | Numerical tests | 257 |
| 4.7 | Quasi-symplectic mean-square methods for Langevin-type equations | 261 |
| 4.7.1 | Langevin equation: Linear damping and additive noise | 262 |
| 4.7.2 | Langevin-type equation: Nonlinear damping and multiplicative noise | 270 |
| 4.8 | Quasi-symplectic weak methods for Langevin-type equations | 273 |
| 4.8.1 | Langevin equation: Linear damping and additive noise | 273 |
| 4.8.2 | Langevin-type equation: Nonlinear damping and multiplicative noise | 275 |
| 4.8.3 | Numerical examples | 276 |
| 5 | Simulation of space and space-time bounded diffusions | 283 |
| 5.1 | Mean-square approximation for autonomous SDEs without drift in a space bounded domain | 286 |
| 5.1.1 | Local approximation of diffusion in a space bounded domain | 287 |
| 5.1.2 | Global algorithm for diffusion in a space bounded domain | 291 |
| 5.1.3 | Simulation of exit point $X_x(\tau_x)$ | 301 |
| 5.2 | Systems with drift in a space bounded domain | 302 |
| 5.3 | Space-time Brownian motion | 306 |
| 5.3.1 | Auxiliary knowledge | 306 |
| 5.3.2 | Some distributions for one-dimensional Wiener process | 308 |
| 5.3.3 | Simulation of exit time and exit point of Wiener process from a cube | 313 |
| 5.3.4 | Simulation of exit point of the space-time Brownian motion from a space-time parallelepiped with cubic base | 316 |

| | | |
|----------|---|------------|
| 5.4 | Approximations for SDEs in a space-time bounded domain | 317 |
| 5.4.1 | Local mean-square approximation in a space-time bounded domain | 318 |
| 5.4.2 | Global algorithm in a space-time bounded domain | 322 |
| 5.4.3 | Approximation of exit point $(\tau, X(\tau))$ | 325 |
| 5.4.4 | Simulation of space-time Brownian motion with drift | 328 |
| 5.5 | Numerical examples | 329 |
| 5.6 | Mean-square approximation of diffusion with reflection | 337 |
| 6 | Random walks for linear boundary value problems | 339 |
| 6.1 | Algorithms for solving the Dirichlet problem based on time-step control | 339 |
| 6.1.1 | Theorems on one-step approximation | 341 |
| 6.1.2 | Numerical algorithms and convergence theorems | 348 |
| 6.2 | The simplest random walk for the Dirichlet problem for parabolic equations | 353 |
| 6.2.1 | The algorithm of the simplest random walk | 353 |
| 6.2.2 | Convergence theorem | 356 |
| 6.2.3 | Other random walks | 359 |
| 6.2.4 | Numerical tests | 364 |
| 6.3 | Random walks for the elliptic Dirichlet problem | 365 |
| 6.3.1 | The simplest random walk for elliptic equations | 366 |
| 6.3.2 | Other methods for elliptic problems | 370 |
| 6.3.3 | Numerical tests | 372 |
| 6.4 | Specific random walks for elliptic equations and boundary layer | 374 |
| 6.4.1 | Conditional expectation of Ito integrals connected with Wiener process in the ball | 376 |
| 6.4.2 | Specific one-step approximations for elliptic equations . | 380 |
| 6.4.3 | The average number of steps | 384 |
| 6.4.4 | Numerical algorithms and convergence theorems | 388 |
| 6.5 | Methods for elliptic equations with small parameter at higher derivatives | 392 |
| 6.6 | Methods for the Neumann problem for parabolic equations . | 397 |
| 6.6.1 | One-step approximation for boundary points | 399 |
| 6.6.2 | Convergence theorems | 403 |
| 7 | Probabilistic approach to numerical solution of the Cauchy problem for nonlinear parabolic equations | 407 |
| 7.1 | Probabilistic approach to linear parabolic equations | 408 |
| 7.2 | Layer methods for semilinear parabolic equations | 415 |
| 7.2.1 | The construction of layer methods | 415 |
| 7.2.2 | Convergence theorem for a layer method | 419 |
| 7.2.3 | Numerical algorithms | 422 |
| 7.3 | Multi-dimensional case | 427 |

| | | |
|----------|---|------------|
| 7.3.1 | Multidimensional parabolic equation | 427 |
| 7.3.2 | Probabilistic approach to reaction-diffusion systems | 429 |
| 7.4 | Numerical examples | 431 |
| 7.5 | Probabilistic approach to semilinear parabolic equations with small parameter | 438 |
| 7.5.1 | Implicit layer method and its convergence | 440 |
| 7.5.2 | Explicit layer methods | 442 |
| 7.5.3 | Singular case | 443 |
| 7.5.4 | Numerical algorithms based on interpolation | 445 |
| 7.6 | High-order methods for semilinear equation with small constant diffusion and zero advection | 446 |
| 7.6.1 | Two-layer methods | 447 |
| 7.6.2 | Three-layer methods | 448 |
| 7.7 | Numerical tests | 451 |
| 7.7.1 | The Burgers equation with small viscosity | 452 |
| 7.7.2 | The generalized FKPP-equation with a small parameter | 455 |
| 8 | Numerical solution of the nonlinear Dirichlet and Neumann problems based on the probabilistic approach . | 461 |
| 8.1 | Layer methods for the Dirichlet problem for semilinear parabolic equations | 461 |
| 8.1.1 | Construction of a layer method of first order | 463 |
| 8.1.2 | Convergence theorem | 467 |
| 8.1.3 | A layer method with a simpler approximation near the boundary | 468 |
| 8.1.4 | Numerical algorithms and their convergence | 474 |
| 8.2 | Extension to the multi-dimensional Dirichlet problem | 476 |
| 8.3 | Numerical tests of layer methods for the Dirichlet problems . | 479 |
| 8.3.1 | The Burgers equation | 479 |
| 8.3.2 | Comparison analysis | 482 |
| 8.3.3 | Quasilinear equation with power law nonlinearities . | 485 |
| 8.4 | Layer methods for the Neumann problem for semilinear parabolic equations | 488 |
| 8.4.1 | Construction of layer methods | 489 |
| 8.4.2 | Convergence theorems | 493 |
| 8.4.3 | Numerical algorithms | 497 |
| 8.4.4 | Some other layer methods | 499 |
| 8.5 | Extension to the multi-dimensional Neumann problem | 501 |
| 8.6 | Numerical tests for the Neumann problem | 503 |
| 8.6.1 | Comparison of various layer methods | 503 |
| 8.6.2 | A comparison analysis of layer methods and finite-difference schemes | 505 |

| | |
|--|-----|
| 9 Application of stochastic numerics to models with stochastic resonance and to Brownian ratchets | 509 |
| 9.1 Noise-induced regular oscillations in systems with stochastic resonance | 510 |
| 9.1.1 Sufficient conditions for regular oscillations | 512 |
| 9.1.2 Comparison with the approach based on Kramers' theory of diffusion over a potential barrier | 517 |
| 9.1.3 High-frequency regular oscillations in systems with multiplicative noise | 518 |
| 9.1.4 Large-amplitude regular oscillations in monostable system | 523 |
| 9.1.5 Regular oscillations in a system of two coupled oscillators | 525 |
| 9.2 Noise-induced unidirectional transport | 526 |
| 9.2.1 Systems with state-dependent diffusion | 528 |
| 9.2.2 Forced thermal ratchets | 533 |
| A Appendix: Practical guidance to implementation of the stochastic numerical methods | 541 |
| A.1 Mean-square methods | 541 |
| A.2 Weak methods and the Monte Carlo technique | 544 |
| A.3 Algorithms for bounded diffusions | 550 |
| A.4 Random walks for linear boundary value problems | 558 |
| A.5 Nonlinear PDEs | 560 |
| A.6 Miscellaneous | 565 |
| References | 571 |
| Index | 587 |



<http://www.springer.com/978-3-540-21110-5>

Stochastic Numerics for Mathematical Physics

Milstein, G.N.; Tretyakov, M.V.

2004, XIX, 596 p., Hardcover

ISBN: 978-3-540-21110-5