

# Contents

<b>Preface</b>	<b>vii</b>
<b>Acknowledgments</b>	<b>ix</b>
<b>I Introductory Material</b>	<b>1</b>
<b>1 Introduction</b>	<b>3</b>
<b>2 Motivating Studies</b>	<b>7</b>
2.1 Introduction . . . . .	7
2.2 The Analgesic Trial . . . . .	8
2.3 The Toenail Data . . . . .	8
2.4 The Fluvoxamine Trial . . . . .	12
2.5 The Epilepsy Data . . . . .	14
2.6 The Project on Preterm and Small for Gestational Age Infants (POPS) Study . . . . .	14
2.7 National Toxicology Program Data . . . . .	17
2.7.1 Ethylene Glycol . . . . .	18
2.7.2 Di(2-ethylhexyl)Phthalate . . . . .	18
2.7.3 Diethylene Glycol Dimethyl Ether . . . . .	22
2.8 The Sports Injuries Trial . . . . .	23
2.9 Age Related Macular Degeneration Trial . . . . .	24

<b>3</b>	<b>Generalized Linear Models</b>	<b>27</b>
3.1	Introduction . . . . .	27
3.2	The Exponential Family . . . . .	27
3.3	The Generalized Linear Model (GLM) . . . . .	28
3.4	Examples . . . . .	29
3.4.1	The Linear Regression Model for Continuous Data . . . . .	29
3.4.2	Logistic and Probit Regression for Binary Data . . . . .	29
3.4.3	Poisson Regression for Counts . . . . .	29
3.5	Maximum Likelihood Estimation and Inference . . . . .	30
3.6	Logistic Regression for the Toenail Data . . . . .	31
3.7	Poisson Regression for the Epilepsy Data . . . . .	32
<b>4</b>	<b>Linear Mixed Models for Gaussian Longitudinal Data</b>	<b>35</b>
4.1	Introduction . . . . .	35
4.2	Marginal Multivariate Model . . . . .	36
4.3	The Linear Mixed Model . . . . .	36
4.4	Estimation and Inference for the Marginal Model . . . . .	39
4.5	Inference for the Random Effects . . . . .	41
<b>5</b>	<b>Model Families</b>	<b>45</b>
5.1	Introduction . . . . .	45
5.2	The Gaussian Case . . . . .	46
5.3	Model Families in General . . . . .	47
5.3.1	Marginal Models . . . . .	48
5.3.2	Conditional Models . . . . .	49
5.3.3	Subject-specific Models . . . . .	50
5.4	Inferential Paradigms . . . . .	52
<b>II</b>	<b>Marginal Models</b>	<b>53</b>
<b>6</b>	<b>The Strength of Marginal Models</b>	<b>55</b>
6.1	Introduction . . . . .	55
6.2	Marginal Models in Contingency Tables . . . . .	56
6.2.1	Multivariate Logistic Models . . . . .	57
6.2.2	Goodman's Local Association Models . . . . .	58
6.2.3	Dale's Marginal Models . . . . .	59
6.2.4	A General Class of Models . . . . .	61
6.3	British Occupational Status Study . . . . .	62
6.4	The Caithness Data . . . . .	62
6.5	Analysis of the Fluvoxamine Trial . . . . .	64
6.6	Extensions . . . . .	68
6.6.1	Covariates . . . . .	69

6.6.2	Three-way Contingency Tables . . . . .	72
6.7	Relation to Latent Continuous Densities . . . . .	79
6.8	Conclusions and Perspective . . . . .	80
<b>7</b>	<b>Likelihood-based Marginal Models</b>	<b>83</b>
7.1	Notation . . . . .	84
7.2	The Bahadur Model . . . . .	86
7.2.1	A General Bahadur Model Formulation . . . . .	86
7.2.2	The Bahadur Model for Clustered Data . . . . .	88
7.2.3	Analysis of the NTP Data . . . . .	90
7.2.4	Analysis of the Fluvoxamine Trial . . . . .	92
7.3	A General Framework for Fully Specified Marginal Models . . . . .	93
7.3.1	Univariate Link Functions . . . . .	94
7.3.2	Higher-order Link Functions . . . . .	94
7.4	Maximum Likelihood Estimation . . . . .	99
7.5	An Influenza Study . . . . .	99
7.5.1	The Cross-over Study . . . . .	100
7.5.2	The Longitudinal Study . . . . .	101
7.6	The Multivariate Probit Model . . . . .	102
7.6.1	Probit Models . . . . .	103
7.6.2	Tetrachoric and Polychoric Correlation . . . . .	104
7.6.3	The Univariate Probit Model . . . . .	105
7.6.4	The Bivariate Probit Model . . . . .	106
7.6.5	Ordered Categorical Outcomes . . . . .	110
7.6.6	The Multivariate Probit Model . . . . .	112
7.7	The Dale Model . . . . .	113
7.7.1	Two Binary Responses . . . . .	113
7.7.2	The Bivariate Dale Model . . . . .	115
7.7.3	Some Properties of the Bivariate Dale Model . . . . .	117
7.7.4	The Multivariate Plackett Distribution . . . . .	117
7.7.5	The Multivariate Dale Model . . . . .	117
7.7.6	Maximum Likelihood Estimation . . . . .	119
7.7.7	The BIRNH Study . . . . .	119
7.8	Hybrid Marginal-conditional Specification . . . . .	122
7.8.1	A Mixed Marginal-conditional Model . . . . .	123
7.8.2	Categorical Outcomes . . . . .	126
7.9	A Cross-over Trial: An Example in Primary Dysmenorrhoea . . . . .	127
7.9.1	Analyzing Cross-over Data . . . . .	128
7.9.2	Analysis of the Primary Dysmenorrhoea Data . . . . .	130
7.10	Multivariate Analysis of the POPS Data . . . . .	131
7.11	Longitudinal Analysis of the Fluvoxamine Study . . . . .	134
7.12	Appendix: Maximum Likelihood Estimation . . . . .	136

7.12.1	Score Equations and Maximization . . . . .	136
7.12.2	Newton-Raphson Algorithm with Cumulative Counts . . . . .	139
7.12.3	Determining the Joint Probabilities . . . . .	140
7.13	Appendix: The Multivariate Plackett Distribution . . . .	142
7.14	Appendix: Maximum Likelihood Estimation for the Dale Model . . . . .	147
<b>8</b>	<b>Generalized Estimating Equations</b>	<b>151</b>
8.1	Introduction . . . . .	151
8.2	Standard GEE Theory . . . . .	153
8.3	Alternative GEE Methods . . . . .	161
8.4	Prentice's GEE Method . . . . .	162
8.5	Second-order Generalized Estimating Equations (GEE2) . . . . .	164
8.6	GEE with Odds Ratios and Alternating Logistic Re- gression . . . . .	165
8.7	GEE2 Based on a Hybrid Marginal-conditional Model . .	168
8.8	A Method Based on Linearization . . . . .	169
8.9	Analysis of the NTP Data . . . . .	170
8.10	The Heatshock Study . . . . .	174
8.11	The Sports Injuries Trial . . . . .	181
8.11.1	Longitudinal Analysis . . . . .	181
8.11.2	A Bivariate Longitudinal Analysis . . . . .	186
<b>9</b>	<b>Pseudo-Likelihood</b>	<b>189</b>
9.1	Introduction . . . . .	189
9.2	Pseudo-Likelihood: Definition and Asymptotic Prop- erties . . . . .	190
9.2.1	Definition . . . . .	190
9.2.2	Consistency and Asymptotic Normality . . . . .	191
9.3	Pseudo-Likelihood Inference . . . . .	192
9.3.1	Wald Statistic . . . . .	193
9.3.2	Pseudo-Score Statistics . . . . .	193
9.3.3	Pseudo-Likelihood Ratio Statistics . . . . .	194
9.4	Marginal Pseudo-Likelihood . . . . .	195
9.4.1	Definition of Marginal Pseudo-Likelihood . . . . .	195
9.4.2	A Generalized Linear Model Representation . . . .	198
9.5	Comparison with Generalized Estimating Equations . . .	199
9.6	Analysis of NTP Data . . . . .	200
<b>10</b>	<b>Fitting Marginal Models with SAS</b>	<b>203</b>
10.1	Introduction . . . . .	203
10.2	The Toenail Data . . . . .	203

10.3	GEE1 with Correlations . . . . .	204
10.3.1	The SAS Program . . . . .	205
10.3.2	The SAS Output . . . . .	206
10.4	Alternating Logistic Regressions . . . . .	212
10.5	A Method Based on Linearization . . . . .	215
10.5.1	The SAS Program for the GLIMMIX Macro . . .	215
10.5.2	The SAS Output from the GLIMMIX Macro . . .	216
10.5.3	The Program for the SAS Procedure GLIM- MIX . . . . .	218
10.5.4	Output from the GLIMMIX Procedure . . . . .	218
10.6	Programs for the NTP Data . . . . .	219
10.7	Alternative Software Tools . . . . .	221

### III Conditional Models 223

#### 11 Conditional Models 225

11.1	Introduction . . . . .	225
11.2	Conditional Models . . . . .	226
11.2.1	A Pure Multivariate Setting . . . . .	227
11.2.2	A Single Repeated Outcome . . . . .	229
11.2.3	Repeated Multivariate Outcomes . . . . .	230
11.3	Marginal <i>versus</i> Conditional Models . . . . .	233
11.4	Analysis of the NTP Data . . . . .	234
11.5	Transition Models . . . . .	236
11.5.1	Analysis of the Toenail Data . . . . .	238
11.5.2	Fitting Transition Models in SAS . . . . .	240

#### 12 Pseudo-Likelihood 243

12.1	Introduction . . . . .	243
12.2	Pseudo-Likelihood for a Single Repeated Binary Out- come . . . . .	244
12.3	Pseudo-Likelihood for a Multivariate Repeated Bi- nary Outcome . . . . .	245
12.4	Analysis of the NTP Data . . . . .	246
12.4.1	Parameter Estimation . . . . .	247
12.4.2	Inference and Model Selection . . . . .	249

### IV Subject-specific Models 255

#### 13 From Subject-specific to Random-effects Models 257

13.1	Introduction . . . . .	257
13.2	General Model Formulation . . . . .	257
13.3	Three Ways to Handle Subject-specific Parameters . . . .	258

13.3.1	Treated as Fixed Unknown Parameters . . . . .	258
13.3.2	Conditional Inference . . . . .	258
13.3.3	Random-effects Approach . . . . .	259
13.4	Random-effects Models: Special Cases . . . . .	260
13.4.1	The Linear Mixed Model . . . . .	260
13.4.2	The Beta-binomial Model . . . . .	260
13.4.3	The Probit-normal Model . . . . .	262
13.4.4	The Generalized Linear Mixed Model . . . . .	262
13.4.5	The Hierarchical Generalized Linear Model . . . . .	263
<b>14</b>	<b>The Generalized Linear Mixed Model (GLMM)</b>	<b>265</b>
14.1	Introduction . . . . .	265
14.2	Model Formulation and Approaches to Estimation . . . . .	265
14.2.1	Model Formulation . . . . .	265
14.2.2	Bayesian Approach to Model Fitting . . . . .	266
14.2.3	Maximum Likelihood Estimation . . . . .	266
14.2.4	Empirical Bayes Estimation . . . . .	268
14.3	Estimation: Approximation of the Integrand . . . . .	268
14.4	Estimation: Approximation of the Data . . . . .	269
14.4.1	Penalized Quasi-Likelihood (PQL) . . . . .	270
14.4.2	Marginal Quasi-Likelihood (MQL) . . . . .	270
14.4.3	Discussion and Extensions . . . . .	271
14.5	Estimation: Approximation of the Integral . . . . .	273
14.5.1	Gaussian Quadrature . . . . .	274
14.5.2	Adaptive Gaussian Quadrature . . . . .	275
14.6	Inference in Generalized Linear Mixed Models . . . . .	276
14.7	Analyzing the NTP Data . . . . .	277
14.8	Analyzing the Toenail Data . . . . .	278
<b>15</b>	<b>Fitting Generalized Linear Mixed Models with SAS</b>	<b>281</b>
15.1	Introduction . . . . .	281
15.2	The GLIMMIX Procedure for Quasi-Likelihood . . . . .	282
15.2.1	The SAS Program . . . . .	283
15.2.2	The SAS Output . . . . .	284
15.3	The GLIMMIX Macro for Quasi-Likelihood . . . . .	287
15.3.1	The SAS Program . . . . .	288
15.3.2	Selected SAS Output . . . . .	289
15.4	The NLMIXED Procedure for Numerical Quadrature . . . . .	290
15.4.1	The SAS Program . . . . .	290
15.4.2	The SAS Output . . . . .	293
15.5	Alternative Software Tools . . . . .	296
<b>16</b>	<b>Marginal <i>versus</i> Random-effects Models</b>	<b>297</b>
16.1	Introduction . . . . .	297

16.2	Example: The Toenail Data . . . . .	297
16.3	Parameter Interpretation . . . . .	298
16.4	Toenail Data: Marginal <i>versus</i> Mixed Models . . . . .	301
16.5	Analysis of the NTP Data . . . . .	304

## V Case Studies and Extensions 307

### 17 The Analgesic Trial 309

17.1	Introduction . . . . .	309
17.2	Marginal Analyses of the Analgesic Trial . . . . .	310
17.3	Random-effects Analyses of the Analgesic Trial . . . . .	314
17.4	Comparing Marginal and Random-effects Analyses . . . . .	317
17.5	Programs for the Analgesic Trial . . . . .	318
17.5.1	Marginal Models with SAS . . . . .	318
17.5.2	Random-effects Models with SAS . . . . .	320
17.5.3	MIXOR . . . . .	321
17.5.4	MLwiN . . . . .	323

### 18 Ordinal Data 325

18.1	Regression Models for Ordinal Data . . . . .	326
18.1.1	The Fluvoxamine Trial . . . . .	328
18.2	Marginal Models for Repeated Ordinal Data . . . . .	329
18.3	Random-effects Models for Repeated Ordinal Data . . . . .	331
18.4	Ordinal Analysis of the Analgesic Trial . . . . .	332
18.5	Programs for the Analgesic Trial . . . . .	334

### 19 The Epilepsy Data 337

19.1	Introduction . . . . .	337
19.2	A Marginal GEE Analysis . . . . .	337
19.3	A Generalized Linear Mixed Model . . . . .	340
19.4	Marginalizing the Mixed Model . . . . .	342

### 20 Non-linear Models 347

20.1	Introduction . . . . .	347
20.2	Univariate Non-linear Models . . . . .	349
20.3	The Indomethacin Study: Non-hierarchical Analysis . . . . .	351
20.4	Non-linear Models for Longitudinal Data . . . . .	355
20.5	Non-linear Mixed Models . . . . .	357
20.6	The Orange Tree Data . . . . .	358
20.7	Pharmacokinetic and Pharmacodynamic Models . . . . .	360
20.7.1	Hierarchical Analysis of the Indomethacin Study . . . . .	361
20.7.2	Pharmacokinetic Modeling and the Theophylline Data . . . . .	363

20.7.3	Pharmacodynamic Data . . . . .	367
20.8	The Songbird Data . . . . .	368
20.8.1	Introduction . . . . .	368
20.8.2	A Non-linear Mixed-effects Model . . . . .	370
20.8.3	Analysis of SI at RA . . . . .	371
20.8.4	Model Strategies for HVC . . . . .	372
20.8.5	Analysis of SI at HVC . . . . .	374
20.9	Discrete Outcomes . . . . .	376
20.9.1	Analysis of the NTP Data . . . . .	377
20.10	Hypothesis Testing and Non-linear Models . . . . .	379
20.11	Flexible Functions . . . . .	379
20.11.1	Random Smoothing Splines . . . . .	381
20.11.2	Analysis of the Analgesic Trial . . . . .	383
20.12	Using SAS for Non-linear Mixed-effects Models . . . . .	384
20.12.1	SAS Program for the Orange Tree Data Analysis . . . . .	384
20.12.2	SAS Programs for the Indomethacin Analyses . . .	385
20.12.3	SAS Programs for the Theophylline Analyses . . .	386
20.12.4	SAS Program for the Songbird Data . . . . .	387
20.12.5	SAS Program for the NTP Data . . . . .	388
20.12.6	SAS Program for the Random Smoothing Spline Model . . . . .	388
<b>21</b>	<b>Pseudo-Likelihood for a Hierarchical Model</b>	<b>393</b>
21.1	Introduction . . . . .	393
21.2	Pseudo-Likelihood Estimation . . . . .	394
21.3	Two Binary Endpoints . . . . .	397
21.4	A Meta-analysis of Trials in Schizophrenic Subjects . . . .	401
21.5	Concluding Remarks . . . . .	403
<b>22</b>	<b>Random-effects Models with Serial Correlation</b>	<b>405</b>
22.1	Introduction . . . . .	405
22.2	A Multilevel Probit Model with Autocorrelation . . . . .	406
22.3	Parameter Estimation for the Multilevel Probit Model . . . . .	408
22.4	A Generalized Linear Mixed Model with Autocorre- lation . . . . .	410
22.5	A Meta-analysis of Trials in Schizophrenic Subjects . . . .	412
22.6	SAS Code for Random-effects Models with Autocor- relation . . . . .	415
22.7	Concluding Remarks . . . . .	417
<b>23</b>	<b>Non-Gaussian Random Effects</b>	<b>419</b>
23.1	Introduction . . . . .	419



23.2	The Heterogeneity Model . . . . .	421
23.3	Estimation and Inference . . . . .	423
23.4	Empirical Bayes Estimation and Classification . . . . .	427
23.5	The Verbal Aggression Data . . . . .	428
23.6	Concluding Remarks . . . . .	435
<b>24</b>	<b>Joint Continuous and Discrete Responses</b>	<b>437</b>
24.1	Introduction . . . . .	437
24.2	A Continuous and a Binary Endpoint . . . . .	439
24.2.1	A Probit-normal Formulation . . . . .	439
24.2.2	A Plackett-Dale Formulation . . . . .	441
24.2.3	A Generalized Linear Mixed Model Formulation . . . . .	442
24.3	Hierarchical Joint Models . . . . .	445
24.3.1	Two-stage Analysis . . . . .	445
24.3.2	Fully Hierarchical Modeling . . . . .	446
24.4	Age Related Macular Degeneration Trial . . . . .	448
24.4.1	Bivariate Marginal Analyses . . . . .	448
24.4.2	Bivariate Random-effects Analyses . . . . .	452
24.4.3	Hierarchical Analyses . . . . .	453
24.5	Joint Models in SAS . . . . .	455
24.6	Concluding Remarks . . . . .	464
<b>25</b>	<b>High-dimensional Joint Models</b>	<b>467</b>
25.1	Introduction . . . . .	467
25.2	Joint Mixed Model . . . . .	469
25.3	Model Fitting and Inference . . . . .	471
25.3.1	Pairwise Fitting . . . . .	471
25.3.2	Inference for $\Psi$ . . . . .	472
25.3.3	Combining Information: Inference for $\Psi^*$ . . . . .	473
25.4	A Study in Psycho-Cognitive Functioning . . . . .	473
<b>VI</b>	<b>Missing Data</b>	<b>479</b>
<b>26</b>	<b>Missing Data Concepts</b>	<b>481</b>
26.1	Introduction . . . . .	481
26.2	A Formal Taxonomy . . . . .	482
26.2.1	Missing Data Frameworks . . . . .	484
26.2.2	Missing Data Mechanisms . . . . .	485
26.2.3	Ignorability . . . . .	487
<b>27</b>	<b>Simple Methods, Direct Likelihood, and WGEE</b>	<b>489</b>
27.1	Introduction . . . . .	489
27.2	Longitudinal Analysis or Not? . . . . .	490

27.3	Simple Methods . . . . .	491
27.4	Bias in LOCF, CC, and Ignorable Likelihood . . . . .	495
27.5	Weighted Generalized Estimating Equations . . . . .	498
27.6	The Depression Trial . . . . .	499
27.6.1	The Data . . . . .	499
27.6.2	Marginal Models . . . . .	501
27.6.3	Random-effects Models . . . . .	502
27.7	Age Related Macular Degeneration Trial . . . . .	503
27.8	The Analgesic Trial . . . . .	507
<b>28</b>	<b>Multiple Imputation and the EM Algorithm</b>	<b>511</b>
28.1	Introduction . . . . .	511
28.2	Multiple Imputation . . . . .	511
28.2.1	Theoretical Justification . . . . .	512
28.2.2	Pooling Information . . . . .	513
28.2.3	Hypothesis Testing . . . . .	514
28.2.4	Efficiency . . . . .	514
28.2.5	Imputation Mechanisms . . . . .	515
28.3	The Expectation-Maximization Algorithm . . . . .	516
28.3.1	The Algorithm . . . . .	517
28.3.2	Missing Information . . . . .	518
28.3.3	Rate of Convergence . . . . .	519
28.3.4	EM Acceleration . . . . .	520
28.3.5	Calculation of Precision Estimates . . . . .	520
28.3.6	A Simple Illustration . . . . .	521
28.4	Which Method to Use? . . . . .	526
28.5	Age Related Macular Degeneration Study . . . . .	527
28.6	Concluding Remarks . . . . .	529
<b>29</b>	<b>Selection Models</b>	<b>531</b>
29.1	Introduction . . . . .	531
29.2	An MNAR Dale Model . . . . .	532
29.2.1	Likelihood Function . . . . .	533
29.2.2	Maximization Using the EM Algorithm . . . . .	535
29.2.3	Analysis of the Fluvoxamine Data . . . . .	537
29.3	A Model for Non-monotone Missingness . . . . .	543
29.3.1	Analysis of the Fluvoxamine Data . . . . .	546
29.4	Concluding Remarks . . . . .	552
<b>30</b>	<b>Pattern-mixture Models</b>	<b>555</b>
30.1	Introduction . . . . .	555
30.2	Pattern-mixture Modeling Approach . . . . .	556
30.3	Identifying Restriction Strategies . . . . .	557
30.3.1	How to Use Restrictions? . . . . .	560

30.4	A Unifying Framework for Selection and Pattern-mixture Models . . . . .	561
30.5	Selection Models <i>versus</i> Pattern-mixture Models . . . . .	563
30.5.1	Selection Models . . . . .	564
30.5.2	Pattern-mixture Models . . . . .	565
30.5.3	Identifying Restrictions . . . . .	566
30.5.4	Precision Estimation with Pattern-mixture Models . . . . .	566
30.6	Analysis of the Fluvoxamine Data . . . . .	567
30.6.1	Selection Modeling . . . . .	568
30.6.2	Pattern-mixture Modeling . . . . .	569
30.6.3	Comparison . . . . .	572
30.7	Concluding Remarks . . . . .	572
<b>31</b>	<b>Sensitivity Analysis</b>	<b>575</b>
31.1	Introduction . . . . .	575
31.2	Sensitivity Analysis for Selection Models . . . . .	576
31.3	A Local Influence Approach for Ordinal Data with Dropout . . . . .	578
31.3.1	General Principles . . . . .	578
31.3.2	Analysis of the Fluvoxamine Data . . . . .	581
31.4	A Local Influence Approach for Incomplete Binary Data . . . . .	585
31.4.1	General Principles . . . . .	585
31.4.2	Analysis of the Fluvoxamine Data . . . . .	586
31.5	Interval of Ignorance . . . . .	590
31.5.1	General Principle . . . . .	591
31.5.2	Sensitivity Parameter Approach . . . . .	593
31.5.3	Models for Monotone Patterns and a Bernoulli Experiment . . . . .	594
31.5.4	Analysis of the Fluvoxamine Data . . . . .	599
31.6	Sensitivity Analysis and Pattern-mixture Models . . . . .	604
31.7	Concluding Remarks . . . . .	605
<b>32</b>	<b>Incomplete Data and SAS</b>	<b>607</b>
32.1	Introduction . . . . .	607
32.2	Complete Case Analysis . . . . .	607
32.3	Last Observation Carried Forward . . . . .	609
32.4	Direct Likelihood . . . . .	611
32.5	Weighted Estimating Equations (WGEE) . . . . .	613
32.6	Multiple Imputation . . . . .	618
32.6.1	The MI Procedure for the Imputation Task . . . . .	618
32.6.2	The Analysis Task . . . . .	624
32.6.3	The Inference Task . . . . .	629

32.6.4	The MI Procedure to Create Monotone Missingness . . . . .	633
32.7	The EM Algorithm . . . . .	633
32.8	MNAR Models and Sensitivity Analysis Tools . . . . .	635
	<b>References</b>	<b>637</b>
	<b>Index</b>	<b>671</b>



<http://www.springer.com/978-0-387-25144-8>

Models for Discrete Longitudinal Data

Molenberghs, G.; Verbeke, G.

2005, XXII, 687 p., Hardcover

ISBN: 978-0-387-25144-8