

---

## List of Contents

<b>1</b>	<b>Outline of the General Neurobiological Problem</b>	<b>1</b>
1.1	The Perikarya Supporting Axonal Regrowth Are Hyperexcitable	1
1.1.1	Increase in Biosynthetic Activity	1
1.1.2	Hyperexcitability of the Axotomized Perikarya	2
1.2	Axonal Regrowth Is Compromised by Ephaptic Cross-Talk Between the Branches	3
1.2.1	The Endoneural Micro-Environment Permits a Rapid and Extensive Axonal Growth	3
1.2.2	Excessive Firing by the Transected Axons	3
1.3	Biological Significance of Axonal Branching	3
1.4	Role of the Cytoskeleton Reorganization During Axonal Regrowth	5
1.4.1	The Role of Cytoskeletal Proteins in Axonal Elongation	5
1.4.2	Role of Cytoskeletal Proteins in Axonal Branching at the Growth Cone	8
1.4.3	Role of Cytoskeletal Proteins in Collateral Axonal Branching at the Axon Shaft	8
1.5	The Individual Guidance Cues Promoting Reinnervation of Original Targets Are Still Unknown	9
1.5.1	ECM Glycoproteins, Axonal Regrowth, and Pathfinding	9
1.5.2	Increased Production of Trophic Factors	10
1.6	Conclusion	12
1.7	Outline of the Clinical Problem	13
1.8	Question Still Open	14
1.9	Methodological Approach	14
<b>2</b>	<b>Materials and Methods: Experimental Sets</b>	<b>14</b>
2.1	First Set of Experiments: Attempts to Reduce Collateral Axonal Branching by Alterations of the Trigeminal Input to the Facial Perikarya	15
2.1.1	Effect of Altered Trigeminal Input to Facial Perikarya on Axonal Branching as Estimated by Application of Crystalline Tracers to Transected Superior and Inferior Buccolabial Nerves	16
2.1.2	Effect of Altered Trigeminal Input on the Rate of Axonal Elongation	20
2.1.3	Effect of Altered Trigeminal Input to Axotomized Facial Perikarya on the Accuracy of Reinnervation	21
2.1.4	Effect of Altered Trigeminal Input to Axotomized Facial Perikarya on the Compound Muscle Action Potential (CMAP) of the Vibrissal Muscles	22
2.1.5	Effect of Altered Trigeminal Input on the Recovery of Vibrissae Motor Performance Estimated by Video-Based Motion Analysis	24

2.1.6	Effect of Putatively Enlarged Cortical Representation of the Vibrissae in Blind Rats on the Quality of Target Reinnervation . . . . .	27
2.2	Second Set of Experiments:	
	Attempts to Reduce Collateral Axonal Branching at the Lesion Site . . . . .	30
2.2.1	Effect of Extracellular Matrix Proteins Known to Foster Neurite Elongation on Axonal Branching . . . . .	30
2.2.2	Time Course of Trophic Factor Expression at the Lesion Site . . . . .	32
2.2.3	Effect of Neutralization of Trophic Factors at the Site of Lesion on Axonal Branching . . . . .	33
2.2.4	Effect of Cell Transplantation on Axonal Branching . . . . .	34
2.2.5	Effect of Transplanted Autologous Olfactory Mucosa on Axonal Branching . .	36
3	<b>Results</b> . . . . .	37
3.1	Influence of the Altered Input to Axotomized Facial Perikarya on the Quality of Reinnervation . . . . .	37
3.1.1	Altered Trigeminal Input to Axotomized Facial Perikarya Reduces Axonal Branching . . . . .	37
3.1.1.1	Behavioral Observations . . . . .	37
3.1.1.2	Lesion to the Contralateral Trigeminal Ganglion Cells Reduced the Branching of Transected Facial Axons . . . . .	38
3.1.2	No Evidence for an Increased Rate of Facial Axon Elongation After Combined Facial-Trigeminal Injury . . . . .	42
3.1.3	Altered Trigeminal Input Slightly Improves the Accuracy of Target Muscle Reinnervation by Regenerating Facial Axons . . . . .	43
3.1.4	Electrophysiological Evidence that the Excision of the Contralateral ION Provided the Best Recovery of Synchronized Vibrissal Motor Performance . .	48
3.1.5	Altered Trigeminal Input Improves Motor Performance of the Vibrissal Muscles After Facial Nerve Transection and Suture (FFA) . . .	50
3.1.5.1	Biometric Analysis of Whisking Behavior . . . . .	50
3.1.6	Effect of Putatively Enlarged Cortical Representation of the Vibrissae in Blind Rats on the Quality of Target Reinnervation . . . . .	55
3.1.6.1	Pre- and Postoperative Retrograde Neuronal Labeling: Despite Neurotization, the Accuracy of Reinnervation Remains Insufficient in Both Visually Normal SD Rats and in Blind SD/RCS Rats . . . . .	57
3.1.6.2	Postoperative Triple Labeling: Identical Amount of Supernumerary Axonal Branches in Visually Normal SD Rats and Blind SD/RCS Rats . . . . .	59
3.1.6.3	Functional Analysis of Vibrissae Movement: Poor Motor Performance in Visually Normal SD Rats, but Perfect Recovery of Whisking Behavior in Blind SD/RCS Rats . . . . .	59
3.2	Attempts to Reduce Collateral Axonal Branching at the Lesion Site . . . . .	62
3.2.1	Application of Extracellular Matrix Proteins Does Not Alter Axonal Branching . . . . .	62
3.2.1.1	Behavioral Observations . . . . .	62
3.2.1.2	Determination of Axonal Branching . . . . .	65
3.2.2	NGF, BDNF, FGF-2, IGF-I, and GDNF Are Differentially Expressed in the Proximal and Distal Stumps of the Transected Buccal Branch of the Facial Nerve . . . . .	67
3.2.3	Focal Application of Neutralizing Antibodies to Soluble Neurotrophic Factors Reduces Collateral Axonal Branching After Peripheral Nerve Lesion . . . . .	71

3.2.3.1	Unoperated Rats . . . . .	71
3.2.3.2	General Features of the Facial Nucleus After Transection of the Facial Nerve . . . . .	71
3.2.3.3	Varying Effects of the Neutralizing Antibodies on the Increased Number of Axons and Neurons in the Three Main Branches (Rami) of the Regenerating Facial Nerve . . . . .	79
3.2.3.4	Effects of Neutralizing Antibodies on Axonal Branching as Estimated by the Portions of Double- and Single-Labeled Motoneuronal Perikarya . . . . .	80
3.2.4	Transplantation of Olfactory Ensheathing Cells, Schwann Cells, and Bone Marrow Stromal Cells Does Not Alter Axonal Branching of Regenerating Facial Motoneurons . . . . .	82
3.2.4.1	Determination of the Degree of Axonal Branching . . . . .	82
3.2.4.2	Biometric Analysis of Whisking Behavior . . . . .	82
3.2.5	Transplantation of Autologous Olfactory Mucosa Does Not Increase the Accuracy of Reinnervation but Promotes Functional Recovery of Vibrissal Motor Performance . . . . .	82
3.2.5.1	Transplantation of Olfactory Mucosa Reduces the Collateral Axonal Branching . . . . .	82
3.2.5.2	Transplantation of Olfactory Mucosa Does Not Increase the Accuracy of Reinnervation . . . . .	86
3.2.5.3	Transplantation of Olfactory Mucosa Promotes Functional Recovery of Vibrissal Motor Performance . . . . .	88
4	<b>Discussion . . . . .</b>	91
4.1	The Combined Approach to Evaluate the Quality of Peripheral Nerve Regeneration . . . . .	91
4.2	Sensory–Motor Integrity as a Factor in Motor Regeneration . . . . .	92
4.2.1	Rationale for Using the Combined Trigemino-Facial Lesion Model to Study Neuronal Regeneration . . . . .	93
4.2.2	Axonal Branching as a Component of Misdirected Target Reinnervation . . . . .	94
4.2.3	Lesion of the Contralateral Trigeminal Nerve Attenuates the Branching of Transected Facial Axons and Improves the Accuracy of Target Reinnervation . . . . .	94
4.2.4	Nature of the Beneficial Effect of the Accompanying Lesion . . . . .	95
4.2.5	Clinical Implications . . . . .	97
4.2.6	Recovery of Whisker Movement in Blind Rats Is Probably Due to an Extraordinary Plasticity of the Facial Motoneurons Induced by Putative Behavioral Demand and Early Forced Overutilization . . . . .	98
4.3	Manipulations of the Conditions at the Lesion Site Cause Changes in the Quality of Axonal Regeneration and Recovery of Function . . . . .	98
4.3.1	The Use of Extracellular Matrix Proteins to Improve Reinnervation . . . . .	98
4.3.2	Role(s) of Trophic Factors in Axonal Regrowth and Effect of Their Neutralization . . . . .	101
4.3.3	The Use of Cell Transplantation for Improving Reinnervation . . . . .	104
4.3.4	The Beneficial Effect of Transplanted Olfactory Mucosa May Involve a Moderate but Long-Lasting Secretion of Trophic Molecules at the Lesion Site . . . . .	105
4.4	Collateral Branching Versus Terminal Sprouting of Axons . . . . .	106
4.5	Prospects for the Future: Role of the Cytoskeleton . . . . .	107
5	<b>Summary . . . . .</b>	108

<b>References . . . . .</b>	<b>109</b>
<b>Subject Index . . . . .</b>	<b>131</b>

Axonal Branching and Recovery of Coordinated Muscle  
Activity after Transsection of the Facial Nerve in Adult  
Rats

Angelov, D.N.; Guntinas-Lichius, O.; Wewetzer, K.; Neiss,  
W.; Streppel, M.

2005, X, 132 p. 23 illus., 4 illus. in color., Softcover

ISBN: 978-3-540-25654-0