Contents

1 Introduction 1
- 1.1 Mind, Brain, and Artificial Interpretation 1
- 1.2 Multi-Disciplinary Nature of the Research 2
- 1.3 The Stance to Conquest the Intellectual Giant 3
- 1.4 The Artificial Mind System Based Upon Kernel Memory Concept 4
- 1.5 The Organisation of the Book 6

Part I The Neural Foundations

2 From Classical Connectionist Models to Probabilistic/Generalised Regression Neural Networks (PNNs/GRNNs) 11
- 2.1 Perspective 11
- 2.2 Classical Connectionist/Artificial Neural Network Models 12
  - 2.2.1 Multi-Layered Perceptron/Radial Basis Function Neural Networks, and Self-Organising Feature Maps . . . 12
  - 2.2.2 Associative Memory/Hopfield's Recurrent Neural Networks 12
  - 2.2.3 Variants of RBF-NN Models 13
- 2.3 PNNs and GRNNs 13
  - 2.3.1 Network Configuration of PNNs/GRNNs 15
  - 2.3.2 Example of PNN/GRNN – the Celebrated Exclusive OR Problem 17
  - 2.3.3 Capability in Accommodating New Classes within PNNs/GRNNs (Hoya, 2003a) 19
  - 2.3.4 Necessity of Re-accessing the Stored Data 20
  - 2.3.5 Simulation Example 20
- 2.4 Comparison Between Commonly Used Connectionist Models and PNNs/GRNNs 25

2.5 Chapter Summary 29

3 The Kernel Memory Concept – A Paradigm Shift from Conventional Connectionism 31
3.1 Perspective 31
3.2 The Kernel Memory 31
3.2.1 Definition of the Kernel Unit 32
3.2.2 An Alternative Representation of a Kernel Unit 36
3.2.3 Reformation of a PNN/GRNN 37
3.2.4 Representing the Final Network Outputs by Kernel Memory 39
3.3 Topological Variations in Terms of Kernel Memory 41
3.3.1 Kernel Memory Representations for Multi-Domain Data Processing 41
3.3.2 Kernel Memory Representations for Temporal Data Processing 47
3.3.3 Further Modification of the Final Kernel Memory Network Outputs 49
3.3.4 Representation of the Kernel Unit Activated by a Specific Directional Flow 52
3.4 Chapter Summary 57

4 The Self-Organising Kernel Memory (SOKM) 59
4.1 Perspective 59
4.2 The Link Weight Update Algorithm (Hoya, 2004a) 60
4.2.1 An Algorithm for Updating Link Weights Between the Kernels 60
4.2.2 Introduction of Decay Factors 61
4.2.3 Updating Link Weights Between (Regular) Kernel Units and Symbolic Nodes 62
4.2.4 Construction/Testing Phase of the SOKM 63
4.3 The Celebrated XOR Problem (Revisited) 65
4.4 Simulation Example 1 – Single-Domain Pattern Classification . 67
4.4.1 Parameter Settings 67
4.4.2 Simulation Results 68
4.4.3 Impact of the Selection σ Upon the Performance 69
4.4.4 Generalisation Capability of SOKM 71
4.4.5 Varying the Pattern Presentation Order 72
4.5 Simulation Example 2 – Simultaneous Dual-Domain Pattern Classification 73
4.5.1 Parameter Settings 74
4.5.2 Simulation Results 74
4.5.3 Presentation of the Class IDs to SOKM 74
4.5.4 Constraints on Formation of the Link Weights 75
4.5.5 A Note on Autonomous Formation of a New Category . 76

4.6 Some Considerations for the Kernel Memory in Terms of Cognitive/Neurophysiological Context 77
4.7 Chapter Summary 79

Part II Artificial Mind System

5 The Artificial Mind System (AMS), Modules, and Their Interactions 83
5.1 Perspective 83
5.2 The Artificial Mind System – A Global Picture 84
5.2.1 Classification of the Modules Functioning With/Without Consciousness 86
5.2.2 A Descriptive Example 87
5.3 Chapter Summary 93

6 Sensation and Perception Modules 95
6.1 Perspective 95
6.2 Sensory Inputs (Sensation) 96
6.2.1 The Sensation Module – Given as a Cascade of Pre-processing Units 97
6.2.2 An Example of Pre-processing Mechanism – Noise Reduction for Stereophonic Speech Signals (Hoya et al., 2003b; Hoya et al., 2005, 2004c) 98
6.2.3 Simulation Examples 105
6.2.4 Other Studies Related to Stereophonic Noise Reduction 113
6.3 Perception – Defined as the Secondary Output of the AMS . . . 114
6.3.1 Perception and Pattern Recognition 114
6.4 Chapter Summary 115

7 Learning in the AMS Context 117
7.1 Perspective 117
7.2 The Principle of Learning 117
7.3 A Descriptive Example of Learning 119
7.4 Supervised and Unsupervised Learning in Conventional ANNs 121
7.5 Target Responses Given as the Result from Reinforcement 122
7.6 An Example of a Combined Self-Evolutionary Feature Extraction and Pattern Recognition Using Self-Organising Kernel Memory 123
7.6.1 The Feature Extraction Part: Units 1)-3) 124
7.6.2 The Pattern Recognition and Reinforcement Parts: Units 4) and 5) 125
7.6.3 The Unit for Performing the Reinforcement Learning: Unit 5) 126
7.6.4 Competitive Learning of the Sub-Systems 126

7.6.5 Initialisation of the Parameters for Human Auditory Pattern Recognition System 128
7.6.6 Consideration of the Manner in Varying the Parameters i)-v) 129
7.6.7 Kernel Representation of Units 2)-4) 130
7.7 Chapter Summary 131

8 Memory Modules and the Innate Structure 135
8.1 Perspective 135
8.2 Dichotomy Between Short-Term (STM) and Long-Term Memory (LTM) Modules 135
8.3 Short-Term/Working Memory Module 136
8.3.1 Interpretation of Baddeley & Hitch's Working Memory Concept in Terms of the AMS 137
8.3.2 The Interactive Data Processing: the STM/Working Memory $\longleftrightarrow$ LTM Modules 139
8.3.3 Perception of the Incoming Sensory Data in Terms of AMS 140
8.3.4 Representation of the STM/Working Memory Module in Terms of Kernel Memory 141
8.3.5 Representation of the Interactive Data Processing Between the STM/Working Memory and Associated Modules 143
8.3.6 Connections Between the Kernel Units within the STM/Working Memory, Explicit LTM, and Implicit LTM Modules 144
8.3.7 Duration of the Existence of the Kernel Units within the STM/Working Memory Module 145
8.4 Long-Term Memory Modules 146
8.4.1 Division Between Explicit and Implicit LTM 146
8.4.2 Implicit (Nondeclarative) LTM Module 147
8.4.3 Explicit (Declarative) LTM Module 148
8.4.4 Semantic Networks/Lexicon Module 149
8.4.5 Relationship Between the Explicit LTM, Implicit LTM, and Semantic Networks/Lexicon Modules in Terms of the Kernel Memory 149
8.4.6 The Notion of Instinct: Innate Structure, Defined as A Built-in/Preset LTM Module 151
8.4.7 The Relationship Between the Instinct: Innate Structure and Sensation Module 152
8.4.8 Hierarchical Representation of the LTM in Terms of Kernel Memory 153
8.5 Embodiment of Both the Sensation and LTM Modules – Speech Extraction System Based Upon a Combined Blind Signal Processing and Neural Memory Approach 155

8.5.1 Speech Extraction Based Upon a Combined Subband ICA and Neural Memory (Hoya et al., 2003c) 156
8.5.2 Extension to Convolutive Mixtures (Ding et al., 2004) . . 164
8.5.3 A Further Consideration of the Blind Speech Extraction Model 167
8.6 Chapter Summary 168

9 Language and Thinking Modules 169
9.1 Perspective 169
9.2 Language Module 170
9.2.1 An Example of Kernel Memory Representation – the Lemma and Lexeme Levels of the Semantic Networks/Lexicon Module 171
9.2.2 Concept Formation 175
9.2.3 Syntax Representation in Terms of Kernel Memory 176
9.2.4 Formation of the Kernel Units Representing a Concept . 179
9.3 The Principle of Thinking – Preparation for Making Actions . . 183
9.3.1 An Example of Semantic Analysis Performed via the Thinking Module 185
9.3.2 The Notion of Nonverbal Thinking 186
9.3.3 Making Actions – As a Cause of the Thinking Process . 186
9.4 Chapter Summary 186

10 Modelling Abstract Notions Relevant to the Mind and the Associated Modules 189
10.1 Perspective 189
10.2 Modelling Attention 189
10.2.1 The Mutual Data Processing: Attention $\longleftrightarrow$ STM/Working Memory Module 190
10.2.2 A Consideration into the Construction of the Mental Lexicon with the Attention Module 192
10.3 Interpretation of Emotion 194
10.3.1 Notion of Emotion within the AMS Context 195
10.3.2 Categorisation of the Emotional States 195
10.3.3 Relationship Between the Emotion, Intention, and STM/Working Memory Modules 198
10.3.4 Implicit Emotional Learning Interpreted within the AMS Context 199
10.3.5 Explicit Emotional Learning 200
10.3.6 Functionality of the Emotion Module 201
10.3.7 Stabilisation of the Internal States 202
10.3.8 Thinking Process to Seek the Solution to Unknown Problems 202
10.4 Dealing with Intention 203

10.4.1 The Mutual Data Processing: Attention ⟷ Intention Module 204
10.5 Interpretation of Intuition 205
10.6 Embodiment of the Four Modules: Attention, Intuition, LTM, and STM/Working Memory Module, Designed for Pattern Recognition Tasks 206
10.6.1 The Hierarchically Arranged Generalised Regression Neural Network (HA-GRNN) – A Practical Model of Exploiting the Four Modules: Attention, Intuition, LTM, and STM, for Pattern Recognition Systems (Hoya, 2001b, 2004b) 207
10.6.2 Architectures of the STM/LTM Networks 208
10.6.3 Evolution of the HA-GRNN 209
10.6.4 Mechanism of the STM Network 214
10.6.5 A Model of Intuition by an HA-GRNN 215
10.6.6 Interpreting the Notion of Attention by an HA-GRNN . 217
10.6.7 Simulation Example 219
10.7 An Extension to the HA-GRNN Model – Implemented with Both the Emotion and Procedural Memory within the Implicit LTM Modules 226
10.7.1 The STM and LTM Parts 227
10.7.2 The Procedural Memory Part 230
10.7.3 The Emotion Module and Attentive Kernel Units 230
10.7.4 Learning Strategy of the Emotional State Variables 232
10.8 Chapter Summary 234

11 Epilogue – Towards Developing A Realistic Sense of Artificial Intelligence 237
11.1 Perspective 237
11.2 Summary of the Modules and Their Mutual Relationships within the AMS 237
11.3 A Consideration into the Issues Relevant to Consciousness 240
11.4 A Note on the Brain Mechanism for Intelligent Robots 242

References 245

Index 261

http://www.springer.com/978-3-540-26072-1

Artificial Mind System
Kernel Memory Approach
Hoya, T.
2005, XXI, 270 p., Hardcover
ISBN: 978-3-540-26072-1