

Index

- Absenteeism, drug use and, 201
- Acculturation, Latino youth, 371–372
- Achievement for Latinos through Academic Success (ALAS), 375
- Achieving Outcomes* (CSAP), 658
- ADHD: *see* Attention-deficit hyperactivity disorder (ADHD)
- Adolescent conventionality, 274–275
- Adolescent drug abuse: *see also* High-risk youth, drug prevention research
 - children of drug abuse treatment clients, methadone treatment settings
 - age exposed to risk, 177
 - degree of first use, 177*f*
 - peer factors, 176
 - risk factors, 174–178
 - school failure, 176
 - dependence measures, 249–250
 - National Household Survey of Drug Abuse, 251*r*
 - drug testing, 203–204
 - family interventions and, 76; *see also* Family interventions, dissemination of research-based for detailed treatment
 - high-risk youth, 78
 - influence of families on youth, 78–79
 - Latino families, 374–375
 - first use
 - age-specific rates, 253
 - children of drug abuse treatment clients, methadone treatment settings, 177*f*
 - Latino youth: *see* Latino youth, preventing substance abuse
 - Mexican-American early adolescents, case study, 577–585
 - noncontinuation rates, 249*f*
 - parent-adolescent relationship and marijuana use, 268*f*
 - parenting practices, effect of, 313–317
 - childhood temperament and parenting, 316
 - harsh parenting, 314–315
 - poor monitoring, 315
 - social-cognitive processes, 316–317
 - warmth, parental, 315–316
- Adolescent drug abuse (*cont.*)
 - peers and prevention of: *see* Peers and prevention of adolescent drug use
 - prevalence in United States, 251–255
 - risk and protective factors, 265–287
 - biological factors, 271–272
 - broad-based interventions, 281–282
 - childhood attributes, 270
 - childhood psychopathology, 270
 - context, 272
 - conventionality of adolescents, 274–275
 - culture, 272–273
 - developmental model, 266–273
 - domain linkage findings, 277–278
 - effective prevention and treatment programs, 279–282
 - family interactions, 266
 - family interventions, 280–281
 - implications for prevention and treatment, 276–277
 - interactive findings, 278–279
 - marital relationship and, 267
 - multidimensional interventions, 281–282
 - parent-adolescent relationship, 267–270
 - parent drug use and personality, 267
 - peers, 270–271, 276–277
 - personality factors, interactions, 273–275
 - personality of adolescent, 271
 - physiological vulnerability, 272
 - protective/protective interactions, 275
 - selective or targeted intervention programs, 282
 - timing of interventions, 279–280
 - socioeconomic status and, 111–112
- Adolescent egocentrism, 337–338
- Adoption
 - cross-fostering (adoption) paradigm, 513–514
- Adult development, 340–341
- Affective states
 - substance use and, 292–293
- African-American Panhellenic Association, 387
- African-American Parents for Drug Prevention, 387
- African-Americans
 - adverse consequences of drug use and abuse, 384–385

- African-Americans (*cont.*)
 age differences, illicit drug use, 383–384
 alcohol use, 383
 churches, 151
 epidemiology and prevention issues, 381–391
 gender differences, illicit drug use, 383
 prevalence of substance use and abuse, 382–385
 prevention, 385–388
 family and community efforts, 386–388
 school-based programs, 385
 rates of use, 254, 255
 school drug abuse prevention curricula, 65–66
 treatment considerations, 388
 youth, epidemiology of substance abuse, 366–367
- Age differences
 African-Americans, illicit drug use, 383–384
- Agency for Healthcare Research and Quality (AHRQ)
 Evidence-Based Practice Centers, 661
 Put Prevention into Practice (PPIP), 661–662, 663
 User Liaison Program (ULP), 663
- Aggression
 childhood, 307–310
 high-risk youth, drug prevention research, 474–475
- Aguilar-Gaxiola, Sergio, 447–472
- AHRQ: *see* Agency for Healthcare Research and Quality (AHRQ)
- AID Atlanta, 387
- AIDS: *see* HIV/AIDS
- ALAS: *see* Achievement for Latinos through Academic Success (ALAS)
- Alaska Natives
 alcohol and drug abuse prevention, effectiveness, 393–410
 community-centered prevention, 400–405
 demography, 394–395
 family-based programs, 399–400
 future directions, 405–406
 peers and, 399
 policy, 400
 prevention activities, overview, 396–400
 rates and patterns of substance abuse, 394–395
 research challenges, 403
 school-based programs, 400
 social skills and, 398–399
- Alcohol abuse: *see specific topic*
- Alcohol warning label legislation, 220–221
- Alder, Steve, 75–100
- Alexander, James, 82
- “Allostatic load,” 18–19
- All Stars, 7
- Alternative interventions, 439
- AMA: *see* American Management Association (AMA)
- American Academy of Family Physicians, 662
- American Association of Health Plans, 661
- American-Indian youth
 alcohol and drug abuse prevention, effectiveness, 393–410
- American-Indian youth (*cont.*)
 alcohol and drug abuse prevention, effectiveness (*cont.*)
 community-centered prevention, 400–405
 correlates of use, 395–396
 demography, 394–395
 etiology, 395–396
 family-based programs, 399–400
 future directions, 405–406
 peers and, 399
 policy, 400
 prevention activities, overview, 396–400
 rates and patterns of substance abuse, 394–395
 research challenges, 403
 school-based programs, 400
 social skills and, 398–399
 epidemiology of substance abuse, 367–368
- American Management Association (AMA)
 drug testing programs, 163–164
- American Medical Association, 661
- Analysis of covariance (ANCOVA), 610
- Analysis of variance (ANOVA), 610
- Andrade, Laura, 447–472
- Anger, drug use and, 115
- Animal research, 14–15
- Annual Society for Prevention Research Conference, 1998, 89
- Anti-Drug Abuse Act, 9, 397
- Anti-drug-abuse policies: *see* Public policies as prevention strategies
- Application of prevention research, 649–670
 application, generally, 662–666
 barriers
 different interests/different jargon, 652
 ineffective practice, 654
 overcoming, 655–666
 potential, 652–654
 readiness, 653–654
 timeliness, 652–653
 diffusion, 649–651
 guidelines, 659–662
 knowledge application theory, 649–651
 knowledge dissemination, 656–659
 knowledge synthesis, 659–662
 research design and scope, 655–656
- Applying Effective Strategies to Prevent or Reduce Substance Abuse, Violence, and Disruptive Behavior*, 658
- Arizona
 prevention resource center, 665
- Arthur, Michael W., 129–144
- Asian and Pacific Islander Americans, drug abuse
 prevention research, 411–426
 epidemiological studies, 414
 recommendations for, 421–422
 ethnocultural influences, 416–417
 extent of substance use and abuse, 412–415

- Asian and Pacific Islander Americans, drug abuse
 prevention research (*cont.*)
 prevalence of past-month drug use, 414*t*
 statistics, 413*t*
 factors affecting drug use, 415–418
 biophysiological influences, 415–416
 methodological issues, 419–421
 data collection, 420
 sample selection, 420
 survey instruments, 420–421
 opium dependence, 414
 population, 411
 prevention research targeting, 418–419
 primary prevention research, recommendations for, 422–423
 protective factor research, recommendations for, 423
 psychosocial influences, 417–418
 treatment/tertiary intervention, recommendations for, 423
- Assortive pairing, 271
- Athletes Training and Learning to Avoid Steroids (ATLAS), 7
- Athletic programs, drug testing, 203
- ATLAS: *See* Athletes Training and Learning to Avoid Steroids (ATLAS)
- Attachment theory, 333
- Attention-deficit hyperactivity disorder (ADHD), 309
- Attitudes, gender issues, 356
- Attribution, data analysis, 547–548
- Authority conflict
 high-risk youth study, described, 593
- AVIVA, 633
- Ayers, Charles D., 129–144
- Backer, T. E., 650–651, 653
- Baltimore Mastery Program and Good Behavior Games, 259
- Bardo, Michael T., 429–446
- BARN: *see* Body Awareness Resource Network (BARN)
- Basic science and drug abuse prevention, 429–446
 integrating research with prevention, 440–441
 interventions, implications for, 438–440
 learning theory, 432–435
 neuroscience, 430–432
 personality, 435–438
- Beauvais, Fred, 393–410
- Begun, Audrey L., 327–348
- Behavioral family therapy, 81–82
- Behavioral parent training, 80–81
- Behavioral pharmacology, 433–435
- Behavioral sciences, 10–11
- Berkowitz, Marvin W., 327–348
- BET: *see* Bicultural Effectiveness Training (BET)
- Better Homes Fund, 666
- Bias, 527–529
- Bias (*cont.*)
 assessment bias, 528
 assignment bias, 527
 attribution bias, 528
 coalition bias, 528
 participation bias, 528
 selection bias, 527
- Bicultural Effectiveness Training (BET), 374
- Bijl, Rob, 447–472
- Biological influences
 environment and biology, interactions between, 16–20
 gender differences, 353
 personality, 437
 substance use and, 293
- Biophysiological influences
 Asian and Pacific Islander Americans, drug abuse, 415–416
- The Black Ministerial Alliance, 387
- Blacks: *see* African-Americans
- “Blueprints for Violence Prevention,” 152
- “Blueprints” project, 8, 658
- Body Awareness Resource Network (BARN), 641
- Bonding
 adolescent drug use and, 113–114
 communities, mobilizing, 130
- Boredom susceptibility, 32
- Borges, Luiz Guilherme, 447–472
- Botvin, Gilbert J., 45–74, 656
- “Bridging the Gap Between Research and Practice,” 89
- Broad-based interventions, 281–282
- Brook, David W., 265–287
- Brook Judith S., 265–287
- Brown, C. Hendricks, 523–540
- Bukoski, William J., 3–4
- Burraston, Bert, 587–608
- CAI: *see* Computer-assisted instruction (CAI)
- CAL: *See* Computer-assisted learning (CAL)
- California
 Friday Nite/Club Live programs, 152
 Refusal Challenges, 642
- Canadian Task Force on the Periodic Health Examination, 537
- CAPTS: *see* Centers for the Application of Prevention Technologies (CAPTS)
- Cardiovascular wellness program, 166
- CASASTART: *see* Striving Together to Achieve Rewarding Tomorrows (CASASTART)
- A Catalog from CSAP's Findings Bank of Science-Based Prevention Practices* (CSAP), 658
- Categorical dependent variables, 547
- CDC: *see* Centers for Disease Control (CDC)
- CEI: *see* Computer-enriched instruction (CEI)
- Center for Substance Abuse Prevention (CSAP)
Achieving Outcomes, 658

- Center for Substance Abuse Prevention (CSAP)
(*cont.*)
African-Americans, prevention efforts, 386–387
A Catalog from CSAP's Findings Bank of Science-Based Prevention Practices, 658
Child Development Project, 336
coalitions, 146–147
Community Approaches to Reducing Youth Use of Tobacco, 660
Community Partnerships Program, 131, 221–222, 224
creation of, 397
Developmental Predictor, 87
Exemplary Model Program, 637
Finding the Balance: Program Fidelity and Adaptation in Substance Abuse, 659
Guide to Science-Based Practices, 658
integrating research with prevention, 440
Media Approaches to Preventing Substance Abuse, 660
model programs, 7–8
Model Programs Dissemination Initiative, 658–659
National Center for the Advancement of Prevention (NCAP), 653, 660
National Registry of Effective Prevention Programs (NREPP), 7, 658–659
National Training System, 664
participation in, 78–79
Preventing Problems Related to Alcohol
 Availability: Environmental Approaches, 660
Preventing Substance Abuse among Children and Adolescents: Family-Centered Approaches, 660
Prevention Enhancement Protocol System (PEPS), 80, 537, 653
 development of, 660
 Family PEPS, 82–83
PrevLine, 657
Principles of Substance Abuse Prevention, 658
Promising and Proven Substance Abuse Prevention Programs, 658
School-Based Approaches to Preventing Substance Abuse, 660
Science-Based Substance Abuse Prevention: A Guide, 658
Starting Early/Starting Smart, 87
Treatment Improvement Protocols (TIPS), 660
Understanding Substance Abuse Prevention: Toward the 21st Century, 658
Workforce Development, 664
Center for the Study and Prevention of Violence, 152
Centers for Disease Control (CDC)
 Guide to Community Preventive Services, 660–661
 Youth Risk Behavior Surveillance, 145
Centers for the Application of Prevention echnologies (CAPTS), 662–663
CEWG: *see* Community Epidemiology Work Group (CEWG)
- CFA model, 598*t*, 603
Chalmers, Thomas, 523–524
Chen, W. William, 411–426
CHES computers, 635
Child Development Project, 7, 336
Childhood aggression, 307–310
 comorbidity of outcomes, 309–310
 predictors, 308–309
 rejection by peers, 310
Childhood temperament and parenting, 316
Children of drug abuse treatment clients, methadone
 treatment settings, 173–196
 behavior problem, type of, 178*f*
Focus on Families, 181–191
 average age of participating parents, 182
 benefits and costs, 190
 components, 182
 creating family expectations, 184–185
 curricula reviewed, 191
 family communication skills, 184
 family-influenced risk factors, 179*t*
 family management skills, 184
 goal setting, 184
 habilitation, 186
 home-based case management, 185–189
 joining and engaging with families, 186–187
 monitoring, evaluating, and revising service plans, 188
 outcome summary, 189
 parent training, 183–185
 program implementation issues, 189
 relapse prevention, 184
 risk and relapse assessment, 187
 service plan agreement, 187
 service plan implementation, 187–188
 success in school, helping children with, 185
 teaching children skills, 185
 terminating with client, 188–189
 timeline, 182*f*
 focus on families: family-influenced risk factors, 179*t*
 negative emotional states, 179
 protective factors, 180
 teenage drug abuse, risk factors, 174–178
 treatment context, prevention in, 178–180
 treatment programs for children, principles, 180–181
Chinese immigrants, New York
 alcoholism, 419
Churches
 African-American, 151
Circularity of influence, 328
Clayton, Richard, 440
Cleveland State University, 633
Clinicians Handbook of Preventive Services, 661–662
CMC: *see* Computer-mediated communication (CMC)
CMI: *see* Computer-managed instruction (CMI)
Coalitions, community: *see* Community-focused drug abuse prevention

- Cocaine
Early Retrospective Study of Cocaine Treatment Outcomes, 208
- Cognition
 cognitive-behavioral intervention, 318
 gender issues, 356
 social-cognitive processes, 316–317
- Cohen, J., 613
- Coie, J. D., 4
- Cole, Kristin, 575–587
- Collins, Linda M., 557–573
- Colorado, University of
 Center for the Study and Prevention of Violence, 152
- Colorado State University
 Tri-Ethnic Center for Prevention Research, 394–395, 653
- Columbia University
 Striving Together to Achieve Rewarding Tomorrows (CASASTART), 7
- Coming Together on Prevention, 477
- Communities: *see also* Communities, mobilizing;
 Community-centered prevention; Community-focused drug abuse prevention
 African-Americans, drug abuse prevention, 386–388
 community action models, 223–224
 informal prevention strategies, 221–222
 Latino youth, community engagement, 374
 local government and community organization influences on community drug use, 228f
 supply reduction strategies, 218–219
- Communities, mobilizing, 129–144
 bonding, 130
 competent community, 140
 described, 131–132
 open systems model of community coalitions, 140, 141
 Oregon TOGETHER! Project: *see* Oregon TOGETHER! Project
 social development model, 130
 Washington State Community Youth Activity Program: *see* Washington State Community Youth Activity Program (CYAP)
- Communities That Care* project, 9, 655
- Community Approaches to Reducing Youth Use of Tobacco* (CSAP), 660
- Community-centered prevention
 Alaska Natives and American-Indian youth, 400–405
 community readiness, 404–405
 cultural sensitivity, 405
 research challenges, 403
- Community Epidemiology Work Group (CEWG), 255–256
- Community-focused drug abuse prevention, 145–156
 classes of systems, 148f
 coalitions, 146–147
 Community-focused drug abuse prevention (*cont.*)
 coalitions (*cont.*)
 open systems model of community coalitions, 140, 141
 environmental strategies, 151
 new approaches and tools, 147–150
 new challenges for
 evaluation, 153–154
 planning, 152–153
 research, 154–155
 oases of stability, 151–152
 successes, 150–152
 systems approach, 146
- Community ownership
 Mexican-American early adolescents, case study, 578–583
 advisory committee, 580
 benefits of community participation, 581–582
 drawbacks of community participation, 582–583
 public health education model, 579
 results of organizing, 580
 volunteers, 580
- Community Partnerships Program, 131, 221–222, 224
 “Community-wide Drug Abuse Prevention Model,” 663
- Co-morbidity
 childhood aggression, intervention outcomes, 309–310
 mental disorders and substance abuse disorders, cross-national comparisons, 447–472
 substance use and, 293–294
- Competence-enhancement approaches, 57–59f
 generic skills training approaches, 61–62
- Complexity, 542
- Comprehensive interventions, 300–301
- Comprehensive multilevel interventions, 301
- Comprehensive Regional Assistance Centers, 662
- Computer-assisted instruction (CAI), 630, 643
- Computer-assisted learning (CAL), 630–632, 633
- Computer-based simulation models, 154–155
- Computer-enriched instruction (CEI), 630
- Computer Link system, 634
- Computer-managed instruction (CMI), 630
- Computer-mediated communication (CMC), 634–635
- Computer technology, 629–648
 applications for prevention, 637–638
 AVIVA, 633
 branching capabilities, 631–632
 CHES computers, 635
 computer-assisted instruction (CAI), 630, 643
 computer-assisted learning (CAL), 630–632, 633
 computer-based drug abuse prevention, 639–642
 Body Awareness Resource Network (BARN), 641
 “If You Drink: A Guide to Alcohol Education,” 639
 interventions, 640f
 Refusal Challenges, 642
 “Say No with Donny,” 641



<http://www.springer.com/978-0-306-47342-5>

Handbook of Drug Abuse Prevention

Sloboda, Z.; Bukoski, W.J. (Eds.)

2006, XXVIII, 692 p., Hardcover

ISBN: 978-0-306-47342-5