

Contents

Part A Introduction

| | | |
|-------|--|----|
| 1 | Introduction | 3 |
| | J. NÖSBERGER and S.P. LONG | |
| 1.1 | Managed Ecosystems and the Future Supply of Raw Materials | 3 |
| 1.2 | Why are [CO ₂] Enrichment Studies with Managed Ecosystems Important? | 4 |
| 1.3 | Free-Air [CO ₂] Enrichment | 6 |
| 1.4 | Spatial and Temporal Scale | 7 |
| 1.5 | Elevated [CO ₂] Affects Plant Growth and Ecosystems via a Multitude of Mechanisms | 9 |
| 1.6 | Conclusions | 12 |
| | References | 12 |
| 2 | FACE Technology: Past, Present, and Future | 15 |
| | G.R. HENDREY and F. MIGLIETTA | |
| 2.1 | Introduction | 15 |
| 2.2 | Need for Controlled Experiments in the Field: Historical Perspective | 17 |
| 2.3 | Advantages of FACE | 21 |
| 2.4 | Problems and Limitations | 21 |
| 2.4.1 | CO ₂ as a Step Treatment | 22 |
| 2.4.2 | High-Frequency Variation in [CO ₂] | 23 |
| 2.4.3 | Limited Plot Size | 24 |

| | | |
|-------|---|----------|
| X | | Contents |
| 2.4.4 | Blower Effect | 24 |
| 2.5 | FACE Systems Engineering | 25 |
| 2.5.1 | Historical Perspective | 25 |
| 2.5.2 | BNL FACE Design | 26 |
| 2.5.3 | CNR FACE Design | 28 |
| 2.5.4 | Web-FACE | 29 |
| 2.6 | Multiple Variable Experiments | 30 |
| 2.7 | Future Perspectives | 32 |
| 2.7.1 | The GradFACE Design | 32 |
| 2.7.2 | HotFACE | 34 |
| 2.8 | Conclusions | 37 |
| | References | 39 |

Part B Case Studies

| | | |
|----------|--|-----------|
| 3 | The Effects of Free-Air [CO₂] Enrichment of Cotton, Wheat, and Sorghum | 47 |
| | B.A. KIMBALL | |
| 3.1 | Introduction | 47 |
| 3.2 | Description of the FACE System and Experimental Methodology | 47 |
| 3.3 | Cotton | 51 |
| 3.3.1 | Resource Availability | 51 |
| 3.3.2 | Resource Acquisition and Transformation | 52 |
| 3.3.2.1 | CO ₂ and Carbon | 52 |
| 3.3.2.2 | Light | 58 |
| 3.3.2.3 | Water | 58 |
| 3.3.2.4 | Nutrients | 59 |
| 3.3.3 | Consequences for Management | 59 |
| 3.3.4 | Consequences for Plant Breeding | 60 |
| 3.4 | Wheat | 60 |
| 3.4.1 | Resource Availability | 60 |
| 3.4.2 | Resource Acquisition and Transformation | 62 |
| 3.4.2.1 | CO ₂ and Carbon | 62 |
| 3.4.2.2 | Water | 62 |
| 3.4.2.3 | Nutrients | 63 |
| 3.4.3 | Consequences for Management | 63 |
| 3.4.4 | Consequences for Plant Breeding | 64 |
| 3.5 | Sorghum | 64 |

| | | |
|------------|---|--------|
| Contents | | XI |
| 3.5.1 | Resource Availability | 64 |
| 3.5.2 | Resource Acquisition and Transformation | 65 |
| 3.5.2.1 | CO ₂ and Carbon | 65 |
| 3.5.2.2 | Water | 65 |
| 3.5.2.3 | Nutrients | 65 |
| 3.5.3 | Consequences for Management | 66 |
| 3.5.4 | Consequences for Plant Breeding | 66 |
| 3.6 | Conclusions | 66 |
| References | | 67 |
| | | |
| 4 | SoyFACE: the Effects and Interactions of Elevated [CO₂] and [O₃] on Soybean | 71 |
| | D.R. ORT, E.A. AINSWORTH, M. ALDEA, D.J. ALLEN, C.J. BERNACCHI, M.R. BERENBAUM, G.A. BOLLERO, G. CORNIC, P.A. DAVEY, O. DERMODY, F.G. DOHLEMAN, J.G. HAMILTON, E.A. HEATON, A.D.B. LEAKEY, J. MAHONEY, T.A. MIES, P.B. MORGAN, R.L. NELSON, B. O'NEIL, A. ROGERS, A.R. ZANGERL, X.-G. ZHU, E.H. DeLUCIA, and S.P. LONG | |
| 4.1 | Introduction | 71 |
| 4.2 | Site Description | 71 |
| 4.3 | Experimental Treatments | 72 |
| 4.3.1 | Field Layout and Blocking | 72 |
| 4.3.2 | CO ₂ Treatment | 73 |
| 4.3.3 | O ₃ Treatment | 73 |
| 4.3.4 | CO ₂ × O ₃ Treatment | 74 |
| 4.4 | Resource Acquisition | 74 |
| 4.4.1 | Effects of [CO ₂] Treatment on Photosynthesis | 74 |
| 4.4.2 | Effects of [O ₃] Treatment on Photosynthesis | 77 |
| 4.4.3 | Effects of [CO ₂] and [O ₃] on Canopy Development | 78 |
| 4.4.4 | Effects of [CO ₂] and [O ₃] on Insect Herbivory | 78 |
| 4.5 | Resource Transformation | 79 |
| 4.5.1 | Effects of e[CO ₂] Treatment on Crop Production and Yield | 79 |
| 4.5.2 | Effects of O ₃ Treatment on Crop Production and Yield | 81 |
| 4.6 | Consequences for Future Soybean Crop Management and Plant Breeding | 81 |
| 4.7 | Conclusions | 83 |
| References | | 84 |

| | | |
|----------|--|------------|
| 5 | Paddy Rice Responses to Free-Air [CO₂] Enrichment | 87 |
| | K. KOBAYASHI, M. OKADA, H.Y. KIM, M. LIEFFERING, S. MIURA, and T. HASEGAWA | |
| 5.1 | Introduction to Rice | 87 |
| 5.2 | The Rice FACE Experiment: Phase 1 | 88 |
| 5.2.1 | Site Description, Plot Layout and Crop Management | 88 |
| 5.2.2 | Experimental Treatments | 89 |
| 5.2.2.1 | [CO ₂] Enrichment | 89 |
| 5.2.2.2 | N Fertilizer Application | 89 |
| 5.3 | Effects of e[CO ₂] on Paddy Rice | 89 |
| 5.3.1 | Effects on Resource Acquisition | 89 |
| 5.3.1.1 | Phenology | 89 |
| 5.3.1.2 | Light Capture by Leaves | 90 |
| 5.3.1.3 | Leaf Photosynthesis | 91 |
| 5.3.1.4 | Root Development | 92 |
| 5.3.1.5 | Tillering | 93 |
| 5.3.1.6 | Accumulation of Plant Biomass and Nitrogen | 93 |
| 5.3.2 | Effects on Resource Transformation | 95 |
| 5.3.2.1 | Distribution of Plant Biomass and N During Reproductive Growth | 95 |
| 5.3.2.2 | Grain Yield, Yield Components and Harvest Index | 96 |
| 5.3.2.3 | Grain Quality | 97 |
| 5.3.3 | Synthesis of Rice Plant Responses to e[CO ₂] and N Fertilization | 98 |
| 5.4 | Implications for Rice Production in e[CO ₂] | 100 |
| 5.4.1 | Prediction of Global Change Impacts | 100 |
| 5.4.2 | Adaptations to e[CO ₂] | 101 |
| 5.5 | Conclusions | 102 |
| | References | 103 |
| 6 | Growth and Quality Responses of Potato to Elevated [CO₂] . | 105 |
| | M. BINDI, F. MIGLIETTA, F. VACCARI, E. MAGLIULO, and A. GIUNTOLI | |
| 6.1 | Introduction | 105 |
| 6.2 | Site Description | 106 |
| 6.2.1 | Physical: Location, Size, Elevation, Layout of Experiment and Blocking | 106 |
| 6.2.2 | Soil Types, Tillage Practices, Fertilisation, Crop Samplings and Measurements | 106 |

| | | |
|---------|--|-----|
| 6.2.3 | Meteorological Description | 109 |
| 6.3 | Experimental Treatments | 110 |
| 6.3.1 | Elevated [CO ₂] | 110 |
| 6.4 | Resource Acquisition | 110 |
| 6.4.1 | Effect of Treatments | 110 |
| 6.4.1.1 | Photosynthesis | 110 |
| 6.4.1.2 | Canopy Temperature and Energy Balance | 112 |
| 6.4.1.3 | Water Consumption | 113 |
| 6.4.1.4 | Crop Phenology and Development | 113 |
| 6.4.1.5 | Herbivory | 113 |
| 6.5 | Resource Transformation | 114 |
| 6.5.1 | Effect of Treatments on Biomass Growth | 114 |
| 6.5.1.1 | Aboveground | 114 |
| 6.5.1.2 | Belowground | 114 |
| 6.5.2 | Effect of Treatments on Yield Quantity and Quality | 116 |
| 6.5.2.1 | Above- and Belowground Biomass | 116 |
| 6.5.2.2 | Tuber Physical Quality | 116 |
| 6.5.2.3 | Tuber Chemical Quality | 117 |
| 6.6 | Conclusions | 118 |
| | References | 119 |

| | | |
|----------|---|------------|
| 7 | Responses of an Arable Crop Rotation System to Elevated [CO₂] | 121 |
| | H.J. WEIGEL, R. MANDERSCHIED, S. BURKART, A. PACHOLSKI, K. WALOSZCZYK, C. FRÜHAUF, and O. HEINEMEYER | |
| 7.1 | Introduction | 121 |
| 7.2 | Site Description | 123 |
| 7.2.1 | Location, Climate, Meteorological and Soil Conditions | 123 |
| 7.2.2 | Crop Rotation and Agricultural Management | 123 |
| 7.2.3 | Treatment Design | 125 |
| 7.3 | Results | 126 |
| 7.3.1 | Resource Acquisition | 126 |
| 7.3.1.1 | [CO ₂] Effects on Photosynthesis (Canopy CO ₂ Exchange Rates) | 126 |
| 7.3.1.2 | [CO ₂] Effects on Canopy Evapotranspiration ET (Canopy H ₂ O Exchange Rate) | 127 |
| 7.3.1.3 | [CO ₂] Effects on Leaf Area Index | 129 |
| 7.3.2 | Resource Transformation | 130 |
| 7.3.2.1 | [CO ₂] Effects on Above-ground Biomass Production | 130 |
| 7.3.2.2 | [CO ₂] Effects on Below-ground Biomass Production | 131 |

| | | |
|------------|---|-----|
| 7.3.2.3 | [CO ₂] Effects on Soil Microbial Biomass | 132 |
| 7.3.2.4 | [CO ₂] Effects on In Situ Soil CO ₂ Efflux | 133 |
| 7.4 | Conclusions | 134 |
| References | | 135 |

| | | |
|----------|---|------------|
| 8 | Short- and Long-Term Responses of Fertile Grassland to Elevated [CO₂] | 139 |
| | A. LÜSCHER, U. AESCHLIMANN, M.K. SCHNEIDER, and H. BLUM | |

| | | |
|------------|--|-----|
| 8.1 | Introduction | 139 |
| 8.2 | Site Description | 140 |
| 8.3 | Experimental Treatments | 141 |
| 8.4 | Nutrient Availability: A Key Factor for the Plant's Response to e[CO ₂] | 142 |
| 8.4.1 | Above-Ground Yield | 142 |
| 8.4.2 | Resource Acquisition and Resource Allocation | 144 |
| 8.5 | Changes over 10 Years in the e[CO ₂] Response of Pure <i>L. perenne</i> Swards | 145 |
| 8.6 | N Availability in Soil | 158 |
| 8.7 | C and N Sequestration | 150 |
| 8.8 | Conclusions | 151 |
| References | | 152 |

| | | |
|----------|---|------------|
| 9 | Impacts of Elevated CO₂ on a Grassland Grazed by Sheep: the New Zealand FACE Experiment | 157 |
| | P.C.D. NEWTON, V. ALLARD, R.A. CARRAN, and M. LIEFFERING | |

| | | |
|------------|---|-----|
| 9.1 | Introduction | 157 |
| 9.2 | Site Description | 158 |
| 9.3 | Experimental Treatments | 159 |
| 9.4 | Resource Acquisition | 160 |
| 9.4.1 | Photosynthesis | 160 |
| 9.4.2 | Nutrients | 161 |
| 9.4.3 | Soil Moisture | 163 |
| 9.5 | Resource Transformation | 164 |
| 9.5.1 | Aboveground Yield and Species Composition | 164 |
| 9.5.2 | Belowground Yield | 165 |
| 9.5.3 | Chemical Composition and Feed Quality | 167 |
| 9.6 | Conclusions | 169 |
| References | | 169 |

| | | |
|-----------|--|------------|
| 10 | Responses to Elevated [CO₂] of a Short Rotation, Multispecies Poplar Plantation: the POPFACE/EUROFACE Experiment | 173 |
| | G. SCARASCIA-MUGNOZZA, C. CALFAPIETRA, R. CEULEMANS, B. GIELEN, M.F. COTRUFO, P. DEANGELIS, D. GODBOLD, M.R. HOOSBEEK, O. KULL, M. LUKAC, M. MAREK, F. MIGLIETTA, A. POLLE, C. RAINES, M. SABATTI, N. ANSELMi, and G. TAYLOR | |
| 10.1 | Introduction | 173 |
| 10.1.1 | Research Leading to This Experiment | 173 |
| 10.1.2 | Focus on Agroforestry Plantations | 173 |
| 10.1.3 | Objectives and Hypotheses | 174 |
| 10.2. | Site Description | 174 |
| 10.2.1 | Location and Layout of Experiment | 174 |
| 10.2.2 | Soil Types, Fertilisation, Irrigation | 176 |
| 10.2.3 | Meteorological Description | 176 |
| 10.2.4 | Stand History and Description | 177 |
| 10.3. | Experimental Treatment | 177 |
| 10.3.1 | Atmospheric [CO ₂] Enrichment | 177 |
| 10.3.2 | Nitrogen Fertilisation | 178 |
| 10.3.3 | Species Comparison | 178 |
| 10.3.4 | Interactions | 178 |
| 10.4 | Resource Acquisition | 179 |
| 10.4.1 | Photosynthesis and Respiration | 179 |
| 10.4.2 | Stomatal Conductance | 181 |
| 10.4.3 | Nitrogen and Other Nutrient Concentrations and Dynamics | 181 |
| 10.4.4 | LAI and Light Interception | 182 |
| 10.4.5 | Canopy Architecture | 184 |
| 10.4.6 | Root Development and Mycorrhizal Colonization | 184 |
| 10.5 | Resource Transformation | 185 |
| 10.5.1 | Aboveground Productivity | 185 |
| 10.5.2 | Belowground Productivity | 185 |
| 10.5.3 | Soil Carbon: Litter Production, Soil Respiration and C-Pools | 188 |
| 10.5.4 | Wood Quality and Biochemical Composition of Wood and Roots | 189 |
| 10.5.5 | Pest and Disease Susceptibility | 189 |
| 10.6 | Consequences and Implications | 190 |
| 10.6.1 | Forest Management | 190 |
| 10.6.2 | Global Carbon Cycle | 190 |
| 10.6.3 | Other Ecosystem Goods and Services | 191 |
| 10.7 | Conclusions | 192 |
| | References | 193 |

**11 The Duke Forest FACE Experiment: CO₂ Enrichment
 of a Loblolly Pine Forest 197**
 W.H. SCHLESINGER, E.S. BERNHARDT, E. H. DeLUCIA,
 D.S. ELLSWORTH, A.C. FINZI, G. R. HENDREY, K.S. HOFMOCKEL,
 J LICHTER, R. MATAMALA, D. MOORE, R. OREN, J.S. PIPPEN,
 and R.B. THOMAS

11.1 Introduction 197

11.2 Site Description 198

11.3 Results 200

11.3.1 Resource Acquisition 200

11.3.2 Resource Transformation 201

11.3.3 Nitrogen Limitation 205

11.4 Estimated Global Carbon Sink in Forests 207

11.5 Conclusions 208

References 208

**12 Impacts of Elevated Atmospheric [CO₂] and [O₃]
 on Northern Temperate Forest Ecosystems:
 Results from the Aspen FACE Experiment 213**
 D.F. KARNOSKY and K.S. PREGITZER

12.1 Introduction 213

12.2 Site Description 214

12.3 Experimental Treatments 215

12.4 Resource Acquisition 216

12.4.1 Photosynthesis and Conductance 216

12.4.2 Respiration 218

12.4.3 Nitrogen Dynamics 218

12.4.4 Leaf Area 218

12.4.5 Root Development 219

12.5 Resource Transformation 220

12.5.1 Growth and Productivity 220

12.5.2 Soil Carbon 221

12.5.3 Wood Quality 221

12.5.4 Pest, Disease and Herbivore Susceptibility 221

12.6 Consequences and Implications 222

12.7 Conclusions 226

References 226

**13 CO₂ Enrichment of a Deciduous Forest:
The Oak Ridge FACE Experiment 231**
R.J. NORBY, S.D. WULLSCHLEGER, P.J. HANSON,
C.A. GUNDERSON, T.J. TSCHAPLINSKI, and J.D. JASTROW

13.1 Introduction 231

13.2 Site Description 232

13.2.1 Physical 232

13.2.2 Soil Types 233

13.2.3 Meteorological Description 233

13.2.4 Stand Description 233

13.3 Experimental Treatments 234

13.4 Resource Acquisition 234

13.4.1 CO₂ Effects on Physiological Functions and Metabolites . . 234

13.4.1.1 Carbon 234

13.4.1.2 Water 236

13.4.1.3 Nitrogen 237

13.4.2 CO₂ Effects on Tree and Stand Structure 237

13.4.2.1 Leaf Area Index 237

13.4.2.2 Root System Structure 237

13.4.3 Structure–Function Integration 238

13.4.3.1 Carbon Uptake 238

13.4.3.2 Stand Water Use 238

13.4.3.3 Nitrogen Cycling 240

13.5 Resource Transformation 240

13.5.1 Productivity 240

13.5.1.1 Aboveground Production 240

13.5.1.2 Belowground Production 241

13.5.1.3 Ecosystem Productivity 241

13.5.2 Soil C 243

13.5.2.1 Carbon Input and Decomposition 243

13.5.2.2 Carbon Pools 243

13.5.2.3 Microbial Activity and Nutrient Cycling 244

13.5.3 Products 245

13.5.4 Biotic Interactions 245

13.6 Consequences and Implications 245

13.6.1 Forest Management 245

13.6.2 Global C Cycle 246

13.7 Conclusions 248

References 249

Part C Processes

| | | |
|-----------|--|------------|
| 14 | Long-Term Responses of Photosynthesis and Stomata to Elevated [CO₂] in Managed Systems | 253 |
| | S.P. LONG, E.A. AINSWORTH, C.J. BERNACCHI, P.A. DAVEY, G.J. HYMUS, A.D.B. LEAKEY, P.B. MORGAN, and C.P. OSBORNE | |
| 14.1 | Introduction | 253 |
| 14.1.1 | The Theory of Responses of Photosynthesis and Stomatal Conductance to Elevated [CO ₂] | 253 |
| 14.1.2 | Chamber Acclimation and Down-Regulation of Photosynthesis | 256 |
| 14.1.3 | A Purpose to Down-Regulation of Photosynthesis and Stomatal Conductance? | 257 |
| 14.1.4 | Expectations of FACE | 258 |
| 14.2 | Why FACE for Photosynthesis and Conductance? | 258 |
| 14.3 | Which FACE? | 260 |
| 14.4 | Have Findings From FACE Altered Perspectives? | 262 |
| 14.4.1 | Photosynthesis is Increased Less and Stomatal Conductance Decreased More in FACE | 262 |
| 14.4.2 | Photosynthesis is Stimulated Less at the Beginning and End of the Day | 262 |
| 14.4.3 | Stimulation of Photosynthesis is Sustained and Little Affected by Nitrogen Supply | 263 |
| 14.4.4 | In Vivo Rubisco Activity is Decreased More than Capacity for RubP Regeneration | 265 |
| 14.5 | Conclusion | 266 |
| | References | 267 |
| | | |
| 15 | Carbon Partitioning and Respiration – Their Control and Role in Plants at High CO₂ | 271 |
| | P.W. HILL, J.F. FARRAR, E.L. BODDY, A.M. GRAY, and D.L. JONES | |
| 15.1 | Introduction | 271 |
| 15.2 | A Brief Background to Partitioning of Dry Matter and Carbon | 272 |
| 15.3 | Export From Source Leaves | 273 |
| 15.4 | Whole-Plant Partitioning | 275 |
| 15.4.1 | Growth and Development | 277 |
| 15.5 | Within Root Partitioning | 278 |
| 15.5.1 | Roots are a Sink for Photosynthetically Fixed C | 279 |

| | | |
|------------|---|------------|
| Contents | | XIX |
| 15.5.2 | Root Growth | 280 |
| 15.5.3 | Exudation, Mucilage, and Cell Death | 280 |
| 15.5.4 | Root Death and Turnover | 281 |
| 15.5.5 | Elevated CO ₂ and FACE Experiments | 281 |
| 15.6 | Respiration | 282 |
| 15.6.1 | Direct and Indirect Effects of CO ₂ | 282 |
| 15.6.2 | Above-Ground Respiration and FACE | 284 |
| 15.6.3 | Roots in Soil | 284 |
| 15.6.4 | Below-Ground Respiration and FACE | 285 |
| 15.7 | Conclusion | 286 |
| References | | 287 |
| 16 | The Response of Foliar Carbohydrates to Elevated [CO₂] . . | 293 |
| | A. ROGERS and E.A. AINSWORTH | |
| 16.1 | Introduction | 293 |
| 16.1.1 | Why is it Important to Understand the Response of Foliar Carbohydrates to Growth at e[CO ₂]? | 293 |
| 16.1.2 | What Were the Known Effects of e[CO ₂] on Foliar Carbohydrates Before FACE? | 294 |
| 16.2 | Do Carbohydrates Accumulate in the Leaves of Plants Grown in the Field Using FACE Technology? | 295 |
| 16.3 | Manipulations of Source–Sink Balance | 298 |
| 16.4 | The Effect of Nitrogen Supply on Sink Capacity | 301 |
| 16.5 | What Are the Signs of a Limited Sink Capacity? | 303 |
| 16.6 | Conclusion | 305 |
| References | | 305 |
| 17 | Evapotranspiration, Canopy Temperature, and Plant Water Relations | 311 |
| | B.A. KIMBALL and C.J. BERNACCHI | |
| 17.1 | Introduction | 311 |
| 17.2 | Canopy Temperature | 311 |
| 17.3 | Evapotranspiration | 314 |
| 17.3.1 | Changes in ET with e[CO ₂] | 314 |
| 17.3.2 | Correlations of ET with Canopy Temperature and Shoot Biomass Changes | 315 |
| 17.3.3 | Applicability of Plot-Scale ET Measurements to Regional Scales | 317 |
| 17.3.4 | Combined Physiological and Global-Warming Effects of e[CO ₂] on ET | 318 |

| | | |
|------------|--------------------------------------|-----|
| 17.4 | Soil Water Content | 319 |
| 17.5 | Plant Water Use Efficiency | 320 |
| 17.6 | Plant Water Relations | 320 |
| 17.7 | Conclusions | 321 |
| References | | 322 |

18 **Biological Nitrogen Fixation: A Key Process for the Response of Grassland Ecosystems to Elevated Atmospheric [CO₂]** . . 325

U.A. HARTWIG and M.J. SADOWSKY

| | | |
|------------|---|-----|
| 18.1 | Introduction | 325 |
| 18.2 | Elevated Atmospheric [CO ₂] Appears Not to Affect the Activity of Symbiotic N ₂ Fixation | 326 |
| 18.3 | The Initial Response of Symbiotic N ₂ Fixation to Elevated Atmospheric [CO ₂] Under Field Conditions is Different From That Under Continuous Nutrient Supply | 326 |
| 18.4 | What Are the Possible Reasons For the Differential Responses of Symbiotic N ₂ Fixation to Elevated Atmospheric [CO ₂] in Laboratory and Field Experiments? | 328 |
| 18.5 | The Time Component, While Often Suggested, Is Now Evident in the 10-Year Swiss FACE Experiment | 330 |
| 18.6 | The Significance of Symbiotic N ₂ Fixation Under Elevated Atmospheric [CO ₂] in Terrestrial Ecosystems: An Attempt to Reach a General Conclusion | 331 |
| 18.7 | Conclusion | 332 |
| References | | 333 |

19 **Effects of Elevated [CO₂] and N Fertilization on Interspecific Interactions in Temperate Grassland Model Ecosystems** . . 337

A. LÜSCHER and U. AESCHLIMANN

| | | |
|--------|---|-----|
| 19.1 | Introduction | 337 |
| 19.2 | Materials and Methods | 338 |
| 19.2.1 | Experimental Site | 338 |
| 19.2.2 | Experimental Treatments | 339 |
| 19.2.3 | Data Collection and Statistical Analysis | 340 |
| 19.3 | Results | 340 |
| 19.3.1 | Proportion of <i>T. repens</i> in Mixture | 340 |
| 19.3.2 | Biomass and Nitrogen Yield | 340 |

| | | |
|------------|--|---------|
| Contents | | XXI |
| 19.3.3 | Relative Yield of Biomass and Nitrogen | 342 |
| 19.4 | Discussion | 343 |
| 19.4.1 | Interspecific Differences in the Response to e[CO ₂] Were Augmented in the Mixed Community When Compared to the Pure Sward | 343 |
| 19.4.2 | Competitive Ability Depended Strongly on the Species, the N and [CO ₂] Treatments | 344 |
| 19.4.3 | Resource Complementarity Strongly Depended on the N and [CO ₂] Treatments | 345 |
| 19.5 | Conclusions | 347 |
| References | | 348 |
| 20 | The Potential of Genomics and Genetics to Understand Plant Response to Elevated Atmospheric [CO₂] | 351 |
| | G. TAYLOR, P.J. TRICKER, L.E. GRAHAM, M.J. TALLIS, A.M. RAE, H. TREWIN, and N.R. STREET | |
| 20.1 | Introduction | 351 |
| 20.1.1 | What We Know and What We Need to Know | 351 |
| 20.1.2 | Can an Integrative (Systems) Biology Approach be Useful? | 352 |
| 20.2 | Genomics in Field-Grown Plants | 354 |
| 20.2.1 | Transcript Profiling | 354 |
| 20.2.2 | Use of Expression Arrays in FACE Experiments | 356 |
| 20.2.3 | QTL Discovery for Responsive Traits | 358 |
| 20.2.4 | Association Genetics | 359 |
| 20.3 | Proteomics and Metabolomics in Field-Grown Plants | 361 |
| 20.4 | The Importance of Experimental Design and Sampling Strategy in FACE Facilities | 364 |
| 20.5 | The Future | 366 |
| 20.6 | Conclusions | 366 |
| References | | 367 |
| 21 | The Impact of Elevated Atmospheric [CO₂] on Soil C and N Dynamics: A Meta-Analysis | 373 |
| | K.-J. VAN GROENIGEN, M.-A. DE GRAAFF, J. SIX, D. HARRIS, P. KUIKMAN, and C. VAN KESSEL | |
| 21.1 | Introduction | 373 |
| 21.2 | Materials and Methods | 374 |

| | | |
|--------|--|-----|
| 21.2.1 | Database Compilation | 374 |
| 21.2.2 | Statistical Analyses | 376 |
| 21.3 | Results | 377 |
| 21.3.1 | Soil C and N Contents | 377 |
| 21.3.2 | Microbial Biomass and Activity | 379 |
| 21.4 | Discussion | 381 |
| 21.4.1 | Soil C Contents | 381 |
| 21.4.2 | Microbial Biomass and Activity | 383 |
| 21.4.3 | Soil N Dynamics | 384 |
| 21.5 | Future Research Needs | 385 |
| 21.6 | Conclusions | 386 |
| | References | 388 |

**22 The Influence of Elevated [CO₂] on Diversity, Activity
and Biogeochemical Functions of Rhizosphere
and Soil Bacterial Communities 393**
S. TARNAWSKI and M. ARAGNO

| | | |
|--------|--|-----|
| 22.1 | Introduction | 393 |
| 22.2 | Interactions Between Soil Microbiota and Rhizosphere Conditions | 394 |
| 22.3 | Effect of e[CO ₂] on Rhizodeposition | 397 |
| 22.4 | Responses of Microbial Biomass, Cell Number and Activity | 398 |
| 22.5 | Effects on Soil Structure and Enzyme Activities | 400 |
| 22.6 | Responses of Bacterial Community Structure to e[CO ₂] . . . | 400 |
| 22.7 | Elevated [CO ₂] and Nitrogen Cycle in Soil and Rhizosphere | 402 |
| 22.7.1 | N-pools, Uptake and Mineralization | 402 |
| 22.7.2 | N ₂ Fixation | 403 |
| 22.7.3 | Nitrification | 403 |
| 22.7.4 | Denitrification | 404 |
| 22.8 | Plant-Growth Promoting Rhizobacteria | 406 |
| 22.9 | Discussion and Perspectives | 406 |
| 22.10 | Conclusions | 408 |
| | References | 409 |

23 Increases in Atmospheric [CO₂] and the Soil Food Web . . . 413
D.A. PHILLIPS, T.C. FOX, H. FERRIS, and J.C. MOORE

| | | |
|--------|---------------------------------------|-----|
| 23.1 | Introduction | 413 |
| 23.1.1 | Soil Food Webs: The Concept | 414 |

| | | |
|------------|---|-----|
| 23.2 | Effects of Elevated [CO ₂] on Soil Organic Matter and the Food Web | 415 |
| 23.3 | Root Exudation and the Effects of Elevated [CO ₂] | 417 |
| 23.4 | Linking Plants to Soil Food Webs under Changing [CO ₂] | 419 |
| 23.5 | Conclusions | 422 |
| References | | 423 |

Part D Perspectives

| | | |
|------------|---|-----|
| 24 | FACE Value: Perspectives on the Future of Free-Air CO₂ Enrichment Studies | 431 |
| | A. ROGERS, E.A. AINSWORTH, and C. KAMMANN | |
| 24.1 | The Value of FACE Experiments | 431 |
| 24.2 | What Have We Learnt From FACE? | 432 |
| 24.2.1 | Photosynthesis and Aboveground Productivity | 432 |
| 24.2.2 | Photosynthetic Acclimation | 433 |
| 24.2.2.1 | Response of Different Functional Groups | 434 |
| 24.2.2.2 | Belowground Responses | 435 |
| 24.3 | What Is Missing From Current FACE Research and What Are the Gaps in Understanding? | 437 |
| 24.3.1 | Additional Treatments | 437 |
| 24.3.2 | Future Challenges | 438 |
| 24.3.3 | What Is the Fate of C Partitioned Belowground? | 439 |
| 24.3.3.1 | N Cycling | 440 |
| 24.3.3.2 | Soil Faunal Food Webs and Soil Structure | 440 |
| 24.3.3.3 | Trace Gases | 440 |
| 24.4 | Technologies for Future FACE Science | 441 |
| 24.4.1 | The Use of Stable Isotopes | 441 |
| 24.4.2 | Genomic Technologies and Tools in FACE | 442 |
| 24.5 | A Potential Problem for Long-Running FACE Experiments? | 443 |
| 24.6 | Conclusion | 444 |
| References | | 445 |

| | |
|-------------------------|-----|
| Subject Index | 451 |
|-------------------------|-----|

Managed Ecosystems and CO₂

Case Studies, Processes, and Perspectives

Nösberger, J.; Long, S.P.; Norby, R.J.; Stitt, M.; Hendrey,
G.R.; Blum, H. (Eds.)

2006, XL, 459 p., Hardcover

ISBN: 978-3-540-31236-9