

Contents

Preface	vii
1 Introduction to the Lot Streaming Problem	1
1.1 Introduction	1
1.2 Terminology	2
1.2.1 Consistent and Variable Sublots	2
1.2.2 Equal Sublots	2
1.2.3 Continuous and Discrete Sublot Sizes	4
1.2.4 Critical Sublot	4
1.2.5 Lot-Attached and Lot-Detached Setups	4
1.2.6 Run-In and Run-Out Times for a Lot j	5
1.2.7 Run-In and Run-Out Times for a Sequence of Lots	5
1.2.8 Start and Stop Lags	6
1.2.9 Transfer Lag	6
1.2.10 No Idling	7
1.2.11 Intermittent Idling	7
1.2.12 No-Wait Flow Shop	7
1.3 Assumptions, Notation, and Classification Scheme	7
1.3.1 Assumptions	7
1.3.2 Notation	8
1.3.3 Classification Scheme	8
1.4 Dominance in Lot Streaming Models	9
1.5 Potential Benefits of Lot Streaming	9
1.5.1 $m/1/E/II/CV/\{C_{\max}, MFT, \overline{WIP}\}$	10
1.5.1.1 Makespan (C_{\max})	10
1.5.1.2 Mean Flow Time (MFT)	11
1.5.1.3 Average WIP Level (\overline{WIP})	13
1.5.2 $m/N/E/II/CV/\{C_{\max}, MFT, \overline{WIP}\}$	15
1.5.2.1 Makespan (C_{\max})	15
1.5.2.2 Mean Flow Time (MFT)	17
1.5.2.3 Average WIP Level (\overline{WIP})	18
1.6 A Brief Historical Perspective	20
1.6.1 Evolution of Lot Streaming	20
1.6.2 Research in Lot Streaming	22

1.6.2.1	Two-Machine Lot Streaming Problems	22
1.6.2.2	Three-Machine Lot Streaming Problems	24
1.6.2.3	m -Machine Lot Streaming Problems	26
1.7	Applications of Lot Streaming	30
1.8	Chapter Summary	31
2	Generic Mathematical Models for the Flow Shop Lot Streaming Problem	33
2.1	Introduction	33
2.2	Some Generic Mathematical Models for the Flow Shop Lot Streaming Problem	33
2.2.1	Notation	33
2.2.2	$m/N/\{C,E,V\}/\{II,NI\}/\{CV,DV\}/\{\text{Lot-Attached Setup and Removal Times, Sublot Transfer Times, No Intermingling}\}$	35
2.2.3	$m/N/\{C,E,V\}/\{II,NI\}/\{CV,DV\}/\{\text{Lot-Detached Setup and Removal Times, Sublot Transfer Times, No Intermingling}\}$	40
2.2.4	$m/N/\{C,E,V\}/\{II,NI\}/\{CV,DV\}/\{\text{Sublot-Attached Setup and Removal Times, Sublot Transfer Times, Intermingling}\}$	42
2.2.5	$m/N/\{C,E,V\}/\{II,NI\}/\{CV,DV\}/\{\text{Sublot-Detached Setup and Sublot-Attached Removal Times, Sublot Transfer Times, Intermingling}\}$	45
2.2.6	The Case of Variable Sublots	47
2.3	Mathematical Models for Special Cases	50
2.3.1	$2/1/C/\{II,NI\}/\{CV,DV\}/\{\text{Lot-Detached Setup, No-Wait}\}$	50
2.3.2	$2/N/C/\{II,NI\}/\{CV,DV\}/\{\text{Lot-Attached/Detached Setup, Sublot Transfer Times}\}$	53
2.3.3	$2/1/C/II/CV/\sum_{i=1}^n s_i C_{i2}$	55
2.3.4	$2/1/C/II/CV/\sum_{i=1}^n s_i C_{i2}$, Sublot-Attached Setup	56
2.3.5	$3/1/C/\{NI,II\}/\{CV,DV\}/\{\text{No Setup}\}$	57
2.3.6	$m/1/C/II/CV/\sum_{i=1}^2 x_i C_{im}$	57
2.3.7	$m/1/E/II/CV/\text{Sublot-Attached Setup, Transfer Times/Unified Cost Function}$	59
2.4	Chapter Summary	59
3	Two-Machine Lot Streaming Models	61
3.1	A Brief Overview	61
3.2	$2/1/C/\{NI,II\}/CV$	63
3.3	$2/1/C/\{NI,II\}/DV$	71
3.3.1	Sublot Sizing Algorithm for $2/1/C/\{NI,II\}/DV$	79
3.4	$2/1/C/II/CV/\{\text{Lot-Detached Setup Times, No-Wait}\}$	81
3.5	$2/1/C/II/DV/\{\text{Lot-Detached Setup Times, No-Wait}\}$	84
3.5.1	A Heuristic Solution Procedure for Unequal Integer Sublot Sizes (H_{UE}^{INT})	85



<http://www.springer.com/978-0-387-47687-2>

Flow Shop Lot Streaming
Sarin, S.C.; Jaiprakash, P.
2007, XII, 254 p., Hardcover
ISBN: 978-0-387-47687-2