

Contents

1	Introduction	1
2	Previous Work, Status and Overview	5
2.1	Energy Loss in an Unmagnetized One–Component–Plasma (OCP)	5
2.2	Challenges Imposed by the Magnetic Field	11
2.3	Classical-Trajectory-Monte-Carlo (CTMC) Simulations	14
2.4	Dielectric Treatment (DT), Vlasov–Poisson Equation, Linear Response (LR)	16
2.5	Particle-In-Cell (PIC) Simulations	22
3	Binary Collision Model	25
3.1	Introductory Remarks	25
3.2	Equations of Motion	26
3.3	Energy Loss and Velocity Transfer	28
3.4	General Interactions, no Magnetic Field	29
3.5	Binary Collisions (BC) in a Magnetic Field	33
3.6	Parallel Ion Motion	39
3.7	Chaotic Scattering and Validity of the Perturbation Treatment	42
3.8	Binary Collision Model for Arbitrary Ion Motion in a Strong Field	51
3.9	Binary Collisions in a Weak Field	57
3.10	Impact Parameter Integration and Velocity Averaging	61
3.11	Velocity Diffusion (Straggling) of Charged Particles in a Magnetic Field	68
4	Dielectric Theory	73
4.1	Stopping Power (SP) in Plasmas Without Magnetic field	73
4.2	Stopping in Plasmas With Weak Magnetic field	76
4.2.1	Small Projectile Velocities	77
4.2.2	High Projectile Velocities	78
4.3	Stopping in Plasmas With Strong Magnetic Field	79
4.3.1	Small Projectile Velocities	81
4.3.2	High Projectile Velocities	81
4.4	Stopping in the Low-Velocity Limit at Arbitrary Field Strengths	83
4.5	High-Velocity SP in a Magnetized Plasma	85
4.5.1	Heavy Ions With Rectilinear Trajectories	87

4.5.2	Weakly Coupled Plasma with Strong Magnetic Fields	91
4.5.3	Light Ions, The Effect of the Cyclotron Rotation	93
4.6	Reduced LR (RLR) Treatment	96
4.6.1	RLR, LR and BC Treatments Without Magnetic Field	98
4.6.2	RLR, LR and BC Treatments With Strong Magnetic Fields	100
4.7	Conformity Between Reduced LR and BC approaches	106
5	Quantum Theory of SP in Magnetized Plasmas	109
5.1	Dielectric Theory	109
5.2	Equation of State for Quantum Magnetized Plasmas	115
5.2.1	Critical Temperature	115
5.2.2	Fully Degenerate Electron Plasma	116
5.2.3	Semiclassical and Classical Limits	118
5.3	Dielectric Function, Fully Degenerate Plasma	118
5.3.1	Fully Degenerate Plasma in a Strong Magnetic Field	120
5.3.2	Acoustic Plasma Resonance	121
5.4	Dielectric Function, Semiclassical Limit	121
5.5	Stopping Power in a Magnetized Quantum Plasma	124
5.5.1	Low-Velocity Stopping Power in a Semiclassical Regime	124
5.5.2	Stopping power in an Infinitely Strong Magnetic Field, Low-Velocity Limit	126
5.5.3	Stopping power in a Strong Magnetic Field in the Nearly Degenerate Regime	129
5.6	Binary Collision Treatment, Conformity Between BC and RLR	130
5.7	Correspondence Between Quantum and Classical BC Treatments	134
5.7.1	Cartesian Basis	134
5.7.2	Cylindrical Basis	137
5.8	Averaged Classical Second-Order Energy Transfer	140
6	Applications and Illustrating Examples	143
6.1	Electron Cooling in Storage Rings	143
6.1.1	Energy Loss and Drag Force	144
6.1.2	Cooling Forces	145
6.1.3	Emittance and momentum spread	148
6.2	Electron Cooling in Penning Traps	150
6.2.1	Modeling of the Cooling Process in a Trap	151
6.2.2	Cooling of Protons and Highly Charged Ions	153
6.2.3	Cooling of Antiprotons and Protons by Electrons and Positrons	159
7	Summary and Conclusion	165
A	Dielectric Function of the Magnetized Electron-Ion Plasma	169
B	Anomalous Term	171

C	Dielectric Function of the Magnetized Quantum Plasma	173
D	Some Properties of the Function $F_{nn'}(\zeta)$	175
	References	177
	List of Symbols and Abbreviations	183

Interactions Between Charged Particles in a Magnetic
Field

A Theoretical Approach to Ion Stopping in Magnetized
Plasmas

Nersisyan, H.; Toepffer, C.; Zwicknagel, G.

2007, XI, 187 p., Hardcover

ISBN: 978-3-540-69853-1