

Contents

| | | |
|----------|--|-----------|
| 1 | Fungal Siderophores: Structure, Functions and Regulation | 1 |
| | <i>Aparajita Das¹, Ram Prasad¹, Abhishek Srivastava², Pham Huong Giang³, Kamyia Bhatnagar¹ and Ajit Varma¹</i> | |
| 1.1 | Introduction | 1 |
| 1.1.1 | Significance of Terrestrial Fungi | 1 |
| 1.1.2 | Mycorrhiza | 2 |
| 1.1.3 | Role of Fungi in Industry | 6 |
| 1.1.4 | A Novel Endophytic Fungus <i>Piriformospora indica</i> | 7 |
| 1.2 | Siderophores | 8 |
| 1.2.1 | Bacterial Siderophores | 8 |
| 1.2.2 | Fungal Siderophores | 9 |
| 1.3 | Functions of Siderophores | 26 |
| 1.4 | Siderophores as Pathogenic Factor | 27 |
| 1.4.1 | Activities | 27 |
| 1.4.2 | Host Response | 28 |
| 1.4.3 | Clinical Applications | 28 |
| 1.5 | Agricultural Interest | 29 |
| 1.6 | Utilization of Siderophores by Nonproducers | 29 |
| 1.7 | Acidification and Mobilization | 30 |
| 1.8 | <i>Piriformospora indica</i> and Siderophore | 31 |
| 1.9 | Methods to Characterize Siderophore | 32 |
| 1.9.1 | Procedure for Detection of Siderophore | 32 |
| 1.9.2 | Isolation of Siderophore | 33 |
| 1.9.3 | Cultivation of <i>Piriformospora indica</i> | 34 |
| 1.10 | Conclusions | 34 |
| | References | 35 |
| 2 | Siderotyping and Bacterial Taxonomy: A Siderophore Bank for a Rapid Identification at the Species Level of Fluorescent and Non-Fluorescent <i>Pseudomonas</i> | 43 |
| | <i>Jean-Marie Meyer</i> | |
| 2.1 | Introduction | 43 |
| 2.2 | Siderophores of <i>Pseudomonas</i> | 44 |

| | | |
|----------|---|-----------|
| 2.3 | Siderotyping Methods | 46 |
| 2.3.1 | Siderotyping Through Isoelectrofocusing | 48 |
| 2.3.2 | Siderotyping Through Siderophore-Mediated Iron Uptake | 50 |
| 2.4 | Siderotyping as a Powerful Tool for the Search of New Siderophores | 54 |
| 2.5 | Siderotyping as a Powerful Tool for <i>Pseudomonas</i> Taxonomy and Phylogeny | 54 |
| 2.6 | Siderotyping and Environmental/Ecological Microbiology | 56 |
| 2.7 | Raising a Pyoverdine Bank Based on IEF Patterns | 57 |
| 2.8 | Conclusions | 60 |
| | References | 61 |
| 3 | Siderotyping, a Tool to Characterize, Classify and Identify Fluorescent Pseudomonads | 67 |
| | <i>Alain Bultreys</i> | |
| 3.1 | Introduction | 67 |
| 3.2 | Siderophore Specificity | 68 |
| 3.2.1 | Specificity of Production | 68 |
| 3.2.2 | Specificity of Utilization and Heterologous Uptake | 68 |
| 3.3 | Siderotyping Methods | 69 |
| 3.3.1 | Siderophore Uptake Experiments | 69 |
| 3.3.2 | Electrophoretic Methods | 69 |
| 3.3.3 | Chromatographic Methods | 70 |
| 3.3.4 | Mass Spectrometry (MS) | 70 |
| 3.3.5 | Use of Modified Indicator Strains | 70 |
| 3.3.6 | Genetic Tests | 71 |
| 3.4 | Siderophores of Fluorescent Pseudomonads | 71 |
| 3.4.1 | Pyochelin and its By-Product Salicylic Acid | 71 |
| 3.4.2 | Pseudomonine | 72 |
| 3.4.3 | Yersiniabactin | 73 |
| 3.4.4 | Pyridine-2,6-bis(monothiocarboxylic acid) (PDTC) | 75 |
| 3.4.5 | Quinolobactin | 76 |
| 3.4.6 | Pyoverdin (Pseudobactin) | 76 |
| 3.5 | Conclusions | 81 |
| | References | 81 |
| 4 | Siderophores of Symbiotic Fungi | 91 |
| | <i>Kurt Haselwandter and Günther Winkelmann</i> | |
| 4.1 | Introduction | 91 |
| 4.2 | Fungi Forming Mutualistic Symbioses with Plants | 92 |
| 4.2.1 | Ectomycorrhizal Fungi | 93 |
| 4.2.2 | Arbuscular Mycorrhizal Fungi | 93 |
| 4.2.3 | Ericoid Mycorrhizal Fungi | 94 |

| | | |
|----------|---|------------|
| 4.2.4 | Orchidaceous Mycorrhizal Fungi | 95 |
| 4.2.5 | Ectendomycorrhizal Fungi | 95 |
| 4.2.6 | Dark Septate Endophytes | 96 |
| 4.2.7 | Mycobionts of Lichens | 96 |
| 4.3 | Outlook | 97 |
| | References | 100 |
| 5 | Protein-mediated Siderophore Uptake in Gram-negative Bacteria: A Structural Perspective | 105 |
| | <i>José D. Faraldo-Gómez</i> | |
| 5.1 | Introduction | 105 |
| 5.2 | Transport Across the Outer Membrane | 107 |
| 5.2.1 | The Outer-Membrane Receptor and Transporter Proteins | 107 |
| 5.2.2 | Energy Transduction and TonB | 110 |
| 5.3 | Transport Across the Periplasm and Cytoplasmic Membrane ... | 111 |
| 5.3.1 | Periplasmic Binding Proteins | 111 |
| 5.3.2 | The Cytoplasmic-membrane ABC Transporters | 114 |
| 5.4 | Conclusions | 117 |
| | References | 117 |
| 6 | Competition for Iron and Induced Systemic Resistance by Siderophores of Plant Growth Promoting Rhizobacteria | 121 |
| | <i>Monica Höfte and Peter A.H.M. Bakker</i> | |
| 6.1 | Introduction | 121 |
| 6.2 | Role of Siderophores and Iron-Regulated Compounds in ISR .. | 122 |
| 6.2.1 | <i>Pseudomonas aeruginosa</i> 7NSK2 | 122 |
| 6.2.2 | <i>Pseudomonas fluorescens</i> CHA0 and <i>P. fluorescens</i> P3 ... | 125 |
| 6.2.3 | <i>Pseudomonas fluorescens</i> WCS417 and WCS374 | 126 |
| 6.2.4 | <i>Pseudomonas putida</i> WCS358 | 127 |
| 6.2.5 | <i>Pseudomonas putida</i> BTP1 | 128 |
| 6.2.6 | <i>Serratia marcescens</i> 90-166 | 128 |
| 6.3 | Conclusions | 129 |
| | References | 130 |
| 7 | Pyoverdine Synthesis and its Regulation in Fluorescent Pseudomonads | 135 |
| | <i>Paolo Visca, Franceso Imperi and Iain L. Lamont</i> | |
| 7.1 | Introduction | 135 |
| 7.1.1 | Historical Perspective | 135 |
| 7.2 | Pyoverdine Genes in <i>Pseudomonas aeruginosa</i> PAO1 | 137 |
| 7.2.1 | Peptide Synthetase Genes <i>pvdD</i> , <i>pvdI</i> , <i>pvdJ</i> and <i>pvdL</i> ... | 140 |
| 7.2.2 | The <i>pvdA</i> and <i>pvdF</i> Genes | 142 |

| | | |
|----------|---|------------|
| 7.2.3 | The <i>pvdH</i> Gene | 143 |
| 7.2.4 | Other <i>pvd</i> Genes | 143 |
| 7.2.5 | The <i>pvc</i> Genes | 144 |
| 7.2.6 | Intermediate-Based Studies of Pyoverdine Synthesis | 145 |
| 7.2.7 | The Biosynthetic Pathway of Type I Pyoverdine in <i>P. aeruginosa</i> PAO1 | 145 |
| 7.3 | Iron Regulation of Pyoverdine Synthesis: The Master Roles of Fur and PvdS | 148 |
| 7.4 | Receptor-dependent Autoregulation of Pyoverdine Synthesis ... | 150 |
| 7.4.1 | The FpvA Receptor | 152 |
| 7.4.2 | The FpvR Antisigma | 153 |
| 7.4.3 | A Divergent Signalling Pathway from FpvR to PvdS and FpvI Sigma Factors | 154 |
| 7.4.4 | Additional Regulatory Proteins Involved in Modulation of Pyoverdine Gene Expression | 155 |
| 7.4.5 | Strain- and Species-dependent Variability of Pyoverdine Synthesis and Regulation | 155 |
| 7.5 | Conclusions | 157 |
| | References | 157 |
| 8 | Implication of Pyoverdines in the Interactions of Fluorescent Pseudomonads with Soil Microflora and Plant in the Rhizosphere | 165 |
| | <i>Philippe Lemanceau, Agnès Robin, Sylvie Mazurier, Gérard Vansuyt</i> | |
| 8.1 | Introduction | 165 |
| 8.2 | Contribution of Pyoverdines to Microbial Interactions in the Rhizosphere | 168 |
| 8.2.1 | Competitive Advantage Given by Pyoverdine-Mediated Iron Uptake | 168 |
| 8.2.2 | Implication of Pyoverdines in Microbial Antagonism ... | 170 |
| 8.3 | Contribution of Pyoverdines to Plant-Microbe Interactions in the Rhizosphere | 178 |
| 8.3.1 | Induced Systemic Resistance | 178 |
| 8.3.2 | Implication of Pyoverdine in Plant Nutrition | 180 |
| 8.4 | Conclusions | 183 |
| | References | 184 |
| 9 | <i>Pseudomonas</i> Siderophores and their Biological Significance | 193 |
| | <i>Pierre Cornelis and Sandra Matthijs</i> | |
| 9.1 | Introduction | 193 |
| 9.2 | Pyoverdines | 193 |
| 9.2.1 | Biological Activities of Pyoverdines | 194 |
| 9.2.2 | Induction of Resistance to Plant Pathogens by Pyoverdines | 195 |

| | | |
|-----------|---|------------|
| 9.3 | Secondary Siderophores | 195 |
| 9.3.1 | Pyochelin and Other Thiazolines | 195 |
| 9.3.2 | Heteroaromatic Monothiocarboxylic Acids | 197 |
| 9.4 | Conclusion | 199 |
| | References | 200 |
| 10 | Microbial Siderophores in Human and Plant Health-Care | 205 |
| | <i>S.B. Chincholkar, B.L. Chaudhari and M.R. Rane</i> | |
| 10.1 | Introduction | 205 |
| 10.2 | Microbial Siderophores for Living System/for Health | 206 |
| 10.2.1 | Applications in Health Sector | 206 |
| 10.3 | Iron Nutrition in Plants | 209 |
| 10.4 | Role of Microbial Siderophores in Plant Health | 211 |
| 10.4.1 | Competition for Iron | 212 |
| 10.4.2 | Induced Systemic Resistance (ISR) | 212 |
| 10.4.3 | Indirect Contribution to Biological Control | 212 |
| 10.5 | Conclusion | 213 |
| | References | 214 |
| 11 | Biotechnological Production of Siderophores | 219 |
| | <i>María Elena Díaz de Villegas</i> | |
| 11.1 | Introduction | 219 |
| 11.2 | Genus <i>Pseudomonas</i> | 220 |
| 11.3 | Siderophores Production in Liquid Culture | 221 |
| 11.3.1 | Iron Influence | 222 |
| 11.3.2 | Nature of Nitrogen and Carbon Source | 223 |
| 11.3.3 | Behavior of pH During Siderophore Production | 225 |
| 11.3.4 | Influence of Culture Temperature on Siderophore Production | 226 |
| 11.4 | Conclusion | 226 |
| | References | 227 |
| 12 | Microbial Siderophore: A State of Art | 233 |
| | <i>S.B. Chincholkar, B.L. Chaudhari, and M.R. Rane</i> | |
| 12.1 | Introduction | 233 |
| 12.2 | Fermentative Production of Siderophores | 235 |
| 12.3 | Media Preparation | 235 |
| 12.4 | Siderophore Production by Bacteria | 236 |
| 12.5 | Siderophore Production by Fungi | 238 |
| 12.6 | Conclusions | 239 |
| | References | 239 |
| | Subject Index | 243 |



<http://www.springer.com/978-3-540-71159-9>

Microbial Siderophores

Varma, A.; Chincholkar, S.B. (Eds.)

2007, XV, 248 p., Hardcover

ISBN: 978-3-540-71159-9