

Table of Contents

VOLUME 1

| | |
|--|-----------|
| 1 Basic Concepts – Scattering and Time Correlation Functions | 1 |
| <i>R. Pecora</i> | |
| 1 Introduction | 3 |
| 2 Basic Scattering Theory – Interference | 3 |
| 3 Fundamentals of Time Correlation Functions | 7 |
| 3.1 Stochastic (Random) Functions or “Signals” | 8 |
| 3.2 Time Averages | 8 |
| 3.3 Some Properties of Time Autocorrelation Functions | 10 |
| 3.4 Ensemble-Averaged Time Correlation Functions | 12 |
| 3.5 Spectral Densities of Time Correlation Functions | 14 |
| 4 Correlation Functions for Number Densities in Fluids | 15 |
| 4.1 Spatial Fourier Transforms | 15 |
| 4.2 Local Density and Its Fourier Transform | 16 |
| 4.3 Space Time Correlation Function of the Local Density | 16 |
| 4.4 The Van Hove Space Time Correlation Function | 17 |
| 4.5 The Self Correlation Function | 18 |
| 4.6 Physical Interpretation, Limiting Values and the Radial Distribution Function | 18 |
| 4.7 The Structure Factor | 19 |
| 4.8 Dynamic Scattering Experiments | 20 |
| 4.9 Space Time Correlation Functions for Perfect Gases | 20 |
| 5 The Translational Self-Diffusion Model | 23 |
| 5.1 Derivation of the Diffusion Equation | 23 |
| 5.2 Random Walk | 25 |
| 5.3 Solution of the Diffusion Equation for $G_s(\vec{r}, t)$ | 26 |
| 5.4 Solution of Partial Differential Equations | 26 |

| | | |
|----------|--|-----------|
| 5.5 | Expression for the Diffusion Coefficient | 28 |
| 5.6 | The Langevin Equation | 29 |
| 5.7 | The Stokes-Einstein Relation | 30 |
| 6 | <i>More Refined Models for Motions in Liquid</i> | 31 |
| 6.1 | Translational Motion of Small Molecules in Liquids – The Gaussian Approximation | 31 |
| 6.2 | Molecular Dynamics Simulations | 32 |
| 6.3 | Molecular Dynamics Test of the Gaussian Approximation | 33 |
| 6.4 | Molecular Dynamics Tests of the Stokes – Einstein Relation for Hard Sphere Fluids | 33 |
| 6.5 | Long-Time Tails in the Velocity Autocorrelation Function | 34 |
| 6.6 | Diffusion in Quasi-Two Dimensional Systems | 34 |
| 7 | <i>Macromolecular and Colloidal Dispersions</i> | 35 |
| 7.1 | The Hydrodynamic Radius | 35 |
| 7.2 | Relations between D and Molecular Dimensions for Nonspherical Particles | 36 |
| 7.3 | Non-Dilute Dispersions | 37 |
| 8 | <i>Conclusion</i> | 38 |
| 2 | Total Intensity Light Scattering from Solutions of Macromolecules | 41 |
| | <i>G. C. Berry</i> | |
| 1 | <i>Introduction</i> | 43 |
| 2 | <i>General Relations</i> | 46 |
| 3 | <i>Scattering at Infinite Dilution and Zero Scattering Angle</i> | 49 |
| 3.1 | The Basic Relation | 49 |
| 3.2 | Identical Scattering Elements | 50 |
| 3.3 | Optically Diverse Scattering Elements | 51 |
| 3.4 | Optically Anisotropic Scattering Elements | 53 |
| 3.5 | Scattering Beyond the RGD Regime | 55 |
| 4 | <i>Scattering at Infinite Dilution and Small q</i> | 57 |
| 4.1 | The Basic Relation | 57 |
| 4.2 | Identical Scattering Elements | 57 |
| 4.3 | Optically Diverse Scattering Elements | 62 |
| 4.4 | Optically Anisotropic Scattering Elements | 64 |
| 4.5 | Scattering Beyond the RGD Regime | 66 |

| | | |
|----------|---|------------|
| 5 | <i>Scattering at Infinite Dilution and Arbitrary q</i> | 68 |
| 5.1 | The Basic Relation | 68 |
| 5.2 | Identical Scattering Elements | 68 |
| 5.3 | Optically Diverse Scattering Elements | 79 |
| 5.4 | Optically Anisotropic Scattering Elements | 81 |
| 5.5 | Scattering Beyond the RGD Regime | 82 |
| 6 | <i>Scattering from a Dilute Solution at Zero Scattering Angle</i> | 85 |
| 6.1 | The Basic Relation | 85 |
| 6.2 | Monodisperse Solute, Identical Optically Isotropic Scattering Elements | 87 |
| 6.3 | Heterodisperse Solute, Identical Optically Isotropic Scattering Elements | 89 |
| 6.4 | Optically Diverse, Isotropic Scattering Elements | 92 |
| 6.5 | Optically Anisotropic Scattering Elements | 94 |
| 7 | <i>Scattering from Non Dilute Solution at Zero Scattering Angle</i> | 94 |
| 7.1 | The Basic Relation | 94 |
| 7.2 | Low Concentrations: the Third Virial Coefficient | 95 |
| 7.3 | Concentrated Solutions | 96 |
| 7.4 | Moderately Concentrated Solutions | 100 |
| 8 | <i>Scattering Dependence on q for Arbitrary Concentration</i> | 104 |
| 8.1 | The Basic Relation | 104 |
| 8.2 | Dilute to Low Concentrations | 105 |
| 8.3 | Concentrated Solutions | 106 |
| 8.4 | Moderately Concentrated Solutions | 107 |
| 8.5 | Behavior for a Charged Solute | 112 |
| 9 | <i>Special Topics</i> | 114 |
| 9.1 | Intermolecular Association in Polymer Solutions | 114 |
| 9.2 | Intermolecular Association in Micelle Solutions | 118 |
| 9.3 | Online Monitoring of Polymerization Systems | 119 |
| 3 | Disordered Phase and Self-Organization of Block Copolymer Systems | 133 |
| | <i>C. Giacomelli & R. Borsali</i> | |
| 1 | <i>Introduction</i> | 135 |
| 2 | <i>Disordered Phase</i> | 136 |
| 2.1 | RPA: Historical Sketch and Theoretical Developments | 136 |
| 2.2 | Experimental Evidence | 141 |

| | | |
|----------|---|------------|
| 2.3 | Results and Discussion | 143 |
| 2.4 | Elastic Scattering | 147 |
| 2.5 | Dynamic Structure Factors | 154 |
| 2.6 | Extension to the Diblock Copolymer in the Melt Case | 159 |
| 3 | <i>Self-organization of Block Copolymers</i> | 160 |
| 3.1 | Self-Assembly in Bulk | 162 |
| 3.2 | Self-Assembly in Solution | 168 |
| 4 | <i>Conclusion</i> | 183 |
| | | |
| 4 | Small-Angle Scattering from Surfactants and Block Copolymer Micelles | 191 |
| | <i>J. S. Pedersen</i> | |
| 1 | <i>Introduction</i> | 192 |
| 2 | <i>Thermodynamics and Packing Parameters</i> | 194 |
| 3 | <i>Scattering from Surfactant Micelles</i> | 196 |
| 3.1 | Basic Expressions and Homogeneous Models | 196 |
| 3.2 | Globular Core-Shell Micellar Models | 203 |
| 3.3 | Cylindrical Elongated and Disk-Like Core-Shell Micelles | 207 |
| 3.4 | Long Cylindrical and Worm-Like Micelles | 208 |
| 4 | <i>Block Copolymer Micelles</i> | 217 |
| 4.1 | Models with Non-Interacting Gaussian Chains | 218 |
| 4.2 | Models with Interacting Excluded-Volume Chains | 219 |
| 4.3 | Calculation of Radial Profiles | 225 |
| 5 | <i>Summary and Outlook</i> | 227 |
| | | |
| 5 | Brush-Like Polymers | 235 |
| | <i>Y. Nakamura & T. Norisuye</i> | |
| 1 | <i>Introduction</i> | 236 |
| 2 | <i>Theoretical Models for Brush-Like Polymers</i> | 238 |
| 2.1 | Rigid Cylinders | 239 |
| 2.2 | WormLike Cylinders | 242 |
| 2.3 | Gaussian Brushes | 252 |
| 2.4 | Semi-Flexible Brushes | 256 |

| | | |
|----------|---|------------|
| 3 | <i>Comparison Between Theory and Experiment</i> | 260 |
| 3.1 | Polymacromonomers | 260 |
| 3.2 | Combs and Centipedes | 279 |
| 6 | Polyelectrolytes-Theory and Simulations | 287 |
| | <i>C. Holm</i> | |
| 1 | <i>Introduction</i> | 288 |
| 2 | <i>The Cell Model</i> | 289 |
| 3 | <i>Solutions of the Cell Model</i> | 292 |
| 3.1 | Specification of the Cell Model | 292 |
| 3.2 | Poisson–Boltzmann Theory | 294 |
| 3.3 | Solution of the Poisson–Boltzmann Equation for the Cylindrical Case | 295 |
| 3.4 | Manning Condensation | 297 |
| 3.5 | Limiting Laws of the Cylindrical PB-Solution | 297 |
| 4 | <i>Additional Salt: The Donnan Equilibrium</i> | 299 |
| 5 | <i>Beyond PB</i> | 302 |
| 5.1 | Simulations of Osmotic Coefficients and Counterion Induced Attractions | 304 |
| 5.2 | Simulations of Rods of Finite Length | 307 |
| 6 | <i>Simulations of Polyelectrolyte Solutions in Good Solvent</i> | 312 |
| 7 | <i>Polyelectrolytes in Poor Solvent</i> | 314 |
| 7.1 | Introduction | 314 |
| 7.2 | Pearl-Necklace Conformation | 315 |
| 7.3 | Simulations | 317 |
| 8 | <i>Polyelectrolyte Networks</i> | 325 |
| 8.1 | Conformation in Poor Solvent | 328 |
| 9 | <i>Summary</i> | 329 |
| 7 | Dynamic Light Scattering | 335 |
| | <i>B. Chu</i> | |
| 1 | <i>Introduction</i> | 336 |
| 1.1 | Static Light Scattering | 336 |

| | | |
|--------------|--|----------------|
| 1.2 | Dynamic Light Scattering and Laser Light Scattering | 336 |
| 1.3 | Laser Light Scattering and X-Ray/Neutron Scattering | 337 |
| 2 | <i>Single-Scattering Photon Correlation Spectroscopy</i> | 339 |
| 2.1 | Energy Transfer versus Momentum Transfer | 339 |
| 2.2 | Siegert Relation and Time Correlation Functions | 340 |
| 2.3 | Diffusions and Internal Motions | 342 |
| 2.4 | Practice of (Single-Scattering) Photon Correlation Experiments | 344 |
| 3 | <i>Photon Cross-Correlation Techniques</i> | 348 |
| 3.1 | Single Scattering versus Multiple Scattering | 348 |
| 3.2 | Photon Cross-Correlation Spectroscopy | 350 |
| 4 | <i>Practice of Photon Correlation and Cross-Correlation</i> | 355 |
| 4.1 | General Considerations [10] | 355 |
| 4.2 | Use of Optical Fibers | 356 |
| 5 | <i>Recent Developments</i> | 361 |
| 5.1 | Echo Dynamic Light Scattering | 361 |
| 5.2 | Phase Analysis Light Scattering (PALS) | 364 |
| 6 | <i>Final Remarks</i> | 369 |
| 8 | Light Scattering from Multicomponent Polymer Systems in Shear Fields: Real-time, In Situ Studies of Dissipative Structures in Open Nonequilibrium Systems | 377 |
| | <i>T. Hashimoto</i> | |
| 1 | <i>Introduction</i> | 378 |
| 1.1 | General Background | 378 |
| 1.2 | Principles of Rheo-Optics | 379 |
| 2 | <i>Shear Rheo-Optics</i> | 380 |
| 2.1 | Background of Shear Rheo-Optics | 380 |
| 2.2 | Shear-Induced Phase Transition: Two Opposing Phenomena, Mixing and Demixing | 383 |
| 3 | <i>Dynamical Asymmetry and Stress–Diffusion Coupling in Multicomponent Systems</i> | 385 |
| 3.1 | Dynamical Asymmetry Versus Dynamical Symmetry | 385 |
| 3.2 | Some Anticipated Effects of Dynamical Asymmetry on Self-Assembly in the Quiescent State | 387 |

| | | |
|----------|---|------------|
| 3.3 | Basic Time-Evolution Equation and a Theoretical Analysis of the Early Stage Self-Assembly in Dynamically Asymmetric Systems | 393 |
| 3.4 | General Background on the Effects of Shear Flow on Self-Assembly of Both Dynamically Symmetric and Asymmetric Systems | 397 |
| 4 | <i>Methodology</i> | 399 |
| 4.1 | Simultaneous Measurements of Stress, Optical Microscopy, Light Scattering, Transmittance, Birefringence, etc | 399 |
| 4.2 | Examples: Simultaneous Measurements of Stress, Shear-SALS, and Shear-Microscopy | 407 |
| 5 | <i>Shear-Induced Mixing</i> | 415 |
| 5.1 | Shear-Rate Dependence of Steady-State Structures | 416 |
| 5.2 | Uniformity of Droplet Size in Regime II | 419 |
| 5.3 | String Structure in Regime IV | 421 |
| 5.4 | Shear-Induced Phase Transition | 424 |
| 5.5 | Small Molecules Versus Polymers | 429 |
| 5.6 | Tracing Back the Growth History of Phase-Separated Structures | 432 |
| 5.7 | Further Remarks | 434 |
| 6 | <i>Shear-Induced Demixing (Phase Separation)</i> | 434 |
| 6.1 | Observation of Shear-Induced Dissipative Structures | 435 |
| 6.2 | Origin of Shear-Induced Formation of Dissipative Structures | 437 |
| 6.3 | Shear-Rate Dependence | 439 |
| 6.4 | Time-Evolution of Transient Dissipative Structures | 446 |
| 6.5 | Further Remarks | 450 |
| 6.6 | Shear-Induced Dissipative Structures Formed for Semidilute Crystallizable Polymer Solutions | 455 |
| 9 | Light Scattering from Polysaccharides as Soft Materials | 463 |
| | <i>W. Burchard</i> | |
| 1 | <i>Introduction</i> | 465 |
| 1.1 | Polysaccharides are Archetypes for Soft Materials | 465 |

| | | |
|----------|---|------------|
| 2 | <i>Some General Considerations</i> | 468 |
| 2.1 | Can Static Light Scattering Shed some Light onto the Reasons for Softness? | 469 |
| 2.2 | New Insight by Dynamic Light Scattering in Combination with Static Light Scattering | 472 |
| 3 | <i>Flexibility and Rigidity</i> | 476 |
| 3.1 | Pullulan | 476 |
| 3.2 | Homoglucans of the $\alpha(1-4)$ and $\beta(1-4)$ Type | 480 |
| 4 | <i>Single- and Multiple Helices. Exocellular Polysaccharides</i> | 503 |
| 4.1 | Xanthan | 504 |
| 4.2 | Gellan and Polysaccharides from the <i>Rhizobia</i> Family | 509 |
| 4.3 | Schizopolytan | 515 |
| 4.4 | ρ -Parameter and Second Virial Coefficient | 517 |
| 4.5 | Effects of Coulomb Charges and of Flexible Side Chains | 518 |
| 5 | <i>Gelation Versus Crystallization</i> | 520 |
| 5.1 | Alginates: Evidence for Bundle Formation | 524 |
| 5.2 | The Carrageenans: Evidence for Double Helix Formation | 528 |
| 5.3 | Summary of the Dispute on Double or Single Helices as Unimers | 535 |
| 6 | <i>Thickeners – What Inhibits Gel Formation?</i> | 536 |
| 6.1 | Galactomannans and Xyloglucans | 537 |
| 6.2 | Properties of Nonheated Tamarind Polysaccharides | 541 |
| 6.3 | Properties of Enzymatically Oxidized Tamarind Polysaccharides | 543 |
| 7 | <i>Branched Polysaccharides</i> | 546 |
| 7.1 | Random and Hyperbranched Types of Long Chain Branching | 546 |
| 7.2 | Experimental Verification | 552 |
| 8 | <i>Chain Dynamics</i> | 564 |
| 8.1 | Effects of Segmental Concentration in the Particle | 565 |
| 8.2 | Angular Dependence of the First Cumulant | 568 |
| 8.3 | Cluster Growth and Changes in Correlation Lengths in the Sol–Gel Transition | 574 |
| 9 | <i>Basic Relationships and Models</i> | 581 |
| 9.1 | Objectives of this Section | 581 |

| | | |
|-----------|---|------------|
| 9.2 | Static Light Scattering | 582 |
| 9.3 | Dynamic Light Scattering | 589 |
| 10 | Fluorescence Photobleaching Recovery | 605 |
| | <i>P. S. Russo, J. Qiu, N. Edwin, Y. W. Choi, G. J. Doucet, & D. Sohn</i> | |
| 1 | <i>Introduction</i> | 607 |
| 2 | <i>When to Choose FPR</i> | 608 |
| 3 | <i>Labeling the Macromolecule</i> | 609 |
| 3.1 | General Considerations | 609 |
| 3.2 | How much Dye to Attach | 611 |
| 3.3 | Cleanup | 611 |
| 3.4 | Validating the Labeled Macromolecule | 613 |
| 3.5 | Recipes | 614 |
| 4 | <i>Different Types of FPR Instruments</i> | 615 |
| 4.1 | General Considerations | 615 |
| 4.2 | Single-Beam FPR Devices | 618 |
| 4.3 | Two-Beam Instruments | 624 |
| 5 | <i>Applications</i> | 627 |
| 5.1 | Dilute Macromolecular Solutions | 627 |
| 5.2 | Concentrated Solutions and Suspensions | 627 |
| 5.3 | Probe Diffusion | 628 |
| 5.4 | Liquid Crystals | 628 |
| 5.5 | Gels | 629 |
| 5.6 | Polyelectrolytes | 630 |
| 5.7 | Thin Films and Surfaces | 630 |
| 5.8 | Other Applications | 631 |
| 6 | <i>Expected Future Trends</i> | 632 |
| 11 | Fluorescence Correlation Spectroscopy | 637 |
| | <i>E. Haustein & P. Schwille</i> | |
| 1 | <i>Introduction</i> | 638 |
| 2 | <i>Experimental Realization</i> | 640 |
| 2.1 | One-Photon Excitation | 640 |

| | | |
|---------------|---|----------------|
| 2.2 | Two-Photon Excitation | 642 |
| 2.3 | Fluorescent Dyes | 644 |
| 3 | <i>Theoretical Concepts</i> | 646 |
| 3.1 | Autocorrelation Analysis | 646 |
| 3.2 | Cross-Correlation Analysis | 655 |
| 4 | <i>FCS Applications</i> | 657 |
| 4.1 | Concentration and Aggregation Measurements | 657 |
| 4.2 | Consideration of Residence Times: Determining Mobility and Molecular Interactions | 658 |
| 4.3 | Consideration of Cross-Correlation Amplitudes: A Direct Way to Monitor Association/Dissociation and Enzyme Kinetics | 664 |
| 4.4 | Consideration of Fast Flickering: Intramolecular Dynamics and Probing of the Microenvironment | 671 |
| 5 | <i>Conclusions and Outlook</i> | 673 |
| 12 | Forced Rayleigh Scattering – Principles and Application (Self Diffusion of Spherical Nanoparticles and Copolymer Micelles) | 677 |
| | <i>W. Schärtl</i> | |
| 1 | <i>Introduction</i> | 678 |
| 2 | <i>Basics of Forced Rayleigh Scattering</i> | 679 |
| 2.1 | Experimental Setup | 679 |
| 2.2 | Dynamical Processes Studied by FRS | 682 |
| 3 | <i>Applications</i> | 689 |
| 3.1 | Self Diffusion of Colloidal Particles in Highly Concentrated Colloidal Dispersions | 690 |
| 3.2 | Self Diffusion of Copolymer Micelles in a Homopolymer Melt | 693 |
| 4 | <i>Concluding Remarks</i> | 701 |
| | <i>Subject Index of Volume 1</i> | <i>705</i> |
| | <i>Author Index</i> | <i>721</i> |

VOLUME 2

| | | |
|-----------|---|------------|
| 13 | Small-Angle Neutron Scattering and Applications in Soft Condensed Matter | 723 |
| | <i>I. Grillo</i> | |
| 1 | <i>Introduction</i> | <i>725</i> |
| 2 | <i>Description of SANS Instruments</i> | <i>725</i> |
| 2.1 | The Steady-State Instrument D22 | 726 |
| 2.2 | The Time-of-Flight Instrument LOQ | 727 |
| 2.3 | Detectors for SANS Instruments | 729 |
| 2.4 | Sample Environments | 731 |
| 3 | <i>Course of a SANS Experiment</i> | <i>731</i> |
| 3.1 | Definition of the q-Vector | 731 |
| 3.2 | Choice of Configurations and Systematic Required Measurements | 732 |
| 3.3 | Conclusion | 735 |
| 4 | <i>From Raw Data to Absolute Scaling</i> | <i>736</i> |
| 4.1 | Determination of the Incident Flux Φ_0 | 737 |
| 4.2 | Normalization with a Standard Sample | 737 |
| 4.3 | Solid Angle $\Delta\Omega(Q)$ | 739 |
| 4.4 | Transmission | 740 |
| 4.5 | Multiple Scattering | 743 |
| 4.6 | Subtraction of Incoherent Background | 745 |
| 4.7 | Conclusion | 746 |
| 5 | <i>Modeling of the Scattered Intensity</i> | <i>746</i> |
| 5.1 | Rules of Thumb in Small-Angle Scattering | 746 |
| 5.2 | SLD, Contrast Variation, and Isotopic Labeling | 749 |
| 5.3 | Analytical Expressions of Particle Form Factors | 753 |
| 5.4 | Indirect Fourier Transform Method | 759 |
| 5.5 | Structure Factors of Colloids | 761 |
| 6 | <i>Instrument Resolution and Polydispersity</i> | <i>763</i> |
| 6.1 | Effect of the Beam Divergence and Size: θ Resolution | 765 |
| 6.2 | Effect of the λ Distribution | 765 |
| 6.3 | Smearing Examples | 767 |
| 6.4 | Polydispersity | 769 |
| 6.5 | Instrumental Resolution and Polydispersity | 770 |

| | | |
|-----------|--|------------|
| 6.6 | Conclusion | 771 |
| 6.7 | Appendix: Definition of $\Delta\theta$ and $\Delta\lambda/\lambda$; Comparison between Triangle and Gaussian Functions | 772 |
| 7 | <i>Present Future and Perspective</i> | 774 |
| 7.1 | Recent Developments | 774 |
| 7.2 | Future Developments | 775 |
| 7.3 | General Conclusion | 777 |
| 14 | Small Angle Neutron Scattering on Gels | 783 |
| | <i>M. Shibayama</i> | |
| 1 | <i>Introduction</i> | 784 |
| 2 | <i>Theoretical Background</i> | 787 |
| 2.1 | Scattering Functions for Polymer Solutions in Semi-Dilute Regime | 787 |
| 2.2 | Scattering Functions for Polymer Gels | 789 |
| 2.3 | Phenomenological Scattering Theories of Polymer Gels | 790 |
| 2.4 | Inhomogeneities in Gels | 791 |
| 2.5 | Statistical Theory of Polymer Gels | 793 |
| 3 | <i>Experimental Observation of Scattering Function for Various Conditions</i> | 795 |
| 3.1 | Effects of Cross-Links | 795 |
| 3.2 | Swollen and Deswollen Gels | 801 |
| 3.3 | Scattering Function for Stretched Gels | 804 |
| 3.4 | Critical Phenomena and Volume Phase Transition | 809 |
| 3.5 | Charged Gels and Microphase Separation | 815 |
| 3.6 | Physical Gels | 823 |
| 3.7 | Oil Gelators | 826 |
| 3.8 | Other Gels and New Techniques | 827 |
| 4 | <i>Concluding Remarks</i> | 827 |
| 15 | Complex Melts under Extreme Conditions: From Liquid Crystal to Polymers | 833 |
| | <i>L. Noirez</i> | |
| 1 | <i>Introduction</i> | 834 |

| | | |
|-----------|---|------------|
| 2 | <i>Complex Melts under Flow</i> | 835 |
| 2.1 | The Mesomorphic State | 837 |
| 2.2 | First Rheo-SANS Experiments on SCLC-Polymer Melts: Non-Equilibrium Phase Diagram from Low to High Temperatures | 839 |
| 2.3 | Flow Effects in the Liquid State (Isotropic Phase) of SCLC-Polymers: A New Approach to the Molten State | 851 |
| 3 | <i>Pressure Effects on Liquid Crystal Melts</i> | 864 |
| 3.1 | The Importance of the Scattering Method for Structural Investigations | 864 |
| 3.2 | Definition of the Relevant Parameters | 865 |
| 3.3 | Influence of the Pressure on the Layer Distance | 867 |
| 3.4 | Influence of the Pressure on the Smectic Order Parameter | 867 |
| 3.5 | Influence of the Pressure on the Smectic Phase Correlation Lengths | 868 |
| 3.6 | Conclusions and Perspectives on Pressure Effects | 870 |
| 16 | In Situ Investigation of Adsorbed Amphiphilic Block Copolymers by Ellipsometry and Neutron Reflectometry | 873 |
| | <i>R. Toomey & M. Tirrell</i> | |
| 1 | <i>Introduction</i> | 874 |
| 2 | <i>Ellipsometry</i> | 875 |
| 2.1 | Analysis of Thin, Adsorbed films at the Brewster Angle | 876 |
| 2.2 | Data Collection and Interpretation | 878 |
| 2.3 | Limits of Model Applicability | 879 |
| 3 | <i>Adsorption Results</i> | 880 |
| 3.1 | Materials and Experimental | 880 |
| 3.2 | Adsorption of PS-b-PVP Copolymers | 881 |
| 3.3 | Adsorption of NaPSS-b-PtBS Copolymers | 885 |
| 3.4 | Summary | 890 |
| 4 | <i>Neutron Reflection</i> | 890 |
| 4.1 | Experimental | 892 |
| 4.2 | Results | 892 |
| 5 | <i>Conclusions</i> | 896 |

| | | |
|-----------|---|------------|
| 17 | Synchrotron Small-Angle X-Ray Scattering | 899 |
| | <i>T. Narayanan</i> | |
| 1 | <i>Introduction</i> | <i>900</i> |
| 2 | <i>General Principle</i> | <i>901</i> |
| 2.1 | Momentum Transfer and Differential Scattering | |
| | Cross Section | 901 |
| 2.2 | Form Factor and Polydispersity | 904 |
| 2.3 | Limiting Form of $I(q)$ | 906 |
| 2.4 | Structure Factor | 909 |
| 3 | <i>Experimental Setup</i> | <i>914</i> |
| 3.1 | Source | 916 |
| 3.2 | Impacts of Third Generation Sources | 917 |
| 3.3 | Optics | 919 |
| 3.4 | Detectors | 921 |
| 3.5 | Sample Environments | 924 |
| 4 | <i>Data Reduction</i> | <i>928</i> |
| 4.1 | Intensity Normalization | 929 |
| 4.2 | Angular and Intensity Calibrations | 930 |
| 4.3 | Instrumental Smearing Effects | 931 |
| 4.4 | Influence of Radiation Damage | 932 |
| 5 | <i>Complimentary SAXS Methods</i> | <i>933</i> |
| 5.1 | Combined Small-Angle and Wide-Angle X-ray Scattering | 933 |
| 5.2 | Ultra Small-Angle X-ray Scattering | 937 |
| 5.3 | Anomalous Small-Angle X-ray Scattering | 942 |
| 5.4 | Time-Resolved Experiments | 946 |
| 6 | <i>Summary and Outlook</i> | <i>948</i> |
| 18 | X-Ray Photon Correlation Spectroscopy (XPCS) | 953 |
| | <i>G. Grübel, A. Madsen & A. Robert</i> | |
| 1 | <i>Introduction</i> | <i>954</i> |
| 2 | <i>Coherent X-Rays from a Synchrotron Source</i> | <i>956</i> |
| 3 | <i>Disorder under Coherent Illumination</i> | <i>958</i> |
| 3.1 | Statistical Properties of Speckle Patterns | 961 |
| 3.2 | Reconstruction of Static Speckle Patterns | 963 |
| 4 | <i>X-Ray Photon Correlation Spectroscopy (XPCS)</i> | <i>965</i> |

| | | |
|---------------|---|-----------------|
| 5 | <i>Experimental Set-Up</i> | 967 |
| 6 | <i>XPCS in Soft Condensed Matter Systems</i> | 969 |
| 6.1 | Static and Dynamic Properties of Colloidal Suspensions | 970 |
| 6.2 | XPCS and SAXS Measurements in Colloidal Suspensions | 971 |
| 6.3 | Slow Dynamics in Polymer Systems | 976 |
| 7 | <i>Liquid Surface Dynamics Studied by XPCS</i> | 978 |
| 7.1 | Homodyne versus Heterodyne Detection | 979 |
| 7.2 | Dynamics of Thin Polymer Films | 980 |
| 7.3 | Dynamic Cross-Over Behavior of Liquid Mixtures | 982 |
| 7.4 | Critical Dynamic Behavior of a Liquid Crystal Surface | 984 |
| 8 | <i>Slow Dynamics in Hard Condensed Matter Systems</i> | 985 |
| 9 | <i>Conclusions and Outlook</i> | 990 |
| 19 | Analysis of Polyelectrolytes by Small-Angle X-Ray Scattering | 997 |
| | <i>M. Ballauff</i> | |
| 1 | <i>Introduction</i> | 998 |
| 2 | <i>Theory</i> | 1000 |
| 2.1 | Poisson-Boltzmann Cell Model | 1000 |
| 2.2 | Beyond the Poisson-Boltzmann Cell Model | 1002 |
| 2.3 | Calculation of the Scattering Intensity $I(q)$ Using the PB-Cell Model | 1003 |
| 2.4 | Anomalous Small Angle X-Ray Scattering | 1005 |
| 3 | <i>Comparison of Theory and Experiment</i> | 1007 |
| 3.1 | Systems | 1007 |
| 3.2 | Solution Properties: Electric Birefringence | 1008 |
| 3.3 | Osmotic Coefficient | 1009 |
| 3.4 | Scattering Experiments | 1011 |
| 4 | <i>Conclusion</i> | 1017 |
| 20 | Small-Angle Scattering of Block Copolymers | 1021 |
| | <i>I. Hamley & V. Castelletto</i> | |
| 1 | <i>Introduction</i> | 1023 |

| | | |
|-----------|---|-------------|
| 2 | <i>Block Copolymer Melts</i> | 1023 |
| 2.1 | Theoretical Background | 1023 |
| 2.2 | Structure Characterization | 1024 |
| 2.3 | Phase Transitions: Mechanisms and Kinetics | 1030 |
| 3 | <i>Solutions of Block Copolymers Forming Spherical Micelles</i> | 1033 |
| 3.1 | Theory | 1033 |
| 3.2 | Recent Experimental Examples | 1039 |
| 4 | <i>Solutions of Block Copolymers Forming Cylindrical Micelles</i> | 1042 |
| 4.1 | Theory | 1042 |
| 4.2 | Recent Experimental Examples | 1044 |
| 5 | <i>Solutions of Block Copolymers Forming Lyotropic Liquid Crystal Phases</i> | 1046 |
| 5.1 | Introduction | 1046 |
| 5.2 | Lyotropic Phases Formed by Block Copolymers in Solution | 1048 |
| 5.3 | Shear Flow Behavior of Block Copolymer Lyotropic Phases | 1055 |
| 6 | <i>Crystallization in Block Copolymers</i> | 1065 |
| 6.1 | Morphology Probed by SAXS and WAXS | 1065 |
| 6.2 | Crystal/Chain Orientation Probed by SAXS and WAXS | 1070 |
| 6.3 | SAXS/WAXS Studies of Crystallization Kinetics | 1072 |
| | | |
| 21 | Structural Studies of Proteins and Nucleic Acids in Solution Using Small Angle X-Ray Scattering (SAXS) | 1083 |
| | <i>R. Das & S. Doniach</i> | |
| 1 | <i>Introduction</i> | 1084 |
| 2 | <i>What Does SAXS Measure?</i> | 1085 |
| 3 | <i>The Size of a Biomolecule: Radius-of-Gyration Measurements</i> | 1087 |
| 4 | <i>Monomer, Dimer, or Multimer?</i> | 1090 |
| 5 | <i>Probing Intermolecular Forces Between Biomolecules</i> | 1092 |
| 6 | <i>Three-Dimensional Reconstruction of Molecule Shapes</i> | 1095 |
| 7 | <i>Modeling States with Conformational Diversity</i> | 1099 |

| | | |
|------|--|------|
| 8 | <i>Anomalous Small-Angle X-Ray Scattering of Biomolecules</i> | 1101 |
| 9 | <i>Time-Resolved SAXS</i> | 1102 |
| 10 | <i>Final Notes</i> | 1106 |
| | | |
| 22 | Transmission Electron Microscopy Imaging of Block Copolymer Aggregates in Solutions | 1109 |
| | <i>N. Duxin & A. Eisenberg</i> | |
| 1 | <i>Introduction</i> | 1110 |
| 2 | <i>The Various Preparation Methods</i> | 1111 |
| 3 | <i>TEM Images of Various Morphologies of the Block Copolymer Aggregates</i> | 1113 |
| 3.1 | Spherical Micelles | 1114 |
| 3.2 | Rods | 1114 |
| 3.3 | Other Rod Like Morphologies | 1114 |
| 3.4 | Bilayers | 1116 |
| 3.5 | Hexagonally Packed Hollow Hoops | 1118 |
| 3.6 | Large Compound Micelle | 1120 |
| 4 | <i>Factors Controlling the Architecture of the Aggregates</i> | 1120 |
| 4.1 | Block Length | 1120 |
| 4.2 | Water Content | 1121 |
| 4.3 | Initial Polymer Concentration | 1125 |
| 4.4 | Presence of Additives | 1126 |
| 4.5 | Nature and Composition of the Common Solvent | 1130 |
| 4.6 | Homopolymer | 1131 |
| 4.7 | Surfactants | 1133 |
| 4.8 | Polydispersity | 1133 |
| 4.9 | Temperature | 1134 |
| 4.10 | Glass Transition Temperature | 1134 |
| 5 | <i>Conclusion</i> | 1134 |
| | | |
| 23 | Single-Molecule Studies of DNA | 1139 |
| | <i>J. P. Rickgauer & D. E. Smith</i> | |
| 1 | <i>Introduction</i> | 1140 |

| | | |
|-----------|--|-------------|
| 2 | <i>Fluorescence Imaging</i> | 1140 |
| 2.1 | Polymer Physics and Rheology | 1140 |
| 2.2 | Basic Single DNA Imaging Methods | 1142 |
| 2.3 | Single DNA Dynamics: Theory Meets Experiment | 1144 |
| 2.4 | Single DNA Dynamics in Fluid Flow | 1147 |
| 2.5 | Entangled Polymer Dynamics | 1152 |
| 2.6 | DNA Electrophoresis | 1153 |
| 2.7 | Dynamics of DNA Molecules Confined to Two Dimensions | 1155 |
| 2.8 | Fluorescence Imaging of Protein-DNA Interactions | 1157 |
| 2.9 | Single Pair Fluorescence Resonance Energy Transfer (spFRET) | 1158 |
| 3 | <i>Optical Tweezers</i> | 1161 |
| 3.1 | Motivation: Why “Tweeze”? | 1161 |
| 3.2 | Development of Optical Tweezers | 1162 |
| 3.3 | Principles of Optical Tweezers | 1162 |
| 3.4 | Optical Tweezers Instrumentation | 1165 |
| 3.5 | Mechanical Properties of DNA | 1168 |
| 3.6 | Protein-DNA Interactions | 1177 |
| 3.7 | DNA Translocating Molecular Motors | 1180 |
| 24 | <i>Single Molecule Microscopy</i> | 1187 |
| | <i>Y. Ishii, J. Kozuka, S. Esaki & T. Yanagida</i> | |
| 1 | <i>Introduction</i> | 1189 |
| 2 | <i>Single Molecule Fluorescence Imaging</i> | 1190 |
| 2.1 | Fluorescence Measurements | 1190 |
| 2.2 | Single Molecule Imaging | 1191 |
| 2.3 | Fluorescence from Single Molecules | 1196 |
| 2.4 | Determination of the Number of Molecules and Proof of Single Molecules | 1198 |
| 2.5 | Time Resolution of Single Molecule Imaging and Analysis of Dynamic Data | 1199 |
| 2.6 | Space Resolution of Single Molecule Imaging | 1202 |
| 2.7 | Spectroscopy of Single Molecule Fluorescence | 1203 |
| 2.8 | Fluorescence Labeling of Biomolecules for Single Molecule Measurements | 1207 |
| 2.9 | Single Molecule Imaging in Living Cells | 1209 |

| | | |
|-----------|---|-------------|
| 3 | <i>Application of Single Molecule Imaging to Biological Systems</i> | 1209 |
| 3.1 | Imaging Movement of Molecular Motors | 1209 |
| 3.2 | Movement of Single Molecules in Biosystems | 1211 |
| 3.3 | Association and Dissociation of Biomolecules | 1213 |
| 3.4 | Kinetic Processes of Single Molecules | 1215 |
| 3.5 | Dynamics of Enzymatic Activity and Memory Effects | 1217 |
| 3.6 | Dynamic Changes in Structural State of Biomolecules | 1217 |
| 4 | <i>Manipulation for Single Molecule Measurements</i> | 1220 |
| 4.1 | Immobilization of Biomolecules | 1220 |
| 4.2 | Manipulation Techniques for Single Molecule Detection | 1222 |
| 4.3 | Nanometry by Manipulation Techniques | 1225 |
| 5 | <i>Mechanical Measurements of Biomolecules</i> | 1227 |
| 5.1 | Mechanical Properties of Protein Polymers | 1227 |
| 5.2 | Mechanically Induced Unfolding of Single Protein Molecules | 1229 |
| 5.3 | Interaction of Biomolecules | 1230 |
| 5.4 | Manipulation and Molecular Motors – Processive Motors | 1231 |
| 5.5 | Nonprocessive Muscle Myosin Motors | 1234 |
| 5.6 | Rotary Motors and ATP Synthesis | 1236 |
| 5.7 | DNA-Based Molecular Motors | 1237 |
| 5.8 | Simultaneous Measurement of Chemical and Mechanical Reactions | 1239 |
| 25 | <i>Visualizing Properties of Polymers at Interfaces</i> | 1243 |
| | <i>G. Reiter</i> | |
| 1 | <i>Introduction</i> | 1244 |
| 1.1 | Why are Interfacial Phenomena of Interest? | 1244 |
| 1.2 | What Can Be Learned by Visualizing Polymers at Interfaces? | 1245 |
| 2 | <i>Instabilities of Thin Liquid Films Induced by Long-Range Forces</i> | 1246 |
| 3 | <i>Quantitative Analysis of Dewetting Experiments</i> | 1254 |
| 4 | <i>Instabilities of a Moving Dewetting Rim</i> | 1260 |

| | | |
|-----------|---|-------------|
| 5 | <i>Entropically Caused Interfacial Tension between Chemically Identical Molecules</i> | 1263 |
| 6 | <i>Dewetting and Aging of (Almost) Glassy Polymer Films</i> | 1267 |
| 7 | <i>Crystallization of Adsorbed Polymer Monolayers</i> | 1272 |
| 8 | <i>Morphological Changes in Polymer Crystals</i> | 1278 |
| 9 | <i>Coupled Growth in Superposed Polymer Lamellae</i> | 1283 |
| 10 | <i>Polymer Crystallization in Nanometer-Sized Spherical Compartment</i> | 1286 |
| 11 | <i>Conclusions</i> | 1289 |
| 26 | Optical Microscopy of Fluctuating Giant Vesicles and Motile Cells | 1293 |
| | <i>H. G. Döbereiner</i> | |
| 1 | <i>Introduction</i> | 1295 |
| 1.1 | Overview | 1295 |
| 1.2 | From Passive to Active Systems | 1295 |
| 2 | <i>Optical Methods and Image Analysis</i> | 1297 |
| 2.1 | Phase Contrast and Real Time Image Analysis | 1298 |
| 2.2 | Differential Interference Contrast | 1303 |
| 2.3 | Total Internal Reflection Fluorescence | 1303 |
| 3 | <i>Advanced Fluctuation Spectroscopy of Membranes</i> | 1306 |
| 3.1 | The Area-Difference-Elasticity (ADE) Model | 1306 |
| 3.2 | Physical Chemistry of Membrane Curvature | 1308 |
| 3.3 | Experimental Spectra and Monte Carlo Simulations | 1311 |
| 4 | <i>High Resolution Motility Essays of Cells</i> | 1316 |
| 4.1 | Motile Cells and Active Gels | 1316 |
| 4.2 | Dynamic Phase Transition in Cell Spreading | 1316 |
| 4.3 | The Phase Model of Cell Motility | 1320 |
| 5 | <i>Perspectives for Biological Physics</i> | 1321 |
| A | <i>Material Properties of Fluid Membranes</i> | 1322 |
| B | <i>The ADE Phase Diagram</i> | 1329 |
| C | <i>Organization of a Motile Cell: The Story of Actin</i> | 1334 |

| | |
|---|-------------|
| 27 Highly-Branched Polymers: From Comb to Dendritic Architectures | 1339 |
| <i>P. Viville, M. Schappacher, R. Lazzaroni & A. Deffieux</i> | |
| 1 Introduction | 1341 |
| 2 Linear Combs | 1342 |
| 2.1 Combs with Homopolymer Branches | 1342 |
| 2.2 Combs with Randomly Distributed A and B Branches | 1347 |
| 2.3 Combs with A-B Diblock Branches | 1348 |
| 2.4 Stars with Comb Branches | 1349 |
| 3 Homopolymers and Block-Like Copolymers with Hyperbranched Architectures | 1354 |
| 3.1 Controlled Branching | 1354 |
| 3.2 Combs-on-Combs | 1356 |
| 4 Towards Water-Soluble Dendrigrrafts | 1361 |
| 5 Applications | 1369 |
| 5.1 Encapsulation of Molecules into Water-Soluble Dendrigrrafts | 1369 |
| 6 Viral Diagnostic using Dendrigrraft-Oligonucleotides | 1371 |
| 7 Synopsis | 1375 |
| 28 AFM Imaging in Physiological Environment: From Biomolecules to Living Cells | 1379 |
| <i>T. Cohen-Bouhacina & A. Maali</i> | |
| 1 General Introduction | 1381 |
| 2 Principle and Operating of AFM | 1383 |
| 2.1 Principal Components of the Microscope | 1383 |
| 2.2 Imaging Modes | 1385 |
| 2.3 Biological Sample Preparation | 1389 |
| 2.4 AFM Tip Modifications | 1390 |
| 3 Imaging of Biological Systems | 1391 |
| 3.1 Biomolécules | 1392 |
| 3.2 Membranes | 1395 |

| | | |
|----------|---|-------------|
| 4 | <i>Imaging of Cells</i> | 1401 |
| 4.1 | Topography of Intact Cells | 1401 |
| 4.2 | Cell Mechanical Properties | 1403 |
| 4.3 | Example 1 : Local Nanomechanical Motion of the Cell Wall of <i>Saccharomyces cerevisiae</i> | 1405 |
| 4.4 | Example 2: Cell Adhesion | 1408 |
| 5 | <i>Developments and Perspectives of the Dynamic Mode in Liquid Medium for Imaging Biological Systems</i> | 1418 |
| 5.1 | Examples of Dynamic Mode Imaging in Liquid | 1419 |
| 5.2 | Example of Improvement of Dynamic AFM in Liquid Small Amplitudes | 1423 |
| 6 | <i>Conclusion</i> | 1432 |
| | <i>Subject Index of Volume 2</i> | 1439 |
| | <i>Author Index</i> | 1455 |

Soft-Matter Characterization

Borsali, R.; Pecora, R. (Eds.)

2008, LXXII, 1452 p. Print + eReference., Hardcover

ISBN: 978-1-4020-8290-0