

# Contents

Abbreviations . . . . . xix

**1 Introduction to Process Supervision . . . . . 1**

1.1 Process Supervision . . . . . 1

1.1.1 Basic Diagnosis Tasks . . . . . 3

1.1.2 Fault, Failure and Safety . . . . . 4

1.2 Diagnostic System . . . . . 7

1.2.1 Specification of Diagnostic Systems . . . . . 7

1.2.2 Classification of Diagnostic Systems . . . . . 8

1.3 Organization of the Book . . . . . 11

**2 Bond Graph Modeling in Process Engineering . . . . . 13**

2.1 The Bond Graph Methodology . . . . . 13

2.1.1 Introduction . . . . . 13

2.1.2 Concepts and Definitions . . . . . 13

2.1.3 Why Use Bond Graphs? . . . . . 18

2.2 Generalized Variables in Bond Graph Models . . . . . 19

2.2.1 Power Variables . . . . . 19

2.2.2 Energy Variables . . . . . 20

2.2.3 Word Bond Graph and Block Diagram . . . . . 21

2.3 Pseudo Bond Graph . . . . . 22

2.3.1 Why Pseudo Bond Graph? . . . . . 22

2.3.2 Pseudo Power Variables . . . . . 24

2.3.3 Pseudo Energy Variables . . . . . 25

2.4 Basic Bond Graph Elements . . . . . 26

2.4.1 One Port Passive Elements . . . . . 26

2.4.2 Active Elements . . . . . 37

2.4.3 Junctions . . . . . 38

2.4.4 Transformers and Gyration . . . . . 41

2.4.5 Information Bonds . . . . . 43

2.5 Causality . . . . . 43

2.5.1 Introduction . . . . . 43

2.5.2 Sequential Causality Assignment Procedure (SCAP) . . . . . 45

2.5.3	Bicausal Bond Graphs	47
2.5.4	State-space Equations	48
2.5.5	Model Structure Knowledge	50
2.6	Single Energy Bond Graph	52
2.6.1	Bond Graphs for Mechanical Systems	52
2.6.2	Bond Graphs for Thermal Processes	52
2.7	Formal Generation of Dynamic Models	59
2.7.1	Bond Graph Software	59
2.7.2	Application	59
2.8	Coupled Energy Bond Graph	62
2.8.1	Representation	62
2.8.2	Thermofluid Sources	63
2.8.3	Thermofluid Multiport R	63
2.8.4	Thermofluid Multiport C	66
2.8.5	Application: Bond Graph Model of a Thermofluid Process	68
<b>3</b>	<b>Model-based Control</b>	<b>81</b>
3.1	Introduction	81
3.2	Classical Model-based Control	84
3.2.1	Conversion of Bond Graph Models to Signal Flow Graph Models	84
3.2.2	Transfer Function from State-space Models	91
3.2.3	Conversion of Bond Graph Models to Block Diagram Models	93
3.2.4	Example I: Physical Model-based Control	93
3.2.5	Example II: Physical Model-based System Design	95
3.3	Causal Paths	100
3.3.1	Transfer Functions from Bond Graph Models	101
3.3.2	Delay and Attenuation Dynamics	103
3.4	Augmented Controller and Observer Design	104
3.4.1	Pole Placement	104
3.4.2	Example: Active Flow-induced Vibration Isolation	107
3.4.3	Pole Placement Architecture in Bond Graph Models	109
3.4.4	Discrete-time Augmented Controller and Observer	111
3.4.5	Current Estimator	112
3.5	Structural Analysis of Control Properties	113
3.5.1	Structural Rank	113
3.5.2	Structural Controllability	114
3.5.3	Structural Observability	116
3.5.4	Example I: Two Spools in a Cylinder	118
3.5.5	Example II: A Hybrid Two-tank System	121
3.5.6	Example III: A Biomechanics Problem	124
3.5.7	Infinite Zeroes and Relative Degree	128
3.5.8	Zero Dynamics	133

<b>4</b>	<b>Bond Graph Model-based Qualitative FDI</b>	141
4.1	Model Order Reduction	141
4.2	FDI Using Bond Graphs and Qualitative Reasoning	154
4.2.1	Determination of Initial Fault Set	155
4.2.2	Fault Disambiguation	158
4.3	Qualitative Analysis Using Tree Graphs	159
4.4	Qualitative FDI Using Temporal Causal Graphs	163
4.4.1	Fault Hypothesis Generation	164
4.4.2	Fault Hypothesis Validation	166
4.5	Hybrid Diagnosis with Temporal Causal Graphs	169
4.6	Remarks on Model Linearization	170
<b>5</b>	<b>Bond Graph Model-based Quantitative FDI</b>	177
5.1	Introduction	177
5.2	Classical Quantitative FDI and Residual Generation	180
5.2.1	Observer-based Methods	181
5.2.2	Observer-based Residuals	183
5.2.3	Unknown Input Observers	185
5.2.4	Parity Space Residuals	191
5.3	Analytical Redundancy Relations and Fault Signature	195
5.3.1	Residual and Decision Procedure	195
5.3.2	The Fault Signature Matrix	196
5.4	Structured Approach to ARR Derivation	198
5.4.1	Behavior Model	198
5.4.2	Constraints and Variables	201
5.4.3	Derivation of ARRs	202
5.5	ARR Generation from Bond Graph Models	204
5.5.1	Constraints and Variables	204
5.5.2	Algorithm for Generation of ARRs	207
5.5.3	Example	209
5.6	Causality Inversion Approach for ARR Derivation	214
5.6.1	Example I: A Mechanical System	215
5.6.2	Example II: A Two-tank System	217
5.7	An FDI Application	218
5.7.1	Residual Evaluation and Fault Signature Matrix	218
5.7.2	Single Fault Hypothesis and Fault Isolation	220
5.7.3	Simulation Results	221
<b>6</b>	<b>Application to a Steam Generator Process</b>	229
6.1	Introduction	229
6.1.1	Process Description	229
6.1.2	Nomenclature	231
6.1.3	Word Bond Graph Model of the Process	233
6.2	Bond Graph Models of Steam Generator's Components	234
6.2.1	Bond Graph Model of the Storage Tank	234

6.2.2	Bond Graph Model of the Supply System .....	235
6.2.3	Bond Graph Model of the Boiler .....	236
6.2.4	Bond Graph Model of the Steam Expansion System .....	238
6.2.5	Bond Graph Model of the Condenser .....	239
6.2.6	Bond Graph Model of the Condensate Discharge Valves .....	243
6.3	Model Validation .....	244
6.4	Design of the Supervision System .....	248
6.4.1	Determination of Hardware Redundancies .....	249
6.4.2	Derivation of ARR .....	250
6.4.3	Practical Fault Signature Matrix and Residual Sensitivity ..	253
6.4.4	Effect of Hybrid Components .....	254
6.4.5	Selection of Decision Procedure .....	256
6.5	Online Implementation .....	257
6.5.1	Data Acquisition and Toolbox Integration .....	257
6.5.2	Native Interface .....	261
6.6	Experimental Validation of Fault Scenarios .....	262
6.6.1	Process Faults .....	262
6.6.2	Sensor Faults .....	265
6.6.3	Actuator Faults .....	266
6.6.4	Controller Faults .....	267
6.7	Reconfiguration .....	268
<b>7</b>	<b>Diagnostic and Bicausal Bond Graphs for FDI .....</b>	<b>271</b>
7.1	Diagnostic Bond Graph .....	271
7.1.1	Derivation of ARR .....	274
7.1.2	Example of a Non-resolvable System .....	276
7.1.3	Fault Signature Matrix from Causal Paths .....	280
7.2	Simulation and Real Time Implementation of the Residuals .....	281
7.2.1	Integrated System Simulation: Coupling the Models .....	282
7.2.2	Simulation Results .....	285
7.3	The Initial Conditions Problem .....	289
7.3.1	Order of Extra Derivatives .....	292
7.3.2	Fault Scenario Simulation .....	294
7.4	Matching Problems in Classical Bond Graph Modeling .....	294
7.4.1	Notion of Bicausality .....	298
7.4.2	Algorithm for ARR Generation and Construction of FSM ..	300
7.5	Example I: A Two-tank Process .....	300
7.5.1	Sensor Placement by Using Bicausal Bond Graphs .....	300
7.5.2	Residual Generation: Symbolic Method .....	304
7.5.3	Residual Evaluation and Fault Scenario Simulation .....	305
7.6	Example II: A Servo-valve Controlled Motor Transmission System .	306
7.6.1	System Description and Bond Graph Model .....	306
7.6.2	ARRs and FSM .....	308
7.6.3	Validation Through Simulation .....	310
7.7	The Fault Isolation Problem .....	311

<b>8</b>	<b>Actuator and Sensor Placement for Reconfiguration</b>	<b>315</b>
8.1	Introduction	315
8.1.1	Minimal Sensor and Actuator Placement	315
8.1.2	Sensor Placement for FDI and FTC	316
8.2	External Model	316
8.2.1	External Model in a Bond Graph Sense	317
8.2.2	Services	317
8.2.3	User Selected Operating Mode (USOM)	318
8.2.4	Operating Mode Management	319
8.3	Application to a Smart Pneumatic Valve	320
8.3.1	Description of the System	321
8.3.2	Bond Graph Model of the Smart Actuator	322
8.3.3	Missions and Versions	325
8.3.4	Operating Mode Management of the Smart Actuator	325
8.3.5	Monitoring of the Smart Actuator	328
8.4	Reconfiguration of a Thermo-fluid System	329
8.4.1	Minimal Sensor and Actuator Placement	329
8.4.2	Determination of Direct and Deduced Redundancies	332
8.4.3	Analytical Redundancy Relations and FSM	333
8.4.4	Sensor and Actuator Loss	335
8.4.5	Automaton Representation of Equipment Availability	336
8.4.6	Operating Modes of the Thermo-fluid System	338
8.5	Application to a Steam Generator Process	339
8.5.1	Operating Modes of the Steam Generator Process	340
8.5.2	Experimental Results	342
<b>9</b>	<b>Isolation of Structurally Non-isolatable Faults</b>	<b>347</b>
9.1	Introduction	347
9.2	Residuals and Robustness	348
9.3	Localization of Fault Subspace	350
9.4	Methodology for Single Fault Isolation	352
9.4.1	Parameter Estimation	352
9.4.2	Parallel Simulation of Bank of Fault Models	353
9.5	Application to a Controlled Two-tank System	355
9.5.1	ARRs and FSM	356
9.5.2	Parameter Estimation	359
9.5.3	Improvement of Isolability Using Bank of Fault Models	361
9.5.4	Validation Through Simulation	363
9.5.5	Qualitative Trend Analysis	365
<b>10</b>	<b>Multiple Fault Isolation Through Parameter Estimation</b>	<b>373</b>
10.1	Introduction	373
10.1.1	Adaptive Thresholds for Robust Diagnosis	374
10.1.2	Localization of Fault Subspace	379
10.2	Fault Isolation by Parameter Estimation	380

10.3	Example I: A Linear Two-tank System . . . . .	383
10.3.1	Output Error Minimization . . . . .	384
10.3.2	Optimization of Least Squares of ARRr . . . . .	387
10.3.3	Optimization by Using Diagnostic Bond Graph . . . . .	391
10.4	Example II: A Refrigerator Subsystem . . . . .	393
10.4.1	Bond Graph Model and the ARRr . . . . .	395
10.4.2	Fault Isolation Through Parameter Estimation . . . . .	397
10.5	Example III: A Non-linear Two-tank System . . . . .	402
10.5.1	The System and Its Bond Graph Model . . . . .	402
10.5.2	Residual Generation and Fault Detection . . . . .	404
10.5.3	Fault Isolation Through Parameter Estimation . . . . .	405
10.6	Optimization by Using Residual Sensitivity . . . . .	409
10.6.1	Gauss-Newton Optimization . . . . .	411
10.6.2	Example . . . . .	411
10.7	Sensitivity Bond Graphs . . . . .	414
10.7.1	Diagnostic Sensitivity Bond Graphs . . . . .	415
10.7.2	Example of the Use of Sensitivity Bond Graphs for FDI . . . .	417
<b>11</b>	<b>Fault Tolerant Control . . . . .</b>	<b>423</b>
11.1	Introduction . . . . .	423
11.2	Classical System Inversion Algorithms . . . . .	425
11.2.1	Linear Time-Invariant (LTI) System Inversion . . . . .	426
11.2.2	Implicit Inversion of Strictly Proper Systems . . . . .	427
11.2.3	Examples of System Inversion . . . . .	428
11.2.4	Example of Input Reconstruction . . . . .	429
11.2.5	Example of Bond Graph Model Based Implicit System Inversion . . . . .	431
11.2.6	Bond Graph Model Based Explicit System Inversion . . . . .	432
11.2.7	Example of Bond Graph Model Based Explicit System Inversion . . . . .	434
11.3	Parameter Estimation . . . . .	435
11.4	Benchmark Problem: Active FTC of a Two-tank System . . . . .	437
11.4.1	Fault Quantification with Single Fault Hypothesis . . . . .	437
11.4.2	Fault Quantification with Multiple Fault Hypotheses . . . . .	440
11.4.3	Fault Accommodation Through Fault Tolerant Control . . . . .	442
11.4.4	System Inversion . . . . .	443
11.4.5	Actuator Sizing . . . . .	443
11.5	Passive FTC: Robust Overwhelming Control . . . . .	447
11.5.1	Overwhelming Controller Design . . . . .	447
11.5.2	Example: A Robust Level Controller . . . . .	450
	<b>References . . . . .</b>	<b>453</b>
	<b>Index . . . . .</b>	<b>467</b>



<http://www.springer.com/978-1-84800-158-9>

Model-based Process Supervision

A Bond Graph Approach

Samantaray, A.K.; Ould Bouamama, B.

2008, XX, 474 p., Hardcover

ISBN: 978-1-84800-158-9