

Content

Invited papers

Building and Implementing an eHealth Strategy: is there a Good Recipe for Baltic Countries?	1
<i>A. Lukosevicius</i>	
Biomedical Engineering Program on the Internet for Worldwide Use.....	5
<i>J.A. Malmivuo, J.J. Nousiainen and A. Kybartaitė</i>	

Biomaterials and Tissue Engineering

The Modification of Titanium Dioxide MOCVD Coating in TiAlNb after Immersion in Artificial Saliva.....	8
<i>E. Aldea, M.M. Dicu, A. Gleizes and I. Demetrescu</i>	
Osteogenesis on Surface Selective Laser Sintered Bioresorbable Scaffolds	12
<i>V.N. Bagratashvili, E.N. Antonov, S.M. Howdle, J.M. Kanczler, S. Mirmalek-Sani, V.K. Popov, R.O. Oreffo, C. Upton</i>	
Investigation of the Bone Cartilage Interface by CLSM.....	16
<i>J. Bossert, T. Keller</i>	
Improving Titanium Biocompatibility Manipulating Surface Porosity	19
<i>D. Ionita and D. Iordachescu</i>	
Electrically Charged Hydroxyapatite Enhances Immobilization and Proliferation of Osteoblasts.....	23
<i>Yu. Dekhtyar, N. Polyaka and R. Sammons</i>	
Titanium Dioxide MOCVD Coating on CoCr Alloy and its Properties in Compare with Phosphate Coatings	26
<i>M.M. Dicu, A. Gleizes and I. Demetrescu</i>	
Plasma Polymer Coating of Titanium for Improved Bone Implants	30
<i>B. Finke, K. Schroeder, F. Luethen, J.B. Nebe, J. Rychly, K. Liefelth, R. Bader, U. Walschus, S. Lucke, M. Schlosser, H.-G. Neumann, A. Ohl, K.-D. Weltmann</i>	
Silk-Based Scaffold for Ligament Tissue Engineering	34
<i>H. Liu, H. Fan, E.J.W. Wong, S. Lok Toh, J.C.H. Goh</i>	
Influence of Hydrogenated Calcium Phosphate Surface on Potential of Stromal Stem Cells in Situ	38
<i>A.V. Karlov, I.A. Khlusov, Y. Dekhtyar, N. Polyaka</i>	
The Influence of Cultivation Conditions on the Proliferation and Differentiation of Rat Bone Marrow Multipotent Mesenchymal Stromal Cells	41
<i>G. Krievina, N. Bezborodovs, G. Makarenkova, S. Nikulsins, Z. Krumina, D. Babarikins</i>	
Human Blood Cells Affected by Hydroxyapatite Coated Titanium.....	45
<i>A. Leice, Y. Dekhtyar, N. Britzina, L. Arabere and V. Arhipovich</i>	
Development of Biomimetic SiC Ceramics for Biomaterial Purposes.....	48
<i>J. Locs, L. Berzina-Cimdina and A. Zhurinsk</i>	
Release of Quaternary Ammonium Antimicrobial Compounds from Acrylic Bone Cement.....	52
<i>J.W. Nicholson, M. Mathey and V. Surana</i>	
The Evaluation of Quality and Selection of TiNi Shape Memory Alloy for Medical Purpose.....	56
<i>E.G. Novikova, S.A. Atroshenko</i>	
Ions Release from Ti Implant Alloys in Simulated Bioliquids.....	60
<i>M. Prodana, M. Caposi, D. Iordachescu</i>	

Stress-Strain State of System “Bone-Implant” Analyzed by FEM and its Comparison with Experimental Results	64
<i>L. Rupeks, V. Filipenkova, I. Knets, J. Laizans, V. Vitins</i>	
Fourier Transform Infrared Spectra of Technologically Modified Calcium Phosphates	68
<i>K. Salma, N. Borodajenko, A. Plata, L. Berzina-Cimdina, A. Stunda</i>	
Reactogenicity of Synthetic Hydroxyapatite (HAp) Ceramic Materials Implanted in Rabbits Jaws	72
<i>I. Salma, M. Pilmane, J. Vetra, L. Berzina-Cimdina, G. Salms, A. Skagers</i>	
Biomechanical Properties of Two Synthetic Biomaterials for Ventricular Septal Defect Closure in Infancy	76
<i>L. Smits, I. Ozolanta, V. Ozolins, A. Lacis, V. Kasyanov</i>	
Development of Poly(vinyl alcohol) Based Systems for Wound Dressings	80
<i>J. Stasko, M. Kalnins, A. Dzene and V. Tupureina</i>	
Apatite-based Biomaterials Synthesized in Saline Melts.....	83
<i>S.O. Tarasenko, V.F. Zinchenko</i>	
Degradation of Bone Material in Time	87
<i>Yu. Dekhtyar, V. Zemite and H.J. Hein</i>	
 Biomechanics, Artificial Organs, Implants and Rehabilitation	
Real-Time EEG Parameterization for Shunt Decision Supporting System During Carotid Endarterectomy	91
<i>A. Accardo, M. Cusenza and F. Monti</i>	
Automatic Quantification of Handwriting Characteristics Before and After Rehabilitation.....	95
<i>A. Accardo and I. Perrone</i>	
Reciprocating Orthotics Complex (ROC) for Children Suffering from Cerebral Paralysis and Spinal Diseases	99
<i>E. Dukendjiev</i>	
Muscle Movement and Electrodes Motion Artifact during Vibration Treatment.....	103
<i>A. Fratini, P. Bifulco, M. Cesarelli, M. Romano, G. Pasquariello, A. La Gatta and G. Gargiulo</i>	
Mandible and Temporomandibular Disc Movements on Physiological Subjects with Use of MRI.....	107
<i>M. Fricova, J. Krystufek, Z. Horak, V. Peterova and S. Konvickova</i>	
Choice and Impact of a Non-Newtonian Blood Model for Wall Shear Stress Profiling of Coronary Arteries	111
<i>L. Goubergrits, E. Wellenhofer and U. Kertzscher</i>	
Validation of Individual Calibration Procedure in Prediction of One Repetition Maximum in Bench Press.....	115
<i>M. Hannula and A. Hirvikoski</i>	
Prediction of One Repetition Maximum in Dumbbell Concentration Curl and Shoulder Press	119
<i>M. Hannula, A. Hirvikoski, M. Isorinne and J. Jauhiainen</i>	
Feature Selection for Bayesian Evaluation of Trauma Death Risk.....	123
<i>L. Jakaite and V. Schetinin</i>	
Objective Evaluation of Stroke Patients’ Movement.....	127
<i>Á. Jobbágy, P. Simon, G. Fazekas, P. Harcos, Z. Grosz</i>	
Applying Consumer Technologies to Assistive Device Design.....	131
<i>K. Kaneswaran and K. Arshak</i>	
Finite Element Analysis of Honeycomb-Core Foam on Shock-Absorbing Capability against Childhood Head Injury	135
<i>C.Y. Lin, L.T. Chang, T.J. Huang, K.H. Tsai, C.S. Li and G.L. Chang</i>	

Results of Reciprocal Orthosis System with Kinematic Interdependence used in Children with Children Cerebral Paralysis and Spinal Patients.....	139
<i>V. Mihnovich, E. Dukendjiev</i>	
Colorimetric Plantographic Diagnostics of Foot Pathology on the Footprint in Static and Dynamics.....	141
<i>T. Ogurtsova, E. Dukendjiev</i>	
Biomechanical Properties of Glutaraldehyde Treated Human Pericardium.....	143
<i>V. Ozolins, I. Ozolanta, L. Smits, A. Lacis, V. Kasyanov</i>	
Eye Kinematics of Athletes in Non-Familiar Sports Situations.....	146
<i>R. Paeglis, A. Spunde, A. Klavinsh, L. Vilkausha and I. Lacis</i>	
Feasibility Experiment of Gait Training System Using Real-time Visual Feedback of Knee Joint Angle	150
<i>J. Park, J. Ku, S. Cho, D.Y. Kim, I.Y. Kim and S.I. Kim</i>	
Investigation of Biomechanical Properties of Different Elements of Human Mitral Valve.....	154
<i>J. Pavars, P. Stradins, R. Lacis, I. Ozolanta, V. Kasyanov</i>	
Development of Research for Machining of Implants with Novel Materials for Bone Surgery	156
<i>O.A. Rozenberg, S.V. Sokhan' and V.V. Voznyy</i>	
The Artificial Larynx: A Review of Current Technology and a Proposal for Future Development.....	160
<i>M.J. Russell, D.M. Rubin, B. Wigdorowitz and T. Marwala</i>	
Power Density Spectra of the Velocity Waveforms in Artificial Heart Valves	164
<i>A.A. Sakhaeimanesh</i>	
Development of a Generic Assistive Platform to Aid Patients with Motor Disabilities	168
<i>F. Senatore, D.M. Rubin and G.J. Gibbon</i>	
Usability Evaluation of Three Unilateral – Propelled Wheelchairs for Hemiplegic Patients	172
<i>K.H. Tsai, C.Y. Yeh, H.C. Lo, L.T. Chang, J.S. Lee, C.T. Lee</i>	
The Effect of Gait Speed on Pre- and Postoperative Analysis of Gait Parameters after Total Knee Arthroplasty.....	175
<i>R. Ullmann, M. Hildebrand and S. Leuchte</i>	
 Biomedical Instrumentation and Measurements, Biosensors and Transducers	
Quantitative Analysis of the Activation Strategies during Freezing in Parkinson's Patients.....	179
<i>A. Accardo, S. Mezzarobba, M. Millevoi and F. Monti</i>	
Precise Positioning of Electrodes at Transesophageal Atrial Stimulation Using Multichannel Transesophageal Pacemaker and Lead	183
<i>A. Anier, J. Kaik and K. Meigas</i>	
Automated multi-parametric label free 24 channel real-time screening system.....	186
<i>B. Becker, V. Lob, N. Janzen, D. Grundl, F. Ilchmann and B. Wolf</i>	
Decentralized Multi-channel Digitizing of Bioimpedance Signals.....	190
<i>I. Bilinskis, Y. Artyukh and M. Min</i>	
Design and Implementation of Textile Sensors for Biotelemetry Applications.....	194
<i>M. Cerny, L. Martinak, M. Penhaker and M. Rosulek</i>	
The Suitability of Silver Yarn Electrodes for Mobile EKG Monitoring.....	198
<i>A. Comert, M. Honkala, M. Puurtinen and M. Perhonen</i>	
Drawback of ICA Procedure on EEG: Polarity Indeterminacy at Local Optimization	202
<i>F. Cong, I. Kalyakin, T. Ristaniemi and H. Lyytinen</i>	

Empirical Mode Decomposition on Mismatch Negativity.....	206
<i>F. Cong, X. Xu, T. Ristaniemi and H. Lyytinen</i>	
Measurement and Control of Ultra-Low Liquid Flowrates for Drug Delivery Application.....	210
<i>C. Damiani, S. Klein, D. Wuttig and B. Nestler</i>	
Hardware Embedded System on a Chip for the Normal ECG Recognition	213
<i>A.C. Dimopoulos, C. Pavlatos, G. Papakonstantinou</i>	
Slit-lamp Based Ocular Fluorometry Scanning	217
<i>J.P. Domingues, M. Alberto, C. Correia, J. Cunha-Vaz</i>	
Epicardial Acceleration Signal Measured Using a Single Chip 3-axis Accelerometer	221
<i>L.A. Fleischer, P.S. Halvorsen, L. Hoff, E. Fosse and O.J. Elle</i>	
Novel Conducting Polymer Composite pH Sensors for Medical Applications.....	225
<i>E.I. Gill, A. Arshak, K. Arshak and O. Korostynska</i>	
Future Trends in Robotic Neurosurgery	229
<i>T. Haidegger, L. Kovacs, G. Fordos, Z. Benyo and P. Kazantzides</i>	
Development and Evaluation of One Arm Electrode Based ECG Measurement System	234
<i>M. Hannula, H. Hinkula and J. Jauhainen</i>	
Diagnosing Acute Liver Graft Rejection: Experimental Application of an Implantable Telemetric Impedance Device in Native and Transplanted Porcine Livers	238
<i>J.H. Harms, A. Schneider, M. Tautenhahn, J. Henke and R. Busch</i>	
Augmentation Index in Different Severity Coronary Heart Disease Patients.....	242
<i>I. Hlimonenko, K. Meigas, M. Viigimaa and K. Temitski</i>	
Photoplethysmographic Measurements and Analysis	245
<i>M.J. Huotari, V. Lantto</i>	
Noninvasive Measurement of the Pressure Gradient between the Radial and Finger Arteries	248
<i>K. Jagomägi, R. Raamat, J. Talts and U. Ragun</i>	
A Multicenter Study of Removed Uric Acid Estimated by Ultra Violet Absorbance in the Spent Dialysate.....	252
<i>J. Jerotškaja, F. Uhlin and I. Fridolin</i>	
Comparison of Tibial Nerve Somatosensory Evoked Potential Signal-to-Noise Ratios During Anaesthesia	257
<i>A.S. Joutsen, P. Puumala, L-P. Lyytikäinen, O. Pajulo, A. Etelämäki, J. Jurva, V. Jäntti and H. Eskola</i>	
Phase Coupling in EEG Burst Suppression during Propofol Anesthesia	260
<i>F.E. Kapucu, T. Lipping, V. Jäntti and A.-M. Huotari</i>	
Rhythmic Fluctuations in Intracellular Mg²⁺ in Spontaneously Beating Cultured Cardiac Myocytes	264
<i>K. Kawahara, R. Sato, D. Matsuyama and S. Iwabuchi</i>	
Importance of Nonlinear Signal Processing in Biomedicine	268
<i>W. Klonowski</i>	
An Intelligent Method for Identifying Cardiac Cycles from Tracheal Sounds during Sleep	270
<i>A. Kulkas, E. Huupponen and S.-L. Himanen</i>	
Ultrasonic Non-invasive Investigation of Arterial Elasticity	274
<i>I. Kupciunas, A. Kopustinskas</i>	
EEG-fMRI Ballistocardiogram Removal: A New Non-linear Dynamic Time Warping Approach	278
<i>A.J.L. Kustra, J.M. Fernandes and J.P.S. Cunha</i>	
Local Filtered QRS Duration during Sodium-channel Blockade in Brugada Syndrome Patients.....	282
<i>A.C. Linnenbank, P.G. Postema, M.G. Hoogendijk, P.F.H.M. van Dessel, H.L. Tan and J.M.T. de Bakker</i>	

Development of Flexible Thin Film Microelectrode Arrays for Neural Recordings	286
<i>S. Myllymaa, K. Myllymaa, H. Korhonen, K. Djupsund, H. Tanila and R. Lappalainen</i>	
Prediction of Epileptic Seizures for On-Demand Vagus Nerve Stimulation	290
<i>K.R. Nielsen, C. Sevcencu, A. Rasmussen and J.J. Struijk</i>	
Apparatus for Short-Wave Inductothermy “Magnetotherm”	294
<i>N.A. Nikolov, V.E. Orel, I.I. Smolanka, N.N. Dzyatkovskaya, A.V. Romanov, Yu.I. Mel’nik, M.Yu. Klimanov and V.O. Chernish</i>	
What Conclusions does Rapid Image Classification by Eye Movements Provide for Machine Vision?.....	299
<i>R. Paeglis, A. Kotelnikovs, A. Podniece and I. Lacis</i>	
Analysis of Foveation Sequences in Congenital Nystagmus.....	303
<i>G. Pasquariello, P. Bifulco, M. Cesarelli, M. Romano, A. Fratini</i>	
Numerical Models of Skin Conductivity Changes during Electroporation.....	307
<i>N. Pavšelj and D. Miklavčič</i>	
An Experimental Study of PPG Probe Efficiency Coefficient Determination on Human Body.....	311
<i>K. Pilt, K. Meigas, M. Rosmann, J. Lass and J. Kaik</i>	
Non-linear Assessment of Heart Rate Variability in Ovo-lactovegetarians, Vegans and Omnivores during Oral Glucose Tolerance Test.....	315
<i>T. Princi, I. Fabbro, D. Peterec, M. Fonda, L. Cattin and A. Accardo</i>	
Photoplethysmography Analysis of Artery Properties in Patients with Cardiovascular Diseases	319
<i>U. Rubins, A. Grabovskis, J. Grube and I. Kukulis</i>	
Dialysis Adequacy On-line Monitoring Using DiaSens Optical Sensor: Technique and Clinical Application.....	323
<i>A. Scherbakov, I. Fridolin</i>	
Effects of ROI Size on Correlation between ROISR and SNR.....	327
<i>L. Sinkkila, J. Vaisanen, O. Vaisanen and J. Hyttinen</i>	
Effect of Microwave Radiation on EEG Coherence	331
<i>A. Suhhova, M. Bachmann, K. Adamsoo, Ü. Vöhma, J. Lass and H. Hinrikus</i>	
Stress Stages and Changes on EEG by low-level Physical (EMF) and Chemical Stressors	335
<i>V. Tuulik, J. Lass and M. Bachmann</i>	
Body Surface Potential Mapping for Noninvasive Ischemia Detection	339
<i>M. Tysler, P. Kneppo, V. Rosik, S. Karas, E. Heblakova and J. Muzik</i>	
Effect of Lead Orientation on Bipolar ECG Measurement	343
<i>J. Vaisanen, M. Puurtinen and J. Hyttinen</i>	
On the Mechanism of Low Frequency Bioelectromagnetism	347
<i>J. Valdmans, A. Cipijs</i>	
The Effect of Electrode Size on Cortical EEG Sensitivity Distributions.....	350
<i>K. Wendel and J. Malmivuo</i>	
Measurement of Dissolved Oxygen with Lab-on-Chip Systems	353
<i>J. Wiest, M. Brischwein, H. Grothe and B. Wolf</i>	

Biomedical Optics and Lasers

Effects of Optical Radiation on the Healing of Bone Defect in Rabbits.....	357
<i>Yu. Dehkyar, A. Katashev, J. Katasheva and I. Ozolanta</i>	

Transmyocardial Laser Revascularization in Patients with Diffuse Coronary Artery Disease	361
<i>E. Freilibs, R. Lacis and U. Strazdins</i>	
Evaluation of a Fiber-Optic Based Pulsed Laser System for Fluorescence Spectroscopy	363
<i>N. Haj-Hosseini, S. Andersson-Engels and K. Wårdell</i>	
Effect of Light Scattering Simulation in the Eye on Different Color Stimuli Perception.....	367
<i>G. Ikaunieks and M. Ozolinsh</i>	
Diffuse Reflectance Spectroscopy During Experimental Radio Frequency Ablation.....	371
<i>J.D. Johansson, A. Zerbinati and K. Wårdell</i>	
Closed-Feedback Control of Laser Soldering of Rat Skin Using Diode Laser	375
<i>M.E. Khosroshahi, M.S. Nourbakhsh, S. Saremi and F. Tabatabaee</i>	
Characterization of Input-Output Relations in Single Neurons using Spatiotemporal Photo-stimulation	378
<i>M. Krumin and S. Shoham</i>	
Sensor for Measurement of Wear in Total Hip Arthroplasty.....	380
<i>D. Mandat, M. Hrabovsky, V. Havranek, M. Pochmon, T. Rossler, J. Gallo</i>	
Effects of Static and Dynamic Modes on Laser Tissue Soldering: An In-vitro Study	383
<i>M.S. Nourbakhsh, M.E. Khosroshahi, S. Saremi and F. Tabatabaee</i>	
Photoplethysmography Device for Detection of Changes in the Vasomotor Parameters of Small Laboratory Animals	386
<i>J. Paturskis, V. Veliks, M. Ozols, I. Svikis, R. Ertis, J. Spigulis</i>	
Potentialities of Wear Measurement in Total Knee Arthroplasty.....	390
<i>M. Pochmon, T. Rössler, J. Gallo, M. Hrabovský, D. Mandát and V. Havránek</i>	
Optical Non-contact In-vitro Measurement of Total Hip Arthroplasty Wear	393
<i>T. Rössler, J. Gallo, M. Hrabovský, D. Mandát, M. Pochmon and V. Havránek</i>	
Spectroscopic Studies on Binding of Cationic Pheophorbide-a Derivative to Model Polynucleotides.....	397
<i>O.A. Ryazanova, I.M. Voloshin, I.Ya. Dubey, L.V. Dubey and V.N. Zozulya</i>	
 Healthcare Management, Education and Training	
ICT and Knowledge Management for the ISO 9001:2000 Standards Compliance of I.R.C.C.S. “Burlo Garofolo” Maternal-children Hospital.....	401
<i>M. Bava, E. Danielli, A. Orsini, D. Tarticchio, L. Vecchi Brumatti, R. Zangrando, F. Zennaro and A. Accardo</i>	
Biotelemetry	405
<i>M. Cerny, M. Penhaker</i>	
Five Year Biomedical Engineering Curriculum – Experiences and Results from the First Eight Years	409
<i>K. Dremstrup and P. Elberg</i>	
Medical GRID and E-Learning in the Virtual Hospital.....	413
<i>G. Graschew, T.A. Roelofs, S. Rakowsky, P.M. Schlag</i>	
Luebeck’s International BME Master’s Program - Aim and Experiences	417
<i>S. Klein, T.M. Buzug and B. Nestler</i>	
Developing Media Rich Virtual Learning Material for Biomedical Engineering Education	421
<i>A. Kybartaitė, J. Malmivuo and J. Nousiainen</i>	
Development of the Biomedical Electronics Course for e-Learning	425
<i>T. Parve, R. Gordon and M. Min</i>	

Cataract Surgery Simulator for Medical Education & Finite Element/3D Human Eye Model	429
<i>J.F. Perez, R. Barea, L. Boquete, M.A. Hidalgo, M. Dapena, G. Vilar, I. Dapena</i>	
COMSOL Multiphysics in Undergraduate Education of Electromagnetic Field Biological Interactions	433
<i>P. Togni, M. Cifra and T. Dřížd'al</i>	
Actual State of Medical Physics and Biomedical Engineering Education in Poland	437
<i>M. Wasilewska-Radwanska and T. Palko</i>	
The Practice for Medical Physics and Engineering Students	439
<i>A. Balodis, V. Zemite</i>	

Information Technology to Health

Scientific Research, Telemedicine and Health Services: the “Burlo Garofolo” Hospital Web Portal	442
<i>M. Bava, A. Zambon, L. Vecchi Brumatti, R. Zangrando, A. Accardo and G. Tamburlini</i>	
A Neuro-Fuzzy Approach to the Classification of Fetal Cardiotocograms	446
<i>R. Czabanski, M. Jezewski, J. Wrobel, K. Horoba and J. Jezewski</i>	
Visions in Modeling of Cardiac Arrhythmogenic Diseases and their Therapies	450
<i>O. Dössel, G. Seemann, D. Farina, D.U.J. Keller, R. Miri, F.M. Weber, D.L. Weiss</i>	
Home Health Monitoring	454
<i>Á. Jobbágy, P. Csordás, A. Mersich, R. Magjarević, I. Lacković, J. Mihel</i>	
Time Domain Signal Processing of Tibial Nerve Somatosensory Evoked Potentials During Anesthesia	458
<i>A.S. Joutsen, V. Jäntti and H. Eskola</i>	
Modelling Interrupter Measurements of Respiratory Resistance	461
<i>J. Talts, J. Kivastik</i>	
Coupling Axis-Length Profiles with Bezier Splines in Finite Element Head Models	465
<i>K. Wendel, M. Osadebey and J. Malmivuo</i>	
Analysis of Bioelectrical Uterine Activity for Detection of Threatening Premature Labour	469
<i>J. Zietek, K. Horoba, J. Jezewski, A. Matonia, J. Sikora and T. Kupka</i>	

Medical Imaging, Telemedicine and E-Health

Comparison of DT-CWT Based Rotation Variant and Invariant Methods on Tissue Characterization	473
<i>D.B. Aydogan, M. Hannula, T. Arola, P. Dastidar and J. Hyttinen</i>	
CdZnTe Pixel Detectors for Medical Imaging	477
<i>A.A. Bulychева, I.E. Tsirkunova and V.V. Gostilo</i>	
The Analysis of Craniofacial Morphology in Posteroanterior View	481
<i>K.-S. Cheng, C.-H. Ou, Y.-T. Chen, J.-K. Liu and C.-L. Kuo</i>	
VAMP – A Vision Based Sensor Network for Health Care Hygiene	485
<i>P. Curran, J. Buckley, B. O’Flynn, X. Li, J. Zhou, G. Lacey and S.C. O’Mathuna</i>	
An Augmented Reality Application for Minimally Invasive Surgery	489
<i>L.T. De Paolis, M. Pulimeno and G. Aloisio</i>	
Methods for Counting Cells Supported by Digital Image Processing	493
<i>D. Dill, A. Scholz, M. Gül and B. Wolf</i>	
Two Aspects of Calibrating a 3D Ultrasonic Computed–Tomography System	497
<i>A. Filipík, J. Jan, I. Peterlík, D. Hemzal, R. Jiřík</i>	

A Combined Bayesian Approach to Classifying Venous Flow during Contrast-Agent Injection using Doppler Ultrasound.....	501
<i>M. Forfang, L. Hoff, N. Bérard-Andersen, G.F. Olsen and K. Brabrand</i>	
Optimization of fMRI Processing Parameters for Simultaneous Acquisition of EEG/fMRI in Focal Epilepsy	505
<i>M. Forjaz Secca, H.M. Fernandes, J.R. Cabral and A. Leal</i>	
Telemetric Personal Health Monitoring Systems for Asthma and Chronic Obstructive Pulmonary Disease	509
<i>M. Guel, A. Scholz, D. Dill and B. Wolf</i>	
Clinical Relevance of Preoperative CT- based Computer Aided 3D- Planning in Hepatobiliary, Pancreatic Surgery and Living Donor Liver Transplantation	512
<i>J. Harms, H.-M. Tautenhahn, H. Bourquain, T.H. Kahn, H.-O. Peitgen, J. Fangmann, S. Jonas</i>	
Assessing the Effects of Apneusis on Brain Functional Magnetic Resonance Imaging with Symbolic Dynamics	516
<i>A.F.C. Infantosi, F.C. Jandre and C. Elefteriadis</i>	
Breast Ultrasound Segmentation Using Morphologic Operators and a Gaussian Function Constraint	520
<i>A.F.C. Infantosi, L.M.S. Luz, W.C.A. Pereira and A.V. Alvarenga</i>	
Image Analysis of DNA Repair and Apoptosis in Tumor Cells with Differing Sensitivity to DNA Damage.....	524
<i>A. Ivanov, M. Ivanova, J. Erenpreisa, S.V. Gloushen, T. Freivalds and M.S. Cragg</i>	
Parameterization of the Optic Nerve Disk in Eye Fundus Images	528
<i>D. Jegelevicius, D. Buteikiene, V. Barzdziukas and A. Paunksnis</i>	
3D Medical Image Visualization and Volume Estimation of Pathology Zones	532
<i>K. Krechetova, A. Glaz and A. Platkajis</i>	
Biomedical Image Processing Based on Regression Models	536
<i>A. Lorencs, I. Mednieks and J. Sinica-Sinavskis</i>	
Analysis of Outliers Effects in Voxel-Based Morphometry by means of Virtual Phantoms.....	540
<i>F. Nocchi, T. Franchin, E. Genovese, D. Longo, G. Fariello and V. Cannatà</i>	
Stroke Monitor as a Device Improving Diagnostic Value of Computed Tomography in Hyperacute Stroke.....	544
<i>A. Przelaskowski, J. Walecki, K. Sklinda and G. Ostrek</i>	
Morphological and Brainstem Physiology Assessment of Patients with Congenital Craniocervical Anomalies	548
<i>C.M. Rimkus, A.V. Faria, V.A. Zanardi, V.M.F. Lima, A. Cliquet Jr.</i>	
Medical Physics	
Quality of the Computed Radiography Image Acquired with Decreased Doses	552
<i>L. Bumbure, Y. Dehtyar, R. Falkan, U. Jasper</i>	
Evaluation of Acceptance Criteria for IMRT Plan Verification Based on Results of Film Dosimetry.....	556
<i>K. Chelminski, W. Bulski, P. Kaminski, M. Kania, J. Rostkowska, A. Walewska and M. Zalewska</i>	
Sensitivity of the Brain to Microwave Radiation	558
<i>H. Hinrikus, M. Bachmann and J. Lass</i>	
The Impact of the Anomalous Magnetic Field of the Earth on Demographic Indices (using Latvia as an example)	562
<i>L. Kartunova, V. Vetrennikov</i>	
Development of the Positron Emission Tomography Center: Medical and Physical Aspects	566
<i>A.V. Khmelev, S.E. Evdonin, V.A. Kostylev, S.V. Shiryayev, B.I. Dolgushin</i>	
Modulated Microwave Effects on Visual Event-related Potentials during Oddball Task	570
<i>K. Kruusing and J. Lass</i>	

Evaluation of the Independent Dose Calculation Algorithm	574
<i>J. Laurikaitienė, M. Laurikaitis, D. Adlienė, G.A. Adlys, S. Raila, F. Nordström, S. Bück and S. Mattsson</i>	
Dosimetric Properties of Detectors for Quality Control of Intensity Modulated Radiotherapy	578
<i>S. Plaude, S. Popov, A. Miller and Y. Dekhtyar</i>	
Considering Dose Rate in Routine X-ray Examination by Thermoluminescent Dosimetry (TLD) in Radiology units of Mazandaran Hospitals	582
<i>S.A. Rahimi</i>	
Cost-Effectiveness of the Positron Emission Tomography with [18F]-fluorodeoxyglucose for the Staging and Management of Lung Cancer in Russia	586
<i>A.V. Khmelev, S.V. Shiryayev, B.I. Dolgushin, I.D. Gotsadze, I.P. Aslanidi, O.V. Mukhortova, S.E. Evdonin</i>	
Design of an Ultra-Near-Field System for Planar Coded Aperture Nuclear Medicine Imaging	590
<i>D.M. Starfield, D.M. Rubin and T. Marwala</i>	
 Micro- and Nanoobjects, Nanostructured Systems, Biophysics	
Semiconductors and Biomedical Structures for Nanobiometric Applications	594
<i>B.H. Bairamov, V.V. Toporov, F.B. Bayramov, M. Vasudev, M. Dutta, M.A. Strosio, and G. Irmer</i>	
Microcells Development and Endocytosis Ability Morphological and Quantitative Characterization in HeLa Cancer Cells	598
<i>D. Bema, T. Freivalds, I. Buikis and L. Harju</i>	
Atomic Force Microscopy Study of Yeast Cells Influenced by High Voltage Electrical Discharge	602
<i>D. Borovikova, S. Cifansky, Y. Dekhtyar, V. Fedotova, V. Jakushevich, A. Katashev, A. Patmalnieks, A. Rapoport</i>	
Dependence of DNA Electrotransfer into Cells In vitro on Cell Electroporation and DNA Electrophoresis	606
<i>K. Čepurnienė, S. Šatkauskas</i>	
Measurement of Temperature Synchronized Yeast Cells kHz Electrical Oscillations.....	610
<i>M. Cifra, J. Pokorný, F. Jelinek, J. Hašek and J. Šimša</i>	
Self – Assembled System: Semiconductor and Virus Like Particles	614
<i>Yu. Dekhtyar, A. Kachanovska, G. Mezinskis, A. Patmalnieks, P. Pumpens, R. Renhofa</i>	
Quantum Chemical Simulation of Cytochrome P450 Catalyzed Oxidation and Carcinogenic potency of Benzene Derivatives	616
<i>P.N. D'yachkov, N.V. Kharchevnikova, Z.I. Zholdakova, N. Fjodorova, M. Novich and M. Vrachko</i>	
Evaluation of Highly-Water Soluble Drug Physical State in Biodegradable Microcapsules	619
<i>D. Loca, O. Pugovics and L. Berzina-Cimdina</i>	
Time-dependent Model of Induced Transmembrane Voltage and Electroporation on Clusters of Cells.....	623
<i>G. Pucihar, T. Kotnik and D. Miklavcic</i>	
Mg²⁺ and Ni²⁺ ion Effects on Phase Transitions in AU and A2U under Conditions Close to Physiological Ones.....	628
<i>V.A. Sorokin, E.L. Usenko and V.A. Valeev</i>	
Studies of Mechanical Treatment on Surface Charge of Bioactive Composites	632
<i>S. Szarska, E. Szmidt, A. Wójcik</i>	
Author Index.....	637
Subject Index	643

14th Nordic-Baltic Conference on Biomedical
Engineering and Medical Physics

NBC 2008. 16-20 June 2008. Riga, Latvia

Katashev, A.; Dekhtyar, Y.; Spigulis, J. (Eds.)

2008, XX, 648 p., Softcover

ISBN: 978-3-540-69366-6