

Contents of LB I/21A

| | | |
|----------|--|------------|
| 1 | Introduction (H. SCHOPPER) | 1-1 |
| 2 | Gauge Theories and the Standard Model (G. ALTARELLI) | 2-1 |
| 2.1 | Introduction | 2-1 |
| 2.2 | Overview of the Standard Model | 2-2 |
| 2.3 | The Formalism of Gauge Theories | 2-5 |
| 2.4 | Application to QCD | 2-8 |
| 2.5 | Quantization of a Gauge Theory | 2-8 |
| 2.6 | Spontaneous Symmetry Breaking in Gauge Theories | 2-10 |
| 2.7 | Quantization of Spontaneously Broken Gauge Theories: R_ξ Gauges | 2-14 |
| 2.8 | References for 2 | 2-16 |
| 3 | The Standard Model of Electroweak Interactions (G. ALTARELLI) | 3-1 |
| 3.1 | Introduction | 3-1 |
| 3.2 | The Gauge Sector | 3-1 |
| 3.3 | Couplings of Gauge Bosons to Fermions | 3-2 |
| 3.4 | Gauge Boson Self-interactions | 3-6 |
| 3.5 | The Higgs Sector | 3-7 |
| 3.6 | The CKM Matrix | 3-10 |
| 3.7 | Neutrino Masses | 3-14 |
| 3.8 | Renormalization of the Electroweak Theory | 3-15 |
| 3.9 | QED Tests: Lepton Anomalous Magnetic Moments | 3-17 |
| 3.10 | Large Radiative Corrections to Electroweak Processes | 3-19 |
| 3.11 | Electroweak Precision Tests in the SM and Beyond | 3-20 |
| 3.12 | Results of the SM Analysis of Precision Tests | 3-23 |
| 3.13 | Phenomenology of the SM Higgs | 3-26 |
| 3.13.1 | Theoretical Bounds on the SM Higgs Mass | 3-27 |
| 3.13.2 | SM Higgs Decays | 3-28 |
| 3.14 | Limitations of the Standard Model | 3-31 |
| 3.15 | Acknowledgements | 3-32 |
| 3.16 | References | 3-32 |
| 4 | QCD: The Theory of Strong Interactions (G. ALTARELLI) | 4-1 |
| 4.1 | Introduction | 4-1 |
| 4.2 | Massless QCD and Scale Invariance | 4-5 |
| 4.3 | The Renormalisation Group and Asymptotic Freedom | 4-8 |
| 4.4 | More on the Running Coupling | 4-14 |
| 4.5 | Application to Hard Processes | 4-16 |
| 4.5.1 | $R_{e^+e^-}$ and Related Processes | 4-16 |
| 4.5.2 | The Final State in e^+e^- Annihilation | 4-18 |
| 4.5.3 | Deep Inelastic Scattering | 4-19 |
| 4.5.3.1 | Resummation for Deep Inelastic Structure Functions | 4-25 |

| | | |
|----------|--|------|
| 4.5.3.2 | Polarized Deep Inelastic Scattering | 4-27 |
| 4.5.4 | Factorisation and the QCD Improved Parton Model | 4-28 |
| 4.6 | Measurements of α_s | 4-33 |
| 4.6.1 | α_s from e^+e^- colliders | 4-33 |
| 4.6.2 | α_s from Deep Inelastic Scattering | 4-34 |
| 4.6.3 | Summary on α_s | 4-35 |
| 4.7 | Conclusion | 4-36 |
| 4.8 | Acknowledgements | 4-37 |
| 4.9 | References for 4 | 4-37 |
| 5 | QCD on the Lattice (H. WITTIG) | 5-1 |
| 5.1 | Introduction and outline | 5-1 |
| 5.1.1 | Historical perspective | 5-1 |
| 5.1.2 | Outline | 5-2 |
| 5.2 | The lattice approach to QCD | 5-3 |
| 5.2.1 | Euclidean quantization | 5-3 |
| 5.2.2 | Lattice actions for QCD | 5-5 |
| 5.2.3 | Functional integral and observables | 5-13 |
| 5.2.4 | Continuum limit, scale setting and renormalization | 5-16 |
| 5.2.5 | Limitations and systematic effects | 5-20 |
| 5.2.6 | Simulations with dynamical quarks | 5-22 |
| 5.3 | Hadron spectroscopy | 5-25 |
| 5.3.1 | Light hadron spectrum | 5-25 |
| 5.3.2 | Glueballs | 5-27 |
| 5.4 | Confinement and string breaking | 5-30 |
| 5.5 | Fundamental parameters of QCD | 5-33 |
| 5.5.1 | Non-perturbative renormalization | 5-35 |
| 5.5.2 | Finite volume scheme: the Schrödinger functional | 5-37 |
| 5.5.3 | Regularization-independent momentum subtraction scheme | 5-40 |
| 5.5.4 | Mean-field improved perturbation theory | 5-41 |
| 5.5.5 | The running coupling from the lattice | 5-42 |
| 5.5.6 | Light quark masses | 5-46 |
| 5.6 | Spontaneous chiral symmetry breaking | 5-49 |
| 5.6.1 | Chiral Perturbation Theory | 5-50 |
| 5.6.2 | Lattice calculations of the quark condensate | 5-52 |
| 5.7 | Hadronic weak matrix elements | 5-58 |
| 5.7.1 | Weak matrix elements in the kaon sector | 5-59 |
| 5.7.2 | Weak matrix elements in the heavy quark sector | 5-63 |
| 5.8 | Concluding remarks | 5-71 |
| 5.9 | Acknowledgements | 5-71 |
| 5.10 | References for 5 | 5-72 |
| 6 | Experimental Precision Tests for the Electroweak Standard Model (M.W. GRÜNEWALD) | 6-1 |
| 6.1 | Introduction | 6-1 |
| 6.2 | Fermion-Pair Production and the Z Resonance | 6-2 |
| 6.2.1 | Introduction | 6-2 |
| 6.2.2 | Z Lineshape and Forward-Backward Asymmetries | 6-4 |
| 6.2.3 | Polarised Asymmetries at SLC | 6-8 |
| 6.2.3.1 | Left-Right Asymmetry | 6-8 |
| 6.2.3.2 | Left-Right Forward-Backward Asymmetry | 6-9 |
| 6.2.3.3 | Summary | 6-9 |

| | | |
|----------|---|------------|
| 6.2.4 | Tau Polarisation at LEP | 6-10 |
| 6.2.5 | Heavy Quark Flavours b and c | 6-14 |
| 6.2.5.1 | Introduction | 6-14 |
| 6.2.5.2 | Tagging Methods | 6-15 |
| 6.2.5.3 | Partial Width Measurements | 6-15 |
| 6.2.5.4 | Asymmetry Measurements | 6-16 |
| 6.2.5.5 | Corrections and Systematic Uncertainties | 6-18 |
| 6.2.5.6 | Combined Results | 6-21 |
| 6.2.6 | Inclusive Hadronic Charge Asymmetry | 6-26 |
| 6.2.7 | Z Boson Properties and Effective Couplings | 6-27 |
| 6.2.7.1 | Z-Boson Decay Widths and Number of Neutrinos | 6-27 |
| 6.2.7.2 | The Asymmetry Parameters | 6-27 |
| 6.2.7.3 | Effective Couplings of the Neutral Weak Current | 6-28 |
| 6.2.7.4 | The Effective Electroweak Mixing Angle | 6-30 |
| 6.3 | The W Boson | 6-33 |
| 6.3.1 | W Bosons at Hadron Colliders | 6-33 |
| 6.3.1.1 | Production of W Bosons | 6-33 |
| 6.3.1.2 | Determination of W-Boson Mass and Width | 6-33 |
| 6.3.2 | W Bosons at LEP-II | 6-36 |
| 6.3.2.1 | Production of W Bosons | 6-36 |
| 6.3.2.2 | Determination of W-Boson Mass and Width | 6-39 |
| 6.4 | The Top Quark | 6-42 |
| 6.4.1 | Top Quark Production | 6-42 |
| 6.4.2 | Mass of the Top Quark | 6-44 |
| 6.5 | Low-Energy Measurements | 6-46 |
| 6.5.1 | Parity Violation in Atoms | 6-46 |
| 6.5.2 | Parity Violation in Möller Scattering | 6-47 |
| 6.5.3 | Neutrino-Nucleon Scattering | 6-47 |
| 6.5.4 | Anomalous Magnetic Moment of the Muon | 6-49 |
| 6.6 | Constraints on the Standard Model | 6-51 |
| 6.6.1 | Introduction | 6-51 |
| 6.6.2 | Z-Pole Results | 6-51 |
| 6.6.3 | The Mass of the Top Quark and of the W Boson | 6-52 |
| 6.6.4 | The Mass of the Higgs Boson | 6-53 |
| 6.7 | Summary and Conclusion | 6-57 |
| 6.7.1 | Prospects for the Future | 6-58 |
| 6.8 | Acknowledgements | 6-58 |
| 6.9 | References for 6 | 6-58 |
| 7 | Relativistic Nucleus-Nucleus Collisions and the QCD Matter Phase Diagram (R. STOCK) | 7-1 |
| 7.1 | Introduction | 7-1 |
| 7.1.1 | Overview | 7-1 |
| 7.1.2 | History | 7-5 |
| 7.2 | Bulk hadron production in A+A collisions | 7-7 |
| 7.2.1 | Particle multiplicity and transverse energy density | 7-8 |
| 7.2.2 | Rapidity distributions | 7-11 |
| 7.2.3 | Dependence on system size | 7-15 |
| 7.2.4 | Gluon saturation in A+A collisions | 7-18 |
| 7.2.5 | Transverse phase space: equilibrium and the QGP state | 7-23 |
| 7.2.6 | Bulk hadron transverse spectra and radial expansion flow | 7-28 |
| 7.3 | Hadronization and hadronic freeze-out in A+A collisions | 7-33 |
| 7.3.1 | Hadronic freeze-out from expansion flow | 7-35 |

| | | |
|----------|---|------------|
| 7.3.2 | Grand canonical strangeness enhancement | 7-37 |
| 7.3.3 | Origin of hadro-chemical equilibrium | 7-42 |
| 7.3.4 | Hadronization vs. rapidity and \sqrt{s} | 7-44 |
| 7.4 | Elliptic flow | 7-47 |
| 7.5 | In-medium attenuation of high p_T hadron and jet production | 7-52 |
| 7.5.1 | High p_T inclusive hadron production quenching | 7-52 |
| 7.5.2 | Energy loss in a QCD medium | 7-56 |
| 7.5.3 | Di-jet production and attenuation in A+A collisions | 7-61 |
| 7.6 | Vector meson and direct photon production: penetrating probes | 7-66 |
| 7.6.1 | Charmonium suppression | 7-67 |
| 7.6.2 | Direct photons | 7-70 |
| 7.6.3 | Low mass dilepton spectra: vector mesons in-medium | 7-72 |
| 7.7 | Fluctuation and correlation signals | 7-75 |
| 7.7.1 | Elliptic flow fluctuation | 7-75 |
| 7.7.2 | Critical point: fluctuations from diverging susceptibilities | 7-77 |
| 7.7.3 | Critical fluctuation of the sigma-field, and related pionic observables | 7-79 |
| 7.7.4 | Bose-Einstein-correlation | 7-81 |
| 7.8 | Summary | 7-86 |
| 7.9 | References for 7 | 7-89 |
| 8 | Beyond the Standard Model (E. RABINOVICI) | 8-1 |
| 8.1 | Introduction | 8-1 |
| 8.2 | Super Symmetry | 8-4 |
| 8.2.1 | Elementary particles in SUSY models – algebraic structure | 8-4 |
| 8.2.2 | Supersymmetric Lagrangians | 8-6 |
| 8.2.2.1 | Superspace, chiral fields and Lagrangians for spin zero and one-half particles | 8-6 |
| 8.2.2.2 | Global symmetries | 8-8 |
| 8.2.2.3 | Lagrangians for SUSY gauge theories | 8-10 |
| 8.2.3 | Supersymmetrical particle spectrum in nature? | 8-12 |
| 8.2.4 | Spontaneous SUSY breaking – perturbative analysis | 8-12 |
| 8.2.4.1 | F -terms | 8-12 |
| 8.2.4.2 | SUSY breaking in theories with scalars and spin one half particles by F terms | 8-13 |
| 8.2.4.3 | SUSY breaking in supersymmetric gauge theories | 8-14 |
| 8.2.5 | Dynamics of SUSY gauge theories and SUSY breaking | 8-15 |
| 8.2.5.1 | Phases of gauge theories | 8-16 |
| 8.2.5.2 | SUSY QCD – the setup | 8-17 |
| 8.2.5.3 | The moduli space | 8-18 |
| 8.2.5.4 | Quantum moduli spaces/Dynamical SUSY breaking | 8-20 |
| 8.2.5.5 | Infra-red duality | 8-24 |
| 8.2.5.6 | More general matter composition of SUSY gauge theories | 8-25 |
| 8.2.6 | Dynamics of SUSY gauge theories with $N > 1$ SUSY | 8-27 |
| 8.2.6.1 | $N = 4$ supersymmetry | 8-27 |
| 8.2.7 | Gauging supersymmetry | 8-28 |
| 8.2.8 | The hierarchy problem | 8-28 |
| 8.2.9 | Effective theories | 8-29 |
| 8.2.10 | MSSM Lagrangian | 8-30 |
| 8.3 | Unification | 8-33 |
| 8.3.1 | Gauge group unification | 8-33 |
| 8.3.2 | Extra dimensions and unification | 8-33 |
| 8.4 | String Theory | 8-36 |
| 8.4.1 | No NOH principle | 8-36 |
| 8.4.2 | Why change a winning team: Extended constituents are called upon to replace point-like ones | 8-37 |

| | | |
|-----------|---|------|
| 8.4.3 | New questions | 8-38 |
| 8.4.4 | The one and only? | 8-39 |
| 8.4.5 | Successes: Black holes, holography and all that | 8-42 |
| 8.4.6 | Magic | 8-43 |
| 8.4.7 | Human effort and closing remarks | 8-45 |
| 8.5 | References for 8 | 8-45 |
| 9 | Particle Cosmology (D.J. SCHWARZ) | 9-1 |
| 9.1 | Introduction | 9-1 |
| 9.2 | The minimal cosmological model | 9-1 |
| 9.2.1 | Observational facts | 9-1 |
| 9.2.2 | Cosmological principle | 9-3 |
| 9.2.3 | Friedmann-Lemaître models | 9-3 |
| 9.2.4 | Evidence for dark energy | 9-6 |
| 9.2.5 | Thermal history | 9-7 |
| 9.3 | Cosmological inflation | 9-9 |
| 9.3.1 | Basics | 9-9 |
| 9.3.2 | Scenarios | 9-10 |
| 9.3.3 | Quantum fluctuations | 9-12 |
| 9.3.4 | Slow-roll power spectra | 9-14 |
| 9.4 | Hot Universe | 9-16 |
| 9.4.1 | Before the electroweak transition | 9-16 |
| 9.4.2 | A sequence of (phase) transitions | 9-18 |
| 9.4.3 | Primeval nucleosynthesis | 9-21 |
| 9.4.4 | Cold dark matter I | 9-23 |
| 9.4.5 | Photon decoupling | 9-23 |
| 9.5 | Structure formation | 9-24 |
| 9.5.1 | Evolution of small perturbations | 9-24 |
| 9.5.2 | CMB anisotropies | 9-25 |
| 9.5.3 | Cold dark matter II | 9-26 |
| 9.5.4 | Large-scale structure | 9-27 |
| 9.6 | Cosmic substratum | 9-28 |
| 9.6.1 | Classification of dark matter candidates | 9-28 |
| 9.6.2 | Properties of dark matter | 9-29 |
| 9.6.3 | Neutrinos | 9-30 |
| 9.6.4 | CDM candidates | 9-31 |
| 9.6.5 | Neutralinos and other WIMPs | 9-32 |
| 9.6.6 | Axions | 9-33 |
| 9.6.7 | Primordial black holes | 9-34 |
| 9.6.8 | Dark energy | 9-34 |
| 9.7 | Summary and open issues | 9-35 |
| 9.8 | Acknowledgements | 9-37 |
| 9.9 | References for 9 | 9-37 |
| 10 | Symmetry Violations and Quark Flavour Physics (K. KLEINKNECHT) | 10-1 |
| 10.1 | Introduction | 10-1 |
| 10.1.1 | Matter–antimatter asymmetry in the universe | 10-1 |
| 10.1.2 | References for 10.1 | 10-2 |
| 10.2 | Discrete Symmetries | 10-3 |
| 10.2.1 | Discrete symmetries in classical physics | 10-3 |
| 10.2.1.1 | Parity P | 10-3 |
| 10.2.1.2 | Time reversal T | 10-3 |

| | | |
|----------|---|-------|
| 10.2.1.3 | Dipole moments | 10-4 |
| 10.2.2 | Discrete symmetries in quantum systems | 10-4 |
| 10.2.2.1 | Particle–antiparticle conjugation | 10-4 |
| 10.2.2.2 | Violation of mirror symmetry – parity violation in weak interactions | 10-5 |
| 10.2.2.3 | Violation of C symmetry, and CP invariance | 10-5 |
| 10.2.2.4 | CP invariance and neutral K mesons | 10-6 |
| 10.2.2.5 | Discovery of CP violation | 10-6 |
| 10.2.3 | Discrete symmetries in quantum mechanics | 10-8 |
| 10.2.4 | References for 10.2 | 10-9 |
| 10.3 | Mixing and Decay of Neutral Flavoured Mesons | 10-11 |
| 10.3.1 | Particle–antiparticle mixing | 10-11 |
| 10.3.2 | Decays of neutral mesons | 10-12 |
| 10.3.2.1 | Time-dependent Schrödinger equation | 10-12 |
| 10.3.2.2 | Decay asymmetries and CP | 10-15 |
| 10.3.3 | References for 10.3 | 10-17 |
| 10.4 | Models of CP Violation | 10-18 |
| 10.4.1 | References for 10.4 | 10-21 |
| 10.5 | The Neutral K Meson System | 10-23 |
| 10.5.1 | Mass eigenstates and CP eigenstates | 10-23 |
| 10.5.2 | Isospin decomposition | 10-23 |
| 10.5.3 | Interference between decay amplitudes of K_L and K_S | 10-26 |
| 10.5.3.1 | 2π decay | 10-27 |
| 10.5.3.2 | Semileptonic decays | 10-27 |
| 10.5.4 | Detection of K^0 decays | 10-28 |
| 10.5.4.1 | Charged decay modes | 10-28 |
| 10.5.4.2 | Neutral decay modes | 10-29 |
| 10.5.4.3 | Detectors measuring charged and neutral decay modes simultaneously | 10-30 |
| 10.5.4.4 | NA31 | 10-30 |
| 10.5.4.5 | NA48 | 10-31 |
| 10.5.4.6 | kTeV | 10-32 |
| 10.5.4.7 | CLEAR | 10-33 |
| 10.5.5 | Elucidation of CP violation in K^0 decays (I): search for $\text{Im}(\epsilon'/\epsilon)$ | 10-34 |
| 10.5.5.1 | The significance of the phase Φ_{+-} | 10-31 |
| 10.5.5.2 | Measurements of the phase Φ_{+-} in interference experiments behind a regenerator | 10-34 |
| 10.5.5.3 | Measurements of Φ_{+-} in vacuum interference experiments | 10-35 |
| 10.5.5.4 | Measurements of the phase difference $\Phi_{00} - \Phi_{+-}$ | 10-37 |
| 10.5.5.5 | Measurement of Φ_{+-} from a tagged pure strangeness state | 10-37 |
| 10.5.5.6 | Charge asymmetry in semileptonic decays | 10-38 |
| 10.5.5.7 | Parameters of CP violation in the K^0 system: $\text{Im}(\epsilon'/\epsilon)$ | 10-39 |
| 10.5.6 | Elucidation of CP violation in K^0 decays (II): discovery of direct CP violation in $\text{Re}(\epsilon'/\epsilon)$ | 10-40 |
| 10.5.6.1 | Significance of the double ratio R | 10-40 |
| 10.5.6.2 | The NA31 experiment: first evidence for direct CP violation | 10-41 |
| 10.5.6.3 | The experiment E731 at Fermilab | 10-43 |
| 10.5.6.4 | The kTeV experiment at Fermilab | 10-43 |
| 10.5.6.5 | The NA48 experiment | 10-46 |
| 10.5.6.6 | Conclusions about direct CP violation, $\text{Re}(\epsilon'/\epsilon)$ and the Wu–Yang triangle | 10-48 |
| 10.5.7 | References for 10.5 | 10-50 |
| 10.6 | The Neutral B Meson System | 10-52 |
| 10.6.1 | Phenomenology of mixing in the neutral B meson system | 10-52 |
| 10.6.2 | Detection of B meson decays | 10-54 |
| 10.6.3 | Belle | 10-55 |
| 10.6.4 | BABAR | 10-56 |
| 10.6.5 | Lifetime measurements | 10-57 |
| 10.6.6 | Measurements of B_d^0 – anti- B_d^0 mixing | 10-57 |

| | | |
|-----------|--|-------------|
| 10.6.7 | Observation of B_s^0 mixing | 10-60 |
| 10.6.8 | Experiments on CP violation in B^0 decays | 10-61 |
| 10.6.9 | Observation of direct CP violation in B^0 decays | 10-65 |
| 10.6.10 | References for 10.6 | 10-68 |
| 10.7 | Weak quark mixing and the CKM matrix | 10-69 |
| 10.7.1 | References for 10.7 | 10-75 |
| 10.8 | Conclusion | 10-78 |
| 10.8.1 | References for 10.8 | 10-78 |
| 11 | Experimental Results on Neutrino Masses and Mixings | 11-1 |
| 11.1 | Overview of Neutrino Physics (M. KOSHIBA) | 11-1 |
| 11.1.1 | The early history | 11-1 |
| 11.1.2 | Observation of Supernova 1987A neutrinos | 11-3 |
| 11.1.3 | The astrophysical observation of the solar neutrino | 11-4 |
| 11.1.4 | The neutrino oscillation | 11-5 |
| 11.1.5 | The latest developments | 11-6 |
| 11.1.6 | References for 11.1 | 11-6 |
| 11.2 | Solar Neutrinos (M. NAKAHATA) | 11-8 |
| 11.2.1 | Standard Solar Model | 11-8 |
| 11.2.2 | Solar neutrino experiments | 11-9 |
| 11.2.2.1 | Homestake | 11-9 |
| 11.2.2.2 | Kamiokande | 11-10 |
| 11.2.2.3 | SAGE and GALLEX/GNO | 11-11 |
| 11.2.2.4 | Super-Kamiokande | 11-12 |
| 11.2.2.5 | SNO | 11-13 |
| 11.2.2.6 | Summary of experimental results | 11-14 |
| 11.2.3 | Matter effect of neutrino oscillations | 11-15 |
| 11.2.4 | Evidence for solar neutrino oscillation | 11-15 |
| 11.2.5 | Energy spectrum and day/night difference | 11-16 |
| 11.2.6 | Oscillation parameters | 11-17 |
| 11.2.7 | Future prospects | 11-19 |
| 11.2.8 | References for 11.2 | 11-19 |
| 11.3 | Atmospheric Neutrinos (T. KAJITA) | 11-20 |
| 11.3.1 | Introduction and early history | 11-20 |
| 11.3.2 | Atmospheric neutrino flux | 11-21 |
| 11.3.3 | Neutrino interactions | 11-23 |
| 11.3.4 | Atmospheric neutrino experiments | 11-24 |
| 11.3.4.1 | μ/e ratio | 11-24 |
| 11.3.4.2 | Zenith angle distribution | 11-25 |
| 11.3.5 | $\nu_\mu \leftrightarrow \nu_\tau$ oscillations | 11-27 |
| 11.3.5.1 | L/E analysis | 11-29 |
| 11.3.5.2 | Detecting CC ν_τ appearance events | 11-30 |
| 11.3.6 | Beyond two-flavor oscillations | 11-30 |
| 11.3.6.1 | Three-flavor oscillation effect: θ_{13} | 11-31 |
| 11.3.6.2 | Effects of the solar oscillation terms | 11-32 |
| 11.3.7 | Summary | 11-32 |
| 11.3.8 | References for 11.3 | 11-33 |
| 11.4 | Accelerator Neutrino Experiments (T. KOBAYASHI, T. NAKAYA, K. NISHIKAWA) | 11-34 |
| 11.4.1 | The K2K experiment | 11-35 |
| 11.4.2 | The NuMI/MINOS experiment | 11-39 |
| 11.4.3 | The CNGS/OPERA experiment | 11-40 |
| 11.4.4 | The T2K experiment | 11-42 |
| 11.4.5 | The NOvA experiment | 11-45 |

| | | |
|-----------|---|-------------|
| 11.4.6 | Issues with LSND results | 11-45 |
| 11.4.7 | Summary | 11-47 |
| 11.4.8 | References for 11.4 | 11-47 |
| 11.5 | Reactor Neutrinos (A. SUZUKI, K. INOUE) | 11-48 |
| 11.5.1 | Neutrino oscillation with reactor neutrinos | 11-49 |
| 11.5.2 | CHOOZ | 11-49 |
| 11.5.3 | KamLAND | 11-51 |
| 11.5.4 | References for 11.5 | 11-54 |
| 11.6 | Summary of Experimental Results and Future Outlook (M. NAKAHATA) | 11-54 |
| 11.6.1 | Summary of experimental results | 11-54 |
| 11.6.2 | Summary of neutrino oscillation parameters | 11-56 |
| 11.6.3 | Remaining questions and future prospects | 11-58 |
| 11.6.3.1 | θ_{13} measurement | 11-59 |
| 11.6.3.2 | CP phase measurement | 11-60 |
| 11.6.3.3 | Mass hierarchy | 11-62 |
| 11.6.3.4 | Direct neutrino mass by beta decay | 11-62 |
| 11.6.3.5 | Neutrinoless double beta decay | 11-63 |
| 11.6.4 | References for 11.6 | 11-64 |
| 12 | The Future of Particle Physics – the LHC and Beyond (K. PEACH) | 12-1 |
| 12.1 | Introduction | 12-1 |
| 12.2 | Open Questions in Particle Physics | 12-2 |
| 12.2.1 | Open Questions Within the Standard Model | 12-2 |
| 12.2.2 | Open Questions Beyond the Standard Model | 12-3 |
| 12.2.3 | Open Questions in Particle Physics and Cosmology | 12-4 |
| 12.2.4 | The Way Forward | 12-4 |
| 12.3 | The Energy Frontier | 12-5 |
| 12.3.1 | The Large Hadron Collider – the LHC | 12-6 |
| 12.3.2 | The International Linear Collider – the ILC | 12-10 |
| 12.3.3 | Beyond the Terascale | 12-11 |
| 12.4 | The Luminosity Frontier | 12-12 |
| 12.4.1 | Quarkonium Factories | 12-12 |
| 12.4.1.1 | CKM Physics, Rare Decays and CP-Violation | 12-13 |
| 12.4.1.2 | Hadronic Physics | 12-13 |
| 12.4.2 | High Intensity Neutrino Beams | 12-13 |
| 12.4.2.1 | Experiments Running or Under Construction | 12-14 |
| 12.4.2.2 | “BETA Beams” | 12-15 |
| 12.4.2.3 | The Neutrino Factory | 12-16 |
| 12.4.3 | High Intensity Muon Sources | 12-17 |
| 12.5 | Non-Accelerator Experiments | 12-18 |
| 12.6 | Particle Astrophysics | 12-18 |
| 12.7 | Summary | 12-19 |
| 12.8 | References | 12-19 |

Elementary Particles

Schopper, H. (Ed.)

2008, XV, 597 p., Hardcover

ISBN: 978-3-540-74202-9