
Contents

1 Energetic Beam Synthesis of Dilute Nitrides and Related Alloys

<i>K.M. Yu, M.A. Scarpulla, W. Shan, J. Wu, J.W. Beeman, J. Jasinski, Z. Liliental-Weber, O.D. Dubon, and W. Walukiewicz</i>	1
1.1 Introduction	1
1.2 Ion Beam Synthesis of Dilute Nitrides	3
1.3 Ion Implantation and Pulsed-Laser Melting	8
1.4 Synthesis of Dilute Nitrides by Ion Implantation and Pulsed-Laser Melting	10
1.5 Maximum Carrier Concentration and Mutual Passivation	17
1.6 Synthesis of Dilute II–VI Oxides by Ion Implantation and Pulsed-Laser Melting	20
1.7 Photovoltaic Applications of Highly Mismatched Alloys	26
1.8 Conclusions	29
References	30

2 Impact of Nitrogen Ion Density on the Optical and Structural Properties of MBE Grown GaInNAs/GaAs (100) and (111)B Quantum Wells

<i>J. Miguel-Sánchez, Á. Guzmán, A. Hierro, E. Muñoz, U. Jahn, and A. Trampert</i>	35
2.1 Introduction	36
2.1.1 Overview	36
2.1.2 Material Properties, Nitrogen Plasmas, and (111)B	36
2.2 Experimental Setup	37
2.3 Plasma Characterization	38
2.3.1 Basic Characterization	38
2.3.2 The Modified Langmuir Probe Method	40
2.3.3 Application of Magnetic Fields to Nitrogen Plasmas	44
2.4 Minimizing the Impact of the Ions	45
2.5 The Role of Ions on GaInNAs/GaAs (111)B QWs	47

XII Contents

2.6	The Role of Ions on GaInNAs/GaAs (100) QWs	50
2.6.1	Optical Characterization	51
2.6.2	Structural Characterization	54
2.7	Conclusions	60
	References	61

3 Electronic Band Structure

of Highly Mismatched Semiconductor Alloys

	<i>W. Walukiewicz, K. Alberi, J. Wu, W. Shan, K.M. Yu,</i> <i>and J.W. Ager III.</i>	65
3.1	Introduction	65
3.2	Localized Impurities	66
3.3	The Band Anticrossing Model	67
3.4	Experimental Investigation of Dilute III–N–V Alloys	72
3.4.1	Interband Transitions in Dilute Nitrides	73
3.4.2	Electronic Properties of Dilute Nitrides	80
3.5	Valence Band Anticrossing	82
3.6	Conclusions	86
	References	87

4 Electronic Structure of GaN_xAs_{1-x} Under Pressure

	<i>I. Gorczyca, P. Boguslawski, A. Svane, and N.E. Christensen.</i>	91
4.1	Introduction	91
4.2	Methodology	93
4.2.1	Bandgap Adjustment	95
4.2.2	Accuracy of the Supercell Method	97
4.2.3	Group-Theoretical Discussion of Electronic States	97
4.3	Features of the GaN _x As _{1-x} Band Structures	98
4.3.1	Effects of Lattice Relaxation	99
4.3.2	Composition Dependence of the Bandgap	100
4.3.3	Optical Transitions to E_- and E_+	102
4.3.4	Effects of Hydrostatic Pressure	105
4.3.5	Discussion of the Origin of the E_+ Edge	108
4.4	Conduction Band Mass vs. Composition, Pressure, and Wavevector	109
4.5	Summary	116
	References	117

5 Experimental Studies of GaInNAs

Conduction Band Structure

	<i>C. Skierbiszewski.</i>	123
5.1	Introduction	123
5.2	GaInNAs Electron Effective Mass and Conduction Band Dispersion	125
5.2.1	Effective Mass Determination	125
5.2.2	Giant Nonparabolicity of the GaInNAs Conduction Band	129

5.2.3	Effective Mass at the Bottom of the Conduction Band ...	131
5.2.4	Pressure Dependence of the Effective Mass for $k \sim 0$	137
5.3	Interband Absorption of Free-Standing Epitaxial Layers	139
5.4	Dielectric Function and the Critical Point Transitions	142
5.5	Effective g^* -Factors for Electrons and Holes	146
5.5.1	Effective g^* -Factor for the E_- Conduction Band	151
5.5.2	Effective g^* -Factors for the E_+ Conduction Band and the Valence Bands	154
5.5.3	Electron Effective Mass at the Bottom of the E_- Band ..	155
5.6	Conclusions	157
	References	158

6 Electromodulation Spectroscopy of GaInNAsSb/GaAs Quantum Wells: The Conduction Band Offset and the Electron Effective Mass Issues

	<i>J. Misiewicz, R. Kudrawiec, M. Gladysiewicz, and J.S. Harris</i>	163
6.1	Introduction	163
6.2	Experimental Background	164
6.3	Theoretical Approach	167
6.4	Results and Discussion	171
6.4.1	Identification of Contactless Electroreflectance Resonances	171
6.4.2	Conduction Band Offset and Electron Effective Mass Determination	172
6.4.3	Influence of Remaining Parameters and Possible Errors ..	175
6.5	Summary and Outlook	176
	References	177

7 The Effects of Nitrogen Incorporation on Photogenerated Carrier Dynamics in Dilute Nitrides

	<i>S. Mazzucato and R.J. Potter</i>	181
7.1	Introduction	181
7.2	Exciton Localisation	183
7.3	Localisation in Dilute Nitrides	184
7.3.1	Photoluminescence Lineshape and S-Shape Temperature Dependence	184
7.3.2	Nearest Neighbour Configurations in Dilute Nitrides	188
7.3.3	Time Resolved Photoluminescence	188
7.3.4	Excitation Intensity Dependence	190
7.4	Reducing Localisation	191
7.4.1	Thermal Annealing	191
7.4.2	Antimony incorporation	194
7.5	Summary	194
	References	195

8 Influence of the Growth Temperature on the Composition Fluctuations of GaInNAs/GaAs Quantum Wells

<i>M. Herrera, D. Gonzalez, M. Hopkinson, H.Y. Liu, and R. Garcia</i>	199
8.1 Introduction	199
8.2 Experimental	201
8.3 Composition Fluctuations in GaInNAs Studied by Transmission Electron Microscopy in Diffraction Contrast	201
8.4 Spinodal Decomposition in GaInNAs	209
8.5 Increase of the Composition Fluctuations with Temperature	215
8.6 Summary and Future Trends	218
References	219

9 Assessing the Preferential Chemical Bonding of Nitrogen in Novel Dilute III–As–N Alloys

<i>D.N. Talwar</i>	223
9.1 Introduction	223
9.2 Local Vibrational Mode Spectroscopy	225
9.2.1 Vibrational Modes of Light Impurities in GaAs	226
9.2.2 Local Vibrational Mode of Nitrogen in GaAs and InAs	227
9.2.3 Bonding of Nitrogen in $\text{Ga}_{1-x}\text{In}_x\text{N}_y\text{As}_{1-y}$ Alloys	231
9.3 Theoretical	234
9.3.1 Ab Initio Method	235
9.3.2 Green's Function Technique	235
9.3.3 Numerical Computations and Results	237
9.4 Discussion and Conclusion	248
References	250

10 The Hall Mobility in Dilute Nitrides

<i>M.P. Vaughan and B.K. Ridley</i>	255
10.1 Introduction	255
10.2 Non-Parabolicity in Dilute Nitrides	257
10.3 The Hall Mobility	261
10.4 The Ladder Method	263
10.5 Ladder Coefficients in a Non-Parabolic Band	268
10.6 Elastic Scattering Processes	275
10.6.1 Alloy Scattering	275
10.6.2 Other Elastic Processes	276
10.7 Results and Conclusions	279
References	280

11 Spin Dynamics in Dilute Nitride

<i>X. Marie, D. Lagarde, V. Kalevich, and T. Amand</i>	283
11.1 Introduction	283
11.2 Samples and Experimental Set-Up	284
11.3 Experimental Results	285

11.4 Electron Spin Dynamics and Spin-Dependent Recombination	290
11.5 Conclusion	297
References	298

12 Optical and Electronic Properties of GaInNP Alloys: A New Material for Lattice Matching to GaAs

<i>I.A. Buyanova and W.M. Chen</i>	301
12.1 Introduction	301
12.2 Origin of Radiative Recombination	302
12.3 Compositional and Temperature Dependences of Bandgap Energies	305
12.3.1 Compositional Dependence	305
12.3.2 Temperature Dependence	307
12.4 Band Alignment in GaInNP/GaAs Heterostructures	308
12.4.1 PL Up-Conversion in GaInNP/GaAs Heterostructures . . .	309
12.4.2 Interface-Related Emission	312
12.4.3 Band Offsets at the GaInNP/GaAs Interface	313
12.5 Summary	314
References	314

13 Properties and Laser Applications of the GaP-Based GaNAsP-Material System for Integration to Si Substrates

<i>B. Kunert, K. Volz, and W. Stolz</i>	317
13.1 Introduction	317
13.2 Growth and Structural Properties	320
13.2.1 GaInNAsP Growth	320
13.2.2 Structural Properties of GaInNAsP/GaP	324
13.3 Optical Properties and Band Structure	330
13.4 Laser Devices	337
13.5 Summary	339
References	341

14 Comparison of the Electronic Band Formation and Band Structure of GaNAs and GaNP

<i>M. Güngerich, P.J. Klar, W. Heimbrodtt, G. Weiser, A. Lindsay, C. Harris, and E.P. O'Reilly</i>	343
14.1 History of Dilute-N III-V Semiconductor Alloys and Corresponding Optoelectronic Devices	344
14.2 Luminescence Characteristics of $\text{GaN}_x\text{As}_{1-x}$ and $\text{GaN}_x\text{P}_{1-x}$	347
14.3 Electronic Density of States in $\text{GaN}_x\text{As}_{1-x}$ and $\text{GaN}_x\text{P}_{1-x}$	351
14.4 Theory of Band Formation in Dilute Nitride Semiconductors	358
14.5 Conclusions	363
References	364

15 Doping, Electrical Properties and Solar Cell Application of GaInNAs

<i>K. Volz, W. Stolz, J. Teubert, P.J. Klar, W. Heimbrodt, F. Dimroth, C. Baur, and A.W. Bett</i>	369
15.1 Introduction	369
15.2 GaInNAs Growth and Doping	371
15.3 Carrier Transport Properties	378
15.3.1 Hall Measurements	378
15.3.2 Magnetoresistance Measurements	381
15.3.3 Thermopower Measurements	386
15.4 Annealing Effects on Structural and Optical Properties	388
15.4.1 Structural Properties	388
15.4.2 Optical Properties	395
15.5 Solar Cell Characteristics	400
15.6 Summary	401
References	402

16 Elemental Devices and Circuits for Monolithic Optoelectronic-Integrated Circuit Fabricated in Dislocation-Free Si/III-V-N Alloy Layers Grown on Si Substrate

<i>H. Yonezu</i>	405
16.1 Introduction	405
16.2 Growth of Structural Defect-Free Si/(In)GaPN Layers on Si Substrate	406
16.3 Optical and Electrical Properties of GaPN and InGaPN	408
16.4 Monolithic Implementation of Elemental Devices for Optoelectronic-Integrated Circuits	412
16.5 Summary	416
References	417

17 Analysis of GaInNAs-Based Devices: Lasers and Semiconductor Optical Amplifiers

<i>D. Alexandropoulos, M.J. Adams, and J. Rorison</i>	419
17.1 Introduction	419
17.2 Band Structure	420
17.2.1 General Considerations	420
17.2.2 Parameterization of the Band Anticrossing Model	422
17.2.3 Band Lineup	423
17.2.4 Implementation of the Band Structure Model	423
17.3 Optical Properties of GaInNAs Alloys	424
17.3.1 GaInNAs Material Gain	425
17.3.2 N-Positional Dependence of Material Gain	426
17.3.3 Comparison of GaInNAs and GaInAsP Material Gain	428
17.3.4 Differential Gain	428

17.3.5	Differential Refractive Index	431
17.3.6	Linewidth Enhancement Factor	431
17.4	Laser Design Considerations	433
17.4.1	Effect of In and N Composition on the Transition Wavelength	434
17.4.2	Effect of In and N Composition on the Optical Properties	436
17.5	GaInNAs Based Semiconductor Optical Amplifiers	439
17.5.1	Polarization Sensitive GaInNAs Semiconductor Optical Amplifiers	439
17.5.2	Polarization Insensitive GaInNAs SOAs	444
17.6	Conclusion	446
	References	446

18 Dilute Nitride Quantum Well Lasers by Metalorganic Chemical Vapor Deposition

<i>N. Tansu and L.J. Mawst</i>	449
18.1 Introduction	449
18.2 Metalorganic Chemical Vapor Deposition-Grown GaIn(N)As Quantum Well	451
18.3 Lasing Characteristics of 1,200 nm GaInAs	453
18.4 Lasing Characteristics of GaInNAs Quantum Well Lasers	458
18.5 1,300 nm GaInNAs Multiple Quantum Well Lasers	463
18.6 1,300 nm GaInNAs Single Quantum Well Lasers with Higher N Content	464
18.7 1,320 nm GaInNAs Quantum Well Lasers with GaNAs Barriers ..	466
18.8 Comparison of Metalorganic Chemical Vapor Deposition GaInNAs with Other GaInNAs in 1,300 nm Regimes	471
18.9 Single-Mode Ridge Waveguide 1,300 nm GaInNAs Quantum Well Lasers	472
18.10 Extension of GaInNAs Quantum Well Lasers Beyond 1,320 nm ..	475
18.11 Temperature Analysis of the GaInNAs QW Lasers	480
18.12 Thermionic Emission Lifetime of GaInNAs Quantum Wells Lasers	485
18.13 Experimental Evidence of the Existence of Carrier Leakages	490
18.14 Extending the Emission Wavelength to 1,550 nm Regimes	495
18.15 Conclusions	496
References	497

19 Interdiffused GaInNAsSb Quantum Well on GaAs for 1,300–1,550 nm Diode Lasers

<i>R.A. Arif and N. Tansu</i>	503
19.1 Introduction	504
19.2 Design of the Interdiffused GaInAsNSb Quantum Well	505
19.3 Band Lineups of GaInNAsSb Material Systems	507

XVIII Contents

19.4	Computational Model of Sb–N Quantum Well Intermixing	508
19.4.1	Sb–N Interdiffusion Model	508
19.4.2	Ga(N)As–GaInNAs–GaIn(N)AsSb Energy Band Lineup . .	509
19.5	Interdiffused GaInAsSb–GaInNAs Quantum Well Structure	514
19.6	Optimization for Interdiffused GaInNAsSb Quantum Well at 1,550 nm Regime	515
19.7	Strain-Compensated Interdiffused GaInAsSb–GaInNAs Quantum Well Structure	516
19.8	Experiments on the Interdiffusion of Sb- and N-Species in GaAs	518
19.9	Summary	521
	References	522

20 Vertical Cavity Semiconductor Optical Amplifiers Based on Dilute Nitrides

<i>S. Calvez and N. Laurand</i>	525
20.1 Introduction	525
20.2 Device Description and Theory	526
20.2.1 Device Description	526
20.2.2 Amplification Analysis Using Rate Equations	528
20.3 Continuous-Wave Experimental Demonstrations	534
20.3.1 Devices	534
20.3.2 Amplification Characterization Setup	535
20.3.3 Reflective 1,300 nm GaInNAs Vertical Cavity Semiconductor Optical Amplifier in Operation	537
20.3.4 Optimization and Noise of 1,300 nm GaInNAs Vertical Cavity Semiconductor Optical Amplifiers	540
20.3.5 Tunability	543
20.3.6 Material Parameter Extraction	547
20.4 Gain Dynamics	550
20.4.1 Measurement Method and Associated Theoretical Remarks	551
20.4.2 Experimental Setup	552
20.4.3 VCSOA Dynamics Measurement	553
20.5 Extension to the 1,550 nm Band	555
20.6 Conclusion	559
References	560

21 Dilute Nitride Photodetector and Modulator Devices

<i>J.B. Héroux and W.I. Wang</i>	563
21.1 Introduction	563
21.2 GaInNAsSb Material Properties for Detector and Modulator Devices	566
21.2.1 Material Growth	566
21.2.2 Band Structure	567

21.3	p-i-n Photodetectors	570
21.3.1	GaInNAs:Sb Resonant Cavity-Enhanced Photodetector Operating at 1.3 μm	570
21.3.2	Subsequent Results	574
21.3.3	Alternatives Devices	575
21.4	Photodetectors with Gain	576
21.4.1	Heterojunction Phototransistors	576
21.4.2	Avalanche Photodiodes	580
21.5	Modulators	581
	References	584
	Index	587

Dilute III-V Nitride Semiconductors and Material Systems

Physics and Technology

Erol, A. (Ed.)

2008, XXXII, 592 p., Hardcover

ISBN: 978-3-540-74528-0