

Contents

Prologue	1
1 Introduction and Aim	3
2 Effect-Load-Sensitivity Analyses – Basic Concepts	13
3 Coastal Classifications and Key Abiotic Variables Regulating Target Bioindicators	19
3.1 Coastal Classifications	19
3.2 Coastal Morphometry	22
3.2.1 Topographical Openness or Exposure	25
3.2.2 Size Parameters	32
3.2.3 Form Parameters	33
3.2.4 Depth Conditions and Coastal Sensitivity	35
3.2.5 A Sensitivity Index (SI) Based on Morphometric Parameters	40
3.3 Water Exchange	42
3.3.1 Surface and Deep-Water Exchange	42
3.3.2 Tides	45
3.3.3 Coastal Currents	45
3.4 Salinity	50
3.5 Water Temperature	54
3.6 Summary	58
4 Nutrients and Representativity of Data	59
4.1 Nutrient Sources and Remedial Actions	59
4.2 Limiting Nutrient – Phosphorus or Nitrogen or Both?	63
4.3 Nitrogen and Phosphorus – Hot Spots	69
4.4 Data Variability and Uncertainty – A Review of Key Concepts	70
4.4.1 Basic Statistical Questions	72
4.4.2 The Sampling Formula	75
4.4.3 Patterns in Variations for Different Water Variables	76

4.4.4	Empirically Based Highest r^2 , r_e^2	82
4.4.5	Highest Reference r^2 , r_r^2	84
4.4.6	Regressions and Confidence Intervals	85
4.4.7	Frequency Distributions and Transformations	88
4.4.8	Multiple Regressions	91
4.4.9	Stability Tests	96
4.4.10	The Optimal Size of Practically Useful Predictive Models ..	98
4.4.11	Variations and Spurious Correlations Related to DIN, DIP, TN, TN, DIN/DIP and TN/TP	102
4.5	Should Nitrogen or Phosphorus be Removed to Combat Coastal Eutrophication?	111
4.5.1	Key Questions	111
4.5.2	Arguments, Data and Results Pro and Con N and P	112
4.6	Example of Mass-Balance and Foodweb Modeling in a Target Ecosystem at the Local Scale	119
4.7	Summary and Conclusions	121
5	Operational Bioindicators for Coastal Management	125
5.1	Secchi Depth and Suspended Particulate Matter (SPM)	125
5.2	Oxygen Saturation in the Deep-Water Zone (O_2 Sat in %)	131
5.3	Chlorophyll-a	135
5.4	Cyanobacteria	140
5.5	Macrophytes	148
5.6	Index of Biological Value (IBV)	153
5.7	Summary and Conclusions	157
6	Case-Studies	159
6.1	Introduction and Aim	159
6.2	How Important are Local Nutrient Emissions to Eutrophication in Coastal Areas Compared to Fluxes from the Outside Sea?	161
6.2.1	Aim of the Case-Study	161
6.2.2	Information on the Himmerfjärden Bay	163
6.2.3	The Dynamic CoastMab-Model Used in the Case-Study ...	167
6.2.4	Results	174
6.2.5	Predicting the Dynamic Response of the System to Changes in Nutrient Loading	178
6.2.6	Concluding Remarks	182
6.3	An Approach to Estimate Relevant Reference Values for Key Bioindicators	183
6.3.1	Aim of the Case-Study	183
6.3.2	Basic Data from the Gulf of Riga	185
6.3.3	Results	190
6.3.4	Comments	198
6.4	Reconstruction of Eutrophication History	199
6.4.1	Aim of the Case-Study	199

6.4.2	Data from the Gulf of Finland and Information on the Model Structure	201
6.4.3	Dynamic Modeling.....	204
6.4.4	Concluding Remarks	221
6.5	Summary	222
Epilogue		223
References.....		229
Appendix.....		245
A.1	The Process-Based Mass-Balance Model, CoastMab	245
A.1.1	Introduction and Aim	245
A.1.2	Data and Methods	246
A.1.3	The CoastMab-Model for TP	253
A.1.4	Results	270
A.1.5	Comments	281
A.2	Nutrient Input from Land Uplift	282
Index		285

Tools and Criteria for Sustainable Coastal Ecosystem
Management

Examples from the Baltic Sea and Other Aquatic
Systems

Håkanson, L.; Bryhn, A.C.

2008, VII, 292 p., Hardcover

ISBN: 978-3-540-78361-9