
Contents

| | | |
|----------|---|----|
| 1 | Introduction | 1 |
| 1.1 | Telecommunication and Broadcast | 1 |
| 1.2 | Handover in DVB-H | 3 |
| 1.3 | Handover in Converged Networks | 3 |
| 1.4 | Handover in Hybrid Broadcast Networks | 5 |
| 1.5 | Passive Handover and Active Handover in DVB-H | 5 |
| 1.6 | Soft Handover in DVB-H | 7 |
| 1.7 | Technical Features of DVB-H | 7 |
| 1.7.1 | DVB-H Protocol Stack | 8 |
| 1.7.2 | Time Slicing | 9 |
| 1.7.3 | MPE-FEC | 11 |
| 1.7.4 | 4K Mode and In-depth Interleavers | 13 |
| 1.7.5 | DVB-H Signalling | 14 |
| 1.7.6 | 5 MHz Bandwidth | 16 |
| 1.8 | DVB-H System Components | 17 |
| 1.9 | Book Structure | 19 |
| | Problems | 20 |
| 2 | Motivation and Approaches | 21 |
| 2.1 | Motivation | 21 |
| 2.2 | Approaches | 26 |
| 2.2.1 | Handover Stages | 26 |
| 2.2.2 | Handover Challenges | 28 |
| 2.3 | Designing a Better Handover Algorithm for DVB-H | 31 |
| | Problems | 32 |
| 3 | Survey of Handover Research in DVB-H | 35 |
| 3.1 | Instantaneous RSSI Based Handover | 35 |
| 3.2 | SNR Based Handover | 38 |
| 3.3 | CDT Based Handover | 38 |
| 3.4 | Repeater Aided Handover | 39 |

| | | |
|----------|---|-----------|
| 3.5 | Fast Scattered Pilot Synchronization Based Handover | 39 |
| 3.6 | Phase Shifting Based Handover | 42 |
| 3.7 | Handover in Converged Networks | 42 |
| 3.8 | Handover Proposed By DVB Project | 43 |
| 3.9 | Research Projects Related to DVB-H Handover | 43 |
| 3.9.1 | IST INSTINCT | 43 |
| 3.9.2 | IST MING-T | 44 |
| 3.10 | Conclusion | 44 |
| | Problems | 44 |
| 4 | DVB-H Signalling Information | 45 |
| 4.1 | Introduction | 45 |
| 4.2 | PSI/SI Tables | 45 |
| 4.3 | TPS Information | 48 |
| 4.4 | Electronic Service Guide | 49 |
| 4.4.1 | Service Description Protocol | 49 |
| 4.5 | Electronic Program Guide | 50 |
| 4.6 | Analysis of DVB-H Signalling | 50 |
| 4.7 | Conclusions | 50 |
| | Problems | 50 |
| 5 | Electronic Service Guide | 51 |
| 5.1 | Introduction | 51 |
| 5.2 | IPDC ESG | 51 |
| 5.2.1 | IPDC ESG Layers | 51 |
| 5.2.2 | IPDC ESG Bootstrap Processing Flow | 52 |
| 5.2.3 | DVB IPDC 1.0 and 2.0 | 53 |
| 5.3 | OMA BCAST ESG | 54 |
| 5.3.1 | Service Guide Discovery over Broadcast Channel | 55 |
| 5.3.2 | Service Guide Discovery over Interaction Channel | 56 |
| 5.3.3 | Service Guide Transmitted over Interaction Channel | 56 |
| 5.3.4 | Scenario of using Single Service Guide to Provide Service Description for Multiple Service Providers | 57 |
| 5.4 | OMA BCAST BMCO Profile | 57 |
| 5.5 | ESG Sharing | 58 |
| 5.6 | Comparison between DVB IPDC ESG and OMA BCAST ESG | 59 |
| 5.7 | Conclusions | 60 |
| | Problems | 61 |
| 6 | Handover Algorithm for a Dedicated DVB-H Network | 63 |
| 6.1 | Introduction | 63 |
| 6.2 | Handover Decision-making Algorithms | 65 |
| 6.2.1 | Context Aware Handover Decision-making | 65 |
| 6.2.2 | Location Aided Handover Decision-making | 67 |
| 6.2.3 | UMTS Aided Handover Decision-making | 69 |

| | | |
|-----------|--|------------|
| 6.2.4 | Repeater Aided Handover Decision-making | 70 |
| 6.2.5 | Other Handover Decision-making Algorithms | 71 |
| 6.3 | Comparison of Different Handover Decision-making Algorithms | 72 |
| 6.4 | Hybrid Handover Decision-making Algorithm | 72 |
| 6.5 | Conclusions | 74 |
| | Problems | 74 |
| 7 | Post Processing of SNR Based Handover | 75 |
| 7.1 | Introduction | 75 |
| 7.2 | Description of the Algorithm | 75 |
| 7.3 | Simulation and Analysis | 77 |
| 7.4 | Conclusion | 79 |
| | Problems | 80 |
| 8 | Repeater Aided Soft Handover | 81 |
| 8.1 | Introduction | 81 |
| 8.2 | DVB-H Signalling For RA_Handover | 82 |
| 8.3 | RA_handover Algorithm | 83 |
| 8.4 | Simulation Model and Analysis | 86 |
| 8.5 | Conclusions | 92 |
| | Problems | 94 |
| 9 | Repeater Aided Soft Handover Probability | 95 |
| 9.1 | Network Topology for Handover probability | 96 |
| 9.2 | Mathematical Model for Reduced Power Consumption | 99 |
| 9.3 | Conclusions | 103 |
| | Problems | 103 |
| 10 | Handover Algorithm for Converged Networks | 105 |
| 10.1 | Introduction | 105 |
| 10.2 | Research Background | 107 |
| 10.3 | Converged Network Overview | 108 |
| 10.4 | Handover Between UMTS and DVB-H | 110 |
| 10.4.1 | Performing DVB-H Measurements with the Compressed Mode of UMTS | 110 |
| 10.4.2 | Performing UMTS Measurements with the Time Slicing Mode of DVB-H | 111 |
| 10.4.3 | Intersystem Handover Criteria | 111 |
| 10.4.4 | Handover Execution between UMTS and DVB-H | 115 |
| 10.4.5 | Handover Performance Evaluation | 117 |
| 10.5 | Stochastic Tree Model and Analysis | 119 |
| 10.5.1 | Stochastic Tree instead of Multi-dimensional Markov Chain with Loops | 120 |
| 10.5.2 | Stochastic Tree Model for Converged Network | 121 |
| 10.5.3 | Stochastic Tree Model for Intersystem Soft Handover .. | 125 |

XIV Contents

| | |
|--|------------|
| 10.5.4 Simulation and results | 127 |
| 10.6 Conclusions | 130 |
| Problems | 130 |
| 11 Handover Algorithm for Hybrid Broadcast Networks | 131 |
| 11.1 Introduction | 131 |
| 11.2 Hybrid Broadcast Network Overview | 133 |
| 11.3 Vertical Handover in the Hybrid Broadcast Networks | 134 |
| 11.3.1 Handover between DVB-H and DMB-T | 135 |
| 11.4 Open Issues | 138 |
| 11.5 Conclusions | 138 |
| Problems | 139 |
| 12 Conclusions and Future Work | 141 |
| 12.1 Conclusions | 141 |
| 12.2 Current and Future Research Work | 143 |
| Problems | 146 |
| Solutions | 147 |
| References | 159 |
| Index | 167 |



<http://www.springer.com/978-3-540-78629-0>

Handover in DVB-H

Investigations and Analysis

Yang, X.

2008, XIV, 168 p., Hardcover

ISBN: 978-3-540-78629-0