

---

## Preface

The field of metal boron chemistry has been an especially active one since the 1960s. Much of the early work centered on the synthesis and structural characterization of polyhedral metallaborane and metallacarborane clusters, which will not be discussed in the current Volume. However, early work on metal boryl complexes by Nöth et al. also appeared during this period, although the first simple metal boryl complexes to be structurally characterized by single-crystal X-ray diffraction were not reported until 1990 (indeed, crystal structures of iridium hydrido boryl complexes were reported nearly simultaneously by Baker, Marder, et al. [1] and by Merola et al. [2]), and this new interest in the area arose specifically as a result of the report by Nöth et al. [3] on the rhodium-catalyzed hydroboration of alkenes using catecholborane. Although there had been previous reports of metal-catalyzed hydroboration employing polyhedral boranes or carboranes as the B–H source [4], the seminal paper by Nöth et al. in 1985 [3] marked the beginning of interest by the organic chemistry community in the application of this reaction in organic synthesis [5]. What ensued was a very rapid increase in the number of metal boryl complexes to be synthesized and structurally characterized, along with studies of their reactivity, in conjunction with an equally rapid growth in the development of catalytic hydroboration chemistry [5] and its asymmetric version [5e]. This was followed by a wide variety of other borylation reactions catalyzed by transition metals including diborations, silylborations, stannylborations, and thiaborations of unsaturated organic substrates [6], borylations of  $\alpha,\beta$ -unsaturated carbonyl compounds [7], borylations of C–halide bonds [8], and most recently, borylations of C–H bonds in alkenes, arenes, heteroarenes, and even alkanes [9,10]. The C–halide and C–H borylation chemistry has been driven by the development and broad application of the Suzuki–Miyaura cross-coupling reaction [11], which is now one of the main C–C bond-forming reactions in the arsenal of the organic chemist. Thus, the synthetic and structural chemistry of metal boryl complexes has grown along with catalytic applications in which metal boryl complexes are key intermediates.

Likewise, the importance of metal borane  $\sigma$ -complexes as intermediates in many catalytic reactions has only recently been recognized [12], and this area is now a rapidly expanding one. This bonding mode is also now known for early, middle, and late transition metals, and is expected to be found more

often (as was the case for dihydrogen complexes) as research continues.

Metal borylene complexes are another recent addition to the library of metal boron compounds, and these are now finding applications in organic synthesis, initially via their role as stoichiometric borylene transfer agents in the synthesis of borirenes from alkynes [13]. It is expected that additional applications of newly discovered metal borylene complexes will emerge as new routes to them are developed.

Borohydride complexes of metals, from across the periodic table, have been known for many years, and represent the other major class of mono-boron systems coordinated to metal centers. They can coordinate via one, two, or three hydrogen bridges to a single metal or can bridge between two metal atoms, and systems involving transition metals as well as lanthanides and actinides are well known [14]. Their structures, bonding, and dynamics have been of interest since their discovery. As the field is rather large, only mononuclear transition-metal complexes with  $\text{BH}_4^-$  ligands will be considered in the current review, although the principles discussed also apply to systems involving  $\text{RBH}_3^-$  and  $\text{R}_2\text{BH}_2^-$  systems [15], for example.

Thus, this Volume brings together the main types of complexes involving single boron units coordinated to metal centers, including examples in which more than one of the boron ligands is involved. A word is required regarding an even more recently developed area of metal boron chemistry involving metal-to-boron dative bonds in complexes now known as “boratranes” [16]. These will be discussed in a future Volume.

Finally, we note that the chapter ordering in the current Volume places borylene complexes before boryl complexes. We have ordered the chapters according to the degree of metal–boron bonding, from highest to lowest, rather than following a historical perspective.

Durham and Hongkong, February 2008

Todd B. Marder  
Zhenyang Lin

## References

1. Baker RT, Ovenall DW, Calabrese JC, Westcott SA, Taylor NJ, Williams ID, Marder TB (1990) *J Am Chem Soc* 112:9399
2. Knorr JR, Merola JS (1990) *Organometallics* 9:3008
3. Manning D, Nöth H (1985) *Angew Chem Int Ed Engl* 24:878
4. (a) Hewes JD, Kreimendahl CW, Marder TB, Hawthorne MF (1984) *J Am Chem Soc* 106:5757; (b) Davan T, Corcoran EW, Sneddon LG (1982) *Organometallics* 2:1693; (c) Wilczynski R, Sneddon LG (1981) *Inorg Chem* 20:3955
5. For reviews see: (a) Burgess K, Ohlmeyer MJ (1991) *Chem Rev* 91:1179; (b) Burgess K, van der Donk WA (1994) In: King RB (ed) *Encyclopedia of Inorganic Chemistry*, vol 3. Wiley, Chichester, p 1420; (c) Fu GC, Evans DA, Muci AR (1997) In: Doyle MP (ed) *Advances in Catalytic Processes*. JAI, Greenwich, CT, p 95; (d) Beletskaya I, Pelter A (1997) *Tetrahedron* 53:4957; (e) Crudden CM, Edwards D (2003) *Eur J Org Chem* 4695

6. For reviews, see: (a) Marder TB, Norman NC (1998) *Top Catal* 5:63; (b) Ishiyama T, Miyaura N (1999) *J Synth Org Chem Jpn* 57:503; (c) Han LB, Tanaka M (1999) *Chem Commun* 395; (d) Ishiyama T, Miyaura N (2000) *J Organomet Chem* 611:392; (e) Onozawa S, Tanaka M (2002) *J Synth Org Chem Jpn* 60:826; (f) Dembitsky VM, Abu Ali H, Srebnik M (2003) *Appl Organometal Chem* 17:327; (g) Dembitsky VM, Abu Ali H, Srebnik M (2004) *Adv Organomet Chem* 51:193; (h) Ishiyama T, Miyaura N (2004) *Chem Rec* 3:271; (i) Beletskaya I, Moberg C (2006) *Chem Rev* 106:2320; (j) Ramírez J, Lillo V, Segarra AM, Fernández E (2007) *C R Chimie* 10:138; (k) Burks HE, Morken JP (2007) *Chem Commun* 4717
7. For a review, see: Marder TB (2008) In: Fairlamb IJS, Lynam J (eds) *Specialist Periodical Report: Organometallic Chemistry*. Royal Society of Chemistry, Cambridge 34:46
8. For a review, see: Ishiyama T, Miyaura N (2000) *J Organomet Chem* 611:392
9. (a) Iverson CN, Smith III MR (1999) *J Am Chem Soc* 121:7696; (b) Waltz KM, Hartwig JF (2000) *J Am Chem Soc* 122:11358; (c) Chen H, Schlecht S, Semple TC, Hartwig JF (2000) *Science* 287:1995; (d) Cho J-Y, Iverson CN, Smith III MR (2000) *J Am Chem Soc* 122:12868; (e) Tse MK, Cho J-Y, Smith III MR (2001) *Org Lett* 3:2831; (f) Ishiyama T, Ishida K, Takagi J, Miyaura N (2001) *Chem Lett* 1082; (g) Shimada S, Batsanov AS, Howard JAK, Marder TB (2001) *Angew Chem Int Ed* 40:2168; (h) Cho J-Y, Tse MK, Holmes D, Maleczka Jr RE, Smith III MR (2002) *Science* 295:305; (i) Ishiyama T, Tagaki J, Ishida K, Miyaura N, Anastasi NR, Hartwig JF (2002) *J Am Chem Soc* 124:390; (j) Kondo Y, Garcia-Cuadrado D, Hartwig JF, Boen NK, Wagner NL, Hillmyer MA (2002) *J Am Chem Soc* 124:1164; (k) Takagi J, Sato K, Hartwig JF, Ishiyama T, Miyaura N (2002) *Tetrahedron Lett* 43:5649; (l) Ishiyama T, Takagi J, Hartwig JF, Miyaura N (2002) *Angew Chem Int Ed* 41:3056; (m) Wan X, Wang X, Luo Y, Takami S, Kubo M, Miyamoto A (2002) *Organometallics* 21:3703; (n) Webster CE, Fan Y, Hall MB, Kunz D, Hartwig JF (2003) *J Am Chem Soc* 125:858; (o) Lam WH, Lin Z (2003) *Organometallics* 22:473; (p) Tamura H, Yamazaki H, Sato H, Sakaki S (2003) *J Am Chem Soc* 125:16114; (q) Ishiyama T, Miyaura N (2003) *J Organometal Chem* 680:3; (r) Kurotobi K, Miyauchi M, Takakura K, Murafuji T, Sugihara Y (2003) *Eur J Org Chem* 3663; (s) Ishiyama T, Nobuta Y, Hartwig JF, Miyaura N (2003) *Chem Commun* 2924; (t) Ishiyama T, Takagi J, Yonekawa Y, Hartwig JF, Miyaura N (2003) *Adv Synth Catal* 345:1003; (u) Maleczka RE, Shi F, Holmes D, Smith MR (2003) *J Am Chem Soc* 125:7792; (v) Datta A, Köllhofer A, Plenio H (2004) *Chem Commun* 1508; (w) Lam WH, Lam KC, Lin Z, Shimada S, Perutz RN, Marder TB (2004) *Dalton Trans* 1556; (x) Martins K, Zapf A, Beller M (2004) *J Mol Catal* 207:21
10. (a) Coventry DN, Batsanov AS, Goeta AE, Howard JAKH, Marder TB, Perutz RN (2005) *Chem Commun* 2172; (b) Chotana GA, Rak MA, Smith MR (2005) *J Am Chem Soc* 127:10539; (c) Boller TM, Murphy JM, Hapke M, Ishiyama T, Miyaura N, Hartwig JF (2005) *J Am Chem Soc* 127:14263; (d) Bae CS, Hartwig JF, Chung HY, Harris NK, Switek KA, Hillmyer MA (2005) *Angew Chem Int Ed* 44:6410; (e) Hartwig JF, Cook KS, Hapke M, Incarvito CD, Fan YB, Webster CE, Hall MB (2005) *J Am Chem Soc* 127:2538; (f) Bae C, Hartwig JF, Harris NKB, Long RO, Anderson KS, Hillmyer MA (2005) *J Am Chem Soc* 127:767; (g) Ishiyama T (2005) *J Synth Org Chem Jpn* 63:440; (h) Hiroto S, Hisaki I, Shinokubo H, Osuka A (2005) *Angew Chem Int Ed* 44:6763; (i) Holmes D, Chotana GA, Maleczka RE, Smith MR (2006) *Org Lett* 8:1407; (j) Shi F, Smith MR, Maleczka RE (2006) *Org Lett* 8:1411; (k) Murphy JC, Lawrence JD, Kawamura K, Incarvito C, Hartwig JF (2006) *J Am Chem Soc* 128:13684; (l) Paul S, Chotana GA, Holmes D, Reichle RC, Maleczka RE, Smith MR (2006) *J Am Chem Soc* 128:15552; (m) Mkhaliid IAI, Coventry DN, Albasa-Jové D, Batsanov AS, Howard JAK, Perutz RN, Marder TB (2006) *Angew Chem Int Ed* 45:489; (n) Murphy JM, Tzschucke CC, Hartwig JF (2007) *Org Lett* 9:757;

- (o) Tzschucke CC, Murphy JM, Hartwig JF (2007) *Org Lett* 9:761; (p) Lo WF, Kaiser HM, Spannenberg A, Beller M, Tse MK (2007) *Tetrahedron Lett* 48:371; (q) Hata H, Yamaguchi S, Mori G, Nakazano S, Katoh T, Takatsu K, Hiroto S, Shinokubo H, Osuka A (2007) *Chem Asian J* 2:849
11. See, for example: (a) Suzuki A, Miyaura N (1995) *Chem Rev* 95:2457; (b) Suzuki A (1999) *J Organomet Chem* 576:147; (c) Phan NTS, Van Der Sluys M, Jones CW (2006) *Adv Synth Catal* 348:609
  12. (a) Hartwig JF, Muhoro CN, He X, Eisenstein O, Bosque R, Maseras F (1996) *J Am Chem Soc* 118:10936; (b) Muhoro CN, He X, Hartwig JF (1999) *J Am Chem Soc* 121:5033; (c) See, for example, ref. [9w] and references therein; (d) Lin Z (2007) *Coord Chem Rev* 251:2280
  13. Braunschweig H, Herbst T, Rais D, Seeler F (2005) *Angew Chem Int Ed* 44:7461
  14. (a) Marks TJ, Kolb JR (1977) *Chem Rev* 77:263; (b) Xu Z, Lin Z (1996) *Coord Chem Rev* 156:139
  15. See, for example: Westcott SA, Marder TB, Baker RT, Harlow RL, Calabrese JC, Lam KC, Lin Z (2004) *Polyhedron* 23:2665, and references therein
  16. (a) Hill AF, Owen GR, White AJP, Williams DJ (1999) *Angew Chem Int Ed* 38:2759; (b) Crossley IR, Hill AF (2004) *Organometallics* 23:5656; (c) Pang KL, Quan SM, Parkin G (2006) *Chem Commun* 5105; (d) Blagg RJ, Charmant JPH, Connelly NG, Haddow MF, Orpen AG (2006) *Chem Commun* 2350; (e) Bontemps SB, Gornitzka H, Bouhadir G, Miqueu K, Bourissou D (2006) *Angew Chem Int Ed* 45:1611; (f) Crossley IR, Hill AF (2008) *Dalton Trans* 201

Contemporary Metal Boron Chemistry I  
Borylenes, Boryls, Borane Sigma-Complexes, and  
Borohydrides

Marder, T.B.; Lin, Z. (Eds.)

2008, XIV, 218 p. 104 illus., Hardcover

ISBN: 978-3-540-78633-7