

Contents

Introduction	vii
1 Harmonic, pluriharmonic, holomorphic maps and basic Hermitian and Kählerian geometry	1
1.1 The general setting	1
1.2 The complex case	6
1.3 Hermitian bundles	10
1.4 Complex geometry via moving frames	12
1.5 Weitzenböck-type formulas	17
2 Comparison Results	27
2.1 Hessian and Laplacian comparison	27
2.2 Volume comparison and volume growth	40
2.3 A monotonicity formula for volumes	58
3 Review of spectral theory	63
3.1 The spectrum of a self-adjoint operator	63
3.2 Schrödinger operators on Riemannian manifolds	69
4 Vanishing results	83
4.1 Formulation of the problem	83
4.2 Liouville and vanishing results	84
4.3 Appendix: Chain rule under weak regularity	99
5 A finite-dimensionality result	103
5.1 Peter Li's lemma	107
5.2 Poincaré-type inequalities	110
5.3 Local Sobolev inequality	114
5.4 L^2 Caccioppoli-type inequality	117
5.5 The Moser iteration procedure	118
5.6 A weak Harnack inequality	121
5.7 Proof of the abstract finiteness theorem	122
6 Applications to harmonic maps	127
6.1 Harmonic maps of finite L^p -energy	127
6.2 Harmonic maps of bounded dilations and a Schwarz-type lemma	136
6.3 Fundamental group and harmonic maps	141
6.4 A generalization of a finiteness theorem of Lemaire	143

7	Some topological applications	147
7.1	Ends and harmonic functions	147
7.2	Appendix: Further characterizations of parabolicity	165
7.3	Appendix: The double of a Riemannian manifold	171
7.4	Topology at infinity of submanifolds of C-H spaces	172
7.5	Line bundles over Kähler manifolds	178
7.6	Reduction of codimension of harmonic immersions	179
8	Constancy of holomorphic maps and the structure of complete Kähler manifolds	183
8.1	Three versions of a result of Li and Yau	183
8.2	Plurisubharmonic exhaustions	199
9	Splitting and gap theorems in the presence of a Poincaré–Sobolev inequality	205
9.1	Splitting theorems	205
9.2	Gap theorems	223
9.3	Gap Theorems, continued	229
A	Unique continuation	235
B	L^p-cohomology of non-compact manifolds	251
B.1	The L^p de Rham cochain complex: reduced and unreduced cohomologies	251
B.2	Harmonic forms and L^2 -cohomology	260
B.3	Harmonic forms and $L^{p \neq 2}$ -cohomology	262
B.4	Some topological aspects of the theory	265
	Bibliography	269
	Index	281

Vanishing and Finiteness Results in Geometric Analysis

A Generalization of the Bochner Technique

Pigola, S.; Rigoli, M.; Setti, A.G.

2008, XIV, 282 p., Hardcover

ISBN: 978-3-7643-8641-2

A product of Birkhäuser Basel