

CONTENTS

| | |
|--|--------|
| Preface | xiii |
| Bibliography | xxxvii |
| Table of contents of the complete set of Majorana's <i>Quaderni</i> (ca. 1927-1933) | xliii |

CONTENTS OF THE SELECTED MATERIAL

Part I

| | |
|--|----|
| Dirac Theory | 3 |
| 1.1 Vibrating string [Q02p038] | 3 |
| 1.2 A semiclassical theory for the electron [Q02p039] | 4 |
| 1.2.1 Relativistic dynamics | 4 |
| 1.2.2 Field equations | 7 |
| 1.3 Quantization of the Dirac field [Q01p133] | 22 |
| 1.4 Interacting Dirac fields [Q02p137] | 25 |
| 1.4.1 Dirac equation | 25 |
| 1.4.2 Maxwell equations | 27 |
| 1.4.3 Maxwell-Dirac theory | 29 |
| 1.4.3.1 Normal mode decomposition | 31 |
| 1.4.3.2 Particular representations of Dirac operators | 32 |
| 1.5 Symmetrization [Q02p146] | 35 |
| 1.6 Preliminaries for a Dirac equation in real terms [Q13p003] | 35 |
| 1.6.1 First formalism | 36 |
| 1.6.2 Second formalism | 38 |
| 1.6.3 Angular momentum | 40 |
| 1.6.4 Plane-wave expansion | 44 |
| 1.6.5 Real fields | 45 |
| 1.6.6 Interaction with an electromagnetic field | 45 |

| | | |
|---|---|------------|
| 1.7 | Dirac-like equations for particles with spin higher than $1/2$ [Q04p154] | 47 |
| 1.7.1 | Spin- $1/2$ particles (4-component spinors) | 47 |
| 1.7.2 | Spin- $7/2$ particles (16-component spinors) | 48 |
| 1.7.3 | Spin-1 particles (6-component spinors) | 48 |
| 1.7.4 | 5-component spinors | 55 |
| Quantum Electrodynamics | | 57 |
| 2.1 | Basic lagrangian and hamiltonian formalism for the electro- magnetic field [Q01p066] | 57 |
| 2.2 | Analogy between the electromagnetic field and the Dirac field [Q02a101] | 59 |
| 2.3 | Electromagnetic field: plane wave operators [Q01p068] | 64 |
| 2.3.1 | Dirac formalism | 68 |
| 2.4 | Quantization of the electromagnetic field [Q03p061] | 71 |
| 2.5 | Continuation I: angular momentum [Q03p155] | 78 |
| 2.6 | Continuation II: including the matter fields [Q03p067] | 82 |
| 2.7 | Quantum dynamics of electrons interacting with an electro- magnetic field [Q02p102] | 84 |
| 2.8 | Continuation [Q02p037] | 94 |
| 2.9 | Quantized radiation field [Q17p129b] | 95 |
| 2.10 | Wave equation of light quanta [Q17p142] | 100 |
| 2.11 | Continuation [Q17p151] | 101 |
| 2.12 | Free electron scattering [Q17p133] | 104 |
| 2.13 | Bound electron scattering [Q17p142] | 112 |
| 2.14 | Retarded fields [Q05p065] | 116 |
| 2.14.1 | Time delay | 118 |
| 2.15 | Magnetic charges [Q03p163] | 119 |
| Appendix: Potential experienced by an electric charge [Q02p101] | | 121 |
| Part II | | |
| Atomic Physics | | 125 |
| 3.1 | Ground state energy of a two-electron atom [Q12p058] | 125 |
| 3.1.1 | Perturbation method | 125 |
| 3.1.2 | Variational method | 128 |
| 3.1.2.1 | First case | 129 |
| 3.1.2.2 | Second case | 130 |
| 3.1.2.3 | Third case | 131 |
| 3.2 | Wavefunctions of a two-electron atom [Q17p152] | 133 |
| 3.3 | Continuation: wavefunctions for the helium atom [Q05p156] | 136 |
| 3.4 | Self-consistent field in two-electron atoms [Q16p100] | 141 |
| 3.5 | $2s$ terms for two-electron atoms [Q16p157b] | 144 |
| 3.6 | Energy levels for two-electron atoms [Q07p004] | 144 |
| 3.6.1 | Preliminaries for the X and Y terms | 148 |

| | | |
|--------|---|-----|
| 3.6.2 | Simple terms | 151 |
| 3.6.3 | Electrostatic energy of the $2s2p$ term | 155 |
| 3.6.4 | Perturbation theory for s terms | 157 |
| 3.6.5 | $2s2p^3P$ term | 158 |
| 3.6.6 | X term | 159 |
| 3.6.7 | $2s2s^1S$ and $2p2p^1S$ terms | 169 |
| 3.6.8 | $1s1s$ term | 170 |
| 3.6.9 | $1s2s$ term | 174 |
| 3.6.10 | Continuation | 175 |
| 3.6.11 | Other terms | 176 |
| 3.7 | Ground state of three-electron atoms [Q16p157a] | 183 |
| 3.8 | Ground state of the lithium atom [Q16p098] | 184 |
| 3.8.1 | Electrostatic potential | 184 |
| 3.8.2 | Ground state | 185 |
| 3.9 | Asymptotic behavior for the s terms in alkali [Q16p158] | 190 |
| 3.9.1 | First method | 191 |
| 3.9.2 | Second method | 195 |
| 3.10 | Atomic eigenfunctions I [Q02p130] | 197 |
| 3.11 | Atomic eigenfunctions II [Q17p161] | 201 |
| 3.12 | Atomic energy tables [Q06p026] | 204 |
| 3.13 | Polarization forces in alkalies [Q16p049] | 205 |
| 3.14 | Complex spectra and hyperfine structures [Q05p051] | 211 |
| 3.15 | Calculations about complex spectra [Q05p131] | 219 |
| 3.16 | Resonance between a p ($\ell = 1$) electron and an electron with azimuthal quantum number ℓ' [Q07p117] | 223 |
| 3.16.1 | Resonance between a d electron and a p shell I | 224 |
| 3.16.2 | Eigenfunctions of $d_{\frac{5}{2}}$, $d_{\frac{3}{2}}$, $p_{\frac{3}{2}}$ and $p_{\frac{1}{2}}$ electrons | 225 |
| 3.16.3 | Resonance between a d electron and a p shell II | 227 |
| 3.17 | Magnetic moment and diamagnetic susceptibility for a one-electron atom (relativistic calculation) [Q17p036] | 229 |
| 3.18 | Theory of incomplete P' triplets [Q07p061] | 233 |
| 3.18.1 | Spin-orbit couplings and energy levels | 233 |
| 3.18.2 | Spectral lines for Mg and Zn | 237 |
| 3.18.3 | Spectral lines for Zn, Cd and Hg | 238 |
| 3.19 | Hyperfine structure: relativistic Rydberg corrections [Q04p143] | 239 |
| 3.20 | Non-relativistic approximation of Dirac equation for a two-particle system [Q04p149] | 242 |
| 3.20.1 | Non-relativistic decomposition | 243 |
| 3.20.2 | Electromagnetic interaction between two charged particles | 244 |
| 3.20.3 | Radial equations | 245 |
| 3.21 | Hyperfine structures and magnetic moments: formulae and tables [Q04p165] | 246 |
| 3.22 | Hyperfine structures and magnetic moments: calculations [Q04p169] | 251 |
| 3.22.1 | First method | 251 |
| 3.22.2 | Second method | 254 |

| | |
|--|-----|
| Molecular Physics | 261 |
| 4.1 The helium molecule [Q16p001] | 261 |
| 4.1.1 The equation for σ -electrons in elliptic coordinates | 261 |
| 4.1.2 Evaluation of P_2 for s -electrons: relation between W and λ | 263 |
| 4.1.3 Evaluation of P_1 | 275 |
| 4.2 Vibration modes in molecules [Q06p031] | 275 |
| 4.2.1 The acetylene molecule | 278 |
| 4.3 Reduction of a three-fermion to a two-particle system [Q03p176] | 282 |
| Statistical Mechanics | 287 |
| 5.1 Degenerate gas [Q17p097] | 287 |
| 5.2 Pauli paramagnetism [Q18p157] | 288 |
| 5.3 Ferromagnetism [Q08p014] | 289 |
| 5.4 Ferromagnetism: applications [Q08p046] | 300 |
| 5.5 Again on ferromagnetism [Q06p008] | 307 |
| Part III | |
| The Theory of Scattering | 311 |
| 6.1 Scattering from a potential well [Q06p015] | 311 |
| 6.2 Simple perturbation method [Q06p024] | 316 |
| 6.3 The Dirac method [Q01p106] | 317 |
| 6.3.1 Coulomb field | 318 |
| 6.4 The Born method [Q01p109] | 319 |
| 6.5 Coulomb scattering [Q01p010] | 321 |
| 6.6 Quasi coulombian scattering of particles [Q01p001] | 324 |
| 6.6.1 Method of the particular solutions | 327 |
| 6.7 Coulomb scattering: another regularization method [Q01p008] | 328 |
| 6.8 Two-electron scattering [Q03p029] | 330 |
| 6.9 Compton effect [Q03p041] | 331 |
| 6.10 Quasi-stationary states [Q03p103] | 332 |
| Appendix: Transforming a differential equation [Q03p035] | 337 |
| Nuclear Physics | 339 |
| 7.1 Wave equation for the neutron [Q17p129] | 339 |
| 7.2 Radioactivity [Q17p005] | 339 |
| 7.3 Nuclear potential [Q17p006] | 340 |
| 7.3.1 Mean nucleon potential | 340 |
| 7.3.2 Computation of the interaction potential between nucleons | 342 |
| 7.3.3 Nucleon density | 345 |

| | | |
|---------|---|-----|
| 7.3.4 | Nucleon interaction I | 347 |
| 7.3.4.1 | Zeroth approximation | 351 |
| 7.3.5 | Nucleon interaction II | 352 |
| 7.3.5.1 | Evaluation of some integrals | 355 |
| 7.3.5.2 | Zeroth approximation | 358 |
| 7.3.6 | Simple nuclei I | 363 |
| 7.3.7 | Simple nuclei II | 365 |
| 7.3.7.1 | Kinematics of two α particles (statistics) | 367 |
| 7.4 | Thomson formula for β particles in a medium [Q16p083] | 368 |
| 7.5 | Systems with two fermions and one boson [Q17p090] | 370 |
| 7.6 | Scalar field theory for nuclei? [Q02p086] | 370 |

Part IV

Classical Physics 385

| | | |
|---------|--|-----|
| 8.1 | Surface waves in a liquid [Q12p054] | 385 |
| 8.2 | Thomson's method for the determination of e/m [Q09p044] | 387 |
| 8.3 | Wien's method for the determination of e/m (positive charges) [Q09p048b] | 388 |
| 8.4 | Determination of the electron charge [Q09p028] | 390 |
| 8.4.1 | Townsend effect | 390 |
| 8.4.1.1 | Ion recombination | 390 |
| 8.4.1.2 | Ion diffusion | 392 |
| 8.4.1.3 | Velocity in the electric field | 393 |
| 8.4.1.4 | Charge of an ion | 393 |
| 8.4.2 | Method of the electrolysis (Townsend) | 394 |
| 8.4.3 | Zaliny's method for the ratio of the mobility coefficients | 394 |
| 8.4.4 | Thomson's method | 395 |
| 8.4.5 | Wilson's method | 396 |
| 8.4.6 | Millikan's method | 396 |
| 8.5 | Electromagnetic and electrostatic mass of the electron [Q09p048] | 397 |
| 8.6 | Thermionic effect [Q09p053] | 397 |
| 8.6.1 | Langmuir Experiment on the effect of the electron cloud | 399 |

Mathematical Physics 403

| | | |
|-------|--|-----|
| 9.1 | Linear partial differential equations. Complete systems [Q11p087] | 403 |
| 9.1.1 | Linear operators | 404 |
| 9.1.2 | Integrals of an ordinary differential system and the partial differential equation which determines them | 405 |
| 9.1.3 | Integrals of a total differential system and the associated system of partial differential equation that determines them | 406 |
| 9.2 | Algebraic foundations of the tensor calculus [Q11p093] | 409 |
| 9.2.1 | Covariant and contravariant vectors | 409 |

| | | |
|---------|---|-----|
| 9.3 | Geometrical introduction to the theory of differential quadratic forms I [Q11p094] | 409 |
| 9.3.1 | The symbolic equation of parallelism | 409 |
| 9.3.2 | Intrinsic equations of parallelism | 409 |
| 9.3.3 | Christoffel's symbols | 411 |
| 9.3.4 | Equations of parallelism in terms of covariant components | 412 |
| 9.3.5 | Some analytical verifications | 413 |
| 9.3.6 | Permutability | 414 |
| 9.3.7 | Line elements | 414 |
| 9.3.8 | Euclidean manifolds. any V_n can always be considered as immersed in a Euclidean space | 415 |
| 9.3.9 | Angular metric | 416 |
| 9.3.10 | Coordinate lines | 417 |
| 9.3.11 | Differential equations of geodesics | 418 |
| 9.3.12 | Application | 420 |
| 9.4 | Geometrical introduction to the theory of differential quadratic forms II [Q11p113] | 422 |
| 9.4.1 | Geodesic curvature | 422 |
| 9.4.2 | Vector displacement | 422 |
| 9.4.3 | Autoparallelism of geodesics | 424 |
| 9.4.4 | Associated vectors | 424 |
| 9.4.5 | Remarks on the case of an indefinite ds^2 | 425 |
| 9.5 | Covariant differentiation. Invariants and differential parameters. Locally geodesic coordinates [Q11p119] | 425 |
| 9.5.1 | Geodesic coordinates | 425 |
| 9.5.1.1 | Applications | 427 |
| 9.5.2 | Particular cases | 429 |
| 9.5.3 | Applications | 430 |
| 9.5.4 | Divergence of a vector | 431 |
| 9.5.5 | Divergence of a double (contravariant) tensor | 432 |
| 9.5.6 | Some laws of transformation | 433 |
| 9.5.7 | ε systems | 434 |
| 9.5.8 | Vector product | 435 |
| 9.5.9 | Extension of a field | 435 |
| 9.5.10 | Curl of a vector in three dimensions | 436 |
| 9.5.11 | Sections of a manifold. Geodesic manifolds | 436 |
| 9.5.12 | Geodesic coordinates along a given line | 437 |
| 9.6 | Riemann's symbols and properties relating to curvature [Q11p138] | 441 |
| 9.6.1 | Cyclic displacement round an elementary parallelogram | 441 |
| 9.6.2 | Fundamental properties of Riemann's symbols of the second kind | 443 |
| 9.6.3 | Fundamental properties and number of Riemann's symbols of the first kind | 444 |
| 9.6.4 | Bianchi identity and Ricci lemma | 447 |
| 9.6.5 | Tangent geodesic coordinates around the point P_0 | 447 |
| | Index | 449 |

Ettore Majorana: Unpublished Research Notes on
Theoretical Physics

Esposito, S.; Recami, E.; van der Merwe, A. (Eds.)

2009, LVI, 452 p., Hardcover

ISBN: 978-1-4020-9113-1