

# Contents

<b>1</b>	<b>A Small-scale Fuel Cell Cogeneration System Considering Partial Load and Load Fluctuation .....</b>	<b>1</b>
1.1	Introduction .....	1
1.2	System Configuration .....	2
1.2.1	System Outline .....	2
1.2.2	Energy Loss and Mass Loss .....	4
1.2.3	System Model and Equations .....	5
1.2.4	Partial Load Operation .....	7
1.3	Energy Balance and Objective Function .....	8
1.3.1	Energy Balance .....	8
1.3.2	Electric Heater Operation .....	9
1.3.3	Thermal Storage Operation .....	11
1.4	Energy Output Characteristics .....	11
1.4.1	System Operation Map .....	11
1.4.2	Load Fluctuation and Fuel Consumption .....	12
1.5	Case Study .....	14
1.5.1	System Outline .....	14
1.5.2	Results of the Operation Plan .....	14
1.5.3	Annual Operation Cost of the System .....	15
1.6	Conclusions .....	16
<b>2</b>	<b>Equipment Arrangement Planning of a Fuel Cell Energy Network Optimized for Cost Minimization .....</b>	<b>17</b>
2.1	Introduction .....	17
2.2	System Scheme .....	18
2.2.1	The Energy Network .....	18
2.2.2	Fuel Cell System .....	19
2.2.3	Heat Source Use Order .....	20
2.2.4	City Gas Reformer .....	20
2.2.5	Operation Model of the System .....	21

2.3	Amount of Heat Release of the Hot Water Piping Network (HWN).....	22
2.4	Energy Balance.....	24
2.4.1	The Balance of Power.....	24
2.4.2	The Balance of Heat.....	24
2.5	Cost Calculation and Objective Function.....	25
2.5.1	Cost Calculation.....	25
2.5.2	Objective Function.....	26
2.6	Analysis Method and Case Study.....	26
2.6.1	Optimization Using a Genetic Algorithm.....	26
2.6.2	Equipment Characteristics Model.....	27
2.6.3	Operation of the Heat Storage Tank and Boiler.....	29
2.6.4	Specification of Hot Water Piping and a Hot Water Circulating Pump.....	29
2.6.5	Analysis Flow.....	30
2.6.6	Analysis Conditions.....	32
2.7	Analysis Result.....	34
2.7.1	Operation Plan of the Fuel Cell and the Reformer.....	34
2.7.2	Amount of Hot Water Heat Release and the Hot Water Piping Route.....	36
2.7.3	Quantity of Flow of the Hot Water Circulating Pump.....	38
2.7.4	Operation of the Heat Storage Tank and the Boiler.....	39
2.7.5	Cost Analysis Results.....	40
2.7.6	Consideration of Analysis Accuracy.....	41
2.8	Conclusions.....	42
<b>3</b>	<b>Effective Improvement in Generation Efficiency due to Partition Cooperation Management.....</b>	<b>43</b>
3.1	Introduction.....	43
3.2	System Configuration.....	44
3.2.1	Scheme of the FC Micro-grid.....	44
3.2.2	System Configuration.....	45
3.2.3	Operating Method.....	46
3.3	Installation Planning of the FC Micro-grid.....	46
3.3.1	Generation Efficiency of the Micro-grid.....	46
3.3.2	The Power Demand Model.....	49
3.3.3	The Analysis Method.....	50
3.4	Case Study.....	51
3.5	Analysis Results and Discussion.....	52
3.5.1	Generation Efficiency of the Stand-alone System.....	52
3.5.2	Generation Efficiency of the Central System.....	54
3.5.3	Generation Efficiency of the Partition Cooperation System.....	54
3.6	Conclusions.....	59

<b>4</b>	<b>Fuel Cell Network System Considering Reduction in Fuel Cell Capacity Using Load Leveling and Heat Release Loss .....</b>	<b>61</b>
4.1	Introduction .....	61
4.2	Load Leveling and the Arrangement Plan of the Fuel Cell .....	62
4.2.1	The Fuel Cell Network System .....	62
4.2.2	Power Generation Characteristics of the Fuel Cell .....	63
4.2.3	Load Leveling Using Water Electrolysis .....	65
4.2.4	Distribution of the Fuel Cell .....	65
4.2.5	Energy Balance Equation.....	66
4.2.6	Operating Method of the System .....	68
4.3	Analysis Method.....	68
4.3.1	Procedure of Analysis .....	68
4.3.2	Solution Parameters .....	70
4.4	Case Study .....	71
4.4.1	Energy Demand Pattern and Network System .....	71
4.4.2	Reduction Effect of the Fuel Cell Facility Capacity .....	72
4.4.3	Route Planning Result of the Hot Water Piping.....	73
4.4.4	Result of the Fuel Cell Arrangement Plan .....	75
4.5	Conclusions .....	76
<b>5</b>	<b>Equipment Plan of a Compound Interconnection Micro-grid Composed of Diesel Power Plants and a Fuel Cell.....</b>	<b>77</b>
5.1	Introduction .....	77
5.2	Compound Interconnection Micro-grid .....	78
5.2.1	The Micro-grid Model .....	78
5.2.2	The CIM Model .....	80
5.2.3	Facility Scheme.....	80
5.2.4	The CIM Operating Method.....	82
5.3	Equipment Characteristics.....	82
5.3.1	Diesel Engine Power Generator .....	82
5.3.2	The Proton Exchange Membrane-type Fuel Cell .....	84
5.4	Analysis Method.....	84
5.4.1	Route Plan of the Compound Interconnection Grid.....	84
5.4.2	Analysis Flow .....	85
5.4.3	The Power Demand Model .....	86
5.5	Case Study .....	88
5.5.1	The Urban Area Model .....	88
5.5.2	Complex Community .....	89
5.5.3	The Residential Area Model .....	91
5.6	Conclusions .....	93

<b>6</b>	<b>The Effective-use Method of Exhaust Heat for Distributed Fuel Cells</b>	95
6.1	Introduction	95
6.2	Outline of the Fuel Cell Energy Network System	96
6.2.1	System Outline	96
6.2.2	The Path and the Amount of Heat Release from the Hot Water Piping	98
6.2.3	Heat Energy Balance	100
6.2.4	The Heat Release Amount for a Hot Water Network	101
6.3	Model of the Fuel Cell	102
6.3.1	Characteristics of Electric Power and Heat Output	102
6.3.2	Energy Demand Pattern and Capacity of the Fuel Cell	103
6.4	Case Analysis	104
6.4.1	Weather Conditions in Sapporo	104
6.4.2	Analysis Method	105
6.5	Analysis Results	107
6.5.1	The Optimal Path and the Amount of Heat Release from a Hot Water Piping Network	107
6.5.2	Optimal Path of the Energy Demand Pattern and the Hot Water Piping	108
6.5.3	The Influence of Load Fluctuations	110
6.6	Conclusions	111
<b>7</b>	<b>Load Response Characteristics of the Fuel Cell for Individual Cold-region Houses</b>	113
7.1	Introduction	113
7.2	System Configuration	114
7.2.1	System Outline	114
7.2.2	Method of Power Generation	116
7.2.3	Method of Heat Supply	117
7.2.4	Controller and Auxiliary Machinery	117
7.2.5	Model of Operation Control	118
7.3	The Time Constant of Each Piece of Equipment	119
7.3.1	The Time Constant of the Fuel Cell Stack	120
7.3.2	Town Gas Reformer	123
7.3.3	Inverter and System Interconnection Device	124
7.3.4	The Time Constant of the Heat Pump	124
7.4	Analysis Method	125
7.5	Results and Discussion	126
7.5.1	Control Variables of the Controller	126
7.5.2	Step Response Characteristics of the System	128
7.5.3	Step Response Characteristics with Power Load Fluctuation	130
7.5.4	Application to an Individual Cold-region House	133
7.6	Conclusions	135

<b>8</b>	<b>Load Response Characteristics of a Fuel Cell Micro-grid with Control of the Number of Units .....</b>	<b>137</b>
8.1	Introduction .....	137
8.2	The Micro-grid Model .....	138
8.2.1	Power Quality of the Micro-grid .....	138
8.3	Response Characteristics of System Configuration Equipment ....	142
8.3.1	Generation Characteristics of the Engine Generator .....	142
8.3.2	Generation Characteristics of the Fuel Cell .....	143
8.3.3	Output Characteristics of the City Gas Reformer .....	144
8.3.4	Inverter and Interconnection Device .....	144
8.3.5	Generation Efficiency of the Fuel Cell System .....	144
8.4	Control Variables and Analysis Method .....	145
8.5	Load Response Characteristics of the Micro-grid .....	147
8.5.1	Step Response Characteristics .....	147
8.5.2	Application of the Electric Power Demand Pattern of a House .....	148
8.5.3	Generation Efficiency of the Fuel Cell .....	150
8.6	Conclusions .....	152
<b>9</b>	<b>Dynamic Characteristics of a PEM-FC/Woody Biomass Engine Hybrid Micro-grid .....</b>	<b>153</b>
9.1	Introduction .....	153
9.2	System Scheme .....	154
9.2.1	The Hybrid Micro-grid .....	154
9.2.2	The Micro-grid System Operating Method .....	157
9.3	Control Response Characteristics of PEM-FC and SEG .....	157
9.3.1	The Control Block Diagram .....	157
9.3.2	Response Characteristics of PEM-FC .....	159
9.3.3	Response Characteristics of SEG .....	160
9.4	Results of Dynamic Characteristics Analysis of the PWHC Micro-grid .....	161
9.4.1	Power Response Characteristics of PWHC .....	161
9.4.2	Response Characteristics of SEG and the PEM-FC Micro-grid Using the Power Load Pattern for Houses ....	163
9.4.3	Response Characteristics of the PWHC Micro-grid Using the Power Load Pattern for Houses .....	165
9.5	Conclusions .....	167
<b>10</b>	<b>A Fuel Cell and Hydrogenation Engine Hybrid System Considering Efficiency Improvement for Partial-load Operation .....</b>	<b>169</b>
10.1	Introduction .....	169
10.2	System Scheme .....	170
10.2.1	The HCGS Model .....	170
10.2.2	Operation Method of the System .....	171

10.3	Equipment Characteristics .....	173
10.3.1	Output Characteristics of NEG .....	173
10.3.2	Output Characteristics of PEM-FC .....	177
10.4	Power and Heat Output Characteristics of HCGS .....	179
10.4.1	Output Characteristics of NEG and PEM-FC .....	179
10.4.2	Method Operating FC or NEG with the Threshold Value of the Load (OM-C).....	180
10.4.3	Operation Method Using PEM-FC Corresponding to a Base Load (OM-D) .....	181
10.5	Case Study .....	182
10.5.1	Power and Heat Demand Model .....	182
10.5.2	Analysis Method .....	183
10.6	Results and Discussion .....	184
10.6.1	City Gas Consumption .....	184
10.6.2	Generation Efficiency and Total Efficiency.....	185
10.6.3	Carbon Dioxide Emissions.....	186
10.6.4	Capacity of the Heat Storage Tank .....	187
10.7	Conclusions .....	188
<b>11</b>	<b>CO<sub>2</sub> Discharged from a Compound Micro-grid of a Hydrogenation City Gas Engine and a Fuel Cell.....</b>	<b>189</b>
11.1	Introduction .....	189
11.2	System Scheme.....	190
11.2.1	The IMPE Model .....	190
11.2.2	Operation Method of the Micro-grid.....	191
11.2.3	Equipment Scheme .....	191
11.3	Equipment Characteristics.....	193
11.3.1	Output Characteristics of the Gas Engine Power Generator .....	193
11.3.2	Carbon Dioxide Emissions of NEG .....	195
11.3.3	The PEM-FC System .....	196
11.4	Case Study .....	197
11.4.1	The Urban Area Model .....	197
11.4.2	The Power Demand Model .....	198
11.4.3	Analysis Flow .....	198
11.5	Results and Discussion .....	200
11.5.1	Power Load of the Micro-grid.....	200
11.5.2	Capacity of the Power Plant.....	202
11.5.3	Power Generation Efficiency .....	202
11.5.4	Carbon Dioxide Emissions.....	202
11.5.5	Heat Demand and Exhaust Heat Output .....	204
11.6	Conclusions .....	204

<b>12</b>	<b>Development of a Fast Operation Algorithm of a Fuel Cell System with Solar Reforming</b>	207
12.1	Introduction	207
12.2	System Configuration	208
12.2.1	The Fuel Cell System with Bioethanol Solar Reforming (FBSR)	208
12.2.2	Installation Method of FBSR	209
12.2.3	Control of Reformed Fuel	209
12.3	Energy and Mass Balance	210
12.3.1	Energy Balance	210
12.3.2	Mass Balance	210
12.4	Dynamic Operation Prediction of SRF	210
12.4.1	Analysis Procedure of the Operation Prediction Algorithm	210
12.4.2	Structure of the Neural Network	211
12.4.3	Learning Calculation	212
12.4.4	The Operation Prediction Process	214
12.5	Preparation of the Training Signal Using a GA	215
12.5.1	Dynamic Operation Plan of a Representative Day	215
12.5.2	Chromosome Model and Analysis Flow	216
12.5.3	System Operation	217
12.5.4	Objective Function and Adaptive Value	217
12.6	Case Study	218
12.6.1	Analysis System	218
12.6.2	Characteristics of the System	218
12.6.3	Analysis Condition	219
12.7	Results and Discussion	221
12.7.1	Energy Supply by FBSR	221
12.7.2	Analytic Accuracy of the Operation Prediction	222
12.7.3	Analysis Error of the Heat Storage Prediction	225
12.7.4	Relationship Between the Difference in Weather Characteristics and the Operation Prediction Error	227
12.8	Conclusions	230
<b>13</b>	<b>Power Characteristics of a Fuel Cell Micro-grid with Wind Power Generation</b>	231
13.1	Introduction	231
13.2	The Micro-grid Model	232
13.3	Response Characteristics of System Configuration Equipment	233
13.3.1	Power Generation Characteristics of the Fuel Cell	233
13.3.2	Output Characteristics of the City Gas Reformer	233
13.3.3	Power Generation Characteristics of Wind Power Generation	234
13.3.4	Generation Efficiency of the Fuel Cell System	235
13.3.5	Inverter and System Interconnection Device	236

13.4	Control Parameters and Analysis Method .....	237
13.5	Load Response Characteristics of the Micro-grid .....	238
13.5.1	Step Response .....	238
13.5.2	Load Response Characteristics of Cold-region Houses ...	239
13.5.3	Power Generation Efficiency .....	241
13.6	Conclusions .....	242
<b>References</b> .....		245
<b>Index</b> .....		251





<http://www.springer.com/978-1-84800-337-8>

Fuel Cell Micro-grids

Obara, S.

2009, XX, 252 p., Hardcover

ISBN: 978-1-84800-337-8