

Contents

| | | |
|----------|--|-----------|
| 1 | Overview of the Book | 1 |
| 2 | Introduction: Heterogeneity in Medicine | 7 |
| 2.1 | Example: Plasma Concentration of Beta-Carotene | 11 |
| 2.1.1 | Identification of a Latent Structure | 11 |
| 2.1.2 | Including Covariates | 13 |
| 2.2 | Computation | 15 |
| 2.3 | Example: Analysis of Heterogeneity in Drug Development | 18 |
| 2.3.1 | Basic Pharmacokinetic Concepts | 18 |
| 2.3.2 | Pharmacokinetic Parameters | 19 |
| 2.3.3 | First-Order Compartment Models | 20 |
| 2.3.4 | Population Pharmacokinetics | 21 |
| 2.3.5 | Theophylline Pharmacokinetics | 22 |
| 2.4 | A Note of Caution | 28 |
| 3 | Modeling Count Data | 29 |
| 3.1 | Example: Morbidity in Northeast Thailand | 29 |
| 3.2 | Parametric Mixture Models | 30 |
| 3.3 | Finite Mixture Models | 33 |
| 3.3.1 | Diagnostic Plots for Finite Mixture Models | 34 |
| 3.3.2 | A Finite Mixture Model for the Illness Spell Data | 34 |
| 3.3.3 | Estimating the Number of Components | 36 |
| 3.4 | Computation | 39 |
| 3.4.1 | Combination of VEM and EM Algorithms | 39 |
| 3.4.2 | Using the EM Algorithm | 41 |
| 3.4.3 | Estimating the Number of Components | 42 |
| 3.5 | Including Covariates | 43 |
| 3.5.1 | The Ames Test | 43 |
| 3.5.2 | Poisson and Negative Binomial Regression Models | 47 |
| 3.5.3 | Covariate-Adjusted Mixture Model for the Ames Test Data | 49 |

| | | |
|----------|---|------------|
| 3.6 | Computation | 51 |
| 3.6.1 | Fitting Poisson and Negative Binomial Regression Models with SAS | 51 |
| 3.6.2 | Fitting Poisson and Negative Binomial Regression Models with R | 52 |
| 3.6.3 | Fitting Finite Mixture Models with the Package CAMAN | 53 |
| 4 | Theory and Algorithms | 55 |
| 4.1 | The Likelihood of Finite Mixture Models | 55 |
| 4.2 | Convex Geometry and Optimization | 56 |
| 4.2.1 | Derivatives and Directional Derivatives of Convex Functions | 61 |
| 4.3 | Application to the Flexible Support Size Case | 64 |
| 4.3.1 | Geometric Characterization | 64 |
| 4.3.2 | Algorithms for Flexible Support Size | 69 |
| 4.3.3 | VEM Algorithm: Computation | 70 |
| 4.4 | The Fixed Support Size Case | 72 |
| 4.4.1 | Fixed Support Size: The Newton–Raphson Algorithm | 72 |
| 4.4.2 | A General Description of the EM Algorithm | 73 |
| 4.4.3 | The EM Algorithm for Finite Mixture Models | 74 |
| 4.4.4 | EM Algorithm: Computation | 77 |
| 4.4.5 | A Hybrid Mixture Algorithm | 79 |
| 4.4.6 | The EM Algorithm with Gradient Update | 80 |
| 4.5 | Estimating the Number of Components | 82 |
| 4.5.1 | Graphical Techniques | 82 |
| 4.5.2 | Testing for the Number of Components | 83 |
| 4.5.3 | The Bootstrap Approach | 84 |
| 4.6 | Adjusting for Covariates | 87 |
| 4.6.1 | Generalized Linear Models | 87 |
| 4.6.2 | The EM Algorithm for Covariate-Adjusted Mixture Models | 91 |
| 4.6.3 | Computation: Vitamin A Supplementation Revisited | 93 |
| 4.6.4 | An Extension of the EM Algorithm with Gradient Update for Covariate-Adjusted Mixture Models | 95 |
| 4.7 | Case Study: EM Algorithm with Gradient Update for Nonlinear Finite Mixture Models | 97 |
| 4.7.1 | Introduction | 97 |
| 4.7.2 | Example: Dipyrone Pharmacokinetics | 98 |
| 4.7.3 | First-Order Compartment Models | 98 |
| 4.7.4 | Finite Mixture Model Analysis | 102 |
| 5 | Disease Mapping and Cluster Investigations | 107 |
| 5.1 | Introduction | 107 |
| 5.2 | Investigation of General Clustering | 109 |
| 5.2.1 | Traditional Approaches | 110 |
| 5.2.2 | The Empirical Bayes Approach | 112 |

| | | |
|----------|--|------------|
| 5.3 | Computation | 117 |
| 5.4 | A Note on Autocorrelation Versus Heterogeneity | 119 |
| 5.4.1 | Heterogeneity | 119 |
| 5.4.2 | Autocorrelation | 121 |
| 5.5 | Focused Clustering | 124 |
| 5.5.1 | The Score Test for Focused Clustering | 124 |
| 5.5.2 | The Score Test Adjusted for Heterogeneity | 128 |
| 5.5.3 | The Score Test Based on the Negative Binomial Distribution | 129 |
| 5.5.4 | Estimation of α and ν | 130 |
| 5.6 | Case Study: Leukemia in Adults in the Vicinity of Krümmel | 132 |
| 5.6.1 | Background | 133 |
| 5.6.2 | The Retrospective Incidence Study Elbmarsch | 134 |
| 5.6.3 | Focused Analysis | 135 |
| 5.6.4 | Disease Mapping and Model-Based Methods | 136 |
| 5.7 | Mathematical Details of the Score Test | 138 |
| 5.7.1 | Expectation and Variance of the Score | 138 |
| 5.7.2 | The Score Test | 139 |
| 6 | Modeling Heterogeneity in Psychophysiology | 143 |
| 6.1 | The Electroencephalogram | 143 |
| 6.1.1 | Digitization | 143 |
| 6.2 | Modeling Spatial Heterogeneity Using Generalized Linear Mixed Models | 144 |
| 6.2.1 | The Periodogram and its Distributional Properties | 144 |
| 6.3 | Connection to Generalized Linear Models | 148 |
| 6.3.1 | Covariate-Adjusted Finite Mixture Models for the EEG Data | 149 |
| 7 | Investigating and Analyzing Heterogeneity in Meta-analysis | 153 |
| 7.1 | Introduction | 153 |
| 7.1.1 | Different Types of Overviews | 154 |
| 7.2 | Basic Statistical Analysis | 155 |
| 7.2.1 | Single Study Results | 155 |
| 7.2.2 | Publication Bias | 157 |
| 7.2.3 | Estimation of a Summary Effect | 160 |
| 7.3 | Analysis of Heterogeneity | 162 |
| 7.3.1 | The DerSimonian–Laird Approach | 164 |
| 7.3.2 | Maximum Likelihood Estimation of the Heterogeneity Variance τ^2 | 166 |
| 7.3.3 | Another Estimator of τ^2 : The Simple Heterogeneity Variance Estimator | 168 |
| 7.3.4 | A Comment on Summary Estimates Under Heterogeneity | 169 |
| 7.3.5 | The Finite Mixture Model Approach | 169 |
| 7.4 | A Simulation Study Comparing Four Estimators of τ^2 | 171 |
| 7.4.1 | Design of the Simulation Study | 171 |

| | | |
|----------|--|------------|
| 7.4.2 | Simulation Results | 173 |
| 7.4.3 | Discussion | 173 |
| 7.5 | Metaregression | 176 |
| 7.5.1 | Finite Mixture Models Adjusted for Covariates | 177 |
| 7.6 | Interpretation of the Results of Meta-analysis of Observational Studies | 180 |
| 7.6.1 | Bias | 181 |
| 7.6.2 | Confounding | 181 |
| 7.6.3 | Heterogeneity | 182 |
| 7.7 | Case Study: Aspirin Use and Breast Cancer Risk – A Meta-analysis and Metaregression of Observational Studies from 2001 to 2007 | 183 |
| 7.7.1 | Introduction | 183 |
| 7.7.2 | Literature Search and Data Extraction | 184 |
| 7.7.3 | Study Characteristics | 184 |
| 7.7.4 | Publication Bias | 185 |
| 7.7.5 | Results | 186 |
| 7.7.6 | Results of a Metaregression | 186 |
| 7.7.7 | Modeling Dose Response | 187 |
| 7.7.8 | A Metaregression Model for Dose-Response Analysis | 190 |
| 7.7.9 | Discussion | 191 |
| 7.8 | Computation | 192 |
| 7.8.1 | “Standard Meta-analysis” | 192 |
| 7.8.2 | Meta-analysis with SAS | 194 |
| 7.8.3 | Finite Mixture Models | 196 |
| 7.8.4 | Metaregression | 197 |
| 8 | Analysis of Gene Expression Data | 201 |
| 8.1 | DNA Microarrays | 201 |
| 8.2 | The Analysis of Differential Gene Expression | 202 |
| 8.2.1 | Analysis Based on Simultaneous Hypothesis Testing | 202 |
| 8.2.2 | A Mixture Model Approach | 206 |
| 8.2.3 | Computation | 209 |
| 8.3 | A Change of Perspective: Applying Methods from Meta-analysis | 210 |
| 8.4 | Case Study: Identification of a Gene Signature for Breast Cancer Prognosis | 213 |
| 8.4.1 | Introduction | 213 |
| 8.4.2 | Application of the Meta-analytic Mixture Model to the Breast Cancer Data | 214 |
| 8.4.3 | Validation of Results | 215 |
| | References | 219 |
| | Subject Index | 237 |
| | Author Index | 243 |



<http://www.springer.com/978-3-540-68650-7>

Medical Applications of Finite Mixture Models

Schlattmann, P.

2009, X, 246 p. 74 illus., Hardcover

ISBN: 978-3-540-68650-7