

Contents

Preface	v
1 Introduction	1
1.1 The macroscopic theory	2
1.2 The mesoscopic theory	4
1.3 The microscopic theory	7
1.4 Kac potentials and the mesoscopic limit	10
1.5 Notes for the reader	12
Part I Statistical Mechanics of Ising systems	
2 Thermodynamic limit in the Ising model	17
2.1 Finite volume Gibbs measures	17
2.1.1 Spin configurations, phase space	18
2.1.2 Energy	18
2.1.3 Potentials	20
2.1.4 Finite volume Gibbs measures	21
2.1.5 A consistency property of Gibbs measures	23
2.1.6 Random boundary conditions	25
2.1.7 Structure of finite volume Gibbs measures	27
2.2 Thermodynamic limit and DLR measures	28
2.2.1 DLR measures	30
2.2.2 Thermodynamic limits of Gibbs measures	31
2.2.3 Pure states and extremal DLR measures	33
2.2.4 Simplicial structure of DLR measures	35
2.2.5 Sigma algebra at infinity	36
2.2.6 Pure phases, phase transitions	38
2.2.7 Ergodic decomposition	39
2.3 Boltzmann hypothesis, entropy and pressure	42
2.3.1 An example from information theory	42
2.3.2 Boltzmann hypothesis	43
2.3.3 Thermodynamic limit of the pressure	48

2.3.4	Thermodynamic limit of the entropy	50
2.3.5	Equivalence of ensembles	54
2.3.6	Properties of convex functions	55
2.3.7	Concavity of the Boltzmann entropy	56
2.3.8	Variational principles and equivalence of ensembles	61
2.3.9	A variational principle for measures	64
2.4	Thermodynamics and DLR measures	67
2.4.1	Canonical ensemble and free energy	67
2.4.2	Tangent functionals to the pressure	71
2.4.3	Large deviations	72
3	The phase diagram of Ising systems	75
3.1	General results	76
3.1.1	Absence of phase transitions in one dimensions	76
3.1.2	Phase transitions at low temperatures	78
3.1.3	Absence of phase transitions at high temperatures	83
3.2	Dobrushin uniqueness theory. I. Vaserstein distance	88
3.2.1	Couplings and Vaserstein distance	88
3.2.2	The Dobrushin method for constructing couplings	90
3.2.3	Total variation distance	93
3.2.4	Equations for the first moments	95
3.2.5	Decay properties of the Green function	96
4	Mean field, Kac potentials and the Lebowitz–Penrose limit	99
4.1	The mean field model	100
4.1.1	The finite volume, mean field free energy	100
4.1.2	The infinite volume mean field free energy	101
4.1.3	The Maxwell equal area law	103
4.1.4	The mean field pressure	105
4.1.5	Thermodynamics of mean field	105
4.1.6	Conclusions	106
4.2	Kac potentials	106
4.2.1	The Lebowitz–Penrose limit	107
4.2.2	Block spins, coarse graining	109
4.2.3	Variational problems and the L–P functional	112
4.2.4	The L–P functional as a large deviation rate function	114
4.2.5	Proof of Theorem 4.2.2.1	115
4.2.6	Summary and final comments	117
5	Stochastic Dynamics	119
5.1	The Glauber semigroup	119
5.1.1	Spin flip dynamics	119
5.1.2	Invariant measures	121
5.1.3	Glauber spin flip rates	122
5.1.4	Mean field dynamics	124
5.1.5	Scaling limit in mean field dynamics	126

5.1.6	Limit evolution of dynamics with Kac potentials	127
5.2	Markov processes	130
5.2.1	The spin flip Markov chains	130
5.2.2	The spin flip Markov process	131
5.2.3	Poisson processes and exponential times	133
5.2.4	Realizations of the mean field process	137
5.3	Persistence of stochasticity in the macroscopic limit	137
5.3.1	Spinodal decomposition	137
5.3.2	Large deviations in the mean field dynamics	142
5.3.3	Rate function of large deviations	143
5.3.4	Cost functional and optimal cost problems	146
5.4	Complements to Sect. 5.3	149
5.4.1	Self similar growth	149
5.4.2	Proof of (5.3.1.2)	152
5.5	Notes and reference to Part I	153

Part II Mesoscopic Theory, non-local functionals

6	Non-local, free energy functionals	157
6.1	Thermodynamics	158
6.1.1	The basic axioms	158
6.1.2	Example 1. The Ginzburg–Landau functional	159
6.1.3	Example 2. The L–P functional	160
6.1.4	Generalizations of the L–P functional	163
6.1.5	Example 3. The LMP model	165
6.1.6	Thermodynamic potentials	165
6.2	Properties of the L–P free energy functional	168
6.2.1	Positivity and lower semi-continuity	169
6.2.2	Gradient flows, the non-local L–P evolution	170
6.2.3	Partial dynamics	171
6.2.4	Local mean field equations	172
6.2.5	Free energy dissipation for partial dynamics	173
6.2.6	Limit points of orbits for partial dynamics	174
6.2.7	Barrier Lemma	175
6.2.8	Free energy dissipation in infinite volume dynamics	176
6.2.9	Limit points of orbits in infinite volume dynamics	177
6.2.10	Comparison Theorem	178
6.3	Local equilibrium	182
6.3.1	A definition of local equilibrium	182
6.3.2	Time invariance of local equilibrium ensembles	184
6.3.3	Minimization of local equilibrium profiles	186
6.4	Large deviations	187
6.4.1	The multi-canonical constraint	188
6.4.2	Extensive bounds	189
6.4.3	Topological properties of $\mathcal{D}^{(\ell)}$ -sets	191
6.4.4	Contours	192

6.4.5	Free energy of contours	195
6.4.6	Cut and paste techniques	196
6.4.7	Conditional free energy of contours	199
6.4.8	Scaling properties	200
6.5	Pictures and examples	200
7	Surface tension, Gamma convergence, Wulff shape	205
7.1	Gamma convergence	205
7.1.1	Finite volume corrections to the free energy	205
7.1.2	Main definitions	207
7.1.3	Main theorem	208
7.1.4	An alternative definition of surface tension	209
7.1.5	Gamma convergence when the interface is flat	214
7.1.6	Continuity of the surface tension	218
7.1.7	Lower bound of Gamma convergence	219
7.1.8	Upper bound of Gamma convergence	221
7.2	Wulff shape	223
7.2.1	Coercivity	224
7.2.2	Interfaces which are not in BV	226
7.2.3	The Wulff problem	226
8	One dimensional interfaces	229
8.1	Instantons	229
8.1.1	van der Waals theory of surface tension	229
8.1.2	Instantons: main theorem	230
8.1.3	Existence of instantons	232
8.2	Shape of instantons	233
8.2.1	A heuristic argument	233
8.2.2	Exponential decay	235
8.3	Spectral gap	237
8.3.1	Spectral gap in Hilbert space	237
8.3.2	Spectral gap with sup norms	238
8.3.3	Reduction to Markov chains	239
8.4	Dobrushin theory. II Applications to Markov chains	240
8.4.1	Spectral gap for Markov chains	240
8.4.2	Invariant measure	242
8.4.3	Couplings and Vaserstein distance	242
8.4.4	Choice of parameters	244
8.4.5	Construction of a joint representation	246
8.4.6	Bounds on the Vaserstein distance	247
8.4.7	Perron–Frobenius kernels and Markov chains	248
8.4.8	Proof of Theorem 8.3.2.1	250
8.4.9	Finite volume instantons	252
8.5	Global stability and uniqueness	254
8.5.1	The center of a function	254
8.5.2	Local stability	258

8.5.3	Trapping orbits between instantons	261
8.5.4	Uniqueness	263
8.5.5	Global stability	264
8.6	Surface tension and the instanton free energy	265
8.6.1	The lower bound	265
8.6.2	Equality among surface tensions	266
8.7	Notes and references to Part II	268

Part III Phase transitions in systems with Kac potentials

9	Ising systems with Kac potentials	273
9.1	Main results	274
9.1.1	The model	274
9.1.2	Bounds on the inverse critical temperature	275
9.1.3	Lower bounds on the inverse critical temperature	275
9.1.4	Upper bounds on the inverse critical temperature	275
9.2	Existence of two distinct DLR measures	276
9.2.1	Scheme of proof	276
9.2.2	A heuristic argument	277
9.2.3	Coarse graining and block spins	278
9.2.4	Weight of a contour	279
9.2.5	Peierls bounds	279
9.2.6	Diluted Gibbs measures	280
9.2.7	Probability of a contour	280
9.2.8	Counting contours	282
9.3	Proof of the Peierls bounds	284
9.3.1	Spin flip symmetry	285
9.3.2	Coarse-graining, reduction to a variational problem	285
9.3.3	The energy estimate	286
9.3.4	Reconstruction of the partition function	286
9.3.5	Conclusion	287
10	The LMP model and the Pirogov–Sinai strategy	289
10.1	Mean field models	290
10.1.1	Stable interactions	291
10.1.2	Pure mean field	291
10.1.3	Mean field with hard cores	292
10.1.4	The Lebowitz–Penrose limit	294
10.2	The LMP model	296
10.2.1	The mean field LMP model	296
10.2.2	Thermodynamics of the mean field LMP model	297
10.2.3	Phase space of particle systems	298
10.2.4	The LMP hamiltonian	299
10.2.5	The LMP finite volume Gibbs measures	301
10.2.6	The LMP free energy functional	301
10.3	Contours and Peierls bounds	303

10.3.1	Phase indicators and contours	303
10.3.2	Diluted Gibbs measures	304
10.3.3	Weight of a contour	305
10.3.4	Peierls bounds	305
10.4	The naive scheme of proof	307
10.4.1	Absence of symmetry	307
10.4.2	Surface corrections to the pressure	309
10.5	The Pirogov–Sinai scheme	310
10.5.1	Cutoff weights	311
10.5.2	Recovering the true weights	315
11	Phase transitions in the LMP model	317
11.1	Choice of the chemical potential	320
11.1.1	Contribution of the contours to the partition function	321
11.1.2	Energy bounds (for the LMP hamiltonian)	324
11.1.3	Coarse graining	325
11.1.4	A variational problem with constraints	328
11.1.5	Equality of the plus and minus pressures	329
11.2	Reduction to perfect boundary conditions	331
11.2.1	Regions at the boundaries of $\text{sp}(\Gamma)$	331
11.2.2	Main results	331
11.2.3	Minimization in a neighborhood of equilibrium	335
11.2.4	Proof of Theorem 11.2.2.4	338
11.3	The energy estimate	339
11.3.1	The interaction terms $I_{\gamma, \lambda(\beta)}^{\pm}$	340
11.3.2	Free energy cost of contours	340
11.3.3	Proof of the energy estimate	345
11.4	Surface corrections to the pressure	346
11.4.1	Lattice gas	349
11.4.2	Lattice gas approximations	350
11.4.3	Cluster expansion, effective hamiltonian	352
11.4.4	An interpolation formula	354
11.4.5	The main estimates	355
11.4.6	Corollaries	356
11.5	Dobrushin theory. III Relativized uniqueness	360
11.5.1	Revisiting the Dobrushin uniqueness condition	361
11.5.2	The setup	363
11.5.3	The assumptions	364
11.5.4	Main results	366
11.5.5	Two simple bounds on the Vaserstein distance	367
11.5.6	Proof of Theorem 11.5.4.1	368
11.5.7	Bounds on the correlation functions	372
11.6	Surface corrections to the pressure, conclusion	375
11.6.1	Compatibility of the parameters	376
11.6.2	Main implications	380

11.6.3	Proof of Theorem 11.4.5.1	381
11.6.4	Proof of Theorem 11.4.5.2	382
11.6.5	Proof of Proposition 11.6.4.1	382
11.7	Complements to Section 11.1	385
11.7.1	Convergence by subsequences	385
11.7.2	Existence of the thermodynamic limit	386
11.7.3	Continuous dependence on the chemical potential	388
11.8	Complements to Section 11.3	390
11.8.1	Localization of the excess energy	390
11.8.2	Large density fluctuations	392
11.8.3	Reduction to uniformly bounded densities	394
11.9	Complements to Section 11.4, cluster expansion	396
11.9.1	Effective hamiltonian	398
12	DLR measures and the ergodic decomposition	401
12.1	Existence of two distinct DLR measures	401
12.1.1	Main result	402
12.1.2	Block spin reformulation of the LMP model	402
12.1.3	Finite volume Gibbs measures	402
12.1.4	Compactness	403
12.1.5	Existence of DLR measures	405
12.1.6	Proof of Theorem 12.1.1.1	406
12.2	Properties of the plus and minus DLR measures	407
12.2.1	Uniqueness of the plus and minus measures	407
12.2.2	Triviality of the tail field	408
12.3	Decomposition of translational invariant DLR measures	412
12.3.1	Translational invariant DLR measures	412
12.3.2	Reduction to intensive variables	413
12.3.3	Estimates with few contours	414
12.3.4	Estimates with many contours	416
12.4	The plus and minus DLR measures are ergodic	418
12.4.1	Preliminary lemmas	418
12.4.2	Translational invariance	420
12.4.3	Ergodicity	422
12.5	Complements: Decay from the boundaries	423
12.5.1	A representation formula for Gibbs measures	423
12.5.2	Reduction to a lattice gas	424
12.5.3	Couplings	425
12.5.4	Percolation disagreement	427
12.5.5	Counting contours	428
12.5.6	Conclusions	429
12.6	Notes and reference to Part III	430

Part IV Appendices

A Ising model, topology and measure theory 435

A.1 The group of translations 435

A.2 Stirling formula 437

A.3 Ising model. Topological properties 437

A.4 Space of probabilities 439

A.5 Extensions theorems 440

A.6 Existence of conditional probabilities 440

A.7 Uniqueness 443

A.8 Support properties 444

A.9 Space translations and the ergodic decomposition 446

A.10 Limits of decreasing σ -algebras 448

A.11 Limits of increasing σ -algebras 450

B Geometric measure theory 453

B.1 Basic notions 453

B.2 Polygonal approximations 454

References 457

Index 465

Scaling Limits in Statistical Mechanics and
Microstructures in Continuum Mechanics

Presutti, E.

2009, XVI, 470 p., Hardcover

ISBN: 978-3-540-73304-1