

Contents

1	Introduction	1
Part I Basic Solutions		
2	Function Spaces and the First Renormalized Functional	9
3	The Simplest Heteroclinics	23
4	Heteroclinics in x_1 and x_2	37
5	More Basic Solutions	53
5.1	Higher-Dimensional Heteroclinics	54
5.2	Other Coordinate Systems	55
5.3	Generalizations to $\alpha \in \mathbb{Q}^n$	59
Part II Shadowing Results		
6	The Simplest Cases	65
7	The Proof of Theorem 6.8	81
8	k-Transition Solutions for $k > 2$	89
9	Monotone 2-Transition Solutions	97
10	Monotone Multitransition Solutions	119
11	A Mixed Case	131

Part III Solutions of (PDE) Defined on $\mathbb{R}^2 \times \mathbb{T}^{n-2}$

12 A Class of Strictly 1-Monotone Infinite Transition Solutions of (PDE)	157
13 Solutions of (PDE) with Two Transitions in x_1 and Heteroclinic Behavior in x_2	179
References	205
Index	207



<http://www.springer.com/978-0-8176-8116-6>

Extensions of Moser-Bangert Theory

Locally Minimal Solutions

Rabinowitz, P.H.; Stredulinsky, E.W.

2011, VIII, 208 p., Hardcover

ISBN: 978-0-8176-8116-6

A product of Birkhäuser Basel