# Contents


**1 On Practical Product Form Characterizations** . . . . . 1
Nico M. van Dijk
**A: Product Forms: Single Station Hierarchy** . . . . . 2
1.1 Introduction . . . . . 2
1.2 Product Forms: Three Balances . . . . . 4
1.2.1 Station Balance: B-D or Erlang-Engset systems . . . . . 4
1.2.2 Class balance: Coordinate convex property (CCP) . . . . . 6
1.2.3 Job Local Balance: Necessity . . . . . 15
1.2.4 LCFS-pre case: Nonexponential . . . . . 19
1.2.5 Symmetric Disciplines and Job-Local-balance (JLB) . . . . 22
1.3 Invariant Disciplines and JLB . . . . . 25
1.3.1 Invariance Condition . . . . . 25
1.3.2 Service invariant examples . . . . . 28
1.3.3 A generalized symmetric insensitivity result . . . . . 32
1.4 An application, literature discussion and hierarchy review . . . . . 35
1.4.1 An $M|G|c|c+m$ application . . . . . 35
1.4.2 Literature discussion . . . . . 37
1.4.3 A hierarchy review . . . . . 39
**B: Product Forms: Tandem and Cluster Structures** . . . . . 41
1.5 Tandem Queues . . . . . 41
1.5.1 Introduction . . . . . 41
1.5.2 Product Form Tandem Queues . . . . . 45
1.5.3 Service examples . . . . . 49
1.5.4 Blocking examples . . . . . 51
1.5.5 Mixed examples . . . . . 54
1.6 Jacksonian clusters . . . . . 56
1.6.1 A Jackson cluster . . . . . 56
1.6.2 A restricted Jackson cluster . . . . . 58
1.6.3 A conservative product form protocol . . . . . 60
1.7 Product form bounds for networks of restricted clusters . . . . . 62
1.7.1 Instructive tandem extension . . . . . 63

1.7.2 A Jackson Tandem . . . 66
1.7.3 A nested case . . . 68
1.7.4 Further illustrative examples . . . 69
1.7.5 An Optimal Design Application . . . 73
1.8 A hospital application . . . 73
1.8.1 Motivation . . . 73
1.8.2 Model formulation . . . 74
1.8.3 Bounds and application . . . 76
1.9 Evaluation . . . 77
1.9.1 Literature . . . 77
1.9.2 Review Part B . . . 79
1.9.3 Some remaining questions . . . 80
References . . . 81

**2 Order Independent Queues** . . . 85
A.E. Krzesinski
2.1 Introduction . . . 85
2.2 The OI Queue . . . 87
2.2.1 The Definition of an OI Queue . . . 88
2.2.2 The Implications of the OI Conditions . . . 88
2.2.3 The Stationary Distribution . . . 89
2.2.4 Models Covered by the OI Class . . . 92
2.3 Numerical Techniques for the OI Queue . . . 95
2.3.1 Aggregating the State Space . . . 95
2.3.2 The Performance Measures: the MSCCC Queue . . . 96
2.4 The OI Loss Queue . . . 102
2.4.1 The Stationary Distribution . . . 103
2.4.2 The Performance Measures: the MSCCC Loss Queue . . . 105
2.4.3 OI Loss Networks . . . 109
2.5 OI Applications . . . 110
2.5.1 Multiported Memory . . . 110
2.5.2 A Messaging Card . . . 110
2.5.3 Multilayer Window Flow Control . . . 111
2.5.4 Machine Scheduling Model . . . 111
2.5.5 Blocked Calls Cleared . . . 111
2.5.6 Blocked Calls Queued . . . 112
2.5.7 Blocked Calls Queued with Source Rejection . . . 113
2.5.8 Local and Long Distance Calls . . . 113
2.5.9 Local and Transit Calls . . . 114
2.5.10 Hierarchical Tree Networks . . . 115
2.5.11 Local and External Networks . . . 115
2.5.12 Transit Calls among Networks . . . 116
2.6 An Algorithm to Compute the Performance Measures of the MSCCC . . . 118
References . . . 119

**3 Insensitivity in Stochastic Models** . . . . . 121
P.G. Taylor
3.1 Introduction . . . . . 121
3.2 The Erlang Loss System as a Symmetric Queue . . . . . 126
3.3 The Erlang Loss System as a GSMP . . . . . 129
3.4 Insensitive Queueing Networks . . . . . 132
3.5 Non-Standard Insensitive Models . . . . . 136
3.6 Conclusion . . . . . 137
References . . . . . 138

**4 Palm Calculus, Reallocatable GSMP and Insensitivity Structure** . . . . 141
Masakiyo Miyazawa
4.1 Introduction . . . . . 141
4.2 Shift operator group . . . . . 142
4.3 Point processes . . . . . 146
4.4 Palm distribution . . . . . 149
4.5 Inversion formula . . . . . 153
4.6 Detailed Palm distribution . . . . . 157
4.7 Time and event averages . . . . . 159
4.8 Rate conservation law . . . . . 163
4.9 PASTA: a proof by the rate conservation law . . . . . 167
4.10 Relationship among the queueing length processes observed at different points in time . . . . . 170
4.11 An extension of the rate conservation law . . . . . 173
4.12 Piece-wise deterministic Markov process (PDMP) . . . . . 176
4.13 Exponentially distributed lifetime . . . . . 182
4.14 GSMP and RGSMP . . . . . 185
4.15 Exponential and non-exponential clocks in RGSMP . . . . . 189
4.16 Product form decomposability . . . . . 193
4.17 Applications to queues and their networks . . . . . 201
4.18 Further insensitivity structure in RGSMP . . . . . 205
4.19 Bibliographic notes . . . . . 213
References . . . . . 214

**5 Networks with Customers, Signals, and Product Form Solutions** . . . 217
Xiuli Chao
5.1 Introduction . . . . . 217
5.2 Quasi-Reversibility of Queues . . . . . 219
5.3 Quasi-Reversibility of Queues with Triggered Departures . . . . . 224
5.4 Networks of Quasi-Reversible Nodes . . . . . 226
5.5 Networks with Signals and Triggered Movements . . . . . 235
5.6 Networks with Positive and Negative Signals . . . . . 241
5.6.1 Single Class of Positive and Negative Signals . . . . . 242
5.6.2 Multiple Classes of Positive and Negative Signals . . . . . 246
5.7 Necessary and Sufficient Conditions for Product Form . . . . . 250

5.8 Quasi-Reversibility Revisited . . . . . 256
5.9 Networks with Random Customer Shuffling . . . . . 260
5.10 Conclusion . . . . . 264
References . . . . . 265

**6 Discrete Time Networks with Product Form Steady States** . . . . . 269
Hans Daduna
6.1 Introduction . . . . . 269
6.2 Bernoulli Servers with Different Customer Types . . . . . 271
6.3 Closed Cycles of Bernoulli Servers . . . . . 275
6.3.1 Steady State Behaviour and Arrival Theorem . . . . . 275
6.3.2 Delay Times in a Closed Cycle . . . . . 279
6.3.3 Computational Algorithms for Closed Cycles . . . . . 281
6.3.4 Large Cycles . . . . . 282
6.4 Open Tandems of Bernoulli Servers . . . . . 284
6.4.1 Steady State and Arrival Theorem . . . . . 284
6.4.2 Delay Times in Tandems . . . . . 287
6.4.3 Open Tandems of Unreliable Bernoulli Servers . . . . . 288
6.5 Doubly stochastic and geometrical servers . . . . . 289
6.5.1 Common Properties . . . . . 290
6.5.2 The Doubly Stochastic Server . . . . . 290
6.5.3 The Geometrical Server . . . . . 295
6.5.4 Networks of Doubly Stochastic and Geometrical Nodes . 296
6.6 Batch Movement Networks . . . . . 300
6.6.1 The General Network Model . . . . . 300
6.6.2 Walrand's S–Queues and Networks . . . . . 304
6.6.3 Closed Networks of Unreliable S–Queues . . . . . 305
6.6.4 Networks with Triggered Batch Movements . . . . . 307
References . . . . . 308

**7 Decomposition and Aggregation in Queueing Networks** . . . . . 313
Tijs Huisman and Richard J. Boucherie
7.1 Introduction . . . . . 313
7.2 Model . . . . . 317
7.2.1 The nodes . . . . . 317
7.2.2 Interaction between the nodes . . . . . 320
7.2.3 The network . . . . . 322
7.3 Decomposition . . . . . 324
7.4 Aggregation . . . . . 330
7.5 Examples . . . . . 335
7.5.1 Quasi-reversible nodes linked via state-dependent routing 335
7.5.2 Biased local balance . . . . . 337
7.5.3 A pull network . . . . . 339
7.5.4 An assembly network . . . . . 340
References . . . . . 343

**8 Stochastic Comparison of Queueing Networks** . . . . . 345
Ryszard Szekli
8.1 Introduction . . . . . 345
8.1.1 Jackson networks . . . . . 349
8.1.2 Gordon-Newell networks . . . . . 350
8.1.3 Ergodicity of classical networks . . . . . 350
8.2 Stochastic monotonicity and related properties for classical networks . . . . . 352
8.2.1 Stochastic orders and monotonicity . . . . . 352
8.2.2 Stochastic monotonicity and networks . . . . . 356
8.2.3 Bounds in transient state . . . . . 357
8.2.4 Bounds in stationary state . . . . . 357
8.2.5 Sojourn times in networks . . . . . 359
8.3 Properties of throughput in classical networks . . . . . 361
8.3.1 Uniform conditional variability ordering, a relation between closed and open networks . . . . . 361
8.3.2 Effect of enlarging service rates in closed networks . . . . . 362
8.3.3 Majorization, arrangement and proportional service rates 363
8.3.4 Throughput and number of jobs . . . . . 365
8.4 Routing and correlations . . . . . 365
8.4.1 Correlation inequalities via generators . . . . . 367
8.4.2 Doubly stochastic routing . . . . . 373
8.4.3 Robin-Hood transforms . . . . . 374
8.4.4 Dependence orderings and monotonicity . . . . . 376
8.5 Jackson networks with breakdowns . . . . . 381
8.5.1 Product formula . . . . . 381
8.5.2 Bounds via dependence ordering for networks with breakdowns . . . . . 383
8.6 General networks . . . . . 384
8.6.1 Dependence and variability in input . . . . . 387
8.6.2 Comparison of workloads . . . . . 387
8.6.3 Throughput in general networks . . . . . 390
References . . . . . 391

**9 Error Bounds and Comparison Results: The Markov Reward Approach For Queueing Networks** . . . . . 397
Nico M. Van Dijk
**A: General results** . . . . . 398
9.1 Motivation . . . . . 398
9.1.1 A first example . . . . . 398
9.1.2 Two more examples . . . . . 402
9.1.3 Objectives . . . . . 405
9.1.4 Approach . . . . . 405
9.1.5 Outline . . . . . 406
9.2 Stochastic Comparison. . . . . 407

9.2.1 Preliminaries . . . 407
9.2.2 Stochastic comparison . . . 408
9.2.3 Stochastic comparison failure . . . 411
9.3 Markov reward approach . . . 413
9.3.1 Preliminaries . . . 413
9.3.2 Comparison Result . . . 414
9.3.3 Error bound Result . . . 416
9.3.4 Truncation Error Bound . . . 420
9.3.5 Comparison of MRA and SC . . . 421
**B: Applications** . . . 425
9.4 Application 1: Instructive Breakdown Example . . . 425
9.4.1 Analytic bounds for the bias-terms . . . 425
9.4.2 Comparison Result . . . 429
9.4.3 Error Bounds . . . 431
9.5 Application 2: Finite Tandem Queue . . . 433
9.5.1 Problem Motivation . . . 433
9.5.2 Comparison Result (Bounds) . . . 435
9.5.3 Technical verification of Bias-Terms . . . 436
9.6 Application 3: Truncation of Finite Jackson Network . . . 440
9.6.1 Description and motivation. . . . 441
9.6.2 Truncation . . . 442
9.6.3 Analytic Error bound . . . 447
9.6.4 Application: Cellular Mobile Network Application . . . 450
9.7 Evaluation . . . 451
9.7.1 Extensions . . . 452
9.7.2 Further Research . . . 453
9.7.3 Other applications. . . . 454
References . . . 456

**10 Stability of Join-the-Shortest-Queue networks: Analysis by Fluid Limits** . . . 461
J. G. Dai, John J. Hasenbein and Bara Kim
10.1 Join-the-shortest-queue networks . . . 461
10.2 The network process and the fluid model . . . 464
10.3 JSQ networks with two stations . . . 469
10.4 Two examples with three stations . . . 474
10.5 JSQ networks with homogeneous feedback . . . 482
10.6 Further study . . . 486
References . . . 486

**11 Methods in Diffusion Approximation for Multi-Server Systems: Sandwich, Uniform Attraction and State-Space Collapse** . . . 489
Hong Chen and Heng-Qing Ye
11.1 Introduction . . . 489
11.2 Preliminaries . . . 492
11.3 Multi-Server Queue: Sandwich Method . . . 494

11.4 A Multi-Class Queue under FIFO Service Discipline: Uniform Attraction and State-Space Collapse . . . 498
11.4.1 Fluid Approximation and Uniform Attraction . . . 500
11.4.2 Diffusion Approximation . . . 503
11.5 Multi-Channel Queues under JSQ Routing Control . . . 509
11.5.1 Fluid Approximation and Uniform Attraction . . . 511
11.5.2 Diffusion Approximation . . . 514
11.6 Notes . . . 518
11.7 Appendix . . . 519
11.7.1 Proof of Lemma 11.5.2 . . . 519
11.7.2 Proof of Proposition 11.5.3 . . . 521
11.7.3 Proof of Lemma 11.5.6 . . . 523
References . . . 529

**12 Queueing Networks with Gaussian Inputs** . . . 531
Michel Mandjes
12.1 Introduction . . . 531
12.2 Preliminaries on Gaussian processes . . . 533
12.2.1 Gaussian sources . . . 533
12.2.2 Classifications . . . 534
12.2.3 Schilder's theorem . . . 536
12.3 Single queues . . . 539
12.3.1 Steady-state queue length . . . 539
12.3.2 Logarithmic asymptotics . . . 540
12.3.3 The shape of the loss curve . . . 541
12.3.4 The buffer-bandwidth curve is convex . . . 545
12.4 Tandem networks . . . 547
12.4.1 Alternative formulation . . . 547
12.4.2 Lower bound . . . 550
12.4.3 Tightness; two regimes . . . 553
12.4.4 Approximation . . . 554
12.5 Priority queues . . . 555
12.5.1 Lower bound . . . 556
12.5.2 Tightness; two regimes . . . 557
12.5.3 Approximation . . . 558
12.6 Concluding remarks . . . 559
References . . . 559

**13 Mean Values Techniques** . . . 561
Ivo Adan, Jan van der Wal
13.1 Introduction . . . 561
13.2 PASTA property and Little's law . . . 562
13.3 MVA for single-station systems . . . 563
13.3.1 **M|M|1** . . . 563
13.3.2 **M|G|1** . . . 564
13.3.3 **M|G|1** with priorities . . . 564

13.3.4 **M|G|1** with least attained service . . . . . 565
13.3.5 Server vacations . . . . . 567
13.3.6 **M|M|c** . . . . . 567
13.3.7 **M|M|c** with priorities . . . . . 568
13.3.8 Retrials . . . . . 569
13.3.9 Polling . . . . . 569
13.4 AMVA for single-station systems . . . . . 571
13.4.1 **M|G|c** . . . . . 571
13.4.2 **M|G|c** with priorities . . . . . 572
13.5 ASTA property in PF networks . . . . . 572
13.5.1 Open single-class PF networks . . . . . 572
13.5.2 Open multi-class PF networks . . . . . 573
13.5.3 Closed multi-class PF networks . . . . . 574
13.6 MVA for open PF networks . . . . . 576
13.7 MVA for closed single-class PF networks . . . . . 576
13.8 MVA for closed multi-class PF networks . . . . . 579
13.9 AMVA for open networks . . . . . 580
13.10 AMVA for closed single-server networks . . . . . 580
13.10.1 Class-dependent general service times . . . . . 581
13.10.2 Priorities . . . . . 582
13.10.3 Multiple visits to a station . . . . . 582
13.11 AMVA for closed multi-server networks . . . . . 583
13.12 The Schweitzer-Bard approximation . . . . . 583
References . . . . . 585

**14 Response Time Distributions in Networks of Queues** . . . . . 587
Michael Grottke, Varsha Apte, Kishor S. Trivedi, and Steve Woolet
14.1 Introduction . . . . . 587
14.2 Closed Markovian networks . . . . . 589
14.2.1 Tagged customer approach . . . . . 590
14.2.2 Example: Central server model . . . . . 590
14.3 Open Markovian networks of $M/M/c/b \leq \infty$ queues . . . . . 594
14.3.1 Response time blocks . . . . . 595
14.3.2 Building the Markov chain from a queuing network . . . . . 598
14.3.3 Examples . . . . . 601
14.4 Open Markovian networks of queues with general PH service time distributions . . . . . 611
14.4.1 Building blocks with general PH service time distributions 611
14.4.2 Building the Markov chain . . . . . 612
14.4.3 Example: CPU and disk queuing system . . . . . 614
14.5 Non-Markovian networks . . . . . 615
14.5.1 Approximating non-PH distributions . . . . . 616
14.5.2 Modeling response time distributions using semi-Markov processes . . . . . 624
14.6 Conclusions . . . . . 637

References . . . . . 639

**15 Decomposition-Based Queueing Network Analysis with FiFiQueues** . 643
Ramin Sadre, Boudewijn R. Haverkort
15.1 Introduction . . . . . 643
15.2 The decomposition approach . . . . . 645
15.3 Whitt's Queueing Network Analyzer . . . . . 648
15.3.1 Model class . . . . . 649
15.3.2 Traffic descriptors . . . . . 649
15.3.3 Superposition of traffic streams . . . . . 649
15.3.4 Splitting traffic streams . . . . . 650
15.3.5 Servicing jobs . . . . . 651
15.3.6 Node performance . . . . . 651
15.3.7 Network-wide performance . . . . . 652
15.3.8 Complexity . . . . . 652
15.4 FiFiQueues . . . . . 653
15.4.1 Model class . . . . . 653
15.4.2 Traffic descriptor . . . . . 654
15.4.3 Superposition of traffic streams . . . . . 654
15.4.4 Splitting traffic streams . . . . . 655
15.4.5 Servicing jobs . . . . . 655
15.4.6 Node performance . . . . . 659
15.4.7 Network-wide performance . . . . . 660
15.4.8 Complexity . . . . . 661
15.4.9 The FiFiQueues network designer . . . . . 662
15.5 Performance of FiFiQueues . . . . . 664
15.5.1 Evaluation of FiFiQueues . . . . . 665
15.5.2 Performance evaluation of a web server . . . . . 668
15.5.3 Summary . . . . . 676
15.6 Summary and conclusions . . . . . 676
15.7 Appendix: Jackson queueing networks . . . . . 677
15.7.1 Model class . . . . . 677
15.7.2 Traffic descriptor . . . . . 677
15.7.3 Superposition of traffic streams . . . . . 678
15.7.4 Splitting traffic streams . . . . . 678
15.7.5 Servicing jobs . . . . . 678
15.7.6 Node performance . . . . . 678
15.7.7 Network-wide performance . . . . . 679
15.7.8 Complexity . . . . . 679
15.8 Appendix: MAPs, PH-distributions and QBDs . . . . . 680
15.8.1 Markovian Arrival Processes (MAPs) . . . . . 681
15.8.2 Phase-type (PH) renewal processes . . . . . 683
15.8.3 Infinite QBDs . . . . . 684
15.8.4 Finite QBDs . . . . . 686
15.9 Appendix: Existence of the fixed point . . . . . 688

15.9.1 Notation and Brouwer's theorem . . . . . 688
15.9.2 Properties of $D$ . . . . . 688
15.9.3 Continuity of $H$ . . . . . 689
15.9.4 Continuity for $c_a^2 = 1$ . . . . . 690
15.9.5 Continuity for $c_a^2 = \frac{1}{m}, m \in \{2, \ldots, 10\}$ . . . . . 693
References . . . . . 697

**16 Loss Networks** . . . . . 701
Stan Zachary and Ilze Ziedins
16.1 Introduction . . . . . 701
16.2 Uncontrolled loss networks: stationary behaviour . . . . . 705
16.2.1 The stationary distribution . . . . . 705
16.2.2 The single resource case . . . . . 706
16.2.3 The Kaufman-Dziong-Roberts (KDR) recursion . . . . . 707
16.2.4 Approximations for large networks . . . . . 708
16.3 Controlled loss networks: stationary behaviour . . . . . 711
16.3.1 Single resource networks . . . . . 711
16.3.2 Multiple resource models . . . . . 713
16.4 Dynamical behaviour and stability . . . . . 715
16.4.1 Fluid limits for large capacity networks . . . . . 715
16.4.2 Single resource networks . . . . . 717
16.4.3 Multi-resource networks: the uncontrolled case . . . . . 718
16.4.4 Multi-resource networks: the general case . . . . . 719
16.4.5 The diverse routing limit . . . . . 723
16.5 Further developments and open questions . . . . . 724
References . . . . . 726

**17 A Queueing Analysis of Data Networks** . . . . . 729
Thomas Bonald and Alexandre Proutière
17.1 Introduction . . . . . 729
17.2 Capacity region . . . . . 730
17.3 Traffic characteristics . . . . . 737
17.4 Stability issues . . . . . 738
17.5 Flow throughput . . . . . 739
17.6 Queueing analysis . . . . . 740
17.7 Resource allocation . . . . . 742
17.8 Insensitivity results . . . . . 745
17.9 A single link . . . . . 747
17.10 Performance bounds . . . . . 751
17.11 Examples . . . . . 756
17.12 Open issues . . . . . 762
17.13 Bibliographical notes . . . . . 762
Appendix . . . . . 763
References . . . . . 764

**18 Modeling a Hospital Queueing Network** . . . . . 767
Stefan Creemers and Marc Lambrecht
18.1 Introduction . . . . . 767
18.2 Problem Description . . . . . 769
18.3 A hospital queueing system . . . . . 771
18.3.1 Modeling arrival rate and natural service times . . . . . 773
18.3.2 Variability from preemptive and nonpreemptive outages . 777
18.4 Applications . . . . . 786
18.4.1 Numerical example . . . . . 786
18.4.2 The impact of interrupts . . . . . 788
18.4.3 The impact of pooling . . . . . 789
18.4.4 Finding the optimal number of patients in a service session . . . . . 791
18.5 Conclusion . . . . . 796
References . . . . . 796

http://www.springer.com/978-1-4419-6471-7

Queueing Networks
A Fundamental Approach
Boucherie, R.J.; van Dijk, N.M. (Eds.)
2011, XXIV, 800 p., Hardcover
ISBN: 978-1-4419-6471-7