

Contents

| | | |
|----------|---|-----------|
| 1 | The Glass “Transition” | 1 |
| 1.1 | Introduction | 1 |
| 1.2 | Pressure Dependence of the Structural (α -) Relaxation Time | 5 |
| 1.3 | The Glass Transition Temperature | 17 |
| 1.4 | The Concept of Fragility | 20 |
| 1.5 | Relative Importance of Thermal Energy and Density | 23 |
| | References | 34 |
| 2 | Origin of Glass Formation | 39 |
| 2.1 | Thermodynamic Scaling of Molecular Dynamics in Viscous Systems | 39 |
| 2.1.1 | A General Idea of Thermodynamic Scaling | 39 |
| 2.1.2 | A New Measure of the Relative Temperature–Volume Influence on Molecular Dynamics | 42 |
| 2.1.3 | The Relaxation Time Description in Accordance with Thermodynamic Scaling | 47 |
| 2.1.4 | Thermodynamic Scaling on Isothermal Conditions and Its Consequences | 52 |
| 2.1.5 | Doubts About the Thermodynamic Scaling Universality | 55 |
| 2.2 | The Role of Monomer Volume and Local Packing on the Glass-Transition Dynamics | 61 |
| | References | 64 |
| 3 | Models of Temperature–Pressure Dependence of Structural Relaxation Time | 67 |
| 3.1 | The Generalized Vogel–Fulcher–Tammann Equation | 67 |
| 3.2 | The Adam–Gibbs Model | 68 |
| 3.3 | The Avramov Model | 71 |
| 3.4 | Cluster Kinetics Model | 75 |
| 3.5 | Defect Diffusion Model | 79 |

| | |
|--|------------|
| 3.6 Dynamic Lattice Liquid Model | 84 |
| References | 87 |
| 4 New Physics Gained by the Application of Pressure in the Study of Dynamics of Glass Formers | 89 |
| 4.1 Dynamics Under Pressure | 89 |
| 4.2 General Dynamic Properties of Glass Formers Discovered by Applying Pressure | 90 |
| 4.2.1 Coinvariance of τ_α and Width of Dispersion to Changes in P and T | 90 |
| 4.2.2 Crossover of T or P Dependence of τ_α (or η) at the Same τ_α (or η) Independent on T , P , and V at the Crossover | 93 |
| 4.2.3 An Important Class of Secondary Relaxations Bearing Strong Connection to the α -Relaxation | 98 |
| 4.3 Conclusions | 115 |
| References | 116 |
| 5 Pressure Effects on Polymer Blends | 121 |
| 5.1 Theoretical Background | 121 |
| 5.2 Effect of Pressure on the Dynamics of Miscible Polymer Blends: Dynamic Heterogeneity | 123 |
| 5.2.1 Athermal Polymer Blends/Copolymers (PI-PVE, PMMA/PEO) | 125 |
| 5.2.2 Miscible But Not Athermal Polymer Blends (PS/PMPS, PS/PVME, and PCHMA/PaMS) | 131 |
| 5.2.3 Polymer Blends with Strong Specific Interactions | 140 |
| 5.3 Effect of Pressure on Nanophase Separated Copolymers | 141 |
| 5.3.1 PMVE- <i>b</i> -PiBVE | 142 |
| 5.3.2 pODMA- <i>b</i> -ptBA- <i>b</i> -pODMA | 144 |
| References | 146 |
| 6 Polypeptide Dynamics | 149 |
| 6.1 Introduction | 149 |
| 6.2 Polypeptide Liquid-to-Glass “Transition” and its Origin | 150 |
| 6.3 Correlation Length of α -Helices | 159 |
| 6.4 Effects of Nanoconfinement on the Peptide Secondary Structure and Dynamics | 162 |
| 6.4.1 “Soft” Confinement: Confinement Within the Nanodomains of Block Copolypeptides | 162 |
| 6.4.2 “Hard” Confinement: Confinement Inside Nanoporous Anodic Aluminum Oxide | 163 |
| 6.5 Conclusion | 166 |
| References | 167 |
| Index | 169 |

Molecular Dynamics of Glass-Forming Systems
Effects of Pressure

Floudas, G.; Paluch, M.; Grzybowski, A.; Ngai, K.

2011, XII, 176 p., Hardcover

ISBN: 978-3-642-04901-9