

Contents

Part I	Theoretical Background	1
1	Dedekind's Eta Function and Modular Forms	3
1.1	Identities of Euler, Jacobi and Gauss	3
1.2	The Sign Transform	10
1.3	The Multiplier System of η	11
1.4	The Concept of Modular Forms	15
1.5	Eisenstein Series for the Full Modular Group	19
1.6	Eisenstein Series for $\Gamma_0(N)$ and Fricke Groups	20
1.7	Hecke Eigenforms	24
1.8	Identification of Modular Forms	29
2	Eta Products	31
2.1	Level, Weight, Nominator and Denominator of an Eta Product	31
2.2	Eta Products on the Fricke Group	33
2.3	Expansion and Order at Cusps	34
2.4	Conditions for Holomorphic Eta Products	36
2.5	The Cones and Simplices of Holomorphic Eta Products . . .	37
3	Eta Products and Lattice Points in Simplices	39
3.1	The Simplices $S(N, k)$ of Eta Products	39
3.2	The Setting for Prime Power Levels	40
3.3	Results for Prime Power Levels	41
3.4	Kronecker Products of Simplices	46
3.5	The Simplices for the Fricke Group	48
3.6	Eta Products of Weight $\frac{1}{2}$	50
4	An Algorithm for Listing Lattice Points in a Simplex	55
4.1	Description of the Algorithm	55
4.2	Implementation	58
4.3	Output and Run Times	63

5	Theta Series with Hecke Character	67
5.1	Definition of Hecke Characters and Hecke L -functions	67
5.2	Hecke Theta Series for Quadratic Fields	69
5.3	Fourier Coefficients of Theta Series	70
5.4	More on Theta Series for Quadratic Fields	72
5.5	Description of Theta Series by Ideal Numbers	74
5.6	Coincidence of Theta Series of Weight 1	78
6	Groups of Coprime Residues in Quadratic Fields	81
6.1	Reduction to Prime Powers and One-units	81
6.2	One-units in Arbitrary Number Fields	83
6.3	Ramified Primes $p \geq 3$ in Quadratic Number Fields	87
6.4	The Ramified Prime 2 in Quadratic Number Fields	91
Part II	Examples	97
7	Ideal Numbers for Quadratic Fields	99
7.1	Class Numbers 1 and 2	99
7.2	Class Number 4	102
7.3	Class Number 8	105
7.4	Class Numbers 3, 6 and 12	109
7.5	Ideal Numbers for Some Real Quadratic Fields	111
8	Eta Products of Weight $\frac{1}{2}$ and $\frac{3}{2}$	113
8.1	Levels 1, 2 and 4	113
8.2	Levels 6 and 12	115
8.3	Eta Products of Weight $\frac{3}{2}$ and the Concept of Superlacunarity	117
9	Level 1: The Full Modular Group	119
9.1	Weights $k = 1$, $k \equiv 1 \pmod{4}$ and $k \equiv 1 \pmod{6}$	119
9.2	Weights $k = 2$ and $k \equiv 2 \pmod{6}$	122
9.3	Weights $k = 3$ and $k \equiv 3 \pmod{4}$	125
9.4	Weights $k = 4$ and $k \equiv 1 \pmod{3}$	128
9.5	Weights $k \equiv 0 \pmod{6}$	131
10	The Prime Level $N = 2$	133
10.1	Weight 1 and Other Odd Weights for the Fricke Group $\Gamma^*(2)$	133
10.2	Weight 1 for $\Gamma_0(2)$	139
10.3	Even Weights for the Fricke Group $\Gamma^*(2)$	141
10.4	Weight $k = 2$ for $\Gamma_0(2)$	144
10.5	Lacunary Eta Products with Weight 3 for $\Gamma_0(2)$	146
10.6	Lacunary Eta Products with Weight 5 for $\Gamma_0(2)$	150
11	The Prime Level $N = 3$	155
11.1	Weight 1 and Other Weights $k \equiv 1 \pmod{6}$ for $\Gamma^*(3)$ and $\Gamma_0(3)$	155

11.2 Even Weights for the Fricke Group $\Gamma^*(3)$	158
11.3 Weights $k \equiv 3, 5 \pmod{6}$ for the Fricke Group $\Gamma^*(3)$	163
11.4 Weight $k = 2$ for $\Gamma_0(3)$	167
11.5 Lacunary Eta Products with Weights $k > 2$ for $\Gamma_0(3)$	169
12 Prime Levels $N = p \geq 5$	173
12.1 Odd Weights for the Fricke Groups $\Gamma^*(p)$, $p = 5, 7, 11, 23$. . .	173
12.2 Weight 1 for the Fricke Groups $\Gamma^*(p)$, $p = 13, 17, 19$	180
12.3 Weight 2 for $\Gamma_0(p)$	182
12.4 Weights 3 and 5 for $\Gamma_0(5)$	185
13 Level $N = 4$	187
13.1 Odd Weights for the Fricke Group $\Gamma^*(4)$	187
13.2 Even Weights for the Fricke Group $\Gamma^*(4)$	191
13.3 Weight 1 for $\Gamma_0(4)$	193
13.4 Weight 2 for $\Gamma_0(4)$, Cusp Forms with Denominators $t \leq 6$. .	197
13.5 Weight 2 for $\Gamma_0(4)$, Cusp Forms with Denominators $t = 8, 12$	201
13.6 Weight 2 for $\Gamma_0(4)$, Cusp Forms with Denominator $t = 24$. .	206
13.7 Weight 2 for $\Gamma_0(4)$, Non-cuspidal Eta Products	210
13.8 A Remark on Weber Functions	213
14 Levels $N = p^2$ with Primes $p \geq 3$	215
14.1 Weight 1 for Level $N = 9$	215
14.2 Weight 2 for the Fricke Group $\Gamma^*(9)$	216
14.3 Weight 2 for $\Gamma_0(9)$	217
14.4 Weight 2 for Levels $N = p^2$, $p \geq 5$	220
15 Levels $N = p^3$ and p^4 for Primes p	223
15.1 Weights 1 and 2 for $\Gamma^*(8)$	223
15.2 Weight 1 for $\Gamma_0(8)$, Cuspidal Eta Products	225
15.3 Weight 1 for $\Gamma_0(8)$, Non-cuspidal Eta Products	229
15.4 Weight 1 for $\Gamma^*(16)$	231
15.5 Weight 2 for $\Gamma^*(16)$	233
15.6 Weight 1 for $\Gamma_0(16)$, Cusp Forms with Denominators $t = 3, 6, 8$	240
15.7 Weight 1 for $\Gamma_0(16)$, Cusp Forms with Denominator $t = 24$.	242
15.8 Weight 1 for $\Gamma_0(16)$, Non-cuspidal Eta Products	246
16 Levels $N = pq$ with Primes $3 \leq p < q$	251
16.1 Weight 1 for Fricke Groups $\Gamma^*(3q)$	251
16.2 Weight 1 in the Case $5 \leq p < q$	254
16.3 Weight 2 for Fricke Groups	257
16.4 Cuspidal Eta Products of Weight 2 for $\Gamma_0(15)$	259
16.5 Some Eta Products of Weight 2 for $\Gamma_0(21)$	263

17 Weight 1 for Levels $N = 2p$ with Primes $p \geq 5$	267
17.1 Eta Products for Fricke Groups	267
17.2 Cuspidal Eta Products for $\Gamma_0(10)$	274
17.3 Non-cuspidal Eta Products for $\Gamma_0(10)$	278
17.4 Eta Products for $\Gamma_0(14)$	280
17.5 Eta Products for $\Gamma_0(22)$	282
17.6 Weight 1 for Levels 26, 34 and 38	284
18 Level $N = 6$	291
18.1 Weights 1 and 2 for $\Gamma^*(6)$	291
18.2 Weight 1 for $\Gamma_0(6)$, Cusp Forms with Denominators $t = 4, 6, 8$	294
18.3 Weight 1 for $\Gamma_0(6)$, Cusp Forms with Denominators $t = 12, 24$	296
18.4 Non-cuspidal Eta Products with Denominators $t \geq 4$	299
18.5 Non-cuspidal Eta Products with Denominators $t \leq 3$	301
19 Weight 1 for Prime Power Levels p^5 and p^6	305
19.1 Weight 1 for $\Gamma^*(32)$	305
19.2 Cuspidal Eta Products of Weight 1 for $\Gamma_0(32)$	306
19.3 Non-cuspidal Eta Products of Weight 1 for $\Gamma_0(32)$	311
19.4 Weight 1 for Level 64	314
20 Levels p^2q for Distinct Primes $p \neq 2$ and q	319
20.1 The Case of Odd Primes p and q	319
20.2 Levels $2p^2$ for Primes $p \geq 7$	321
20.3 Eta Products of Level 50	322
20.4 Eta Products for the Fricke Group $\Gamma^*(18)$	327
20.5 Cuspidal Eta Products of Level 18 with Denominators $t \leq 8$.	329
20.6 Cuspidal Eta Products of Level 18 with Denominators $t \geq 12$	332
20.7 Non-cuspidal Eta Products of Level 18, Denominators $t \geq 4$.	337
20.8 Non-cuspidal Eta Products, Level 18, Denominators 3 and 2 .	340
20.9 Non-cuspidal Eta Products of Level 18 with Denominator 1 .	343
21 Levels $4p$ for the Primes $p = 23$ and 19	347
21.1 An Overview	347
21.2 Eta Products for the Fricke Groups $\Gamma^*(92)$ and $\Gamma^*(76)$	348
21.3 Cuspidal Eta Products for $\Gamma_0(92)$ with Denominators $t \leq 12$.	350
21.4 Cuspidal Eta Products for $\Gamma_0(92)$ with Denominator 24	354
21.5 Non-cuspidal Eta Products for $\Gamma_0(92)$ and $\Gamma_0(76)$	359
21.6 Cuspidal Eta Products for $\Gamma_0(76)$	362
22 Levels $4p$ for $p = 17$ and 13	369
22.1 Eta Products for the Fricke Groups $\Gamma^*(68)$ and $\Gamma^*(52)$	369
22.2 Cuspidal Eta Products for $\Gamma_0(68)$ with Denominators $t \leq 12$.	374
22.3 Cuspidal Eta Products for $\Gamma_0(68)$ with Denominator 24	378
22.4 Non-cuspidal Eta Products for $\Gamma_0(68)$	380
22.5 Cuspidal Eta Products for $\Gamma_0(52)$ with Denominators $t \leq 12$.	384

22.6	Cuspidal Eta Products for $\Gamma_0(52)$ with Denominator 24 . . .	390
22.7	Non-cuspidal Eta Products for $\Gamma_0(52)$	395
23	Levels $4p$ for $p = 11$ and 7	397
23.1	Eta Products for the Fricke Groups $\Gamma^*(44)$ and $\Gamma^*(28)$	397
23.2	Cuspidal Eta Products for $\Gamma_0(44)$ with Denominators $t \leq 12$.	401
23.3	Cuspidal Eta Products for $\Gamma_0(44)$ with Denominator 24 . . .	404
23.4	Non-cuspidal Eta Products for $\Gamma_0(44)$	408
23.5	Cuspidal Eta Products for $\Gamma_0(28)$ with Denominators $t \leq 12$.	410
23.6	Cuspidal Eta Products for $\Gamma_0(28)$ with Denominator 24 . . .	417
23.7	Non-cuspidal Eta Products for $\Gamma_0(28)$	422
24	Weight 1 for Level $N = 20$	427
24.1	Eta Products for the Fricke Group $\Gamma^*(20)$	427
24.2	Cuspidal Eta Products for $\Gamma_0(20)$ with Denominators $t \leq 6$.	430
24.3	Cuspidal Eta Products with Denominators 8 and 12	434
24.4	Cuspidal Eta Products with Denominator 24, First Part . . .	438
24.5	Cuspidal Eta Products with Denominator 24, Second Part . .	443
24.6	Non-cuspidal Eta Products with Denominators $t > 1$	447
24.7	Non-cuspidal Eta Products with Denominator 1	451
25	Cuspidal Eta Products of Weight 1 for Level 12	455
25.1	Eta Products for the Fricke Group $\Gamma^*(12)$	455
25.2	Cuspidal Eta Products for $\Gamma_0(12)$ with Denominators $t = 2, 3$	459
25.3	Cuspidal Eta Products with Denominator 4	462
25.4	Cuspidal Eta Products with Denominator 6	464
25.5	Cuspidal Eta Products with Denominator 8	466
25.6	Cuspidal Eta Products with Denominator 12	472
25.7	Cuspidal Eta Products with Denominator 24, First Part . .	475
25.8	Cuspidal Eta Products with Denominator 24, Second Part .	480
26	Non-cuspidal Eta Products of Weight 1 for Level 12	485
26.1	Non-cuspidal Eta Products with Denominator 24	485
26.2	Non-cuspidal Eta Products with Denominators 6 and 12 . . .	487
26.3	Non-cuspidal Eta Products with Denominator 8	492
26.4	Non-cuspidal Eta Products with Denominator 4	496
26.5	Non-cuspidal Eta Products with Denominator 3	500
26.6	Non-cuspidal Eta Products with Denominator 2	504
26.7	Denominator 1, First Part	505
26.8	Denominator 1, Second Part	509
27	Weight 1 for Fricke Groups $\Gamma^*(q^3p)$	513
27.1	An Overview, and the Case $p = 2$	513
27.2	Levels $N = 8p$ for Primes $p \geq 7$	515
27.3	Eta Products for $\Gamma^*(40)$	519

27.4	Cuspidal Eta Products of Weight 1 for $\Gamma^*(24)$	522
27.5	Non-cuspidal Eta Products of Weight 1 for $\Gamma^*(24)$	524
28	Weight 1 for Fricke Groups $\Gamma^*(2pq)$	527
28.1	Levels $N = 2pq$ for Primes $p > q \geq 5$	527
28.2	Levels 30 and 42	534
28.3	Levels $6p$ for Primes $p = 11, 13$	537
28.4	Levels $6p$ for Primes $p = 17, 19, 23$	540
29	Weight 1 for Fricke Groups $\Gamma^*(p^2q^2)$	547
29.1	An Overview, and an Example for Level 196	547
29.2	Some Examples for Level 100	548
29.3	Cuspidal Eta Products for $\Gamma^*(36)$	552
29.4	Non-cuspidal Eta Products for $\Gamma^*(36)$	556
30	Weight 1 for the Fricke Groups $\Gamma^*(60)$ and $\Gamma^*(84)$	559
30.1	An Overview	559
30.2	Cuspidal Eta Products for $\Gamma^*(60)$	559
30.3	Non-cuspidal Eta Products for $\Gamma^*(60)$	563
30.4	Cuspidal Eta Products for $\Gamma^*(84)$	566
30.5	Non-cuspidal Eta Products for $\Gamma^*(84)$	569
31	Some More Levels $4pq$ with Odd Primes $p \neq q$	571
31.1	Weight 1 for $\Gamma^*(132)$	571
31.2	Weight 1 for $\Gamma^*(156)$	575
31.3	Weight 1 for $\Gamma^*(228)$	580
31.4	Weight 1 for $\Gamma^*(276)$	585
31.5	Weight 1 for $\Gamma^*(140)$	587
31.6	Weight 1 for $\Gamma^*(220)$	590
Appendix		593
	A Directory of Characters	593
	B Index of Notations	608
References		611
Index		619



<http://www.springer.com/978-3-642-16151-3>

Eta Products and Theta Series Identities

Köhler, G.

2011, XXII, 622 p., Hardcover

ISBN: 978-3-642-16151-3